

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name BactidropTM Acridine Orange

Product Code R21502

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product contains one or more substance(s) listed on the voluntary National Code of

Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Substances/mixtures corrosive to metal Category 1

Health hazards

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 1

Environmental hazards
No hazards identified

Label Elements



93790 Version 1 05-Jul-2023 Page 1 / 11

Signal Word Danger

Hazard Statements

H290 - May be corrosive to metals

H315 - Causes skin irritation

H318 - Causes serious eye damage

Precautionary Statements

P234 - Keep only in original packaging

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

P390 - Absorb spillage to prevent material damage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	91.94
Hydrochloric acid	7647-01-0	3.63
Sodium acetate	127-09-3	4.23
Benzoic acid	65-85-0	0.19
N,N,N',N'-Tetramethylacridine-3,6-diamine	10127-02-3	0.01
monohydrochloride, compound with zinc dichloride		

Section 4 - First Aid Measures

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Consult a physician if necessary.

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Get medical attention

immediately if irritation persists.

93790 Version 1 05-Jul-2023 Page 2 / 11

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Self-Protection of the First Aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
First Aid Facilities	Eyewash, safety shower and washroom.
Most important symptoms and effects	Causes eye burns.
Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Refer to protective measures listed in Sections 7 and 8

Environmental Precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

93790 Version 1 05-Jul-2023 Page 3 / 11

Section 7 - Handling and Storage

Precautions for Safe Handling

No information available. Avoid contact with skin. Ensure adequate ventilation. Do not taste or swallow. Do not get in eyes, on skin, or on clothing. This material should be handled at the biosafety level 2 (BSL2) as required by OSHA Bloodborne Pathogen Rule (29 CFR 1910.1030.7).

Conditions for Safe Storage, Including any Incompatibilities

Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Hydrochloric acid	Ceiling: 5 ppm	Ceiling: 5 ppm	Ceiling: 2 ppm	STEL: 5 ppm 15 min	TWA: 2 ppm (8
	Ceiling: 7.5 mg/m ³	Ceiling: 7.5 mg/m ³		STEL: 8 mg/m ³ 15 min	Stunden). AGW -
				TWA: 1 ppm 8 hr	exposure factor 2
				TWA: 2 mg/m ³ 8 hr	TWA: 3 mg/m ³ (8
					Stunden). AGW -
					exposure factor 2
					TWA: 2 ppm (8
					Stunden). MAK
					TWA: 3.0 mg/m ³ (8
					Stunden). MAK
					Höhepunkt: 4 ppm
					Höhepunkt: 6 mg/m ³
Benzoic acid			TWA: 0.5 mg/m ³		TWA: 0.1 ppm (8
			Skin		Stunden). AGW -
					exposure factor 4
					TWA: 0.5 mg/m ³ (8
					Stunden). AGW -
					exposure factor 4
					TWA: 0.1 ppm (8
					Stunden). MAK can
					occur as vapor and
					aerosol at the same
					time
					TWA: 0.5 mg/m ³ (8
					Stunden). MAK can
					occur as vapor and
					aerosol at the same
					time
					TWA: 0.39 ppm (8
					Stunden). MAK can
					occur as vapor and
					aerosol at the same
					time
					TWA: 2 mg/m ³ (8
					Stunden). MAK can
					occur as vapor and

93790 Version 1 05-Jul-2023 Page 4 / 11

BactidropTM Acridine Orange

SAFETY DATA SHEET

		aerosol at the same
		time
		Höhepunkt: 2 mg/m ³
		Höhepunkt: 0.4 ppm
		Höhepunkt: 0.78 ppm
		Höhepunkt: 4 mg/m ³
		Haut

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

	Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
١	Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)
		recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Impervious clothing Impervious gloves Boots Chemical resistant apron

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures When using do not eat, drink or smoke. Remove and wash contaminated clothing and

gloves, including the inside, before re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before

re-use. Wear suitable gloves and eye/face protection.

Environmental exposure controls No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Yellow-orange

Physical State Liquid

Odor No information available

93790 Version 1 05-Jul-2023 Page 5/11

Odor Threshold No data available

pH < 2.0

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information available

Flash Point No information available Method - No information available

Liquid

Evaporation Rate No data available
Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor PressureNo data availableVapor DensityNo data available

Vapor Density
No data available
(Air = 1.0)
Specific Gravity / Density
No data available

Bulk DensityNot applicableWater SolubilityNo information available

Water Solubility

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)

Component log Pow
Sodium acetate -4.22
Benzoic acid 1.88

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Other information

VOC Content(%) 4.42

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products, Exposure to air or moisture over prolonged periods.

Incompatible Materials Strong bases, Strong oxidizing agents, Metals.

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Polymerization No information available.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Hydrochloric acid	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	1.68 mg/L (Rat) 1 h

93790 Version 1 05-Jul-2023 Page 6 / 11

Ī				
	Sodium acetate	LD50 = 3530 mg/kg (Rat)	LD50 > 10 g/kg (Rabbit)	$LC50 > 30 \text{ g/m}^3 \text{ (Rat) 1 h}$
ł	Benzoic acid	1700 mg/kg (Rat)	LD50 > 10000 mg/kg (Rabbit)	LC50 > 12.2 mg/L (Rat) 4 h
		2565 mg/kg (Rat)		, ,

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B)

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available

delayed

Section 12 - Ecological Information

Ecotoxicity effects Harmful to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Hydrochloric acid	282 mg/L LC50 96 h	56mg/L EC50 72h	-	-
	Gambusia affinis	Daphnia		
	mg/L LC50 48 h			
	Leucscus idus			
Sodium acetate	LC50: > 100 mg/L, 96h	EC50: > 1000 mg/L, 48h	-	= 7200 mg/L EC50
	semi-static (Danio rerio)	(Daphnia magna)		Pseudomonas putida 18
				h
Benzoic acid	LC50: = 44.6 mg/L, 96h	EC50: = 860 mg/L, 48h		EC50 = 16.85 mg/L 30
	static (Lepomis	Static (Daphnia magna)		min
	macrochirus)			EC50 = 16.9 mg/L 15
				min

Persistence and Degradability
Bioaccumulative Potential
No information available
No information available

Component	log Pow	Bioconcentration factor (BCF)
Sodium acetate	-4.22	<10 dimensionless
Benzoic acid	1.88	No data available

Mobility No information available.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

93790 Version 1 05-Jul-2023 Page 7 / 11

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Contaminated Packaging Do not reuse empty containers. Dispose of this container to hazardous or special waste

collection point.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection

service. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Solutions with low

pH-value must be neutralized before discharge.

Section 14 - Transport Information

IMDG/IMO

UN-No UN1789

Proper Shipping Name HYDROCHLORIC ACID SOLUTION

Hazard Class 8
Packing Group III

ADG

UN-No UN1789

Proper Shipping Name HYDROCHLORIC ACID SOLUTION

Hazard Class 8
Packing Group III

Component	Hazchem Code
Hydrochloric acid	2RE
7647-01-0 (3.63)	2R

<u>IATA</u>

UN-No UN1789

Proper Shipping Name HYDROCHLORIC ACID SOLUTION

Hazard Class 8
Packing Group

Environmental hazards No hazards identified

Special PrecautionsNo special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

93790 Version 1 05-Jul-2023 Page 8/11

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Hydrochloric acid - 7647-01-0	Schedule 5 listed - except its salts and derivatives; in preparations except: in preparations containing
	<=0.5% of Hydrochloric acid, or for therapeutic use
	Schedule 6 listed - except its salts and derivatives;except: when included in Schedule 5, in
	preparations for therapeutic use, or in preparations containing <=0.5% of Hydrochloric acid
N,N,N',N'-Tetramethylacridine-3,6-diamine	Schedule 4 listed - for human internal use except in preparations with a recommended daily dose of
monohydrochloride, compound with zinc	<=25 mg of Zinc, or in preparations with a recommended daily dose of between 25-50 mg of Zinc when
dichloride - 10127-02-3	compliant with the requirements of the Required Advisory Statements for Medicine Labels

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	•
Hydrochloric acid - 7647-01-0	Present	-
Sodium acetate - 127-09-3	Present	-
Benzoic acid - 65-85-0	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

Chemicals of Security Concern

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Hydrochloric acid - 7647-01-0	Category 3	Listed in Appendix A
Sodium acetate - 127-09-3	Category 3	

Legend

Category 3 - Chemicals and apparatus that may be used in the illicit production of drugs. Purchases from this list should alert companies or organizations to seek further indicators of any suspicious orders or enquiries. No official reporting is required for items on this list unless considered warranted

Chemicals of Security Concern - for further information see http://www.chemicalsecurity.gov.au/securityconcerns

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory			
Hydrochloric acid - 7647-01-0	10 tonne/yr. Threshold category 1			
	400 tonne/yr. Threshold category 2a			
	1 tonne/h. Threshold category 2a			
	2000 tonne/yr. Threshold category 2b			
	60000 MWH. Threshold category 2b			
	20 MW. Threshold category 2b			

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

93790 Version 1 05-Jul-2023 Page 9 / 11

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Water	Х	X	231-791-2	-	Х	Х	-	Х	Х		Х	KE-35400
Hydrochloric acid	X	Х	231-595-7	-	Х	Х	-	Х	Х	Х	Х	KE-20189
Sodium acetate	X	Χ	204-823-8	-	Х	Χ	-	Χ	Χ	Χ	Х	KE-00061
Benzoic acid	X	X	200-618-2	-	Х	Х	-	Х	Χ	Х	Х	KE-02696
N,N,N',N'-Tetramethyl acridine-3,6-diamine monohydrochloride, compound with zinc dichloride	•	Х	233-353-6	-	-	1	-	1	-		-	-

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Hydrochloric acid - 7647-01-0	Annex I - Y34	Y34 solid or solution
Benzoic acid - 65-85-0	Annex I - Y34	Y34 solid or solution
N,N,N',N'-Tetramethylacridine-3,6-diamine monohydrochloride, compound with zinc dichloride - 10127-02-3	Annex I - Y23	Y23

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Listed	Not applicable	25 tonne	250 tonne
Sodium acetate	127-09-3	Listed	Not applicable	Not applicable	Not applicable
Benzoic acid	65-85-0	Listed	Not applicable	Not applicable	Not applicable
N,N,N',N'-Tetramethylacridine -3,6-diamine monohydrochloride, compound with zinc dichloride	10127-02-3	Not applicable	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Hydrochloric acid	-	Use restricted. See item 75. (see link for restriction details)	-
Benzoic acid	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

93790 Version 1 05-Jul-2023 Page 10 / 11

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit

DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code ADG - Australian Code for the Transport of Dangerous Goods by Road

and Rail **OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 05-Jul-2023 Not applicable. **Revision Summary**

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

93790 Version 1 05-Jul-2023 Page 11/11