

according to Regulation (EC) No. 1907/2006

Creation Date 27-May-2010 Revision Date 02-Feb-2024 **Revision Number 4**

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier

Product Description: Tetraethoxysilane

Cat No.: 14082

Synonyms Ethyl silicate; TEOS; Tetraethoxysilane

Index No 014-005-00-0 **CAS No** 78-10-4 EC No 201-083-8 C8 H20 O4 Si **Molecular Formula**

REACH registration number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites Sector of use

PC21 - Laboratory chemicals **Product category**

Process categories PROC15 - Use as a laboratory reagent

Environmental release category

ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

No Information available Uses advised against

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

ALFAA14082

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids Category 3 (H226)

Health hazards

Acute Inhalation Toxicity - Vapors

Serious Eye Damage/Eye Irritation

Specific target organ toxicity - (single exposure)

Category 4 (H332)

Category 2 (H319)

Category 3 (H335)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H226 - Flammable liquid and vapor

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Reacts with water and forms Ethanol (CAS: 64-17-5)

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Tetraethoxysilane Revision Date 02-Feb-2024

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Silicic acid (H4SiO4), tetraethyl ester	78-10-4	EEC No. 201-083-8	>95	Flam. Liq. 3 (H226) Eye Irrit. 2 (H319) Acute Tox. 4 (H332) STOT SE 3 (H335)

REACH registration number	-
---------------------------	---

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Do NOT induce vomiting. Get medical attention.

Inhalation Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Do not use water jetstream.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Tetraethoxysilane Revision Date 02-Feb-2024

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Silicon dioxide. Ethanol.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances

Storage class - SC 3

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund). **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

Component	European Union	The United Kingdom	France	Belgium	Spain
Silicic acid (H4SiO4),	TWA: 44 mg/m ³ (8h)	STEL: 15 ppm 15 min	TWA / VME: 5 ppm (8	TWA: 5 ppm 8 uren	TWA / VLA-ED: 5 ppm
tetraethyl ester	TWA: 5 ppm (8h)	STEL: 132 mg/m ³ 15	heures).	TWA: 44 mg/m ³ 8 uren	(8 horas)
		min	TWA / VME: 44 mg/m ³	_	TWA / VLA-ED: 44
		TWA: 5 ppm 8 hr	(8 heures).		mg/m³ (8 horas)
		TWA: 44 mg/m ³ 8 hr	,		

Component	Italy	Germany	Portugal	The Netherlands	Finland
Silicic acid (H4SiO4),	TWA: 44 mg/m ³ 8 ore.	TWA: 1.4 ppm (8	TWA: 5 ppm 8 horas	TWA: 44 mg/m ³ 8 uren	TWA: 5 ppm 8 tunteina
tetraethyl ester	Time Weighted Average	Stunden). AGW -	TWA: 44 mg/m ³ 8 horas	_	TWA: 43 mg/m ³ 8
	TWA: 5 ppm 8 ore. Time	exposure factor 1			tunteina
	Weighted Average	TWA: 12 mg/m ³ (8			STEL: 10 ppm 15
		Stunden). AGW -			minuutteina
		exposure factor 1			STEL: 86 mg/m ³ 15
		TWA: 10 ppm (8			minuutteina
		Stunden). MAK			
		TWA: 86 mg/m ³ (8			
		Stunden). MAK			
		Höhepunkt: 10 ppm			
		Höhepunkt: 86 mg/m ³			

Component	Austria	Denmark	Switzerland	Poland	Norway
Silicic acid (H4SiO4),	MAK-KZGW: 10 ppm 15	TWA: 5 ppm 8 timer	TWA: 5 ppm 8 Stunden	TWA: 44 mg/m ³ 8	TWA: 5 ppm 8 timer
tetraethyl ester	Minuten	TWA: 44 mg/m ³ 8 timer	TWA: 44 mg/m ³ 8	godzinach	TWA: 44 mg/m ³ 8 timer
	MAK-KZGW: 88 mg/m ³	STEL: 10 ppm 15	Stunden	_	STEL: 10 ppm 15
	15 Minuten	minutter			minutter, value
	MAK-TMW: 5 ppm 8	STEL: 88 mg/m ³ 15			calculated
	Stunden	minutter			STEL: 66 mg/m ³ 15
	MAK-TMW: 44 mg/m ³ 8				minutter. value
	Stunden				calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Silicic acid (H4SiO4),	TWA: 44 mg/m ³	TWA-GVI: 5 ppm 8	TWA: 5 ppm 8 hr.	TWA: 44 mg/m ³	TWA: 50 mg/m ³ 8
tetraethyl ester	TWA: 5 ppm	satima.	TWA: 44 mg/m ³ 8 hr.	TWA: 5 ppm	hodinách.
		TWA-GVI: 44 mg/m ³ 8	STEL: 15 ppm 15 min		Ceiling: 200 mg/m ³
		satima.	STEL: 132 mg/m ³ 15		
			min		

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Silicic acid (H4SiO4), tetraethyl ester	TWA: 5 ppm 8 tundides. TWA: 44 mg/m ³ 8 tundides.	TWA: 44 mg/m ³ 8 hr TWA: 5 ppm 8 hr	TWA: 5 ppm TWA: 44 mg/m³	TWA: 44 mg/m³ 8 órában. AK	TWA: 5 ppm 8 klukkustundum. TWA: 44 mg/m³ 8 klukkustundum. Ceiling: 20 ppm Ceiling: 170 mg/m³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Silicic acid (H4SiO4),	TWA: 44 mg/m ³	TWA: 44 mg/m ³ IPRD	TWA: 44 mg/m ³ 8	TWA: 5 ppm	TWA: 44 mg/m ³ 8 ore
tetraethyl ester	TWA: 5 ppm	TWA: 5 ppm IPRD	Stunden	TWA: 44 mg/m ³	TWA: 5 ppm 8 ore
			TWA: 5 ppm 8 Stunden	_	

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Silicic acid (H4SiO4),	MAC: 20 mg/m ³	TWA: 5 ppm	TWA: 5 ppm 8 urah	Binding STEL: 10 ppm	
tetraethyl ester	_	TWA: 44 mg/m ³	TWA: 44 mg/m ³ 8 urah	15 minuter	
		_	STEL: 5 ppm 15	Binding STEL: 86	
			minutah	mg/m ³ 15 minuter	
			STEL: 44 mg/m ³ 15	TLV: 5 ppm 8 timmar.	
			minutah	NGV	
				TLV: 44 mg/m ³ 8	
				timmar. NGV	

Tetraethoxysilane Revision Date 02-Feb-2024

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Silicic acid (H4SiO4), tetraethyl		DNEL = 56mg/kg		DNEL = 56mg/kg
ester		bw/day		bw/day
78-10-4 (>95)				

Predicted No Effect Concentration (PNEC)

ETHANOL. See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Silicic acid (H4SiO4),	PNEC = 0.19mg/L	PNEC = 0.83mg/kg	PNEC = 10mg/L	PNEC = 4000mg/L	PNEC = 0.05mg/kg
tetraethyl ester	-	sediment dw		-	soil dw
78-10-4 (>95)					

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Silicic acid (H4SiO4),	PNEC = 0.019mg/L	PNEC =			
tetraethyl ester		0.083mg/kg			
78-10-4 (>95)		sediment dw			

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Butyl rubber	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Tetraethoxysilane Revision Date 02-Feb-2024

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection**

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use In case of insufficient ventilation, wear suitable respiratory equipment

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Clear **Appearance**

Slight aromatic Odor **Odor Threshold** 85 mg/m³

-77 °C / -106.6 °F **Melting Point/Range**

Softening Point No data available

Boiling Point/Range 166 - 169 °C / 330.8 - 336.2 °F @ 760 mmHg Flammability (liquid) Flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

No data available Lower 1.3 Vol% **Explosion Limits**

Upper 23 Vol%

45 °C / 113 °F Method - No information available Flash Point

225 - °C / 437 - °F **Autoignition Temperature** No data available **Decomposition Temperature** Not applicable pН 0.75 mPa.s @ 20°C Viscosity

Water Solubility Hvdrolvzes

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

1.7 mbar @ 20°C **Vapor Pressure**

Density / Specific Gravity 0.940

Bulk Density Not applicable Liquid **Vapor Density** No data available (Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular Formula C8 H20 O4 Si **Molecular Weight** 208.33

Explosive Properties explosive air/vapour mixtures possible

SECTION 10: STABILITY AND REACTIVITY

Tetraethoxysilane Revision Date 02-Feb-2024

10.2. Chemical stability

Stable under normal conditions. Moisture sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur. **Hazardous Reactions**

Reacts with water and forms Ethanol.

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moisture.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Silicon dioxide. Ethanol.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met Dermal Based on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silicic acid (H4SiO4), tetraethyl ester	LD50 = 6270 mg/kg (Rat)	LD50 = 5878 mg/kg (Rabbit)	LC50=10 mg/l 4h(Rat; male)
			LC50=16.8 mg/l 4h(Rat; female)

Based on available data, the classification criteria are not met (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory Based on available data, the classification criteria are not met Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

Target Organs None known.

Tetraethoxysilane Revision Date 02-Feb-2024

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity
Ecotoxicity effects

Do not empty into drains. .

Component	Freshwater Fish	Water Flea	Freshwater Algae
Silicic acid (H4SiO4), tetraethyl ester	LC50 >245 mg/L/96h	EC50: >844 mg/L/48h	
	(Brachydanio rerio)		

12.2. Persistence and degradability Readily biodegradable

12.3. Bioaccumulative potential No information available

12.4. Mobility in soil No information available

12.5. Results of PBT and vPvB

<u>assessment</u>

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with

local regulations.

Tetraethoxysilane Revision Date 02-Feb-2024

Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN1292

14.2. UN proper shipping name TETRAETHYL SILICATE

14.3. Transport hazard class(es) 3 14.4. Packing group III

ADR

14.1. UN number UN1292

14.2. UN proper shipping name TETRAETHYL SILICATE

14.3. Transport hazard class(es) 3 14.4. Packing group III

IATA

14.1. UN number UN1292

14.2. UN proper shipping name TETRAETHYL SILICATE

14.3. Transport hazard class(es) 3 14.4. Packing group III

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

<u>14.7. Maritime transport in bulk</u> Not applicable, packaged goods <u>according to IMO instruments</u>

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Silicic acid (H4SiO4), tetraethyl	78-10-4	201-083-8	-	-	X	X	KE-33411	X	X
ester									

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Silicic acid (H4SiO4), tetraethyl	78-10-4	X	ACTIVE	Х	-	Х	Х	Х
ester								

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -

Tetraethoxysilane

Revision Date 02-Feb-2024

		Subject to Authorization		Candidate List of Substances of Very High Concern (SVHC)
Silicic acid (H4SiO4), tetraethyl	78-10-4	-	Use restricted. See item	-
ester			(see link for restriction details)	

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Silicic acid (H4SiO4),	78-10-4	Not applicable	Not applicable
tetraethyl ester			• •

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Silicic acid (H4SiO4), tetraethyl	WGK1	
ester		

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

Tetraethoxysilane Revision Date 02-Feb-2024

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By Health, Safety and Environmental Department

Creation Date 27-May-2010 **Revision Date** 02-Feb-2024

Revision Summary New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet