

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk:

Product Description:

Cat No. :

Synonyms

CAS No

Molecular Formula

**NATRIUM OKSALAT**
**Nickel(II) sulfate heptahydrate**

270550000; 270550010; 270552500

Nickelous sulfate heptahydrate; Nicke; Sulfuric acid, nickel(2+)salt(1:1), heptahydrate

10101-98-1

Ni O4 S . 7 H2 O

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use

Laboratory chemicals.

Uses advised against

No Information available

**Company**

 Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**E-mail address**

Enquiry.my@thermofisher.com

**Emergency Telephone Number**

Tel: +03-5525 7888

 CHEMTREC Malaysia **1-800-815-308** (Malay)

 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

Acute oral toxicity	Category 4 (H302)
Acute Inhalation Toxicity - Dusts and Mists	Category 4 (H332)
Skin Corrosion/Irritation	Category 2 (H315)
Respiratory Sensitization	Category 1 (H334)
Skin Sensitization	Category 1 (H317)
Germ Cell Mutagenicity	Category 2 (H341)
Carcinogenicity	Category 1A (H350i)
Reproductive Toxicity	Category 1B (H360D)
Specific target organ toxicity - (repeated exposure)	Category 1 (H372)
Acute aquatic toxicity	Category 1 (H400)
Chronic aquatic toxicity	Category 1 (H410)

**Label Elements**

# SAFETY DATA SHEET

Nickel(II) sulfate heptahydrate

Revision Date 22-Mar-2025



**Signal Word**

**Danger**

## Hazard Statements

H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H341 - Suspected of causing genetic defects  
H350i - May cause cancer by inhalation  
H360D - May damage the unborn child  
H372 - Causes damage to organs through prolonged or repeated exposure  
H410 - Very toxic to aquatic life with long lasting effects  
H302 + H332 - Harmful if swallowed or if inhaled

## Precautionary Statements

### Prevention

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P284 - In case of inadequate ventilation wear respiratory protection

### Response

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308 + P313 - IF exposed or concerned: Get medical advice/attention  
P330 - Rinse mouth  
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor  
P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 - Store in a well-ventilated place

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Sulfuric acid, nickel(2+) salt (1:1), heptahydrate	10101-98-1	>95
Nickel sulfate	7786-81-4	-

# SAFETY DATA SHEET

Nickel(II) sulfate heptahydrate

Revision Date 22-Mar-2025

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### **Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### **Inhalation**

Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

#### **Self-Protection of the First Aider**

Use personal protective equipment as required.

### Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. . Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

### Indication of any immediate medical attention and special treatment needed

#### **Notes to Physician**

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Sulfur oxides, Nickel oxides.

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

Nickel(II) sulfate heptahydrate

Revision Date 22-Mar-2025

## Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

## Environmental precautions

Should not be released into the environment.

## Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Sulfuric acid, nickel(2+) salt (1:1), heptahydrate		TWA: 0.1 mg/m <sup>3</sup>	(Vacated) TWA: 0.1 mg/m <sup>3</sup>
Nickel sulfate		TWA: 0.1 mg/m <sup>3</sup>	(Vacated) TWA: 0.1 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Sulfuric acid, nickel(2+) salt (1:1), heptahydrate		STEL: 0.3 mg/m <sup>3</sup> 15 min TWA: 0.1 mg/m <sup>3</sup> 8 hr Skin	TWA: 0.03 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 8
Nickel sulfate		Resp. Sens.	TWA: 0.03 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 8

### Exposure Controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles)

#### Hand Protection

Protective gloves

# SAFETY DATA SHEET

Nickel(II) sulfate heptahydrate

Revision Date 22-Mar-2025

**Skin and body protection** Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

**Recommended Filter type:** Particulates filter conforming to EN 143  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** Prevent product from entering drains Do not allow material to contaminate ground water system Local authorities should be advised if significant spillages cannot be contained

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Appearance</b>	Green	
<b>Physical State</b>	Solid	
<b>Odor</b>	Odorless	
<b>Odor Threshold</b>	No data available	
<b>pH</b>	Not applicable	
<b>Melting Point/Range</b>	No data available	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	No information available	
<b>Flash Point</b>	No information available	<b>Method -</b> No information available
<b>Evaporation Rate</b>	Not applicable	Solid
<b>Flammability (solid,gas)</b>	No information available	
<b>Explosion Limits</b>	No data available	
<b>Vapor Pressure</b>	No data available	
<b>Vapor Density</b>	Not applicable	Solid
<b>Specific Gravity / Density</b>	No data available	
<b>Bulk Density</b>	No data available	
<b>Water Solubility</b>	625 g/L (20°C)	
<b>Solubility in other solvents</b>	No information available	

**Partition Coefficient (n-octanol/water)**

**Autoignition Temperature** No data available  
**Decomposition Temperature** No data available

# SAFETY DATA SHEET

Nickel(II) sulfate heptahydrate

Revision Date 22-Mar-2025

Viscosity	Not applicable	Solid
Explosive Properties	No information available	
Oxidizing Properties	No information available	

Molecular Formula	Ni O4 S . 7 H2 O
Molecular Weight	280.88

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

### Conditions to Avoid

Incompatible products. Excess heat.

### Incompatible Materials

Strong oxidizing agents.

### Hazardous Decomposition Products

Sulfur oxides. Nickel oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

#### (a) acute toxicity;

Oral	Category 4
Dermal	No data available
Inhalation	Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfuric acid, nickel(2+) salt (1:1), heptahydrate	361 mg/kg ( Rat )	-	-
Nickel sulfate	275 mg/kg ( Rat )	-	2.48 mg/l (4h) (Rat)

(b) skin corrosion/irritation; Category 2

# SAFETY DATA SHEET

Nickel(II) sulfate heptahydrate

Revision Date 22-Mar-2025

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory

Category 1

Skin

Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity;

Category 2

Possible risk of irreversible effects

(f) carcinogenicity;

Category 1A

The table below indicates whether each agency has listed any ingredient as a carcinogen  
May cause cancer by inhalation

Component	EU	UK	Germany	IARC
Sulfuric acid, nickel(2+) salt (1:1), heptahydrate				Group 1
Nickel sulfate	Carc Cat. 1A		Cat. 1	Group 1

(g) reproductive toxicity;

Reproductive Effects

Category 1A

May cause harm to the unborn child.

(h) STOT-single exposure;

No data available

(i) STOT-repeated exposure;

Category 1

Target Organs

Skin, Eyes, Lungs, Nasal Cavities.

(j) aspiration hazard;

Not applicable

Solid

Other Adverse Effects

See actual entry in RTECS for complete information

Symptoms / effects, both acute and delayed

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Nickel sulfate	Brachydanio rerio: LC50>100 mg/L 24h Oncorhynchus mykiss: LC50=1.28 mg/L 96h	EC50: = 1 mg/L, 48h (Daphnia magna)	EC50: = 0.75 mg/L, 72h (Pseudokirchneriella subcapitata)	

Persistence and degradability

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary

# SAFETY DATA SHEET

Nickel(II) sulfate heptahydrate

Revision Date 22-Mar-2025

<b>Persistence</b>	based on information available, May persist.
<b>Degradability</b>	Not relevant for inorganic substances.
<b>Degradation in sewage treatment plant</b>	Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**Bioaccumulative potential** May have some potential to bioaccumulate

**Mobility in soil** The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**Other adverse effects** No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste treatment methods**  
**Waste from Residues/Unused Products** Should not be released into the environment Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**Other Information** Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains Do not let this chemical enter the environment

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

<b>UN-No</b>	UN3077
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>Proper Shipping Name</b>	Environmentally hazardous substances, solid, n.o.s. Sulfuric acid, nickel(2+) salt (1:1), heptahydrate

### Road and Rail Transport

<b>UN-No</b>	UN3077
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>Proper Shipping Name</b>	Environmentally hazardous substances, solid, n.o.s. Sulfuric acid, nickel(2+) salt (1:1), heptahydrate

### IATA

<b>UN-No</b>	UN3077
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>Proper Shipping Name</b>	Environmentally hazardous substances, solid, n.o.s. Sulfuric acid, nickel(2+) salt (1:1), heptahydrate

**Special Precautions for User** No special precautions required



# SAFETY DATA SHEET

Nickel(II) sulfate heptahydrate

Revision Date 22-Mar-2025

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Sulfuric acid, nickel(2+) salt (1:1), heptahydrate	-	-	-	-	X	X	-	X	-
Nickel sulfate	232-104-9	X	X	X	X	X	X	X	KE-25867

### National Regulations

**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 22-Mar-2025  
**Revision Summary** Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

# SAFETY DATA SHEET

Nickel(II) sulfate heptahydrate

Revision Date 22-Mar-2025

---

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**