

SAFETY DATA SHEET

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

 Product Name
 Nickel wire

 CAS No
 7440-02-0

Product Code 40673

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

No hazards identified

Health hazards

Skin SensitizationCategory 1CarcinogenicityCategory 2Specific target organ toxicity - (repeated exposure)Category 1

Environmental hazards

No hazards identified

Label Elements



ALFAA40673 Version 2 18-Nov-2022 Page 1 / 9

Signal Word Danger

Hazard Statements

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary Statements

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

Toxicity to Soil Dwelling Organisms

Section 3 - Composition and Information on Ingredients

| Component | CAS No | Weight % |
|-----------|-----------|----------|
| Nickel | 7440-02-0 | >95 |

Section 4 - First Aid Measures

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest

ALFAA40673 Version 2 18-Nov-2022 Page 2 / 9

pain, muscle pain or flushing

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

ALFAA40673 Version 2 18-Nov-2022 Page 3 / 9

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

| Component | Australia | New Zealand WEL | ACGIH TLV | The United Kingdom | Germany |
|-----------|--------------------------|------------------------------|----------------------------|------------------------------------|---------------------------------|
| Nickel | TWA: 1 mg/m ³ | TWA: 0.005 mg/m ³ | TWA: 1.5 mg/m ³ | STEL: 1.5 mg/m ³ 15 min | TWA: 0.03 mg/m ³ (8 |
| | | | | TWA: 0.5 mg/m ³ 8 hr | Stunden). AGW - |
| | | | | Skin | exposure factor 8 |
| | | | | | TWA: 0.006 mg/m ³ (8 |
| | | | | | Stunden). AGW - |
| | | | | | exposure factor 8 |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments |
|----------------|-------------------|-----------------|-----------------|-----------------------|
| Natural rubber | See manufacturers | - | AS/NZS 2161 | (minimum requirement) |
| Nitrile rubber | recommendations | | | |
| Neoprene | | | | |
| PVC | | | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

Recommended half mask:- Particle filtering: EN149:2001 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

ALFAA40673 Version 2 18-Nov-2022 Page 4 / 9

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance

Physical State Solid

No information available Odor **Odor Threshold** No data available No information available рH **Melting Point/Range** 1455 °C / 2651 °F **Softening Point** No data available

Boiling Point/Range 2732 - 2837 °C / 4949.6 - 5138.6 @ 760 mmHg

Flash Point No information available Method - No information available

Evaporation Rate Not applicable Solid

No information available Flammability (solid,gas) No data available **Explosion Limits**

1 mmHg @ 1810 °C **Vapor Pressure**

Vapor Density Not applicable Solid

Specific Gravity / Density No data available **Bulk Density** No data available Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature No data available No data available **Decomposition Temperature**

Not applicable Solid **Viscosity**

Explosive Properties No information available **Oxidizing Properties** No information available

Other information

Molecular Formula Ni 58.7 **Molecular Weight**

Section 10 - Stability and Reactivity

None known, based on information available Reactivity

Stability Stable under normal conditions.

Incompatible products, Excess heat, Avoid dust formation. **Conditions to Avoid**

Incompatible Materials Strong oxidizing agents.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

ALFAA40673 Version 2 Page 5/9 18-Nov-2022

SAFETY DATA SHEET

Oral Based on available data, the classification criteria are not met

Dermal No data available Inhalation No data available

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------|-------------------------|-------------|----------------------------|
| Nickel | LD50 > 9000 mg/kg (Rat) | | LC50 > 10.2 mg/L (Rat) 1 h |
| | | | |

(b) skin corrosion/irritation; No data available

No data available (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

Respiratory No data available Skin Category 1

Sensitization No information available

(e) germ cell mutagenicity; No data available

Category 2 (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | Australia | New Zealand | New South Wales | Western Australia | IARC | EU | UK | Germany |
|-----------|-----------|-------------|--------------------|----------------------|----------|----|----|---------|
| Nickel | | Suspected | | | Group 2B | | | Cat. 1 |
| | | carcinogen | | | | | | |

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 1

Target Organs Kidney, Skin, Lungs, Blood.

(j) aspiration hazard; Not applicable

Solid

delaved

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Section 12 - Ecological Information

Ecotoxicity effects The product contains following substances which are hazardous for the environment.

Contains a substance which is:. Very toxic to aquatic organisms.

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|-----------|--------------------------|---------------------|------------------------|----------|
| Nickel | LC50: > 100 mg/L, 96h | EC50 = 510 µg/L 96h | EC50 = 0.1 mg/L 72h | |
| | (Brachydanio rerio) | | EC50 = 0.18 mg/L 72h | |
| | LC50: = 1.3 mg/L, 96h | | _ | |
| | semi-static (Cyprinus | | | |
| | carpio) | | | |
| | LC50: = 10.4 mg/L, 96h | | | |
| | static (Cyprinus carpio) | | | |
| | | | | |

Persistence and Degradability

Persistence Insoluble in water.

Not relevant for inorganic substances. Degradability

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste

ALFAA40673 Version 2 18-Nov-2022 Page 6/9 **Products**

treatment plant water treatment plants.

Bioaccumulative Potential May have some potential to bioaccumulate

Mobility Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water

solubility

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused Do not allow into drains or watercourses or dispose of where ground or surface waters may

be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection

service. Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains.

Section 14 - Transport Information

IMDG/IMO Not regulated

ADG Not regulated

IATA Not regulated

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

No poison schedule number allocated.

Australian Industrial Chemicals Introduction Scheme (AICIS)

| Component | Australian Industrial | Additional information |
|-----------|------------------------|------------------------|
| • | Chemicals Introduction | |

ALFAA40673 Version 2 18-Nov-2022 Page 7 / 9

| | Scheme (AICIS) | |
|--------------------|----------------|---|
| Nickel - 7440-02-0 | Present | - |

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Subject to reporting requirements

| Component | National pollutant inventory |
|--------------------|--------------------------------------|
| Nickel - 7440-02-0 | 10 tonne/yr. Threshold category 1 |
| | 2000 tonne/yr. Threshold category 2b |
| | 60000 MWH. Threshold category 2b |
| | 20 MW. Threshold category 2b |

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

| Component | Australia | New South Wales | Western Australia | New Zealand | |
|--------------------|-----------|-----------------|-------------------|----------------------|--|
| Nickel - 7440-02-0 | | | | Suspected carcinogen | |

International Inventories

| | Component | AICS | NZIoC | EINECS | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL |
|---|-----------|------|-------|-----------|--------|------|-----|------|-------|-------------|------|-------|----------|
| Ī | Nickel | Х | Х | 231-111-4 | - | Х | Х | - | Х | Х | | Х | KE-25818 |

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

| | Component | CAS No | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----|-----------|-----------|----------|--|---|--|
| - [| Nickel | 7440-02-0 | Listed | Not applicable | Not applicable | Not applicable |

Authorisation/Restrictions according to EU REACH

ALFAA40673 Version 2 18-Nov-2022 Page 8 / 9

SAFETY DATA SHEET

| Component | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | , , |
|-----------|---|--|-----|
| Nickel | - | Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) | - |

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

<u>Legend</u>

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances
ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 18-Nov-2022

Revision Summary SDS sections updated.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ALFAA40673 Version 2 18-Nov-2022 Page 9 / 9