

# **SAFETY DATA SHEET**

Revision Date 02-Apr-2024 Revision Number 3

## 1. Identification

Product Name Inconel® 600 gauze

Cat No.: 46510

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

#### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

## **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Sensitization Category 1
Carcinogenicity Category 1B
Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Lungs.

## Label Elements

#### Signal Word

Danger

## **Hazard Statements**

May cause an allergic skin reaction May cause cancer

Causes damage to organs through prolonged or repeated exposure



## **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

#### Response

IF exposed or concerned: Get medical attention/advice

## Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

## Storage

Store locked up

## **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None identified

WARNING. Cancer - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Nickel	7440-02-0	77.0
Chromium	7440-47-3	15.5
Iron	7439-89-6	7.5

## 4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest

pain, muscle pain or flushing

Inconel® 600 gauze

**Notes to Physician** Treat symptomatically

## Fire-fighting measures

**Suitable Extinguishing Media** approved class D extinguishers. Do not use water or foam.

**Unsuitable Extinguishing Media** Water may be ineffective

**Flash Point** No information available No information available Method -

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Heavy metal oxides.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	0	-

## 6. Accidental release measures

**Personal Precautions** Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation. No special precautions required.

Do not flush into surface water or sanitary sewer system. Should not be released into the **Environmental Precautions** 

environment. Do not allow material to contaminate ground water system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed Up

containers for disposal. Pick up and transfer to properly labelled containers.

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Keep in a dry place. Keep away from acids. Incompatible Materials. Acids. Oxidizing Storage. agent.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Nickel	TWA: 1.5 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>
	_	TWA: 1 mg/m <sup>3</sup>	TWA: 0.015 mg/m <sup>3</sup>	-
Chromium	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 250 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
		TWA: 1 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** None under normal use conditions.

**Personal Protective Equipment** 

**Eye/face Protection**Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No special protective equipment required.

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical State Solid Appearance Silver

OdorNo information availableOdor ThresholdNo information availablePHNo information available

Melting Point/RangeNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure23 hPa @ 20 °CVapor DensityNot applicable

Specific GravityNo information availableSolubilityNo information availablePartition coefficient; n-octanol/waterNo data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity Not applicable

Molecular Formula Ni:Cr:Fe; 77:15.5:7.5 wt%

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Acids, Oxidizing agent

Hazardous Decomposition Products Heavy metal oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Inconel® 600 gauze

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 5 mg/l. Mist LC50

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nickel	LD50 > 9000 mg/kg (Rat)	Not listed	LC50 > 10.2 mg/L (Rat) 1 h
Iron	7500 mg/kg (Rat)	Not listed	Not listed

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Nickel	7440-02-0	Group 2B	Reasonably	Not listed	X	Not listed
		•	Anticipated			
Chromium	7440-47-3	Not listed	Not listed	Not listed	Not listed	Not listed
Iron	7439-89-6	Not listed	Not listed	Not listed	Not listed	Not listed

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known

STOT - repeated exposure Lungs

**Aspiration hazard** No information available

NTP: (National Toxicity Program)

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Nickel	EC50 = 0.1 mg/L 72h EC50 = 0.18 mg/L 72h	LC50: > 100 mg/L, 96h (Brachydanio rerio) LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio)	Not listed	EC50 = 510 μg/L 96h
		LC50: = 10.4 mg/L, 96h static (Cyprinus carpio)		

Persistence and Degradability Insoluble in water May persist

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	Not regulated
DOT TDG	Not regulated
<u>IATA</u>	Not regulated
IMDG/IMO	Not regulated
	15 Pegulatory information

# **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Nickel	7440-02-0	Х	ACTIVE	-
Chromium	7440-47-3	Х	ACTIVE	-
Iron	7439-89-6	Χ	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Nickel	7440-02-0	Х	-	231-111-4	Х	Χ		Х	Х	KE-25818
Chromium	7440-47-3	Х	-	231-157-5	Х	Χ		Х	Х	KE-05970
Iron	7439-89-6	Х	-	231-096-4	Х	Χ		Х	Х	KE-21059

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical

<sup>&#</sup>x27;-' - Not Listed

or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Nickel	7440-02-0	77.0	0.1 %	-
Chromium	7440-47-3	15.5	1.0 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPČRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Nickel	-	-	X	X
Chromium	-	-	X	X

#### Clean Air Act

**OSHA** - Occupational Safety and

Not applicable

Health Administration

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Nickel	100 lb	-	100 lb 45.4 kg
Chromium	5000 lb	-	5000 lb 2270 kg

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Compon	ent	CAS No	California Prop. 65	Prop 65 NSRL	Category
Nickel		7440-02-0	Carcinogen	-	Carcinogen

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Nickel	X	X	X	X	X
Chromium	X	X	X	X	X

## **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Con	nponent	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
١	Nickel	7440-02-0	-	Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Ch	romium	7440-47-3	-	Use restricted. See item 75. (see link for restriction details)	-
	Iron	7439-89-6	-	-	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Nickel	7440-02-0	Listed	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Not applicable	Not applicable	Not applicable
Iron	7439-89-6	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## Other International Regulations

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/18/EC) - (2012/18/EC) -		Convention (PIC)	(Hazardous Waste)
		Qualifying Quantities Qualifying Quantities			
		for Major Accident	for Safety Report		
		Notification	Requirements		
Nickel	7440-02-0	Not applicable	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable	Not applicable	Not applicable
Iron	7439-89-6	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Revision Date
 02-Apr-2024

 Print Date
 02-Apr-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

<del>-</del>

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**