

# SAFETY DATA SHEET

Creation Date 22-September-2009 Revision Date 24-December-2021 **Revision Number** 5

1. Identification

**Product Name** m-Xylylenediamine

AC141020000; AC141020050; AC141021000; AC141025000 Cat No.:

**CAS-No** 

**Synonyms** 1,3-Bis(aminomethyl)benzene; MXDA; m-Xylene-alpha, alpha'-diamine

**Recommended Use** Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane 112 Colonnade Road. One Reagent Lane Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11

> Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

# 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Acute oral toxicity Category 4 Acute Inhalation Toxicity Category 4 Skin Corrosion/Irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1 Skin Sensitization Category 1 Health Hazards Not Otherwise Classified Category 1

Corrosive to the respiratory tract

Label Elements

Signal Word Danger

**Hazard Statements** 

Harmful if swallowed or if inhaled Causes severe skin burns and eye damage May cause an allergic skin reaction Corrosive to the respiratory tract



### **Precautionary Statements**

## Prevention

Wear respiratory protection

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER/doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Rinse mouth

Do NOT induce vomiting

Wash contaminated clothing before reuse

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposa

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Harmful to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %		
1,3-Benzenedimethanamine	1477-55-0	>95		

## 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask

equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms/effects 
Causes burns by all exposure routes. May cause allergic skin reaction. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric layage or emesis is contraindicated. Possible

perforation of stomach or esophagus should be investigated

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Alcohol resistant foam. CO<sub>2</sub>, dry

chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

**Flash Point** 112 °C / 233.6 °F

Method - CC (closed cup)

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available

Oxidizing Properties Not oxidising (based on the chemical structure of the substance and oxidation states of the

constituent elements)

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

# **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
4	0	0	N/A

# 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

**Environmental Precautions** Should not be released into the environment. Do not flush into surface water or sanitary

sewer system.

**Methods for Containment and Clean** Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. **Up** 

# 7. Handling and storage

**Handling** Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not

ingest. If swallowed then seek immediate medical assistance.

**Storage.** Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials. Acids. Acid anhydrides. Acid chlorides. Chloroformates.

## 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
		Columbia					
1,3-Benzenedimethana	3 -		CEV: 0.1 mg/m <sup>3</sup>	3 -	Ceiling: 0.018	Skin	Ceiling: 0.1
mine	mg/m³	mg/m³	Skin	mg/m³	ppm	(Vacated)	mg/m³
	Skin	Skin		Skin	Skin	Ceiling: 0.1	
						mg/m³	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) Goggles

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly Recommended Filter type: Particulates filter conforming to EN 143 Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

### **Environmental exposure controls**

Prevent product from entering drains.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# 9. Physical and chemical properties

Physical State

Appearance

Odor

Odor

Slight Ammoniacal
No information available

**pH** 12 @ 25°C (20 %) **Melting Point/Range** 14.1 °C / 57.4 °F

Boiling Point/Range 265 °C / 509 °F @ 760 mmHg

Flash Point 112 °C / 233.6 °F
Method - CC (closed cup)
Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure0.0069 hPa @ 25 °C

Vapor Density4.70Specific Gravity1.050SolubilitySoluble

Partition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

Molecular Formula C8 H12 N2 Molecular Weight 136.2

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Exposure to moisture.

Incompatible Materials Acids, Acid anhydrides, Acid chlorides, Chloroformates

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,3-Benzenedimethanamine	LD50 = 660 mg/kg ( Rat )	LD50 = 2 g/kg ( Rabbit )	LC50 = 1.16 mg/L (Rat) 4 h LC50 = 1.38 mg/L (Rat) 4 h

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization May cause sensitization by skin contact

Carcinogenicity

**Teratogenicity** 

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
1,3-Benzenedimethan	1477-55-0	Not listed				
amine						

**Mutagenic Effects** No information available

**Reproductive Effects** No information available. **Developmental Effects** No information available.

None known STOT - single exposure STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

No information available.

# 12. Ecological information

#### **Ecotoxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not empty into drains. Do not flush into surface water or sanitary sewer system. The product contains following substances which are hazardous for the environment. Contains a substance which is:. Harmful to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1,3-Benzenedimethanamine Not listed		LC50: = 87.6 mg/L, 96h	Not listed	EC50: 16 mg/L/48h
		semi-static (Oryzias latipes)		

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow
1,3-Benzenedimethanamine	0.18

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN2735 **UN-No** 

consumer commodity AMINES, LIQUID, CORROSIVE, N.O.S. **Proper Shipping Name** 

Revision Date 24-December-2021

## m-Xylylenediamine

Technical Name (M-XYLYLENEDIAMINE)

Hazard Class 8
Packing Group ||

<u>TDG</u>

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group || |

IATA

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group ||

IMDG/IMO

UN-No UN2735

**Proper Shipping Name** AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group | |

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: China X = listed Australia U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (KECL) China (IECSC) Japan (ENCS) Philippines (PICCS)

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
1,3-Benzenedimethanamine	1477-55-0	X	-	X	ACTIVE	216-032-5	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
1,3-Benzenedimethanamine	1477-55-0	Х	KE-02918	Х	Х	X	Х	Х	Х

### Leaend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

## Other International Regulations

### Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
-----------	--------	----------	---------------------------------	------------------------------	--

1,3-Benzenedimethanamine	1477-55-0	Listed	Not applicable	Not applicable	Not applicable
(2012/18 Qualifying G for Major A		Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
1,3-Benzenedimethanamine	1477-55-0	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date22-September-2009Revision Date24-December-2021Print Date24-December-2021

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**