

SAFETY DATA SHEET

Creation Date 20-July-2009 Revision Date 26-March-2024 Revision Number 4

1. Identification

Product Name Silica gel

Cat No.: 45796

CAS-No 7631-86-9

Synonyms Silica Gel Dessicant (3 mesh-646 mesh); Silica Gel

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Not classified under the Hazardous Products Regulations (SOR/2015-17)

Based on available data, the classification criteria are not met

Label Elements

None required

Hazard Statements

Precautionary Statements

| 2 | Composition | /Information | on Ingredients |
|----|---------------|--------------------|----------------|
| .7 | i. Combosinon | /11110111111111011 | on marearems |

| Component | CAS-No | Weight % |
|-----------|--------|----------|
| | | |

Silica gel

| Silica, amorphous | 7631-86-9 | 100 |
|---|-------------|-----|
| Silica, amorphous, precipitated and gel | 112926-00-8 | - |

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

No information available

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

Autoignition Temperature

Explosion Limits

UpperNo data availableLowerNo data availableSensitivity to Mechanical ImpactNo information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards100N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up**

Silica gel Revision Date 26-March-2024

7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | Alberta | British Columbia | Ontario TWAEV | Quebec | ACGIH TLV | OSHA PEL | NIOSH |
|---|---------|--|---------------|--------------------------|-----------|---|-------------------------------------|
| Silica, amorphous | | | | | | (Vacated) TWA: 6 mg/m ³ | IDLH: 3000 mg/m³ TWA: 6 mg/m³ |
| Silica, amorphous, precipitated and gel | | TWA: 4 mg/m ³ TWA: 1.5 mg/m ³ | | TWA: 6 mg/m ³ | | (Vacated) TWA: 6 mg/m³ TWA: 20 mppcf : | |

Legend

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal protective equipment

Eye Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments |
|----------------|-------------------|-----------------|------------------------|
| Natural rubber | See manufacturers | - | Splash protection only |
| Nitrile rubber | recommendations | | |
| Neoprene | | | |
| PVC | | | |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particle filter

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before

Silica gel

re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

Physical StateSolidAppearanceWhiteOdorOdorless

Odor Threshold No information available

pH 2.3 - 7.4

Melting Point/Range 1710 °C / 3110 °F
Boiling Point/Range 2230 °C / 4046 °F
Flash Point Not applicable
Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressurenegligibleVapor DensityNot applicable

Specific Gravity 2.1

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity

Insoluble in water
No data available
No information available
No information available
Not applicable

Molecular Formula SiO2 Molecular Weight 60.08

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information No acute toxicity information is available for this product

Component Information

| Component LD50 Oral | | LD50 Dermal | LC50 Inhalation | |
|---------------------|-------------------|----------------------|-----------------|--|
| Silica, amorphous | >5000 mg/kg (Rat) | >2000 mg/kg (Rabbit) | = | |

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Silica gel

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|----------------------|---|------------|------------|------------|------------|------------|
| Silica, amorphous | 7631-86-9 | Not listed | Known | Not listed | Not listed | Not listed |
| Silica, amorphous, | Silica, amorphous, 112926-00-8 Not listed | | Not listed | Not listed | Not listed | Not listed |
| precipitated and gel | | | | | | |

NTP: (National Toxicity Program)

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea | |
|-------------------|--------------------|----------------------|------------|---------------------|--|
| Silica, amorphous | EC50: 440 mg/L/72h | LC50: 5000 mg/L/96 h | Not listed | EC50: 7600 mg/L/48h | |

Persistence and Degradability

Insoluble in water

Bioaccumulation/ Accumulation No information available.

Is not likely mobile in the environment due its low water solubility. Mobility

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| | 14. Transport information | | | | | | |
|------------|----------------------------|--|--|--|--|--|--|
| DOT | Not regulated | | | | | | |
| DOT TDG | Not regulated | | | | | | |
| IATA | Not regulated | | | | | | |
| IMDG/IMO | Not regulated | | | | | | |
| | 15. Regulatory information | | | | | | |

International Inventories

| Component | CAS-No | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS | ELINCS | NLP |
|-------------------|-----------|-----|------|------|---|-----------|--------|-----|
| Silica, amorphous | 7631-86-9 | Х | - | Х | ACTIVE | 231-545-4 | - | - |

Silica gel

| Г | 0.11 | 110000 00 0 | | | | | | | |
|-----|---------------------------------|-------------|---|---|---|---|---|---|---|
| - 1 | Silica, amorphous, precipitated | 112926-00-8 | X | - | - | - | - | - | - |
| - 1 | and gel | | | | | | | | |
| - 1 | and ger | | | | | | | | |

| Component | CAS-No | IECSC | KECL | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|---------------------------------|-------------|-------|----------|------|------|------|------|-------|-------|
| Silica, amorphous | 7631-86-9 | Х | KE-31032 | X | Х | X | Х | Х | X |
| Silica, amorphous, precipitated | 112926-00-8 | Х | KE-32733 | Χ | Х | Χ | Х | Х | Х |
| and gel | | | | | | | | | |

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Other International Regulations

Authorisation/Restrictions according to EU REACH

Not applicable

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS-No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|---|-------------|----------|---------------------------------|------------------------------|--|
| Silica, amorphous | 7631-86-9 | Listed | Not applicable | Not applicable | Not applicable |
| Silica, amorphous, precipitated and gel | 112926-00-8 | Listed | Not applicable | Not applicable | Not applicable |

| Component | CAS-No | Seveso III Directive (2012/18/EC) - Qualifying Quantities | Seveso III Directive (2012/18/EC) - Qualifying Quantities | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|---|-------------|---|---|-------------------------------|---------------------------------------|
| | | for Major Accident Notification | for Safety Report Requirements | | |
| Silica, amorphous | 7631-86-9 | Not applicable | Not applicable | Not applicable | Not applicable |
| Silica, amorphous, precipitated and gel | 112926-00-8 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 20-July-2009

 Revision Date
 26-March-2024

 Print Date
 26-March-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

-

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS