

Page 1/9 Creation Date 14-May-2009 Revision Date 24-Mar-2025

Version 2

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Potassium Hydroxide Solution, 1N (Certified) **Product Description:** Potassium Hydroxide Solution, 1N (Certified)

Cat No.: SP208-500

Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals. Uses advised against No Information available

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd Company

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

E-mail address Enquiry.my@thermofisher.com

Tel: +03-5525 7888 **Emergency Telephone Number** 

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

# Classification of the substance or mixture

Substances/mixtures corrosive to metal	Category 1 (H290)
Skin Corrosion/Irritation	Category 1 A (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)

### Label Elements



Signal Word Danger

**Hazard Statements** 

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

### Potassium Hydroxide Solution, 1N (Certified)

### **Precautionary Statements**

#### Prevention

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P390 - Absorb spillage to prevent material damage

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other Hazards

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Water	7732-18-5	94-95
Potassium hydroxide	1310-58-3	5-6

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Inhalation If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

**Self-Protection of the First Aider** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

\_\_\_\_\_

Revision Date 24-Mar-2025

### Potassium Hydroxide Solution, 1N (Certified)

Revision Date 24-Mar-2025

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

### Indication of any immediate medical attention and special treatment needed

### **Notes to Physician**

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

### Extinguishing media

### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

<u>Special hazards arising from the substance or mixture</u>
Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors.

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **Environmental precautions**

Should not be released into the environment.

### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Revision Date 24-Mar-2025

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

### Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL
Potassium hydroxide		Ceiling: 2 mg/m <sup>3</sup>	(Vacated) Ceiling: 2 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Potassium hydroxide		WEL - 2 mg/m <sup>3</sup> STEL	

### **Exposure Controls**

### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

Eye ProtectionGogglesHand ProtectionProtective glovesSkin and body protectionLong sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Inorganic gases and vapours filter Type B Grey or Ammonia and organic ammonia

derivatives filter Type K Green conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** No information available

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

FSHSP208

### Potassium Hydroxide Solution, 1N (Certified)

\_\_\_\_\_\_

Appearance
Physical State Liquid
Odor Odorless

Odor Threshold No data available

**pH** > 11

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

No information available **Method -** No information available

Liquid

(Air = 1.0)

Liquid

Evaporation Rate No data available Flammability (solid,gas) Not applicable

Explosion Limits No data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / Density 1.05

Bulk Density Not applicable

Water Solubility Soluble in water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowPotassium hydroxide0.83

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Molecular Weight 56.11

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization
Hazardous Reactions
Hazardous Polymerization does not occur.
None under normal processing.

nazardous Reactions None under normal processing

Conditions to Avoid

Revision Date 24-Mar-2025

Potassium Hydroxide Solution, 1N (Certified)

Revision Date 24-Mar-2025

Incompatible products. Excess heat.

Incompatible Materials

Strong oxidizing agents. Acids.

**Hazardous Decomposition Products** 

Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Water	-	-	-	
Potassium hydroxide	LD50 = 333-384 mg/kg (Rat)	<u>-</u>	-	

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory**Based on available data, the classification criteria are not met
Skin
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of delayed

Potassium Hydroxide Solution, 1N (Certified)

Revision Date 24-Mar-2025

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

### **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Do not empty into drains. .

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Potassium hydroxide	LC50 = 50-165 mg/L			
	(96h)			

Persistence and degradability

Soluble in water, Persistence is unlikely, based on information available. **Persistence** 

Bioaccumulation is unlikely Bioaccumulative potential **Bioconcentration factor (BCF)** Component log Pow 0.83 Potassium hydroxide No data available

The product is water soluble, and may spread in water systems. . Will likely be mobile in Mobility in soil

the environment due to its water solubility. Highly mobile in soils.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Do not reuse empty containers Dispose of this container to hazardous or special waste **Contaminated Packaging** 

collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not empty into drains Do not flush to sewer Large amounts will affect pH and

harm aquatic organisms

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

**UN-No** UN1814 **Hazard Class** Packing Group

POTASSIUM HYDROXIDE SOLUTION **Proper Shipping Name** 

Road and Rail Transport

**UN-No** UN1814 **Hazard Class** 

Potassium Hydroxide Solution, 1N (Certified)

**Packing Group** 

**Proper Shipping Name** POTASSIUM HYDROXIDE SOLUTION

**IATA** 

**UN-No** UN1814 **Hazard Class** 8 **Packing Group** 

**Proper Shipping Name** POTASSIUM HYDROXIDE SOLUTION

**Special Precautions for User** No special precautions required

# **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Water	231-791-2	Х	Х	Х	Χ		Х	Χ	KE-35400
Potassium hydroxide	215-181-3	Х	Х	Х	Х	Х	Х	Χ	KE-29139

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Potassium hydroxide				Annex I - Y35

**National Regulations** 

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

Revision Date 24-Mar-2025

### Potassium Hydroxide Solution, 1N (Certified)

Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Revision Date 24-Mar-2025

Ships

**OECD** - Organisation for Economic Co-operation and Development

ATE - Acute Toxicity Estimate

BCF - Bioconcentration factor VOC - (Volatile Organic Compound)

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date 24-Mar-2025 Revision Summary 24-Mar-2025 Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

FSHSP208