

according to Regulation (EC) No. 1907/2006

Creation Date 06-Oct-2009 Revision Date 19-Oct-2023 Revision Number 12

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Cyclohexane

Cat No. : C/8933/17, C/8933/15

Synonyms Hexahydrobenzene; Benzene hexahydride; Hexamethylene.

 Index No
 601-017-00-1

 CAS No
 110-82-7

 EC No
 203-806-2

 Molecular Formula
 C6 H12

REACH registration number 01-2119463273-41

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

e-mail - infoch@thermofisher.com

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

For customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

Revision Date 19-Oct-2023 Cyclohexane

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids Category 2 (H225)

Health hazards

Aspiration Toxicity Category 1 (H304) Skin Corrosion/Irritation Category 2 (H315) Specific target organ toxicity - (single exposure) Category 3 (H336)

Environmental hazards

Acute aquatic toxicity Category 1 (H400) Chronic aquatic toxicity Category 1 (H410)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Cyclohexane	110-82-7	203-806-2	>95	Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) STOT SE 3 (H336) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Cyclohexane	-	1	-

REACH registration number	01-2119463273-41
---------------------------	------------------

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention.

Do NOT induce vomiting. Aspiration hazard. Call a physician or poison control center Ingestion

immediately.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

> method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Aspiration into lungs can produce severe lung damage. Get medical attention immediately if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

Page 3/14

nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Avoid release to the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not breathe mist/vapors/spray. Avoid contact with skin, eyes or clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Cyclohexane Revision Date 19-Oct-2023

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances

Storage class - SC 3

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Cyclohexane	TWA: 200 ppm (8hr)	STEL: 300 ppm 15 min	TWA / VME: 200 ppm (8	TWA: 100 ppm 8 uren	TWA / VLA-ED: 200
	TWA: 700 mg/m ³ (8hr)	STEL: 1050 mg/m ³ 15	heures). restrictive limit	TWA: 350 mg/m ³ 8 uren	ppm (8 horas)
		min	TWA / VME: 700 mg/m ³	_	TWA / VLA-ED: 700
		TWA: 100 ppm 8 hr	(8 heures). restrictive		mg/m³ (8 horas)
		TWA: 350 mg/m ³ 8 hr	limit TWA / VME: 1000		
		_	mg/m³ (8 heures).		
			STEL / VLCT: 375 ppm.		
			restrictive limit		
			STEL / VLCT: 1300		
			mg/m ³ . restrictive limit		
			STEL / VLCT: 1500		
			ma/m³.		

Component	Italy	Germany	Portugal	The Netherlands	Finland
Cyclohexane	TWA: 100 ppm 8 ore.	TWA: 200 ppm (8	TWA: 200 ppm 8 horas	STEL: 1400 mg/m ³ 15	TWA: 100 ppm 8
	Time Weighted Average	Stunden). AGW -	TWA: 700 mg/m ³ 8	minuten	tunteina
	TWA: 350 mg/m ³ 8 ore.	exposure factor 4	horas	TWA: 700 mg/m ³ 8 uren	TWA: 350 mg/m ³ 8
	Time Weighted Average	TWA: 700 mg/m ³ (8		_	tunteina
		Stunden). AGW -			STEL: 250 ppm 15
		exposure factor 4			minuutteina
		TWA: 200 ppm (8			STEL: 875 mg/m ³ 15
		Stunden). MAK			minuutteina
		TWA: 700 mg/m ³ (8			
		Stunden). MAK			
		Höhepunkt: 800 ppm			
		Höhepunkt: 2800 mg/m ³			

Component	Austria	Denmark	Switzerland	Poland	Norway
Cyclohexane	MAK-KZGW: 800 ppm	TWA: 50 ppm 8 timer	STEL: 800 ppm 15	STEL: 1000 mg/m ³ 15	TWA: 150 ppm 8 timer
	15 Minuten	TWA: 172 mg/m ³ 8 timer	Minuten	minutach	TWA: 525 mg/m ³ 8 timer
	MAK-KZGW: 2800	STEL: 100 ppm 15	STEL: 2800 mg/m ³ 15	TWA: 300 mg/m ³ 8	STEL: 187.5 ppm 15
	mg/m ³ 15 Minuten	minutter	Minuten	godzinach	minutter. value
	MAK-TMW: 200 ppm 8	STEL: 344 mg/m ³ 15	TWA: 200 ppm 8		calculated
	Stunden	minutter	Stunden		STEL: 656.25 mg/m ³ 15
	MAK-TMW: 700 mg/m ³		TWA: 700 mg/m ³ 8		minutter. value
	8 Stunden		Stunden		calculated

Cyclohexane

Revision Date 19-Oct-2023

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Cyclohexane	TWA: 200 ppm	kože	TWA: 200 ppm 8 hr.	TWA: 200 ppm	TWA: 700 mg/m ³ 8
	TWA: 700.0 mg/m ³	TWA-GVI: 200 ppm 8	TWA: 700 mg/m ³ 8 hr.	TWA: 700 mg/m ³	hodinách.
	_	satima.	STEL: 600 ppm 15 min	_	Ceiling: 2000 mg/m ³
		TWA-GVI: 700 mg/m ³ 8	STEL: 2100 mg/m ³ 15		
		satima.	min		

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Cyclohexane	TWA: 200 ppm 8 tundides.	TWA: 200 ppm 8 hr TWA: 700 mg/m ³ 8 hr	TWA: 200 ppm TWA: 700 mg/m ³	TWA: 700 mg/m³ 8 órában. AK	TWA: 50 ppm 8 klukkustundum.
	TWA: 700 mg/m ³ 8	TWA. 700 mg/m² o m	TWA. 700 mg/m²	Olabali. Alt	TWA: 175 mg/m ³ 8
	tundides.				klukkustundum.
					Ceiling: 100 ppm
					Ceiling: 350 mg/m ³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Cyclohexane	TWA: 23 ppm	TWA: 200 ppm IPRD	TWA: 200 ppm 8	TWA: 200 ppm	TWA: 200 ppm 8 ore
	TWA: 80 mg/m ³	TWA: 700 mg/m³ IPRD	Stunden TWA: 700 mg/m ³ 8	TWA: 700 mg/m ³	TWA: 700 mg/m ³ 8 ore
			Stunden		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Cyclohexane	MAC: 80 mg/m ³	TWA: 200 ppm	TWA: 200 ppm 8 urah	TLV: 200 ppm 8 timmar.	TWA: 200 ppm 8 saat
	_	TWA: 700 mg/m ³	TWA: 700 mg/m ³ 8 urah	NGV	TWA: 700 mg/m ³ 8 saat
			STEL: 2800 mg/m ³ 15	TLV: 700 mg/m ³ 8	
			minutah	timmar. NGV	
			STEL: 800 ppm 15		
			minutah		

Biological limit values

List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Cyclohexane				-	total
•					1,2-Cyclohexanediol
					(after hydrolysis): 150
					mg/g Creatinine urine
					(end of shift)
					total
					1,2-Cyclohexanediol
					(after hydrolysis): 150
					mg/g Creatinine urine
					(for long-term
					exposures: at the end
					the shift after several
	1				shifts)

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Dermal)	systemic (Dermal)	(Dermal)	systemic (Dermal)

Cyclohexane		DNEL = 2016mg/kg
110-82-7 (>95)		bw/day

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects	
	(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)	
Cyclohexane	$DNEL = 1400 \text{mg/m}^3$	DNEL = 1400mg/m ³	$DNEL = 700 \text{mg/m}^3$	DNEL = 700mg/m ³	
110-82-7 (>95)					

Predicted No Effect Concentration (PNEC)

See values below.

ſ	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
L			sediment		sewage treatment	
Ī	Cyclohexane	PNEC = 0.207mg/L	PNEC =	PNEC = 0.207mg/L	PNEC = 3.24mg/L	PNEC = 3.38mg/kg
	110-82-7 (>95)		16.68mg/kg			soil dw
			sediment dw			

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Cyclohexane	PNEC = 0.207mg/L	PNEC =			
110-82-7 (>95)		16.68mg/kg			
		sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	> 480 minutes	0.38 - 0.56 mm	Level 6	As tested under EN374-3 Determination of
Viton (R)	> 480 minutes	0.7 mm	EN 374	Resistance to Permeation by Chemicals
Neoprene gloves	< 240 minutes	0 45 mm		•

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless Odor sweet

Odor ThresholdNo data availableMelting Point/Range6.5 °C / 43.7 °FSoftening PointNo data availableBoiling Point/Range81 °C / 177.8 °F

Flammability (liquid) Highly flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 1.2 vol%

Upper 8.4 vol%

Flash Point -18 °C / -0.4 °F Method - CC (closed cup)

Autoignition Temperature260 °C / 500 °FDecomposition TemperatureNo data availablepHNo information availableViscosity0.94 mPa.s @ 20 °C

Water Solubility practically insoluble 0.052 g/l

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Cyclohexane 3.44

Vapor Pressure 104 mbar @ 20 °C

Density / Specific Gravity 0.770

Bulk DensityNot applicableLiquidVapor Density2.90(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular Formula C6 H12 Molecular Weight 84.15

Explosive Properties Vapors may form explosive mixtures with air

Evaporation Rate 6.1 - (Butyl Acetate = 1.0)

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Revision Date 19-Oct-2023 Cyclohexane

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met Dermal Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

Component LD50 Oral		LD50 Dermal	LC50 Inhalation		
	Cyclohexane	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	LC50 > 32880 mg/m ³ (Rat) 4 h	

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

Respiratory Based on available data, the classification criteria are not met Skin

Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Results / Target organs Central nervous system (CNS).

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

None known. **Target Organs**

Category 1 (j) aspiration hazard;

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. delayed

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity
Ecotoxicity effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Cyclohexane	LC50: 48.87 - 68.76 mg/L, 96h static (Poecilia reticulata) LC50: 24.99 - 44.69 mg/L, 96h static (Lepomis macrochirus) LC50: 23.03 - 42.07 mg/L, 96h static (Pimephales promelas) LC50: 3.96 - 5.18 mg/L, 96h flow-through (Pimephales promelas)	EC50 = 0.9 mg/l/48h	EC50 >500 mg/L/72h

Component	Microtox	M-Factor
Cyclohexane	EC50 = 85.5 mg/L 5 min	1
	EC50 = 93 mg/L 10 min	

12.2. Persistence and degradability Readily biodegradable

Persistence Persistence is unlikely, based on information available.

Component	Degradability
Cyclohexane	77% (28d)
110-82-7 (>95)	

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Cyclohexane	3.44	83.15

12.4. Mobility in soil The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in

air

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects Persistent Organic Pollutant **Ozone Depletion Potential**

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

According to the European Waste Catalog, Waste Codes are not product specific, but **European Waste Catalogue (EWC)**

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not

empty into drains.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN1145 14.1. UN number Cyclohexane 14.2. UN proper shipping name

14.3. Transport hazard class(es) 14.4. Packing group II

ADR

UN1145 14.1. UN number 14.2. UN proper shipping name Cyclohexane

14.3. Transport hazard class(es) 3 П

14.4. Packing group

IATA

14.1. UN number UN1145 14.2. UN proper shipping name Cyclohexane

14.3. Transport hazard class(es) Π 14.4. Packing group

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

Not applicable, packaged goods 14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Cyclohexane	110-82-7	203-806-2	-	-	Х	X	KE-18562	X	Х
Component	CAS No	TSCA	TSCA Ir	nventory	DSL	NDSL	AICS	NZIoC	PICCS
	1	1		-4!					1

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Cyclohexane	110-82-7	X	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cyclohexane	110-82-7	-	Use restricted. See item 57. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	
-		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report	
		Notification	Requirements	
Cyclohexane	110-82-7	Not applicable	Not applicable	

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

Com	ponent	Germany	- Water Classification ((AwSV)	Germany - TA-Luft Class	S
Cycle	ohexane	WGK2				

Component	France - INRS (Tables of occupational diseases)		
Cyclohexane	Tableaux des maladies professionnelles (TMP) - RG 84		

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)		Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Cyclohexane	Prohibited and Restricted	Group I	
110-82-7 (>95)	Substances		

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer

DNEL - Derived No Effect Level

Predicted No Effect Concentration (PNEC)

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50% EC50 - Effective Concentration 50%

TWA - Time Weighted Average

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

IMO/IMDG - International Maritime Organization/International Maritime

MARPOL - International Convention for the Prevention of Pollution from Ships

Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development

ATE - Acute Toxicity Estimate

Cyclohexane Revision Date 19-Oct-2023

BCF - Bioconcentration factor

VOC - (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Creation Date06-Oct-2009Revision Date19-Oct-2023Revision SummaryNot applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet