

# SAFETY DATA SHEET

Creation Date 29-June-2010 Revision Date 26-March-2024 Revision Number 3

## 1. Identification

Product Name (3-Cyanopropyl)dimethylchlorosilane

Cat No.: L03607

**CAS-No** 18156-15-5

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

#### Company

## Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

## **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 1

Category 3

Target Organs - Respiratory system.

Label Elements

## Signal Word

Danger

#### **Hazard Statements**

Combustible liquid

Causes severe skin burns and eye damage

May cause respiratory irritation



#### **Precautionary Statements**

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Butanenitrile, 4-(chlorodimethylsilyl)-	18156-15-5	95

#### 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation Treat symptomatically

**Notes to Physician** 

## 5. Fire-fighting measures

Suitable Extinguishing Media CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool

closed containers.

Unsuitable Extinguishing Media Water

Flash Point 85 °C / 185 °F

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon dioxide. Hydrogen chloride gas.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	2	1	N/A

## 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all

sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Should not be released into the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Up Remove all sources of ignition.

# 7. Handling and storage

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open

flames, hot surfaces and sources of ignition.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Keep away from heat, sparks and flame. Store under an inert atmosphere. Incompatible

Materials. Bases. Water. Metals. Amines. Oxidizing agent.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined

areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Goggles

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
Neoprene	recommendations		
Natural rubber			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

### **Environmental exposure controls**

Flammability or explosive limits

No information available.

#### **Hygiene Measures**

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

## 9. Physical and chemical properties

Physical State Liquid

Appearance No information available

**Odor** Acrid

Odor Threshold<br/>pHNo information available<br/>No information available

Melting Point/RangeNo data availableBoiling Point/Range230 - 235 °C / 446 - 455 °F

Flash Point

85 °C / 185 °F

Evaporation Rate

No information available

Flammability (solid,gas) Not applicable

Upper No data available

### (3-Cyanopropyl)dimethylchlorosilane

LowerNo data availableVapor PressureNo information availableVapor DensityNo information available

Specific Gravity 0

Solubility Reacts with water Partition coefficient; n-octanol/water No data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

Molecular Formula C6 H12 CI N Si

Molecular Weight 161.7

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Moisture sensitive.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water.

Incompatible Materials Bases, Water, Metals, Amines, Oxidizing agent

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Silicon dioxide,

Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions Contact with water liberates toxic gas.

## 11. Toxicological information

**Acute Toxicity** 

Product Information No acute toxicity information is available for this product

**Component Information** 

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Butanenitrile,	18156-15-5	Not listed				
4-(chlorodimethylsilyl)-						

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:

delayed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

No information available.

## 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability No information available

**Mobility** No information available.

## 13. Disposal considerations

**Waste Disposal Methods** 

**Bioaccumulation/ Accumulation** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN3094

Proper Shipping Name consumer commodity Corrosive liquid, water-reactive, n.o.s.

Hazard Class 8
Subsidiary Hazard Class 4.3
Packing Group II

TDG

**UN-No** UN2987

Proper Shipping Name Chlorosilanes, corrosive, n.o.s.

Hazard Class 8
Packing Group

<u>IATA</u>

UN-No UN2987

Proper Shipping Name Chlorosilanes, corrosive, n.o.s.

Hazard Class 8
Packing Group

IMDG/IMO

UN-No UN2987

**Proper Shipping Name** Chlorosilanes, corrosive, n.o.s.

Hazard Class 8
Packing Group

## 15. Regulatory information

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	notific	iventory ation - Inactive	EINECS	ELINCS	NLP
Butanenitrile, 4-(chlorodimethylsilyl)-	18156-15-5	-	Х	Х	ACT	TVE	242-039-8	ı	ı
Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS

### (3-Cyanopropyl)dimethylchlorosilane

_										
Γ	Butanenitrile,	18156-15-5	X	-	-	-	X	-	- 1	-
	4-(chlorodimethylsilyl)-									1

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

#### Other International Regulations

Authorisation/Restrictions according to EU REACH

Not applicable

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Butanenitrile, 4-(chlorodimethylsilyl)-	18156-15-5	Not applicable	Not applicable	Not applicable	Not applicable
Component	l CAS-No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

	Component	CAS-No	Seveso III Directive (2012/18/EC) -	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
-			Qualifying Quantities	, , ,		
-			for Major Accident	for Safety Report		
L			Notification	Requirements		
Ī	Butanenitrile,	18156-15-5	Not applicable	Not applicable	Not applicable	Not applicable
L	4-(chlorodimethylsilyl)-		·			

## 16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www. thermofisher. com

Creation Date29-June-2010Revision Date26-March-2024Print Date26-March-2024

**Revision Summary** New emergency telephone response service provider.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**