

Page 1 / 10 Revision Date 29-Mar-2023

Version 1

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: PathoDX Strep Grouping Universal Kit
Product Description: PathoDX Strep Grouping Universal Kit

Cat No.: R062076

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Thermo Scientific Microbiology Sdn Bhd

No.6, Jalan TTC 6, Taman Teknologi Cheng,

Cheng, 75250 Melaka, Malaysia

+606 334 0975 .

Supplier Remel

12076 Santa Fe Drive Lenexa,

KS 66215 United States Telephone: 1-800-255-6730 Fax:1-800-621-8251

E-mail address mbd-sds@thermofisher.com

Emergency Telephone Number

(603) 5122 8888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Flammable liquids	Category 3 (H226) Oxidizing liquids
Category 3 (H272)	
Acute oral toxicity	Category 4 (H302)
Skin Corrosion/Irritation	Category 1 A (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)

Label Elements



Signal Word Danger

Revision Date 29-Mar-2023

Hazard Statements

H226 - Flammable liquid and vapor H272 - May intensify fire; oxidizer

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P221 - Take any precaution to avoid mixing with combustibles

P371 + P380 + P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Other Hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
EXTRACTION REAGENT 1	7632-00-0	19.4
Sodium Nitrite		
EXTRACTION REAGENT 2	64-19-7	32
Acetic Acid (Glacial)		
EXTRACTION REAGENT 3	5968-11-6	27.5
Sodium carbonate monohydrate		
ProClin 300	55965-84-9	0.05
Sodium azide	26628-22-8	0.1

SECTION 4: FIRST AID MEASURES

Descri	ption of	f first aid	measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

PathoDX Strep Grouping Universal Kit

Self-Protection of the First Aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Revision Date 29-Mar-2023

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Sweep up and shovel into suitable containers for disposal.

PathoDX Strep Grouping Universal Kit

Revision Date 29-Mar-2023

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from clothing and other combustible materials. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Corrosives area. Do not store near combustible materials. Keep away from heat, sparks and flame.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
EXTRACTION REAGENT 2		TWA: 10 ppm	(Vacated) TWA: 10 ppm
Acetic Acid (Glacial)		STEL: 15 ppm	(Vacated) TWA: 25 mg/m ³
			TWA: 10 ppm
			TWA: 25 mg/m ³
Sodium azide		Ceiling: 0.29 mg/m ³	Skin
		Ceiling: 0.11 ppm	(Vacated) Ceiling: 0.1 ppm
			(Vacated) Ceiling: 0.3 mg/m ³

Component	European Union	The United Kingdom	Germany
EXTRACTION REAGENT 2	-	STEL: 37 mg/m ³	TWA: 10 ppm (8 Stunden). AGW -
Acetic Acid (Glacial)		STEL: 15 ppm	exposure factor 2
		TWA: 10 ppm	TWA: 25 mg/m ³ (8 Stunden). AGW
		TWA: 25 mg/m ³	exposure factor 2
			TWA: 10 ppm (8 Stunden). MAK
			TWA: 25 mg/m³ (8 Stunden). MAK
			Höhepunkt: 20 ppm
			Höhepunkt: 50 mg/m ³
Sodium azide	Skin	Skin	MAK 0.2 mg/m ³ (inhalable)
	TWA 0.1 mg/m ³	TWA 0.1 mg/m ³	
	STEL 0.3 mg/m ³	STEL 0.3 mg/m ³	

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

PathoDX Strep Grouping Universal Kit

Revision Date 29-Mar-2023

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

When using do not eat, drink or smoke Remove and wash contaminated clothing and **Hygiene Measures**

gloves, including the inside, before re-use Keep away from food, drink and animal feeding stuffs Contaminated work clothing should not be allowed out of the workplace Provide regular cleaning of equipment, work area and clothing Avoid contact with skin, eyes or clothing Remove and wash contaminated clothing and gloves, including the inside, before

re-use Wear suitable gloves and eye/face protection

Environmental exposure controls Prevent product from entering drains Do not allow material to contaminate ground water

system Local authorities should be advised if significant spillages cannot be contained

Liquid

(Air = 1.0)

Liquid

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Clear Liquid **Physical State**

Odor No information available **Odor Threshold** No data available Not applicable Ha

No data available Melting Point/Range **Softening Point** No data available **Boiling Point/Range** No information available

Flash Point No information available Method - No information available

No data available **Evaporation Rate** Flammability (solid,gas) Not applicable

No data available **Explosion Limits**

Vapor Pressure No data available **Vapor Density** No data available

Specific Gravity / Density No data available Not applicable **Bulk Density**

No information available **Water Solubility**

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

PathoDX Strep Grouping Universal Kit

Revision Date 29-Mar-2023

Component log Pow EXTRACTION REAGENT 1 -3.7

Sodium Nitrite

EXTRACTION REAGENT 2 -0.2

Acetic Acid (Glacial)

ProClin 300 0.7

Autoignition Temperature Decomposition Temperature

Viscosity

Explosive Properties
Oxidizing Properties

No data available No data available

No data available

Oxidizer

VOC Content(%) 32

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Yes.

Chemical Stability

Stable under normal conditions. Oxidizer: Contact with combustible/organic material may cause fire.

explosive air/vapour mixtures possible

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

None under normal processing.

Conditions to Avoid

Incompatible products. Excess heat. Combustible material. Keep away from open flames, hot surfaces and sources of ignition. Exposure to air or moisture over prolonged periods.

Incompatible Materials

Strong reducing agents. Combustible material.

<u>Hazardous Decomposition Products</u>

Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity

Toxicology data for the components

PathoDX Strep Grouping Universal Kit

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
EXTRACTION REAGENT 1 Sodium Nitrite	LD50 = 85 mg/kg (Rat)		LC50 = 5.5 mg/L (Rat) 4 h
EXTRACTION REAGENT 2 Acetic Acid (Glacial)	LD50 = 3310 mg/kg (Rat)	LD50 = 1060 mg/kg (Rabbit)	LC50 = 11.4 mg/L (Rat) 4 h
ProClin 300	LD50 = 53 mg/kg (Rat)	LD50 = 87.12 mg/kg (Rabbit)	
Sodium azide	LD50 = 27 mg/kg (Rat)	-	LC50 0.054 - 0.52 mg/L (Rat) 4 h

Chronic Toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product

Legend:

X - Listed '-' - Not Listed S - Indicates a substance that is identified in a proposed or final Significant New Use Rule.

SensitizationNo information availableMutagenic EffectsNo information availableReproductive EffectsNo information availableDevelopmental EffectsNo information availableTarget OrgansNo information available

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation. Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Contains a substance which is:. The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
EXTRACTION REAGENT 1 Sodium Nitrite	Oncorhynchus mykiss: LC50 = 0.09-0.13 mg/L 96h	12.5-100 mg/L 48h		
EXTRACTION REAGENT 2 Acetic Acid (Glacial)	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	EC50 = 95 mg/L/24h		Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min
ProClin 300				EC50 = 5.7 mg/L 16 h
Sodium azide	LC50: = 0.7 mg/L, 96h (Lepomis macrochirus) LC50: = 0.8 mg/L, 96h (Oncorhynchus mykiss) LC50: = 5.46 mg/L, 96h flow-through (Pimephales promelas)			

Persistence and degradability

No information available

Degradation in sewage

Contains substances known to be hazardous to the environment or not degradable in waste

94224

Revision Date 29-Mar-2023

PathoDX Strep Grouping Universal Kit

Revision Date 29-Mar-2023

treatment plant water treatment plants.

Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
EXTRACTION REAGENT 1	-3.7	No data available
Sodium Nitrite		
EXTRACTION REAGENT 2	-0.2	No data available
Acetic Acid (Glacial)		
ProClin 300	0.7	54 dimensionless

Mobility in soil No information available. .

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Dispose of in accordance with local regulations Waste is classified as hazardous Dispose of

in accordance with the European Directives on waste and hazardous waste

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous Keep product and

empty container away from heat and sources of ignition

Other Information Do not empty into drains Large amounts will affect pH and harm aquatic organisms Do not

flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Can be landfilled or incinerated, when in compliance with local

regulations

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN2790
Hazard Class 8
Packing Group III

Proper Shipping Name Acetic Acid Solution (more than 10% but less than 50% acid by weight)

Road and Rail Transport

UN-No UN2790 Hazard Class 8 Packing Group III

Proper Shipping Name Acetic Acid Solution (more than 10% but less than 50% acid by weight)

IATA

UN-No UN2790
Hazard Class 8
Packing Group III

Proper Shipping Name Acetic Acid Solution (more than 10% but less than 50% acid by weight)

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

PathoDX Strep Grouping Universal Kit

Revision Date 29-Mar-2023

Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listedInternational Inventories

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
EXTRACTION REAGENT 1	231-555-9	Х	Х	Х	Х	X	Х	Х	KE-31546
Sodium Nitrite									
EXTRACTION REAGENT 2	200-580-7	Х	Х	Х	Х	X	Х	Х	KE-00013
Acetic Acid (Glacial)									
EXTRACTION REAGENT 3	-	-	-	Х	Х	X	Х	Х	-
Sodium carbonate monohydrate									
ProClin 300	-	-	Х	Х	Х	X	Х	-	KE-05738
Sodium azide	247-852-1	Х	Х	Х	Х	X	Х	Χ	KE-31357

Component	Seveso III Directive	Seveso III Directive	Rotterdam Convention	Basel Convention
	(2012/18/EC) - Qualifying	(2012/18/EC) - Qualifying	(PIC)	(Hazardous Waste)
	Quantities for Major	Quantities for Safety		
	Accident Notification	Report Requirements		
EXTRACTION REAGENT 2				Annex I - Y34
Acetic Acid (Glacial)				

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List **ENCS** - Japanese Existing and New Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b)

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

Transport Association

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

MARPOL - International Convention for the Prevention of Pollution from Ships

ICAO/IATA - International Civil Aviation Organization/International Air

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

PathoDX Strep Grouping Universal Kit

Revision Date 29-Mar-2023

Revision Date 29-Mar-2023 Revision Summary Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet