

according to Regulation (EC) No. 1907/2006

Creation Date 10-Feb-2011 Revision Date 09-Feb-2024 Revision Number 9

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Gold standard solution, 1 mg/ml Au in 10-20% HCI

Cat No. : 196000000; 196001000; 196005000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

EU entity/business name

Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11. CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

e-mail - infoch@thermofisher.com

**E-mail address** begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

ACR19600

#### Gold standard solution, 1 mg/ml Au in 10-20% HCI

Revision Date 09-Feb-2024

#### **Physical hazards**

Substances/mixtures corrosive to metal Category 1 (H290)

### **Health hazards**

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity - (single exposure)

Category 2 (H315)

Category 2 (H319)

Category 3 (H335)

### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

### 2.2. Label elements



### Signal Word

### Warning

### **Hazard Statements**

H290 - May be corrosive to metals

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Hydrochloric acid	7647-01-0	231-595-7	10-20	Met. Corr. 1 (H290) Skin Corr. 1B (H314) Eye Dam. 1 (H318)

#### Gold standard solution, 1 mg/ml Au in 10-20% HCl

				STOT SE 3 (H335)
Water	7732-18-5	231-791-2	80-90	-
Gold	7440-57-5	EEC No. 231-165-9	0.2	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Hydrochloric acid	Skin Corr. 1B :: C>=25% Skin Irrit. 2 :: 10%<=C<25% Eye Irrit. 2 :: 10%<=C<25% STOT SE 3 :: C>=10% Met. Corr. 1 :: C>=0.1%	-	-

Components	Reach Registration Number	
Hydrochloric acid	01-2119484862-27	

Full text of Hazard Statements: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

Revision Date 09-Feb-2024

### Gold standard solution, 1 mg/ml Au in 10-20% HCI

Revision Date 09-Feb-2024

Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors, Hydrogen chloride gas.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### 6.2. Environmental precautions

Should not be released into the environment.

#### 6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510

Storage Class (LGK) (Germany)

Storage Class/LGK 12

Switzerland - Storage of hazardous substances

Storage class - SC 10/12

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

#### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Hydrochloric acid	TWA: 5 ppm 8 hr	STEL: 5 ppm 15 min	STEL / VLCT: 5 ppm.	TWA: 5 ppm 8 uren	STEL / VLA-EC: 10 ppm
	TWA: 8 mg/m <sup>3</sup> 8 hr	STEL: 8 mg/m <sup>3</sup> 15 min	restrictive limit	TWA: 8 mg/m <sup>3</sup> 8 uren	(15 minutos).
	STEL: 10 ppm 15 min	TWA: 1 ppm 8 hr	STEL / VLCT: 7.6	STEL: 10 ppm 15	STEL / VLA-EC: 15
	STEL: 15 mg/m <sup>3</sup> 15 min	TWA: 2 mg/m <sup>3</sup> 8 hr	mg/m <sup>3</sup> . restrictive limit	minuten	mg/m³ (15 minutos).
				STEL: 15 mg/m <sup>3</sup> 15	TWA / VLA-ED: 5 ppm
				minuten	(8 horas)
					TWA / VLA-ED: 7.6
					mg/m³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Hydrochloric acid	TWA: 5 ppm 8 ore. Time	TWA: 2 ppm (8	STEL: 10 ppm 15	STEL: 15 mg/m <sup>3</sup> 15	STEL: 5 ppm 15
	Weighted Average	Stunden). AGW -	minutos	minuten	minuutteina
	TWA: 8 mg/m <sup>3</sup> 8 ore.	exposure factor 2	STEL: 15 mg/m <sup>3</sup> 15	TWA: 8 mg/m <sup>3</sup> 8 uren	STEL: 7.6 mg/m <sup>3</sup> 15
	Time Weighted Average	TWA: 3 mg/m <sup>3</sup> (8	minutos	_	minuutteina
	STEL: 10 ppm 15	Stunden). AGW -	Ceiling: 2 ppm		
	minuti. Short-term	exposure factor 2	TWA: 5 ppm 8 horas		
	STEL: 15 mg/m <sup>3</sup> 15	TWA: 2 ppm (8	TWA: 8 mg/m <sup>3</sup> 8 horas		
	minuti. Short-term	Stunden). MAK			
		TWA: 3.0 mg/m <sup>3</sup> (8			
		Stunden). MAK			
		Höhepunkt: 4 ppm			
		Höhepunkt: 6 mg/m <sup>3</sup>			

Component	Austria	Denmark	Switzerland	Poland	Norway
Hydrochloric acid	MAK-KZGW: 10 ppm 15	STEL: 5 ppm 15	STEL: 4 ppm 15	STEL: 10 mg/m <sup>3</sup> 15	Ceiling: 5 ppm
	Minuten	minutter	Minuten	minutach	Ceiling: 7 mg/m <sup>3</sup>
	MAK-KZGW: 15 mg/m <sup>3</sup>	STEL: 8 mg/m <sup>3</sup> 15	STEL: 6 mg/m <sup>3</sup> 15	TWA: 5 mg/m <sup>3</sup> 8	
	15 Minuten	minutter	Minuten	godzinach	
	MAK-TMW: 5 ppm 8		TWA: 2 ppm 8 Stunden		
	Stunden		TWA: 3 mg/m <sup>3</sup> 8		
	MAK-TMW: 8 mg/m <sup>3</sup> 8		Stunden		
	Stunden				

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Hydrochloric acid	TWA: 5 ppm	TWA-GVI: 5 ppm 8	TWA: 8 mg/m <sup>3</sup> 8 hr. F	STEL: 10 ppm	TWA: 8 mg/m <sup>3</sup> 8
	TWA: 8.0 mg/m <sup>3</sup>	satima.	TWA: 5 ppm 8 hr.	STEL: 15 mg/m <sup>3</sup>	hodinách.
	STEL: 10 ppm	TWA-GVI: 8 mg/m <sup>3</sup> 8	STEL: 10 ppm 15 min	TWA: 5 ppm	Ceiling: 15 mg/m <sup>3</sup>
	STEL: 15.0 mg/m <sup>3</sup>	satima.	STEL: 15 mg/m <sup>3</sup> 15 min	TWA: 8 mg/m <sup>3</sup>	
	_	STEL-KGVI: 10 ppm 15		_	
		minutama.			
		STEL-KGVI: 15 mg/m <sup>3</sup>			
		15 minutama.			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Hydrochloric acid	TWA: 5 ppm 8 tundides. TWA: 8 mg/m³ 8 tundides. STEL: 10 ppm 15 minutites. STEL: 15 mg/m³ 15 minutites.	TWA: 5 ppm 8 hr TWA: 8 mg/m³ 8 hr STEL: 10 ppm 15 min STEL: 15 mg/m³ 15 min	STEL: 5 ppm STEL: 7 mg/m³ TWA: 5 ppm TWA: 7 mg/m³	STEL: 16 mg/m³ 15 percekben. CK TWA: 8 mg/m³ 8 órában. AK	STEL: 5 ppm STEL: 8 mg/m³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Hydrochloric acid	STEL: 10 ppm	TWA: 5 ppm IPRD	TWA: 5 ppm 8 Stunden	TWA: 5 ppm	TWA: 5 ppm 8 ore
	STEL: 15 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup> IPRD	TWA: 8 mg/m <sup>3</sup> 8	TWA: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup> 8 ore

Revision Date 09-Feb-2024

#### Gold standard solution, 1 mg/ml Au in 10-20% HCl

TWA: 5 ppm TWA: 8 mg/m³	STEL: 10 ppm STEL: 15 mg/m³	STEL: 10 ppm 15 Minuten	STEL: 10 ppm 15 minuti STEL: 15 mg/m³ 15 minuti	minute STEL: 15 mg/m³ 15
		STEL: 15 mg/m <sup>3</sup> 15 Minuten		minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Hydrochloric acid	MAC: 5 mg/m <sup>3</sup>	Ceiling: 15 mg/m <sup>3</sup>	TWA: 5 ppm 8 urah	Binding STEL: 4 ppm 15	TWA: 5 ppm 8 saat
		TWA: 5 ppm	anhydrous	minuter	TWA: 8 mg/m3 8 saat
		TWA: 8.0 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup> 8 urah	Binding STEL: 6 mg/m <sup>3</sup>	STEL: 10 ppm 15
		_	anhydrous	15 minuter	dakika
			STEL: 10 ppm 15	TLV: 2 ppm 8 timmar.	STEL: 15 mg/m <sup>3</sup> 15
			minutah anhydrous	NGV	dakika
			STEL: 15 mg/m <sup>3</sup> 15	TLV: 3 mg/m <sup>3</sup> 8 timmar.	
			minutah anhydrous	NGV	

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Hydrochloric acid 7647-01-0 ( 10-20 )	DNEL = 15mg/m <sup>3</sup>		DNEL = 8mg/m <sup>3</sup>	

### **Predicted No Effect Concentration (PNEC)**

No information available.

### 8.2. Exposure controls

### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) Goggles (European standard - EN 166)

Hand Protection Protective gloves

Γ	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
	Butyl rubber	See manufacturers	-	EN 374	(minimum requirement)
L		recommendations			

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the

### Gold standard solution, 1 mg/ml Au in 10-20% HCl

Revision Date 09-Feb-2024

supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline

respirator in the positive pressure mode with emergency escape provisions.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 or Acid gases filter

Type E Yellow conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Yellow Odorless

Odor ThresholdNo data availableMelting Point/Range-25 °C / -13 °FSoftening PointNo data availableBoiling Point/Range107 °C / 224.6 °F

Boiling Point/Range 107 °C / 224.6 °F @ 760 mmHg

Flammability (liquid) No data available Flammability (solid.gas) Not applicable

Flammability (solid,gas) Not applicable Liquid

**Explosion Limits** No data available

Flash Point No information available Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data available

**pH** < 1

Viscosity No data available

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure No data available

Density / Specific Gravity 1.09

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

### 9.2. Other information

### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

Gold standard solution, 1 mg/ml Au in 10-20% HCl

Revision Date 09-Feb-2024

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** 

Hazardous polymerization does not occur.

**Hazardous Reactions** 

None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Hydrogen

chloride gas.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met **Dermal** Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Inhalation

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Hydrochloric acid	Hydrochloric acid 238 - 277 mg/kg (Rat)		1.68 mg/L (Rat) 1 h	
Water	-	=	-	

(b) skin corrosion/irritation; Category 2

Category 2 (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

No data available (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

No data available (i) STOT-repeated exposure;

Gold standard solution, 1 mg/ml Au in 10-20% HCl

Revision Date 09-Feb-2024

No information available. **Target Organs** 

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

### 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity **Ecotoxicity effects** 

Component Freshwater Fish Water Flea Freshwater Algae Hydrochloric acid 282 mg/L LC50 96 h Gambusia 56mg/L EC50 72h Daphnia affinis mg/L LC50 48 h Leucscus idus

Component	Microtox	M-Factor
Hydrochloric acid	-	

12.2. Persistence and degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

The product is water soluble, and may spread in water systems. Will likely be mobile in the 12.4. Mobility in soil

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Gold standard solution, 1 mg/ml Au in 10-20% HCl

Revision Date 09-Feb-2024

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before

discharge.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

### **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN1789

14.2. UN proper shipping name HYDROCHLORIC ACID, SOLUTION

14.3. Transport hazard class(es) 8
14.4. Packing group 8

#### ADR

**14.1. UN number** UN1789

14.2. UN proper shipping name HYDROCHLORIC ACID SOLUTION

14.3. Transport hazard class(es) 8 14.4. Packing group II

#### IATA

**14.1. UN number** UN1789

14.2. UN proper shipping name HYDROCHLORIC ACID, SOLUTION

14.3. Transport hazard class(es)814.4. Packing groupII

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

### **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Hydrochloric acid	7647-01-0	231-595-7	1	-	Х	Χ	KE-20189	X	Χ
Water	7732-18-5	231-791-2	-	-	Х	Χ	KE-35400	X	-
Gold	7440-57-5	231-165-9	_	_	X	X	KF-18083	Χ	_

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Hydrochloric acid	7647-01-0	Х	ACTIVE	Х	-	Х	X	Х

### Gold standard solution, 1 mg/ml Au in 10-20% HCI

Revision Date 09-Feb-2024

Water	7732-18-5	Χ	ACTIVE	Χ	-	Χ	Χ	Х
Gold	7440-57-5	X	ACTIVE	Х	-	Х	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Hydrochloric acid	7647-01-0	-	Use restricted. See item 75. (see link for restriction details)	-
Water	7732-18-5	-	-	-
Gold	7440-57-5	-	Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Hydrochloric acid	7647-01-0	25 tonne	250 tonne
Water	7732-18-5	Not applicable	Not applicable
Gold	7440-57-5	Not applicable	Not applicable

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

### **WGK Classification** Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Hydrochloric acid	WGK1	
Gold	nwg	

#### **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Gold standard solution, 1 mg/ml Au in 10-20% HCl

	Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure	
I	Hydrochloric acid	Prohibited and Restricted			
	7647-01-0 ( 10-20 )	Substances			

### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H315 - Causes skin irritation

H319 - Causes serious eye irritation

### Legend

**CAS** - Chemical Abstracts Service

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 09-Feb-2024

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

**EC50** - Effective Concentration 50% **POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Shins

ATE - Acute Toxicity Estimate
VOC - (volatile organic compound)

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Creation Date 10-Feb-2011 Revision Date 10-Feb-2024

Gold standard solution, 1 mg/ml Au in 10-20% HCI

Revision Date 09-Feb-2024

**Revision Summary** 

Not applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**