

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk:

Product Description:

Cat No. :

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 75myg/g (0.0075%)

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 75myg/g (0.0075%)

45318

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use

Laboratory chemicals.

Uses advised against

No Information available

**Company**

 Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

E-mail address

Enquiry.my@thermofisher.com

Emergency Telephone Number

Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

Aspiration Toxicity	Category 1 (H304)
---------------------	-------------------

**Label Elements**


Signal Word

Danger

**Hazard Statements**

H304 - May be fatal if swallowed and enters airways

**Precautionary Statements**

# SAFETY DATA SHEET

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 75myg/g (0.0075%)

Revision Date 31-Mar-2025

## Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

## Storage

P403 - Store in a well-ventilated place

## Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
White mineral oil	8042-47-5	99.97
Butane, 1,1'-thiobis-	544-40-1	0.03

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

If symptoms persist, call a physician.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

# SAFETY DATA SHEET

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 75mg/g (0.0075%)

Revision Date 31-Mar-2025

## Extinguishing media which must not be used for safety reasons

No information available.

## Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

## Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulfur oxides.

## Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required.

### Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Component	European Union	The United Kingdom	Germany
White mineral oil			TWA: 5 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 4 TWA: 5 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 20 mg/m <sup>3</sup>

# SAFETY DATA SHEET

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 75mg/g (0.0075%)

Revision Date 31-Mar-2025

## Exposure Controls

### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### **Eye Protection**

Goggles

#### **Hand Protection**

Protective gloves

#### **Skin and body protection**

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

#### **Recommended Filter type:**

Multi-purpose/ABEK conforming to EN14387 Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

### Environmental exposure controls

Prevent product from entering drains

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### **Appearance**

#### **Physical State**

Liquid

#### **Odor**

Odorless

#### **Odor Threshold**

No data available

#### **pH**

No information available

#### **Melting Point/Range**

No data available

#### **Softening Point**

No data available

#### **Boiling Point/Range**

No information available

#### **Flash Point**

> 110 °C / > 230 °F

**Method -** No information available

#### **Evaporation Rate**

No data available

#### **Flammability (solid,gas)**

Not applicable

Liquid

#### **Explosion Limits**

No data available

#### **Vapor Pressure**

23 hPa @ 20 °C

#### **Vapor Density**

No data available

(Air = 1.0)

# SAFETY DATA SHEET

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 75myg/g (0.0075%)

Revision Date 31-Mar-2025

Specific Gravity / Density	No data available	
Bulk Density	Not applicable	Liquid
Water Solubility	Immiscible	
Solubility in other solvents	No information available	

## Partition Coefficient (n-octanol/water)

Component	log Pow
White mineral oil	>6

Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.

### Conditions to Avoid

None known.

### Incompatible Materials

Oxidizing agent.

### Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Sulfur oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

(a) acute toxicity; Oral	Based on available data, the classification criteria are not met
-----------------------------	--

# SAFETY DATA SHEET

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 75myg/g (0.0075%)

Revision Date 31-Mar-2025

**Dermal**  
**Inhalation**

Based on available data, the classification criteria are not met  
Based on available data, the classification criteria are not met

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
White mineral oil	LD50 > 5000 mg/kg ( Rat )	-	-
Butane, 1,1'-thiobis-	LD50 = 2220 mg/kg ( Rat )	-	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory**  
**Skin**

No data available  
No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

**Target Organs**

No information available.

(j) aspiration hazard; Category 1

**Symptoms / effects, both acute and delayed** No information available.

**Endocrine Disrupting Properties**

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity effects

Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
White mineral oil	LC50: > 10000 mg/L/96h (Lepomis macrochirus)			
Butane, 1,1'-thiobis-	LC50: = 3.58 mg/L, 96h flow-through			

# SAFETY DATA SHEET

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 75myg/g (0.0075%)

Revision Date 31-Mar-2025

	(Pimephales promelas)			
--	-----------------------	--	--	--

## Persistence and degradability

### **Persistence**

May persist.

### **Degradation in sewage treatment plant**

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## Bioaccumulative potential

Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
White mineral oil	>6	No data available

## Mobility in soil

Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water solubility. Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles.

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

#### **Other Information**

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

Not regulated

### Road and Rail Transport

Not regulated

### IATA

Not regulated

### **Special Precautions for User**

No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
-----------	--------	------	-----	-------	------	------	-------	------	------

# SAFETY DATA SHEET

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 75mg/g (0.0075%)

Revision Date 31-Mar-2025

White mineral oil	232-455-8	X	X	X	X	X	X	X	KE-35412
Butane, 1,1'-thiobis-	208-870-5	X	X	X	X	X	X	X	-

## National Regulations

**Persistent Organic Pollutant**  
**Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Prepared By**

**Revision Date**

**Revision Summary**

Health, Safety and Environmental Department

31-Mar-2025

Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



# **SAFETY DATA SHEET**

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 75myg/g (0.0075%)

Revision Date 31-Mar-2025

---

**End of Safety Data Sheet**