

Creation Date 04-Jul-2017

Revision Date 09-Feb-2024

Revision Number 6

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: **Aliquat® 336TG**  
Cat No. : **463570000; 463570010; 463570025; 463572500**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Recommended Use</b>	Laboratory chemicals.
<b>Sector of use</b>	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
<b>Product category</b>	PC21 - Laboratory chemicals
<b>Process categories</b>	PROC15 - Use as a laboratory reagent
<b>Environmental release category</b>	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
<b>Uses advised against</b>	No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road,  
Loughborough, Leicestershire LE11 5RG, United Kingdom

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
e-mail - infoch@thermofisher.com

**E-mail address** [begel.sdsdesk@thermofisher.com](mailto:begel.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

ACR46357

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

## CLP Classification - Regulation (EC) No 1272/2008

### Physical hazards

Based on available data, the classification criteria are not met

### Health hazards

Acute oral toxicity  
Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation  
Reproductive Toxicity  
Specific target organ toxicity - (repeated exposure)

Category 3 (H301)  
Category 1 C (H314)  
Category 1 (H318)  
Category 1B (H360FD)  
Category 2 (H373)

### Environmental hazards

Acute aquatic toxicity  
Chronic aquatic toxicity

Category 1 (H400)  
Category 1 (H410)

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

**Danger**

### Hazard Statements

H301 - Toxic if swallowed  
H314 - Causes severe skin burns and eye damage  
H360FD - May damage fertility. May damage the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure  
H410 - Very toxic to aquatic life with long lasting effects  
Combustible liquid

### Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

### Additional EU labelling

Restricted to professional users

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	63393-96-4	EEC No. 264-120-7	>75	Skin Corr. 1C (H314) Eye Dam. 1 (H318) Acute Tox. 3 (H301) STOT RE 3 (H373) Repr. 1B (H360FD) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
1-Octanol	111-87-5	EEC No. 203-917-6	1-7	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)
1-Decanol	112-30-1	EEC No. 203-956-9	0-7	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)
Amines, tri-C8-10-alkyl	68814-95-9	EEC No. 272-347-8	0-3	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Repr. 1B (H360FD) STOT RE 1 (H372) Aquatic Chronic 2 (H411)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	-	10	-

Components	Reach Registration Number
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	01-2119982988-08

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General Advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.
<b>Inhalation</b>	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

None under normal use conditions.

### **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### **6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### **6.3. Methods and material for containment and cleaning up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

### **6.4. Reference to other sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

## Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 6.1C

## Switzerland - Storage of hazardous substances

Storage class - SC 6.1

<https://www.kvu.ch/de/themen/stoffe-und-produkte>

<https://www.kvu.ch/fr/themes/substances-et-produits>

<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

### Exposure limits

List source(s): **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	Italy	Germany	Portugal	The Netherlands	Finland
1-Octanol		TWA: 10 ppm (8 Stunden). AGW - exposure factor 1 TWA: 54 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 1 TWA: 10 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time TWA: 54 mg/m <sup>3</sup> (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 10 ppm Höhepunkt: 54 mg/m <sup>3</sup>			
1-Decanol		TWA: 10 ppm (8 Stunden). AGW - exposure factor 1 TWA: 66 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 1 TWA: 10 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time TWA: 66 mg/m <sup>3</sup> (8 Stunden). MAK can occur as vapor and aerosol at the same time			

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

		Höhepunkt: 10 ppm Höhepunkt: 66 mg/m <sup>3</sup>			
--	--	--	--	--	--

Component	Austria	Denmark	Switzerland	Poland	Norway
1-Octanol			STEL: 20 ppm 15 Minuten STEL: 106 mg/m <sup>3</sup> 15 Minuten TWA: 20 ppm 8 Stunden TWA: 106 mg/m <sup>3</sup> 8 Stunden		
1-Decanol			STEL: 10 ppm 15 Minuten STEL: 66 mg/m <sup>3</sup> 15 Minuten TWA: 10 ppm 8 Stunden TWA: 66 mg/m <sup>3</sup> 8 Stunden		

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
1-Octanol	TWA: 10.0 mg/m <sup>3</sup>				
1-Decanol	TWA: 10 mg/m <sup>3</sup>				

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
1-Octanol	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> IPRD			Skin notation TWA: 28 ppm 8 ore TWA: 150 mg/m <sup>3</sup> 8 ore STEL: 47 ppm 15 minute STEL: 250 mg/m <sup>3</sup> 15 minute
1-Decanol	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> IPRD			TWA: 15 ppm 8 ore TWA: 100 mg/m <sup>3</sup> 8 ore STEL: 30 ppm 15 minute STEL: 200 mg/m <sup>3</sup> 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
1-Octanol	MAC: 10 mg/m <sup>3</sup>		TWA: 106 mg/m <sup>3</sup> 8 urah TWA: 20 ppm 8 urah STEL: 20 ppm 15 minutah STEL: 106 mg/m <sup>3</sup> 15 minutah		
1-Decanol	MAC: 10 mg/m <sup>3</sup>				

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.  
MDHS70 General methods for sampling airborne gases and vapours

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
-----------	---------------------	---------------	-----------------------	-----------------

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

	(Dermal)	systemic (Dermal)	(Dermal)	systemic (Dermal)
1-Octanol 111-87-5 ( 1-7 )			DNEL = 190µg/cm <sup>2</sup>	DNEL = 50mg/kg bw/day
1-Decanol 112-30-1 ( 0-7 )			DNEL = 190µg/cm <sup>2</sup>	DNEL = 250mg/kg bw/day
Amines, tri-C8-10-alkyl 68814-95-9 ( 0-3 )				DNEL = 0.17mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides 63393-96-4 ( >75 )				DNEL = 0.42mg/m <sup>3</sup>
1-Octanol 111-87-5 ( 1-7 )			DNEL = 106mg/m <sup>3</sup>	DNEL = 176mg/m <sup>3</sup>
1-Decanol 112-30-1 ( 0-7 )			DNEL = 129mg/m <sup>3</sup>	DNEL = 176mg/m <sup>3</sup>
Amines, tri-C8-10-alkyl 68814-95-9 ( 0-3 )				DNEL = 0.12mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides 63393-96-4 ( >75 )	PNEC = 0.15µg/L	PNEC = 0.63µg/kg sediment dw	PNEC = 1.5µg/L	PNEC = 0.44mg/L	PNEC = 38ng/kg soil dw
1-Octanol 111-87-5 ( 1-7 )	PNEC = 0.1mg/L	PNEC = 1.6mg/kg sediment dw			PNEC = 0.26mg/kg soil dw
1-Decanol 112-30-1 ( 0-7 )	PNEC = 0.021mg/L	PNEC = 3.2mg/kg sediment dw			PNEC = 0.63mg/kg soil dw
Amines, tri-C8-10-alkyl 68814-95-9 ( 0-3 )	PNEC = 0.032mg/L		PNEC = 0.032mg/L	PNEC = 100mg/L	PNEC = 0.78mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides 63393-96-4 ( >75 )	PNEC = 15ng/L	PNEC = 63ng/kg sediment dw	PNEC = 0.15µg/L	PNEC = 1.66mg/kg food	
1-Octanol 111-87-5 ( 1-7 )	PNEC = 0.01mg/L	PNEC = 0.16mg/kg sediment dw			
1-Decanol 112-30-1 ( 0-7 )	PNEC = 0.0021mg/L	PNEC = 0.32mg/kg sediment dw			
Amines, tri-C8-10-alkyl 68814-95-9 ( 0-3 )	PNEC = 0.0032mg/L				

## 8.2. Exposure controls

### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

## Personal protective equipment

### Eye Protection

Goggles (European standard - EN 166)

### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
Neoprene	recommendations			
Natural rubber				
PVC				

### Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141  
When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Yellow	
Odor	Slight: Ammonia-like	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	Combustible liquid	On basis of test data
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	77 °C / 170.6 °F	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	1500 mPa.s @ 30°C	
Water Solubility	Insoluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Quaternary ammonium compounds,	6.13	
tri-C8-10-alkylmethyl, chlorides		
1-Octanol	2.8	



# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

1-Decanol	4.5	
Amines, tri-C8-10-alkyl	6.2	
Vapor Pressure	No data available	
Density / Specific Gravity	0.89	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

## 9.2. Other information

**Explosive Properties** explosive air/vapour mixtures possible

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity** None known, based on information available

**10.2. Chemical stability** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available.  
**Hazardous Reactions** None under normal processing.

**10.4. Conditions to avoid** Keep away from open flames, hot surfaces and sources of ignition.

**10.5. Incompatible materials** None known.

**10.6. Hazardous decomposition products** None under normal use conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

(a) acute toxicity;  
**Oral** Category 3  
**Dermal** Based on available data, the classification criteria are not met  
**Inhalation** Based on available data, the classification criteria are not met

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	300-2000 mg/kg 223 mg/kg (Rat)	-	-
1-Octanol	LD50 > 3200 mg/kg ( Rat )	LD50 > 5 g/kg ( Rabbit )	-
1-Decanol	LD50 = 4720 mg/kg ( Rat )	LD50 = 3560 mg/kg ( Rabbit )	-
Amines, tri-C8-10-alkyl	LD50 = 5600 mg/kg ( Rat )	-	-

(b) skin corrosion/irritation; Category 1 C

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

- (c) serious eye damage/irritation; Category 1
- (d) respiratory or skin sensitization;  
Respiratory Based on available data, the classification criteria are not met  
Skin Based on available data, the classification criteria are not met
- (e) germ cell mutagenicity; Based on available data, the classification criteria are not met
- (f) carcinogenicity; Based on available data, the classification criteria are not met  
There are no known carcinogenic chemicals in this product
- (g) reproductive toxicity;  
Reproductive Effects Category 1B  
May impair fertility. May cause harm to the unborn child.
- (h) STOT-single exposure; Based on available data, the classification criteria are not met
- (i) STOT-repeated exposure; Category 2  
Target Organs Heart.
- (j) aspiration hazard; Based on available data, the classification criteria are not met

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	LC50: 0.1-1 mg/L 96h	EC50: 0.16 mg/L 48h (Daphnia magna)	
1-Octanol	LC50: 17.68 mg/L, 96h static (Oncorhynchus mykiss) LC50: 11.4 - 12.9 mg/L, 96h flow-through (Pimephales promelas)		
1-Decanol	Pimephales promelas: LC50=2.2-2.5 mg/L 96h	EC50: 11 mg/L, 24h (Daphnia magna) EC50: 3 mg/L, 48h (Daphnia magna)	

Component	Microtox	M-Factor
Quaternary ammonium compounds,		10

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

tri-C8-10-alkylmethyl, chlorides		
1-Octanol	EC50 = 32.7 - 51.1 mg/L 48 h EC50 = 3.4 mg/L 5 min EC50 = 3.71 mg/L 30 min EC50 = 4.73 mg/L 15 min	
1-Decanol	EC50 = 1.31 mg/L 5 min EC50 = 1.47 mg/L 30 min EC50 = 8.83 mg/L 48 h	

## 12.2. Persistence and degradability

### Persistence

May persist.

### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## 12.3. Bioaccumulative potential

Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	6.13	No data available
1-Octanol	2.8	No data available
1-Decanol	4.5	No data available
Amines, tri-C8-10-alkyl	6.2	No data available

## 12.4. Mobility in soil

Spillage unlikely to penetrate soil The product is insoluble and floats on water Is not likely mobile in the environment due its low water solubility. Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles

## 12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

### Persistent Organic Pollutant

This product does not contain any known or suspected substance

### Ozone Depletion Potential

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

### Waste from Residues/Unused Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

### Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

### Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600  
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

<b>14.1. UN number</b>	UN2922
<b>14.2. UN proper shipping name</b>	Corrosive liquid, toxic, n.o.s.
<b>Technical Shipping Name</b>	Quaternary alkyl ammonium salts
<b>14.3. Transport hazard class(es)</b>	8
<b>Subsidiary Hazard Class</b>	6.1
<b>14.4. Packing group</b>	III

### ADR

<b>14.1. UN number</b>	UN2922
<b>14.2. UN proper shipping name</b>	Corrosive liquid, toxic, n.o.s.
<b>Technical Shipping Name</b>	Quaternary alkyl ammonium salts
<b>14.3. Transport hazard class(es)</b>	8
<b>Subsidiary Hazard Class</b>	6.1
<b>14.4. Packing group</b>	III

### IATA

<b>14.1. UN number</b>	UN2922
<b>14.2. UN proper shipping name</b>	Corrosive liquid, toxic, n.o.s.
<b>Technical Shipping Name</b>	Quaternary alkyl ammonium salts
<b>14.3. Transport hazard class(es)</b>	8
<b>Subsidiary Hazard Class</b>	6.1
<b>14.4. Packing group</b>	III

<b>14.5. Environmental hazards</b>	Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO
------------------------------------	--

<b>14.6. Special precautions for user</b>	No special precautions required.
---	----------------------------------

<b>14.7. Maritime transport in bulk according to IMO instruments</b>	Not applicable, packaged goods
--	--------------------------------

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	63393-96-4	264-120-7	-	-	X	X	KE-30035	-	-
1-Octanol	111-87-5	203-917-6	-	-	X	X	KE-26656	X	X
1-Decanol	112-30-1	203-956-9	-	-	X	X	KE-09483	X	X
Amines, tri-C8-10-alkyl	68814-95-9	272-347-8	-	-	X	X	-	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	63393-96-4	X	ACTIVE	X	-	X	X	X
1-Octanol	111-87-5	X	ACTIVE	X	-	X	X	X
1-Decanol	112-30-1	X	ACTIVE	X	-	X	X	X

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

Amines, tri-C8-10-alkyl	68814-95-9	X	ACTIVE	X	-	X	-	-
-------------------------	------------	---	--------	---	---	---	---	---

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**Authorisation/Restrictions according to EU REACH**

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	63393-96-4	-	-	-
1-Octanol	111-87-5	-	-	-
1-Decanol	112-30-1	-	-	-
Amines, tri-C8-10-alkyl	68814-95-9	-	-	-

**Seveso III Directive (2012/18/EC)**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	63393-96-4	Not applicable	Not applicable
1-Octanol	111-87-5	Not applicable	Not applicable
1-Decanol	112-30-1	Not applicable	Not applicable
Amines, tri-C8-10-alkyl	68814-95-9	Not applicable	Not applicable

**Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals**

Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

**National Regulations**

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification**

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
1-Octanol	WGK1	
1-Decanol	WGK1	

Component	France - INRS (Tables of occupational diseases)
1-Octanol	Tableaux des maladies professionnelles (TMP) - RG 84

**Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed  
H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage  
H360FD - May damage fertility. May damage the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H372 - Causes damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects  
H412 - Harmful to aquatic life with long lasting effects

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

**Creation Date** 04-Jul-2017

**Revision Date** 09-Feb-2024

**Revision Summary** Not applicable.

# **SAFETY DATA SHEET**

Aliquat® 336TG

Revision Date 09-Feb-2024

---

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.  
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No  
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,  
Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and  
Preparations).**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**