

# SAFETY DATA SHEET

Page 1 / 10 Creation Date 05-May-2009 Revision Date 22-Mar-2025 Version 7

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: 1,4-Dioxane Product Description: 1,4-Dioxane

Cat No.: 447060000; 447060010; 447060025

Synonyms Diox
CAS No 123-91-1
Molecular Formula C4 H8 O2

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Flammable liquids	Category 2 (H225)
Serious Eye Damage/Eye Irritation	Category 2 (H319)
Carcinogenicity	Category 1B (H350)
Specific target organ toxicity - (single exposure)	Category 3 (H335)

#### Label Elements



Signal Word Danger

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H350 - May cause cancer

#### **Precautionary Statements**

#### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P280 - Wear eye protection/ face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

## Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Other Hazards**

EUH019 - May form explosive peroxides

EUH066 - Repeated exposure may cause skin dryness or cracking

Toxic to terrestrial vertebrates

Contains a known or suspected endocrine disruptor

Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
1,4-Dioxane	123-91-1	>95

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact**Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

# SAFETY DATA SHEET

1,4-Dioxane Revision Date 22-Mar-2025

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

## **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

## Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. May form explosive peroxides. Vapors may form explosive mixtures with air.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), peroxides.

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

### **Environmental precautions**

Should not be released into the environment.

## Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Flammables area. May form explosive peroxides. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame. Protect from moisture.

#### Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL
1,4-Dioxane		TWA: 20 ppm	(Vacated) TWA: 25 ppm
		Skin	(Vacated) TWA: 90 mg/m <sup>3</sup>
			Skin
			TWA: 100 ppm
			TWA: 360 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
1,4-Dioxane	TWA: 20 ppm (8h)	STEL: 60 ppm 15 min	TWA: 20 ppm (8 Stunden). AGW -
	TWA: 73 mg/m <sup>3</sup> (8h)	STEL: 219 mg/m <sup>3</sup> 15 min	exposure factor 2
		TWA: 20 ppm 8 hr	TWA: 73 mg/m <sup>3</sup> (8 Stunden). AGW -
		TWA: 73 mg/m <sup>3</sup> 8 hr	exposure factor 2
		Skin	TWA: 10 ppm (8 Stunden). MAK
			TWA: 37 mg/m³ (8 Stunden). MAK
			Höhepunkt: 20 ppm
			Höhepunkt: 74 mg/m <sup>3</sup>
			Haut

#### **Exposure Controls**

## **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Tight sealing safety goggles Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

\_\_\_\_\_

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** No information available

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid

Odor Petroleum distillates
Odor Threshold No data available

**pH** 6-8 500 g/l aq.sol

Melting Point/Range12 °C / 53.6 °FSoftening PointNo data available

Boiling Point/Range 101 °C / 213.8 °F @ 760 mmHg

Flash Point 12 °C / 53.6 °F Method - No information available

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 2 vol% Upper 22 vol%

Vapor Pressure 41 mbar @ 20 °C

Vapor Density 3 (Air = 1.0)

Specific Gravity / Density 1.034

Bulk Density Not applicable Liquid

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog Pow1,4-Dioxane-0.42

**Autoignition Temperature** 355 °C / 671 °F **Decomposition Temperature** No data available

Viscosity 1.32 mPa.s @ 20 °C

**Explosive Properties**Vapors may form explosive mixtures with air

Oxidizing Properties
No information available

Molecular FormulaC4 H8 O2Molecular Weight88.11

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

May form explosive peroxides. Hygroscopic.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

None under normal processing.

Conditions to Avoid

Incompatible products. Heat, flames and sparks. Exposure to air or moisture over prolonged periods. Keep away from open flames, hot surfaces and sources of ignition. Exposure to

moist air or water.

Incompatible Materials

Strong oxidizing agents. Reducing Agent. Halogens.

**Hazardous Decomposition Products** 

Carbon monoxide (CO). Carbon dioxide (CO2). peroxides.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# Information on Toxicological Effects

### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met
Dermal Based on available data, the classification criteria are not met
Inhalation Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
1,4-Dioxane	5170 mg/kg ( Rat )	LD50 = 7600 mg/kg (Rabbit)	48.5 mg/L (Rat) 4 h		
	4200 mg/kg ( Rat )				

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory

Skin

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
1,4-Dioxane	Carc Cat. 1B			Group 2B

Based on available data, the classification criteria are not met (g) reproductive toxicity;

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

None known. **Target Organs** 

(j) aspiration hazard; Based on available data, the classification criteria are not met

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health

Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties Substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
1,4-Dioxane	LC50: = 9850 mg/L, 96h (Pimephales promelas) LC50: 10306 - 14742 mg/L, 96h static (Pimephales promelas) LC50: = 9850 mg/L, 96h flow-through (Pimephales promelas) LC50: > 10000 mg/L, 96h semi-static (Lepomis macrochirus) LC50: > 10000 mg/L, 96h static (Lepomis macrochirus)			EC50 = 610 mg/L 5 min EC50 = 668 mg/L 15 min EC50 = 733 mg/L 30 min

Persistence and degradability

**Persistence** 

Not readily biodegradable Persistence is unlikely.

# SAFETY DATA SHEET

1,4-Dioxane Revision Date 22-Mar-2025

Bioaccumulative potential	Ccumulative potential Bioaccumulation is unlikely						
Component	log Pow	Bioconcentration factor (BCF)					
1,4-Dioxane	-0.42	0.3 - 0.7 dimensionless					

<u>Mobility in soil</u> The product is water soluble, and may spread in water systems. . Will likely be mobile in

the environment due to its water solubility. Highly mobile in soils.

**Endocrine Disruptor Information** 

Assess endocrine disrupting properties for the environment

Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties. Substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous Keep product and

empty container away from heat and sources of ignition

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not flush to sewer Can be landfilled or incinerated, when in compliance with

local regulations

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN1165
Hazard Class 3
Packing Group II

Proper Shipping Name DIOXANE

**Road and Rail Transport** 

UN-No UN1165 Hazard Class 3 Packing Group II

Proper Shipping Name DIOXANE

<u>IATA</u>

UN-No UN1165
Hazard Class 3
Packing Group II

Proper Shipping Name DIOXANE

Special Precautions for User No special precautions required

## **SECTION 15: REGULATORY INFORMATION**

Revision Date 22-Mar-2025 1.4-Dioxane

Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listedInternational Inventories

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
1,4-Dioxane	204-661-8	X	X	X	X	X	Χ	Χ	KE-10463

## **National Regulations**

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 22-Mar-2025

**Revision Summary** SDS sections updated.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**