

# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP ZEPLUBE 275GL

Material number : 000000000000145989

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

For SDS Information : Compliance Services - 877-428-9937

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded

For a Transportation  
Emergency : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	liquid
Colour	amber
Odour	odourless

#### GHS Classification

Serious eye damage : Category 1  
Carcinogenicity : Category 2  
Specific target organ toxicity -  
repeated exposure : Category 2  
(Inhalation)

#### GHS label elements

Hazard pictograms :



Health hazard

Corrosion

Signal word : Danger

# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

- Hazard statements : H318 Causes serious eye damage.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure if inhaled.
- Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
tetrasodium ethylenediaminetetraacetate	64-02-8	$\geq 5$ - $< 10$
2-methylpentane-2,4-diol	107-41-5	$\geq 5$ - $< 10$
ethanol	64-17-5	$\geq 1$ - $< 5$
Fatty acids, C8-18 and C18-unsatd., potassium salts	67701-09-1	$\geq 1$ - $< 5$
Amides, coco, N,N-bis(hydroxyethyl)	68603-42-9	$\geq 1$ - $< 5$
2,2'-iminodiethanol	111-42-2	$\geq 0.1$ - $< 1$

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
Move to fresh air.  
Oxygen or artificial respiration if needed.
- In case of skin contact : If skin irritation persists, call a physician.  
Remove contaminated clothing and shoes.

# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

	<p>Wash contaminated clothing before reuse. Wash off immediately with plenty of water for at least 15 minutes.</p>
In case of eye contact	<p>: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.</p>
If swallowed	<p>: Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.</p>
Most important symptoms and effects, both acute and delayed	<p>: Effects are immediate and delayed. Effects are dependent on exposure (dose, concentration, contact time). Chronic effects are delayed and symptoms may not be observed during an exposure. Symptoms may include irritation, redness, pain, and rash. Symptoms may differ depending on organs and systems affected. These effects generally are reflected in reduced function or change, which may include cramping, swelling, respiratory issues, and general pain. Causes serious eye damage. Suspected of causing cancer. Review section 2 of SDS to see all potential hazards. May cause damage to organs through prolonged or repeated exposure.</p>
Notes to physician	<p>: Treat symptomatically. Symptoms may be delayed.</p>

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO <sub>2</sub> ) Carbon monoxide Nitrogen oxides (NO <sub>x</sub> ) Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Immediately evacuate personnel to safe areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains, inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Sweep up or vacuum up spillage and collect in suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Oxidizing agents  
Do not store near acids.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters /	Basis
------------	---------	------------------------	-------------------------	-------

# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

		exposure)	Permissible concentration	
2-methylpentane-2,4-diol	107-41-5	(c)	25 ppm 121 mg/m3	CA AB OEL
		C	25 ppm	CA BC OEL
		C	25 ppm 121 mg/m3	CA QC OEL
		C	25 ppm	ACGIH
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	CA AB OEL
		STEL	1,000 ppm	CA BC OEL
		TWAEV	1,000 ppm 1,880 mg/m3	CA QC OEL
		TWA	1,000 ppm	ACGIH
		STEL	1,000 ppm	ACGIH
2,2'-iminodiethanol	111-42-2	TWA	2 mg/m3	CA AB OEL
		TWA	2 mg/m3	CA BC OEL
		TWAEV	3 ppm 13 mg/m3	CA QC OEL
		TWA (Inhalable fraction and vapor)	1 mg/m3	ACGIH

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material : Protective gloves

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection

: Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: amber
Odour	: odourless
Odour Threshold	: No data available
pH	: 10 - 10.8
Melting point/freezing point	: Not applicable
Boiling point	: 100 °C
Flash point	: > 93.33 °C Method: Tag closed cup
Evaporation rate	: 1
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.037 g/cm <sup>3</sup>
Bulk density	: No data available
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: soluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: 125.8 mm <sup>2</sup> /s (20 °C)

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous	: No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

reactions  
Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : Oxidizing agents  
Acids

Hazardous decomposition products : Carbon oxides  
Nitrogen oxides (NOx)

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects are immediate and delayed.  
Effects are dependent on exposure (dose, concentration, contact time).  
Chronic effects are delayed and symptoms may not be observed during an exposure.  
Symptoms may include irritation, redness, pain, and rash.  
Symptoms may differ depending on organs and systems affected. These effects generally are reflected in reduced function or change, which may include cramping, swelling, respiratory issues, and general pain.  
Causes serious eye damage.  
Suspected of causing cancer.  
Review section 2 of SDS to see all potential hazards.  
May cause damage to organs through prolonged or repeated exposure.  
Treat symptomatically. Symptoms may be delayed.

#### Carcinogenicity:

##### IARC

Group 2B: Possibly carcinogenic to humans

Amides, coco, N,N-bis(hydroxyethyl) 68603-42-9

2,2'-iminodiethanol 111-42-2

##### ACGIH

Confirmed animal carcinogen with unknown relevance to humans

ethanol 64-17-5

2,2'-iminodiethanol 111-42-2

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

Method: Calculation method

### **Components:**

#### **2-methylpentane-2,4-diol:**

Acute oral toxicity : LD50 Oral Rat: 3,700 mg/kg

#### **ethanol:**

Acute oral toxicity : LD50 Oral Rat: 7,060 mg/kg

Acute inhalation toxicity : LC50 Rat: 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

### **Skin corrosion/irritation**

#### **Product:**

Remarks: Irritating to skin.

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks: May cause irreversible eye damage.

### **Respiratory or skin sensitisation**

No data available

### **Germ cell mutagenicity**

No data available

### **Carcinogenicity**

No data available

### **Reproductive toxicity**

No data available

### **STOT - single exposure**

No data available

### **STOT - repeated exposure**

#### **Components:**

#### **tetrasodium ethylenediaminetetraacetate:**

Exposure routes: Inhalation

Assessment: May cause damage to organs through prolonged or repeated exposure.

### **Aspiration toxicity**

No data available

### **Further information**

#### **Product:**



# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

Remarks: No data available

### Components:

**Amides, coco, N,N-bis(hydroxyethyl):**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Components:

**2-methylpentane-2,4-diol :**

Partition coefficient: n-octanol/water : Pow: 0.58

**ethanol :**

Partition coefficient: n-octanol/water : Remarks: No data available

**Amides, coco, N,N-bis(hydroxyethyl) :**

Partition coefficient: n-octanol/water : Remarks: No data available

**2,2'-iminodiethanol :**

Partition coefficient: n-octanol/water : Pow: 1.43

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Additional ecological information : No data available

#### Components:

**Amides, coco, N,N-bis(hydroxyethyl) :**

Additional ecological information : No data available

# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- |                        |   |  |
|------------------------|---|--|
| Waste from residues    | : | Do not dispose of waste into sewer.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Dispose of in accordance with local regulations. |
| Contaminated packaging | : | Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.  |

---

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL
--

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL
---

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL
--

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL
--

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL
--

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

# SAFETY DATA SHEET

## ZEP ZEPLUBE 275GL

Version 1.1

Revision Date 10/01/2023

Print Date 04/25/2025

### DSL TSCA

All components of this product are on the Canadian DSL  
On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

### WHMIS - GHS Label Information:

Hazard pictograms



Health hazard

Corrosion

Signal word

: **Danger:**

Hazard statements

: Causes serious eye damage. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.

Precautionary statements

:  
**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF exposed or concerned: Get medical advice/ attention.

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	1.1
Revision Date:	10/01/2023
Print Date:	04/25/2025

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.