

# SAFETY DATA SHEET

## ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Material number : ECZLDC644

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 350 Joe Frank Harris Parkway, SE  
Emerson, GA 30137

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

For SDS Information : Compliance Services - 877-428-9937

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded

For a Transportation Emergency : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                        |
|------------|------------------------|
| Appearance | liquid                 |
| Colour     | green                  |
| Odour      | slight, characteristic |

#### GHS Classification

Eye irritation : Category 2A

Respiratory sensitisation : Category 1

#### GHS label elements

Hazard pictograms :



Health hazard

Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P280 Wear eye protection/ face protection.  
P285 In case of inadequate ventilation wear respiratory protection.

# SAFETY DATA SHEET

## ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

### Response:

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

| Chemical name                 | CAS-No.       | Concentration [%] |
|-------------------------------|---------------|-------------------|
| propane-1,2-diol              | 57-55-6       | $\geq 10 - < 20$  |
| Alcohols, C12-15, ethoxylated | 68131-39-5    | $\geq 1 - < 3$    |
| Proprietary Enzyme            | Not Available | $\geq 0.1 - < 1$  |

The exact percentages of disclosed substances are withheld as trade secrets.

## SECTION 4. FIRST AID MEASURES

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Effects are immediate and delayed.  
Symptoms may include irritation, redness, pain, and rash.  
Symptoms may include difficulty breathing, coughing,

## SAFETY DATA SHEET

### ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

wheezing, throat irritation, and tightness/closure of airway.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Review section 2 of SDS to see all potential hazards.

Notes to physician : Treat symptomatically. Symptoms may be delayed.

---

#### SECTION 5. FIREFIGHTING MEASURES

- |   |  |
|---|--|
| Suitable extinguishing media                  | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.   |
| Unsuitable extinguishing media                | : High volume water jet  |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.<br>Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke  |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                    |
| Further information                           | : Standard procedure for chemical fires.   |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.   |

---

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Ensure adequate ventilation.   |
| Environmental precautions   | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities. |
| Methods and materials for containment and cleaning up               | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal.                              |

---

#### SECTION 7. HANDLING AND STORAGE

- |                         |  |
|-------------------------|--|
| Advice on safe handling | : For personal protection see section 8. |
|-------------------------|--|

# SAFETY DATA SHEET

## ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

Smoking, eating and drinking should be prohibited in the application area.

Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components       | CAS-No. | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis   |
|------------------|---------|----------------------------------|---|---------|
| propane-1,2-diol | 57-55-6 | TWA                              | 10 mg/m3  | US WEEL |

Engineering measures : effective ventilation in all processing areas

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection  
Remarks : Rubber gloves

Eye protection : Safety glasses

Skin and body protection : No special protection is required.

Hygiene measures : General industrial hygiene practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : green

Odour : slight, characteristic

Odour Threshold : No data available

pH : 6 - 7

Melting point/freezing point : No data available

Boiling point : 100 °C

Flash point :  
No data available

Evaporation rate : not determined

## SAFETY DATA SHEET

### ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

|  |                          |
|--|--------------------------|
| Upper explosion limit                  | : No data available      |
| Lower explosion limit                  | : No data available      |
| Vapour pressure                        | : not determined         |
| Relative vapour density                | : No data available      |
| Density                                | : 1.01 g/cm <sup>3</sup> |
| Solubility(ies)                        |                          |
| Water solubility                       | : soluble                |
| Solubility in other solvents           | : not determined         |
| Partition coefficient: n-octanol/water | : No data available      |
| Auto-ignition temperature              | : not determined         |
| Thermal decomposition                  | : No data available      |
| Viscosity                              |                          |
| Viscosity, kinematic                   | : No data available      |

#### SECTION 10. STABILITY AND REACTIVITY

|                                    |  |
|------------------------------------|--|
| Reactivity                         | : Stable                                       |
| Chemical stability                 | : Stable under normal conditions.              |
| Possibility of hazardous reactions | : Stable under recommended storage conditions. |
| Conditions to avoid                | : No data available                            |
| Incompatible materials             | : None.  |
| Hazardous decomposition products   | : Carbon oxides                                |

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Potential Health Effects

|                              |  |
|------------------------------|--|
| Aggravated Medical Condition | : None known.  |
| Symptoms of Overexposure     | : Effects are immediate and delayed.<br>Symptoms may include irritation, redness, pain, and rash.<br>Symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway.<br><br>Causes serious eye irritation.<br>May cause allergy or asthma symptoms or breathing |

## SAFETY DATA SHEET

### ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

difficulties if inhaled.

Review section 2 of SDS to see all potential hazards.

Treat symptomatically. Symptoms may be delayed.

#### **Carcinogenicity:**

##### **IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### **ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

##### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### **NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Acute toxicity**

##### **Product:**

Acute oral toxicity

: Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

##### **Components:**

##### **Alcohols, C12-15, ethoxylated:**

Acute oral toxicity

: LD50 Oral Rat: 500 - 5,000 mg/kg

#### **Skin corrosion/irritation**

##### **Product:**

Remarks: May cause skin irritation and/or dermatitis.

#### **Serious eye damage/eye irritation**

##### **Product:**

Remarks: Severe eye irritation

#### **Respiratory or skin sensitisation**

No data available

#### **Germ cell mutagenicity**

No data available

#### **Carcinogenicity**

No data available

#### **Reproductive toxicity**

No data available

#### **STOT - single exposure**

No data available

# SAFETY DATA SHEET

## ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Components:

**propane-1,2-diol :**  
Partition coefficient: n-octanol/water : log Pow: -1.07

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

# SAFETY DATA SHEET

## ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- |                        |   |  |
|------------------------|---|--|
| Waste from residues    | : | Do not dispose of waste into sewer.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Dispose of in accordance with local regulations. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.   |

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

- TSCA list** : No substances are subject to a Significant New Use Rule.
- No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity



# SAFETY DATA SHEET

## ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

| Components       | CAS-No.   | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|------------------|-----------|-----------------------|--------------------------------|
| copper dinitrate | 3251-23-8 | 100                   | *                              |

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Serious eye damage or eye irritation  
Respiratory or skin sensitisation

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

**TSCA** On TSCA Inventory  
**DSL** This product contains one or several components listed in the Canadian NDSL.

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

---

## SECTION 16. OTHER INFORMATION

# SAFETY DATA SHEET

## ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

### Further information

#### NFPA:

|                 |   |
|-----------------|---|
| HEALTH          | 2 |
| FLAMMABILITY    | 1 |
| INSTABILITY     | 0 |
| SPECIAL HAZARD. |   |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme

#### HMIS III:

|                 |    |
|-----------------|----|
| HEALTH          | 2* |
| FLAMMABILITY    | 0  |
| PHYSICAL HAZARD | 0  |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

### OSHA - GHS Label Information:

Hazard pictograms



Health hazard

Signal word

: **Danger:**

Hazard statements

: Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

: **Prevention:** Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Wear eye protection/ face protection. In case of inadequate ventilation wear respiratory protection.  
**Response:** IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

**Disposal:** Dispose of contents/container in accordance with local regulation.

## SAFETY DATA SHEET

### ZEP DRAIN DEFENSE PIPE BUILD-UP REMOVER

Version 2.1

Revision Date 10/01/2023

Print Date 04/28/2025

|                |            |
|----------------|------------|
| Version:       | 2.1        |
| Revision Date: | 10/01/2023 |
| Print Date:    | 04/28/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.