

# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP FORMULA 1365

Material number : 222235C

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	liquid
Colour	amber
Odour	strong, solvent-like, hydrocarbon-like

#### GHS Classification

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Acute toxicity (Dermal) : Category 4  
Skin corrosion : Category 1A  
Serious eye damage : Category 1  
Germ cell mutagenicity : Category 2  
Carcinogenicity : Category 1B  
Specific target organ toxicity - single exposure : Category 2  
Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)  
Specific target organ toxicity - repeated exposure : Category 2

# SAFETY DATA SHEET

## ZEP FORMULA 1365


Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

### GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H341 Suspected of causing genetic defects.  
H350 May cause cancer.  
H371 May cause damage to organs.  
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

: **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
**Storage:**  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
dichloromethane	75-09-2	$\geq 60 - < 80$
phenol	108-95-2	$\geq 10 - < 30$
formic acid	64-18-6	$\geq 5 - < 10$
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	$\geq 3 - < 7$
Alcohols, C9-11, ethoxylated	68439-46-3	$\geq 1 - < 5$
Solvent naphtha (petroleum), heavy arom.	64742-94-5	$\geq 1 - < 5$

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.  
Wash off immediately with plenty of water for at least 15 minutes.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before reuse.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.  
Rinse immediately with plenty of water for at least 15 minutes.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Effects are dependent on exposure (dose, concentration, contact time).  
Effects are immediate and delayed.  
Chronic effects are delayed and symptoms may not be observed during an exposure.  
Symptoms may include blistering, irritation, burns, and pain.  
Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.
- Acute specific target organ toxicity effects will differ depending on mode of exposure (oral, dermal, and inhalation), the organs and systems affected, and any preexisting medical

# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

conditions. Symptoms may include respiratory difficulty, abdominal pain, headache, dizziness, drowsiness, vomiting, central nervous system depression, blurred vision, seizures, and unconsciousness - potentially life threatening. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat. Symptoms may differ depending on organs and systems affected. These effects generally are reflected in reduced function or change, which may include cramping, swelling, respiratory issues, and general pain. Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause damage to organs. May cause cancer. Review section 2 of SDS to see all potential hazards. Suspected of causing genetic defects. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.

Notes to physician : Treat symptomatically. Symptoms may be delayed.

---

### SECTION 5. FIREFIGHTING MEASURES

- |   |   |
|---|---|
| Suitable extinguishing media                  | : Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical<br>Water spray jet  |
| Unsuitable extinguishing media                | : High volume water jet   |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke<br>Chlorine compounds<br>Sulphur oxides<br>phosgene   |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.   |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.  |

# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Evacuate personnel to safe areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains, inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Sweep up or vacuum up spillage and collect in suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Oxidizing agents  
Keep away from metals.  
Store and keep away from bases and alkalies.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dichloromethane	75-09-2	TWA	50 ppm 174 mg/m3	CA AB OEL
		TWA	25 ppm	CA BC OEL
		TWAEV	50 ppm 174 mg/m3	CA QC OEL
		TWA	50 ppm	ACGIH

# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

phenol	108-95-2	TWA	5 ppm 19 mg/m3	CA AB OEL
		TWA	5 ppm	CA BC OEL
		TWAEV	5 ppm 19 mg/m3	CA QC OEL
		TWA	5 ppm	ACGIH
formic acid	64-18-6	TWA	5 ppm 9.4 mg/m3	CA AB OEL
		STEL	10 ppm 19 mg/m3	CA AB OEL
		TWA	5 ppm	CA BC OEL
		STEL	10 ppm	CA BC OEL
		STEV	10 ppm 19 mg/m3	CA QC OEL
		TWAEV	5 ppm 9.4 mg/m3	CA QC OEL
		TWA	5 ppm	ACGIH
		STEL	10 ppm	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
DICHLOROMETHANE	75-09-2	Dichloromethane	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/l	ACGIH BEI
PHENOL	108-95-2	Phenol	Urine	End of shift (As soon as possible after exposure ceases)	250 mg/g Creatinine	ACGIH BEI

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection  
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Ensure that eyewash stations and safety showers are close to the workstation location.  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: amber
Odour	: strong, solvent-like, hydrocarbon-like
Odour Threshold	: No data available
pH	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: 42.78 °C
Flash point	: does not flash
Evaporation rate	: not determined
Upper explosion limit	: 23 %(V)
Lower explosion limit	: 12 %(V)
Vapour pressure	: 272 hPa
Relative vapour density	: No data available
Density	: 1.19 g/cm3
Bulk density	: No data available
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: insoluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available

# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents Bases Metals
Hazardous decomposition products	: Carbon oxides Phosgene Hydrogen chloride gas

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects are dependent on exposure (dose, concentration, contact time).  
Effects are immediate and delayed.  
Chronic effects are delayed and symptoms may not be observed during an exposure.  
Symptoms may include blistering, irritation, burns, and pain.  
Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.

Acute specific target organ toxicity effects will differ depending on mode of exposure (oral, dermal, and inhalation), the organs and systems affected, and any preexisting medical conditions. Symptoms may include respiratory difficulty, abdominal pain, headache, dizziness, drowsiness, vomiting, central nervous system depression, blurred vision, seizures, and unconsciousness - potentially life threatening.  
Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.  
Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat.  
Symptoms may differ depending on organs and systems affected. These effects generally are reflected in reduced function or change, which may include cramping, swelling, respiratory issues, and general pain.  
Harmful if swallowed, in contact with skin or if inhaled.  
Causes severe skin burns and eye damage.



# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

May cause damage to organs.  
May cause cancer.  
Review section 2 of SDS to see all potential hazards.  
Suspected of causing genetic defects.  
May cause respiratory irritation.  
May cause drowsiness or dizziness.  
May cause damage to organs through prolonged or repeated exposure.  
Treat symptomatically. Symptoms may be delayed.

### Carcinogenicity:

#### IARC

Group 2A: Probably carcinogenic to humans

dichloromethane

75-09-2

Group 2A: Probably carcinogenic to humans

#### ACGIH

Group 2B: Possibly carcinogenic to humans

dichloromethane

75-09-2

Confirmed animal carcinogen with unknown relevance to humans

### Acute toxicity

#### Product:

Acute oral toxicity : Acute toxicity estimate : 380.2 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 10.97 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : 1,584 mg/kg  
Method: Calculation method

#### Components:

##### Alcohols, C9-11, ethoxylated:

Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks: Extremely corrosive and destructive to tissue.

### Serious eye damage/eye irritation

#### Product:

# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

Remarks: May cause irreversible eye damage.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Components:

##### **phenol :**

Partition coefficient: n-octanol/water : log Pow: 1.46

##### **Solvent naphtha (petroleum), heavy arom. :**

Partition coefficient: n-octanol/water : log Pow: 4.2

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life.

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (PHENOL, FORMIC ACID), 8, (6.1), II
--

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (PHENOL, FORMIC ACID), 8, (6.1), II
---

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): UN2922, Corrosive liquid, toxic, n.o.s., (PHENOL, FORMIC ACID), 8, (6.1), II
--

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): UN2922, Corrosive liquid, toxic, n.o.s., (PHENOL, FORMIC ACID), 8, (6.1), II
--

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): UN2922, Corrosive liquids, toxic, n.o.s., (PHENOL, FORMIC ACID), 8, (6.1), II
---

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

### SECTION 15. REGULATORY INFORMATION

# SAFETY DATA SHEET

## ZEP FORMULA 1365

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

### WHMIS - GHS Label Information:

Hazard pictograms

:



Health hazard



Corrosion



Exclamation mark

Signal word

: **Danger:**

Hazard statements

: Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing genetic defects. May cause cancer. May cause damage to organs. May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

:

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF exposed or concerned: Call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse.

**Storage:** Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	3.2
Revision Date:	10/01/2023
Print Date:	04/27/2025

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes.

# **SAFETY DATA SHEET**

## **ZEP FORMULA 1365**

Version 3.2

Revision Date 10/01/2023

Print Date 04/27/2025

---

This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.