# BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Material number : 00000000001049843

Manufacturer or supplier's details

Company : Zep Inc.

Address : 350 Joe Frank Harris Parkway, SE

Emerson, GA 30137

Telephone : Compliance Services - 877-428-9937

# **Emergency telephone numbers**

For SDS Information : Compliance Services - 877-428-9937

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded
For a Transportation : CHEMTREC: 800-424-9300 - All Calls Recorded.

**Emergency** In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

## **SECTION 2. HAZARDS IDENTIFICATION**

## **Emergency Overview**

Appearance	gel
Colour	tan, opaque
Odour	cinnamon-like, like fruit

## **GHS Classification**

Not a hazardous substance or mixture.

## **GHS** label elements

Not a hazardous substance or mixture.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

# **Hazardous components**

Chemical name	CAS-No.	Concentration [%]
Alcohols, C12-16, ethoxylated	68551-12-2	>= 1 - < 5
2-methylpentane-2,4-diol	107-41-5	>= 1 - < 5
titanium dioxide	13463-67-7	>= 1 - < 5
1,1'-iminodipropan-2-ol	110-97-4	>= 1 - < 5

# BZ7389 ZEP CINTAS SHELSHK PILO PK 1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice Do not leave the victim unattended.

Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

: This product is formulated for use on skin but should always In case of skin contact

> be immediately washed off with plenty of water. Discontinue use if irritation and redness develop. If conditions persist for

more than 72 hours, consult a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

Rinse immediately with plenty of water for at least 15 minutes.

If swallowed : DO NOT induce vomiting unless directed to do so by a

> physician or poison control center. Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: Effects may be delayed, symptoms may include minor eye or

skin irritation.

Overexposure may cause mild eye or skin irritation.

Notes to physician : Treat symptomatically. Symptoms may be delayed.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Dry chemical

> Water spray jet Carbon dioxide (CO2)

Alcohol-resistant foam

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon dioxide (CO2)

Carbon monoxide

Smoke

Nitrogen oxides (NOx)

Specific extinguishing : Use extinguishing measures that are appropriate to local

# BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025

methods circumstances and the surrounding environment.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Material can create slippery conditions.

Use non-slip safety shoes in areas where spills or leaks can

occur

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains, inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Avoid contact with eyes.

Conditions for safe storage : Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Keep containers tightly closed in a cool, well-ventilated place.

Materials to avoid : Oxidizing agents

Store and keep away from bases and alkalies.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-methylpentane-2,4-diol	107-41-5	С	25 ppm	ACGIH
		С	25 ppm	NIOSH REL
			125 mg/m3	
		С	25 ppm	OSHA P0
			125 mg/m3	

# BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025

		С	25 ppm 125 mg/m3	CAL PEL
titanium dioxide	13463-67-7	TWA	10 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		PEL (Total dust)	10 mg/m3	CAL PEL
		PEL (respirable dust fraction)	5 mg/m3	CAL PEL

**Engineering measures** : Not applicable

# Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks : No special protection is required.

Eye protection : Eye protection is not required while washing with this product.

In the workplace, the use of safety glasses is recommended to

avoid eye exposure during the handling of containers or

during spill clean-up.

Skin and body protection : No special protection is required.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not smoke. When using do not eat or drink.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : gel

Colour : tan, opaque

Odour : cinnamon-like, like fruit

Odour Threshold : No data available

pH : 7-8

Melting point/freezing point : No data available

Boiling point : 100 °C

Flash point :

Not applicable

Evaporation rate : > 1

# BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025

Upper explosion limit : No data available Lower explosion limit : No data available Vapour pressure : No data available Relative vapour density : No data available Density : 1.024 g/cm3

Solubility(ies)

Water solubility : partly soluble Partition coefficient: n-: No data available

octanol/water

: not determined Auto-ignition temperature Thermal decomposition : No data available

Viscosity

Viscosity, kinematic : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

: Stable Reactivity

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Bases

Oxidizing agents

Hazardous decomposition

: Carbon oxides

products

Nitrogen oxides (NOx)

# **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Potential Health Effects**

Aggravated Medical

Condition

: None known.

Symptoms of Overexposure

Effects may be delayed, symptoms may include minor eye or

skin irritation.

Overexposure may cause mild eye or skin irritation. Treat symptomatically. Symptoms may be delayed.

# BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025

Carcinogenicity:

**IARC** Group 2B: Possibly carcinogenic to humans

> titanium dioxide 13463-67-7

**ACGIH** No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

**OSHA** No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

**Acute toxicity** 

**Product:** 

: Acute toxicity estimate : > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

Components:

2-methylpentane-2,4-diol:

: LD50 Oral Rat: 3,700 mg/kg Acute oral toxicity

1,1'-iminodipropan-2-ol:

Acute oral toxicity : LD50 Rat: 4,765 mg/kg

Skin corrosion/irritation

**Product:** 

Result: No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks: May irritate eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

**Product:** 

Carcinogenicity -: Not classifiable as a human carcinogen., Not classified Assessment

due to product form (liquid) and classification route of

entry (inhaled powder).

Reproductive toxicity

No data available

# BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025

STOT - single exposure

No data available

STOT - repeated exposure

No data available

**Aspiration toxicity** 

No data available

**Further information** 

**Product:** 

Remarks: No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

No data available

Persistence and degradability

No data available

**Bioaccumulative potential** 

Product:

Partition coefficient: n-

....

: Remarks: No data available

octanol/water Components:

2-methylpentane-2,4-diol:

Partition coefficient: n-

n-

: Pow: 0.58

octanol/water

**Mobility in soil**No data available

Other adverse effects

No data available

**Product:** 

Regulation

40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: No data available

# BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty remaining contents. Do not re-use empty containers.

### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

# **SECTION 15. REGULATORY INFORMATION**

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

# BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

**DSL** All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

**Inventory Acronym and Validity Area Legend:** 

TSCA (USA), DSL (Canada), NDSL (Canada)

## **SECTION 16. OTHER INFORMATION**

# BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025

### **Further information**

### NFPA:

HEALTH	0
FLAMMABILITY	1
INSTABILITY	0
SPECIAL HAZARD.	

<sup>0 =</sup> not significant, 1 = Slight,

### HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

<sup>0 =</sup> not significant, 1 = Slight,

#### **OSHA - GHS Label Information:**

Not a hazardous substance or mixture.

Version:	4.1
Revision Date:	10/01/2023
Print Date:	04/25/2025

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

<sup>2 =</sup> Moderate, 3 = High

<sup>4 =</sup> Extreme

<sup>2 =</sup> Moderate, 3 = High

<sup>4 =</sup> Extreme, \* = Chronic

# SAFETY DATA SHEET BZ7389 ZEP CINTAS SHELSHK PILO PK\_1200CS

Version 4.1 Revision Date 10/01/2023 Print Date 04/25/2025