

# SAFETY DATA SHEET

## ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Material number : 000000000000821735

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 350 Joe Frank Harris Parkway, SE  
Emerson, GA 30137

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

For SDS Information : Compliance Services - 877-428-9937

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded

For a Transportation Emergency : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview


|            |                     |
|------------|---------------------|
| Appearance | viscous             |
| Colour     | clear, light yellow |
| Odour      | mild                |

#### GHS Classification

Flammable liquids : Category 4  
Skin irritation : Category 2  
Serious eye damage : Category 1  
Skin sensitisation : Category 1  
Aspiration hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.

# SAFETY DATA SHEET

## ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

H318 Causes serious eye damage.

Precautionary statements

: **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Hazardous components

| Chemical name   | CAS-No.    | Concentration [%] |
|---|------------|-------------------|
| 2-butoxyethanol   | 111-76-2   | >= 10 - < 30      |
| Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane-quaternized | 68604-75-1 | >= 10 - < 30      |
| Distillates (petroleum), straight-run middle  | 64741-44-2 | >= 10 - < 30      |
| dodecyldimethylamine oxide  | 1643-20-5  | >= 5 - < 10       |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts                    | 61789-40-0 | >= 1 - < 5        |
| propan-2-ol   | 67-63-0    | >= 1 - < 5        |
| N,N-dimethyltetradecylamine N-oxide   | 3332-27-2  | >= 1 - < 5        |

The exact percentages of disclosed substances are withheld as trade secrets.

## SAFETY DATA SHEET

### ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

#### SECTION 4. FIRST AID MEASURES

|   |  |
|---|--|
| General advice  | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.   |
| If inhaled  | : If unconscious, place in recovery position and seek medical advice.<br>Consult a physician after significant exposure.   |
| In case of skin contact                                     | : If skin irritation persists, call a physician.<br>Wash off immediately with plenty of water for at least 15 minutes.<br>If on clothes, remove clothes.   |
| In case of eye contact                                      | : Remove contact lenses.<br>Protect unharmed eye.<br>Rinse immediately with plenty of water for at least 15 minutes.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.   |
| If swallowed  | : Keep respiratory tract clear.<br>Never give anything by mouth to an unconscious person.<br>DO NOT induce vomiting unless directed to do so by a physician or poison control center.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.  |
| Most important symptoms and effects, both acute and delayed | : Aspiration may cause pulmonary oedema and pneumonitis.<br>Symptoms may include blistering, irritation, burns, and pain.<br>Effects are immediate and delayed.<br>Effects are dependent on exposure (dose, concentration, contact time).<br>May be fatal if swallowed and enters airways.<br>Causes skin irritation.<br>Causes serious eye damage.<br>May cause an allergic skin reaction.<br>Review section 2 of SDS to see all potential hazards. |
| Notes to physician  | : Treat symptomatically. Symptoms may be delayed.  |

#### SECTION 5. FIREFIGHTING MEASURES

|                                      |   |
|--------------------------------------|---|
| Suitable extinguishing media         | : Carbon dioxide (CO2)<br>Water spray jet<br>Alcohol-resistant foam<br>Dry chemical |
| Unsuitable extinguishing media       | : High volume water jet   |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses.         |

## SAFETY DATA SHEET

### ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

|   |   |
|---|---|
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Nitrogen oxides (NO <sub>x</sub> )<br>Smoke<br>Chlorine compounds   |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.   |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.  |

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

|   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Ensure adequate ventilation.   |
| Environmental precautions   | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities.   |
| Methods and materials for containment and cleaning up               | : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).<br>Keep in suitable, closed containers for disposal. |

#### SECTION 7. HANDLING AND STORAGE

|                         |  |
|-------------------------|--|
| Advice on safe handling | : Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Do not breathe vapours or spray mist.<br>Take precautionary measures against static discharges.<br>Dispose of rinse water in accordance with local and national regulations.<br>Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. |
|-------------------------|--|

# SAFETY DATA SHEET

## ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

Conditions for safe storage : No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components      | CAS-No.  | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|-----------------|----------|----------------------------------|---|-----------|
| 2-butoxyethanol | 111-76-2 | TWA                              | 20 ppm  | ACGIH     |
|                 |          | TWA                              | 5 ppm<br>24 mg/m3                                 | NIOSH REL |
|                 |          | TWA                              | 50 ppm<br>240 mg/m3                               | OSHA Z-1  |
|                 |          | TWA                              | 25 ppm<br>120 mg/m3                               | OSHA P0   |
|                 |          | PEL                              | 20 ppm<br>97 mg/m3                                | CAL PEL   |
| propan-2-ol     | 67-63-0  | TWA                              | 200 ppm   | ACGIH     |
|                 |          | STEL                             | 400 ppm   | ACGIH     |
|                 |          | TWA                              | 400 ppm<br>980 mg/m3                              | NIOSH REL |
|                 |          | ST                               | 500 ppm<br>1,225 mg/m3                            | NIOSH REL |
|                 |          | TWA                              | 400 ppm<br>980 mg/m3                              | OSHA Z-1  |
|                 |          | TWA                              | 400 ppm<br>980 mg/m3                              | OSHA P0   |
|                 |          | STEL                             | 500 ppm<br>1,225 mg/m3                            | OSHA P0   |
|                 |          | PEL                              | 400 ppm<br>980 mg/m3                              | CAL PEL   |
|                 |          | STEL                             | 500 ppm<br>1,225 mg/m3                            | CAL PEL   |

#### Biological occupational exposure limits

| Component       | CAS-No.  | Control parameters      | Biological specimen | Sampling time                                     | Permissible concentration | Basis     |
|-----------------|----------|-------------------------|---------------------|---|---------------------------|-----------|
| 2-BUTOXYETHANOL | 111-76-2 | Butoxyacetic acid (BAA) | Urine               | End of shift (As soon as possible after exposure) | 200.mg/g Creatinine       | ACGIH BEI |

## SAFETY DATA SHEET

### ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

|             |         |         |       |   |         |           |
|-------------|---------|---------|-------|---|---------|-----------|
| PROPAN-2-OL | 67-63-0 | Acetone | Urine | ceases)<br>End of<br>shift at<br>end of<br>workweek | 40 mg/l | ACGIH BEI |
|-------------|---------|---------|-------|---|---------|-----------|

**Engineering measures** : effective ventilation in all processing areas

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material

Remarks

: Protective gloves

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.

Safety glasses

Skin and body protection

: Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: viscous

Colour

: clear, light yellow

Odour

: mild

Odour Threshold

: No data available

pH

: 7 - 7.5

Melting point/freezing point

: No data available

Boiling point

: 100 °C

Flash point

: 79.4 °C

Method: TCC

Evaporation rate

: 1

## SAFETY DATA SHEET

### ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

|  |   |
|--|---|
| Upper explosion limit                  | : No data available                           |
| Lower explosion limit                  | : No data available                           |
| Vapour pressure                        | : not determined                              |
| Relative vapour density                | : No data available                           |
| Density                                | : 0.95 g/cm <sup>3</sup>                      |
| Solubility(ies)                        |   |
| Water solubility                       | : soluble in cold water, soluble in hot water |
| Partition coefficient: n-octanol/water | : No data available                           |
| Auto-ignition temperature              | : not determined                              |
| Thermal decomposition                  | : No data available                           |
| Viscosity                              |   |
| Viscosity, kinematic                   | : 23.2 mm <sup>2</sup> /s (20 °C)             |

---

#### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : Stable  |
| Chemical stability                 | : Stable under normal conditions.   |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Oxidizing agents  |
| Hazardous decomposition products   | : Organic Substances<br>Carbon oxides   |

---

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Potential Health Effects

|                              |  |
|------------------------------|--|
| Aggravated Medical Condition | : None known.  |
| Symptoms of Overexposure     | : Aspiration may cause pulmonary oedema and pneumonitis.<br>Symptoms may include blistering, irritation, burns, and pain.<br>Effects are immediate and delayed.<br>Effects are dependent on exposure (dose, concentration, |

## SAFETY DATA SHEET

### ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

contact time).  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
Causes serious eye damage.  
May cause an allergic skin reaction.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

#### Carcinogenicity:

##### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### ACGIH

Confirmed animal carcinogen with unknown relevance to humans

2-butoxyethanol

111-76-2

hydrogen peroxide

7722-84-1

##### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate : 2,509 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 38.31 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : 4,413 mg/kg  
Method: Calculation method

##### Components:

##### **2-butoxyethanol:**

Acute oral toxicity : LD50 Oral Rat: 880 mg/kg

Acute dermal toxicity : LD50 Dermal Rabbit: 1,060 mg/kg

##### **propan-2-ol:**

Acute oral toxicity : LD50 Oral Rat: 4,396 mg/kg  
Method: Calculation method

#### Skin corrosion/irritation

##### Product:

Remarks: Irritating to skin.



## SAFETY DATA SHEET

# ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

### Components:

#### **N,N-dimethyltetradecylamine N-oxide:**

Remarks: No data available

### **Serious eye damage/eye irritation**

#### Product:

Remarks: May cause irreversible eye damage.

### Components:

#### **N,N-dimethyltetradecylamine N-oxide:**

Remarks: No data available

### **Respiratory or skin sensitisation**

#### Product:

Remarks: Causes sensitisation.

### Components:

#### **Distillates (petroleum), straight-run middle:**

Classification: May cause sensitisation by skin contact.

### **Germ cell mutagenicity**

No data available

### **Carcinogenicity**

No data available

### **Reproductive toxicity**

No data available

### **STOT - single exposure**

No data available

### **STOT - repeated exposure**

No data available

### **Aspiration toxicity**

No data available

### **Further information**

#### Product:

Remarks: Solvents may degrease the skin.

## SAFETY DATA SHEET

### ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

#### SECTION 12. ECOLOGICAL INFORMATION

##### Ecotoxicity

###### Components:

###### **N,N-dimethyltetradecylamine N-oxide :**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

##### Persistence and degradability

No data available

##### Bioaccumulative potential

###### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

###### Components:

###### **propan-2-ol :**

Partition coefficient: n-octanol/water : log Pow: 0.05

##### Mobility in soil

No data available

##### Other adverse effects

No data available

###### Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

#### SECTION 13. DISPOSAL CONSIDERATIONS

##### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

## SAFETY DATA SHEET

# ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

| Components     | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|----------------|---------|--------------------|-----------------------------|
| ethylene oxide | 75-21-8 | 10                 | *                           |

\*: Calculated RQ exceeds reasonably attainable upper limit.

# SAFETY DATA SHEET

## ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

### SARA 304 Extremely Hazardous Substances Reportable Quantity

| Components      | CAS-No.  | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|-----------------|----------|-----------------------|--------------------------------|
| 2-chloroethanol | 107-07-3 | 500                   | *                              |

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Serious eye damage or eye irritation  
Respiratory or skin sensitisation  
Aspiration hazard  
Skin corrosion or irritation

**SARA 302** : The following components are subject to reporting levels established by SARA Title III, Section 302:  
2-chloroethanol 107-07-3 0.76 %

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
2-butoxyethanol 111-76-2 11.9983 %

### California Prop. 65



WARNING: This product can expose you to chemicals including ethylene oxide, dichloroacetic acid, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The components of this product are reported in the following inventories:

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

# SAFETY DATA SHEET

## ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

### Further information

#### NFPA:

|                 |   |
|-----------------|---|
| HEALTH          | 3 |
| FLAMMABILITY    | 2 |
| INSTABILITY     | 0 |
| SPECIAL HAZARD. |   |

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme

#### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 3 |
| FLAMMABILITY    | 2 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

### OSHA - GHS Label Information:

Hazard pictograms

:



Health hazard



Corrosion



Exclamation mark

Signal word

: **Danger:**

Hazard statements

: Combustible liquid. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.

Precautionary statements

:

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection.

**Response:** IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash

# SAFETY DATA SHEET

## ZEP FOAMING CLEAR COAT PROTECTANT WITH PEACH FRAGRANCE\_5 GAL

Version 5.0

Revision Date 02/01/2024

Print Date 04/27/2025

before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:** Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 5.0        |
| Revision Date: | 02/01/2024 |
| Print Date:    | 04/27/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.