# **ENFORCER FORMULA 777 E.C. WEED KILLER\_5GL**

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : ENFORCER FORMULA 777 E.C. WEED KILLER\_5GL

Material number : 0000000000136434

Manufacturer or supplier's details

Company : Zep Commercial Sales & Service, a unit of Zep, Inc.

Address : 350 Joe Frank Harris Parkway, SE

Emerson, GA 30137

Telephone : Compliance Services - 877-428-9937

# **Emergency telephone numbers**

For SDS Information : Compliance Services - 877-428-9937

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded

For a Transportation : CHEMTREC: 800-424-9300 - All Calls Recorded.

Emergency In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

#### **SECTION 2. HAZARDS IDENTIFICATION**

## **Emergency Overview**

| Appearance | liquid       |
|------------|--------------|
| Colour     | brown        |
| Odour      | solvent-like |

# **GHS Classification**

Carcinogenicity : Category 2
Reproductive toxicity : Category 1B

**GHS** label elements

Signal word

Hazard pictograms :

Health hazard
Danger

Hazard statements : H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

# ENFORCER FORMULA 777 E.C. WEED KILLER\_5GL

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

P308 + P313 IF exposed or concerned: Get medical advice/

attention. **Disposal:** 

P501 Dispose of contents/container in accordance with local

regulation.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

| Chemical name          | CAS-No.  | Concentration [%] |
|------------------------|----------|-------------------|
| 1-methyl-2-pyrrolidone | 872-50-4 | >= 1 - < 5        |
| bromacil               | 314-40-9 | >= 1 - < 5        |
| naphthalene            | 91-20-3  | >= 0.1 - < 1      |

The exact percentages of disclosed substances are withheld as trade secrets.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

Move to fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Get medical attention if irritation develops and persists.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

Immediately flush eyes for at least 15 minutes. Get medical

attention.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center.

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

Most important symptoms and effects, both acute and

delayed

: Effects are immediate and delayed.

Chronic effects are delayed and symptoms may not be

observed during an exposure.

Effects are dependent on exposure (dose, concentration,

contact time).

Suspected of causing cancer.

May damage fertility or the unborn child.

Review section 2 of SDS to see all potential hazards.

Notes to physician : Treat symptomatically.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Dry chemical

Alcohol-resistant foam Carbon dioxide (CO2)

Water spray

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2)

Carbon monoxide

Smoke

Nitrogen oxides (NOx) Bromine compounds

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Environmental precautions : Use personal protective equipment.

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains, inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Store and keep away from, oxidizing agents and acids.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

| Components             | CAS-No.  | Value type<br>(Form of<br>exposure) | Control parameters / Permissible concentration | Basis     |
|------------------------|----------|-------------------------------------|--|-----------|
| 1-methyl-2-pyrrolidone | 872-50-4 | TWA                                 | 10 ppm   | US WEEL   |
|                        |          | PEL                                 | 1 ppm<br>4 mg/m3                               | CAL PEL   |
| bromacil               | 314-40-9 | TWA                                 | 10 mg/m3                                       | ACGIH     |
|                        |          | TWA                                 | 1 ppm<br>10 mg/m3                              | NIOSH REL |
|                        |          | TWA                                 | 1 ppm<br>10 mg/m3                              | OSHA P0   |
|                        |          | PEL                                 | 1 ppm<br>10 mg/m3                              | CAL PEL   |
| naphthalene            | 91-20-3  | TWA                                 | 10 ppm   | ACGIH     |
|                        |          | STEL                                | 15 ppm   | ACGIH     |
|                        |          | TWA                                 | 10 ppm<br>50 mg/m3                             | NIOSH REL |
|                        |          | ST                                  | 15 ppm<br>75 mg/m3                             | NIOSH REL |
|                        |          | TWA                                 | 10 ppm<br>50 mg/m3                             | OSHA Z-1  |
|                        |          | TWA                                 | 10 ppm<br>50 mg/m3                             | OSHA P0   |
|                        |          | STEL                                | 15 ppm<br>75 mg/m3                             | OSHA P0   |

# **ENFORCER FORMULA 777 E.C. WEED KILLER\_5GL**

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

|  | PEL | 0.1 ppm   | CAL PEL | ı |
|--|-----|-----------|---------|---|
|  |     | 0.5 mg/m3 |         | 1 |

## **Biological occupational exposure limits**

| Component     | CAS-No.  | Control     | Biological | Sampling  | Permissible   | Basis     |
|---------------|----------|-------------|------------|-----------|---------------|-----------|
|               |          | parameters  | specimen   | time      | concentration |           |
| N-METHYL-2-   | 872-50-4 | 5-Hydroxy-  | Urine      | End of    | 100 mg/l      | ACGIH BEI |
| PYRROLIDINONE |          | N-methyl-2- |            | shift (As |               |           |
|               |          | pyrrolidone |            | soon as   |               |           |
|               |          |             |            | possible  |               |           |
|               |          |             |            | after     |               |           |
|               |          |             |            | exposure  |               |           |
|               |          |             |            | ceases)   |               |           |

**Engineering measures** : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety goggles

Ensure that eyewash stations and safety showers are close to

the workstation location.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : brown

Odour : solvent-like

Odour Threshold : No data available pH : Not applicable Melting point/freezing point : Not applicable Boiling point : > 315.5 °C

Flash point : > 93.3 °C

Method: closed cup

# **ENFORCER FORMULA 777 E.C. WEED KILLER\_5GL**

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

Evaporation rate : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available
Density : 0.896 g/cm3

Solubility(ies)

Water solubility : emulsifiable
Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : not determined

Thermal decomposition : No data available

Viscosity

Viscosity, kinematic : 10.5 mm2/s (20 °C)

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Acids

Oxidizing agents

Hazardous decomposition

products

: Carbon oxides

**Bromine** 

Nitrogen oxides (NOx)

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Potential Health Effects**

# ENFORCER FORMULA 777 E.C. WEED KILLER\_5GL

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

Aggravated Medical

: None known.

Condition

Symptoms of Overexposure : Effe

: Effects are immediate and delayed.

Chronic effects are delayed and symptoms may not be

observed during an exposure.

Effects are dependent on exposure (dose, concentration,

contact time).

Suspected of causing cancer.

May damage fertility or the unborn child.

Review section 2 of SDS to see all potential hazards.

Treat symptomatically.

Carcinogenicity:

IARC Group 2B: Possibly carcinogenic to humans

naphthalene 91-20-3

ACGIH Confirmed animal carcinogen with unknown relevance to

humans

bromacil 314-40-9 naphthalene 91-20-3

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP Reasonably anticipated to be a human carcinogen

naphthalene 91-20-3

**Acute toxicity** 

**Product:** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

**Components:** 

1-methyl-2-pyrrolidone:

Acute oral toxicity : LD50 Oral Rat: 3,914 mg/kg

Acute dermal toxicity : LD50 Dermal Rabbit: 8,000 mg/kg

Skin corrosion/irritation

**Product:** 

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

**Product:** 

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

# **ENFORCER FORMULA 777 E.C. WEED KILLER\_5GL**

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

**Aspiration toxicity** 

No data available

**Further information** 

**Product:** 

Remarks: No data available

# **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

No data available

Persistence and degradability

No data available

**Bioaccumulative potential** 

**Product:** 

Partition coefficient: n-

: Remarks: No data available

octanol/water Components:

1-methyl-2-pyrrolidone:

Partition coefficient: n- : log Pow: -0.46

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

# ENFORCER FORMULA 777 E.C. WEED KILLER\_5GL

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: No data available

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to

aquatic life.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

## **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-METHYL-2-

PYRROLIDINONE, BROMACIL), 9, III

Transportation Regulation: IATA (Cargo Air):

UN3082, Environmentally hazardous substance, liquid, n.o.s., (N-METHYL-2-PYRROLIDINONE,

BROMACIL), 9, III

Transportation Regulation: IATA (Passenger Air):

UN3082, Environmentally hazardous substance, liquid, n.o.s., (N-METHYL-2-PYRROLIDINONE,

BROMACIL), 9, III

Transportation Regulation: TDG (Canada):

NOT REGULATED AS DANGEROUS GÓODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

# **SECTION 15. REGULATORY INFORMATION**

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

# Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: WARNING

Causes substantial but temporary eye injury.

Harmful if swallowed.

Harmful if absorbed through skin.

Observe label precautions.

**TSCA list** : No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export

notification requirements:

naphthalene 91-20-3

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

| Components  | CAS-No. | Component RQ | Calculated product RQ |
|-------------|---------|--------------|-----------------------|
|             |         | (lbs)        | (lbs)                 |
| naphthalene | 91-20-3 | 100          | *                     |

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Carcinogenicity

Reproductive toxicity

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

1-methyl-2-pyrrolidone 872-50-4 1.9999 % bromacil 314-40-9 1.6427 % naphthalene 91-20-3 0.12 %

## California Prop. 65

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025



WARNING: This product can expose you to chemicals including naphthalene, ethylbenzene, which is/are known to the State of California to cause cancer, and 1-methyl-2-pyrrolidone, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

# The components of this product are reported in the following inventories:

**DSL** All components of this product are on the Canadian DSL

TSCA On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

# **Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

## **SECTION 16. OTHER INFORMATION**

Revision Date 10/01/2023 Print Date 04/27/2025 Version 2.1

## **Further information**

#### NFPA:

| HEALTH          | 2 |
|-----------------|---|
| FLAMMABILITY    | 1 |
| INSTABILITY     | 0 |
| SPECIAL HAZARD. |   |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme

#### HMIS III:

| HEALTH          | 2* |
|-----------------|----|
| FLAMMABILITY    | 1  |
| PHYSICAL HAZARD | 0  |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

## **OSHA - GHS Label Information:**

Hazard pictograms



Health hazard Danger:

Signal word Hazard statements Precautionary statements

Suspected of causing cancer. May damage fertility or the unborn child.

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: IF exposed or concerned: Get medical advice/ attention.

Disposal: Dispose of contents/container in accordance with local regulation.

| Version:       | 2.1        |
|----------------|------------|
| Revision Date: | 10/01/2023 |
| Print Date:    | 04/27/2025 |

# SAFETY DATA SHEET ENFORCER FORMULA 777 E.C. WEED KILLER\_5GL

Version 2.1 Revision Date 10/01/2023 Print Date 04/27/2025

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.