



To Our Customers:

The attached Safety Data Sheet (SDS) was prepared by the vendor of the product you purchased through one of our divisions. We used the manufacturer's electronic document directly or scanned a paper copy and generated a file for our automated SDS delivery system.

All statements, technical information, and recommendations contained therein are solely that of the manufacturer of the product. We at Zep Inc. did not verify the accuracy and completeness of the statements and do not warrant or guarantee the information. We provide vendor SDSs to assist our customers in their compliance efforts. The attached document is in compliance with one of the respective country regulatory requirements noted below:

The OSHA Hazard Communication Standard (in the United States)
The Hazardous Products Regulations (in Canada)

We made every effort to deliver all of the information prepared by the manufacturer. We cannot anticipate all conditions under which this information will be used. If you have any questions about the statements on the SDS, please contact the company shown on the document.

Zep Inc. assumes no liability or responsibility for loss or damage resulting from the improper use or handling of this product, from incompatible product combinations, or from the failure to follow instructions, warnings, and advisories in the manufacturer's product label and Safety Data Sheet.

Sincerely,

Product Stewardship Team
Zep Inc.

ACUITY - dba AMREP
125 BUTTERMILL AVENUE,
CONCORD, ONTARIO
L4K 3X5 CANADA
1-800-267-1578

PRODUCT: KONK BVT AIR FRESHENERS - ALL FRAGRANCES (100%)
SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER MANUFACTURED FOR:
Acuity... dba Amrep
125 Buttermill Avenue
Concord, Ontario
L4K 3X5 Canada

PRODUCT NAME..... KONK BVT AIR FRESHENERS - ALL FRAGRANCES (100%)
CHEMICAL FAMILY..... ALCOHOL.
MOLECULAR WEIGHT..... NOT APPLICABLE.
CHEMICAL FORMULA..... NOT APPLICABLE.
TRADE NAMES & SYNONYMS
RECOMMENDED PRODUCT USES..... DEODORIZER.
PRODUCT CODE(S) B52801, B53801, B54001, B54401, B54701, B54901, B55101, B55201, B55501, B55701, B56201, B56401, B56701.

FORMULA/LAB BOOK #
CHEM-TEL EMERGENCY # NORTH AMERICA 1-800-255-3924 (24 HR). INTERNATIONAL 1-813-248-0585 (24 HR) (MIS 0000403).

SECTION 02: HAZARDS IDENTIFICATION


HAZARD CLASSIFICATION..... NOT ASSESSED.
SIGNAL WORD..... NOT ASSESSED.
HAZARD STATEMENTS NOT ASSESSED.
PRECAUTIONARY STATEMENTS..... NOT ASSESSED.
OTHER HAZARDS..... NOT ASSESSED.

SECTION 03: COMPOSITION/INFORMATION INGREDIENTS

HAZARDOUS INGREDIENTS	CAS #	WT. %
ETHANOL (Ethyl Alcohol)	64-17-5	3-15
FRAGRANCE	PROPRIETARY	1-5
ISOBUTANE	75-28-5	60-100
ISOPROPANOL	67-63-0	0-5
PROPANE	74-98-6	10-30

SECTION 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

SECTION 05: FIRE FIGHTING MEASURES

FLAMMABILITY..... EXTREMELY FLAMMABLE.
IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.
SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.

PRODUCT: KONK BVT AIR FRESHENERS - ALL FRAGRANCES (100%)**SECTION 05: FIRE FIGHTING MEASURES**

EXPLOSION DATA
 SENSITIVITY TO STATIC DISCHARGE. NOT APPLICABLE.
 SENSITIVITY TO IMPACT..... NOT APPLICABLE.
 EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
 HAZARDOUS COMBUSTION
 PRODUCTS..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.
 AEROSOL FLAME PROJECTION
 CLASSIFIED AS:..... >15cm BUT <100cm.
 FLASHBACK..... NONE.

SECTION 06: ACCIDENTAL RELEASE MEASURES

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

SECTION 07: HANDLING AND STORAGE

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.
 ENGINEERING CONTROLS..... VENTILATE ADEQUATELY.
 HANDLING PROCEDURES AND EQUIPMENT STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.
 SYNERGISTIC MATERIALS..... NONE KNOWN.

SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
ETHANOL (Ethyl Alcohol)	1000 ppm					
FRAGRANCE	N/A					
ISOBUTANE	NOT AVAILABLE					
ISOPROPANOL	400 ppm					
PROPANE	1000 ppm					
GLOVES/ TYPE.....	NOT NORMALLY REQUIRED.					
RESPIRATORY/TYPE.....	NOT NORMALLY REQUIRED.					
EYE/TYPE.....	NOT NORMALLY REQUIRED. SAFETY GLASSES RECOMMENDED BUT NOT REQUIRED UNDER NORMAL USE CONDITIONS.					
FOOTWEAR/TYPE.....	NOT NORMALLY REQUIRED.					
OTHER/TYPE.....	NOT REQUIRED.					
EXPOSURE LIMIT OF MATERIAL.....	SEE SECTION 2.					

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE..... AEROSOL.
 APPEARANCE..... CLEAR AMBER LIQUID.
 ODOR..... FRAGRANT.
 ODOR THRESHOLD..... NOT AVAILABLE.
 pH..... NOT AVAILABLE.
 FREEZING POINT: (°C)..... NOT AVAILABLE.
 BOILING POINT (°C)(CONC)..... 76-80.
 FLASH POINT(°C), TAG CLOSED-CUP LOWEST KNOWN VALUE IS ISOPROPANOL @ 12 DEG. C .
 (CONCENTRATE)
 EVAPORATION RATE..... GREATER THAN 1.
 n-BUTYL ACETATE = 1
 UPPER FLAMMABLE LIMIT..... 19.
 (% BY VOLUME)
 LOWER FLAMMABLE LIMIT..... 1.8.
 (% BY VOLUME)
 VAPOUR PRESSURE(PSIG)-AEROSOL..... 50 - 60.
 @ 20 C
 VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.
 SPECIFIC GRAVITY (AEROSOL)..... 0.56-0.60.
 SPECIFIC GRAVITY (LIQUID)..... 0.89-0.93.
 SOLUBILITY IN WATER g/L (20°C)..... NOT AVAILABLE.
 COEFFICIENT OF WATER\OIL DIST..... NOT AVAILABLE.

PRODUCT: KONK BVT AIR FRESHENERS - ALL FRAGRANCES (100%)**SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

AUTO IGNITION TEMPERATURE (°C)..... LOWEST KNOWN VALUE IS 422 (ETHANOL).
 AEROSOL PERCENT VOLATILE..... 99-100.
 (BY WEIGHT).
 AEROSOL PERCENT VOC (w/w)..... 99-100.

SECTION 10: STABILITY AND REACTIVITY

HAZARDOUS PRODUCTS OF DECOMPOSITION..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.
 CHEMICAL STABILITY:
 YES..... UNDER NORMAL CONDITIONS.
 NO, WHICH CONDITIONS?..... NOT APPLICABLE.
 COMPATIBILITY WITH OTHER SUBSTANCES:
 NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.
 REACTIVITY CONDITIONS?..... NOT APPLICABLE.
 HAZARDOUS POLYMERIZATION..... WILL NOT OCCUR.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
ETHANOL (Ethyl Alcohol)	31,623 ppm (4 hr) INHAL - RAT	7060 mg/kg ORAL - RAT
FRAGRANCE	NOT AVAILABLE	NOT AVAILABLE
ISOBUTANE	142,500 ppm (4h) RAT - INHAL	NOT AVAILABLE
ISOPROPANOL	12000 ppm (8hr) INHAL - RAT	>4720 mg/kg ORAL - RAT
PROPANE	NOT AVAILABLE	>5000 mg/kg DERMAL-RABBITS
ROUTE OF EXPOSURE: INHALATION.....	PROPELLANT IS A SIMPLE ASPHYXIAANT. EXCESSIVE INHALATION OF ETHANOL VAPOURS CAN CAUSE CENTRAL NERVOUS SYSTEM EFFECTS. MISTS MAY BE IRRITATING.	
INGESTION.....	MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.	
EYE CONTACT.....	MAY CAUSE IRRITATION.	
SKIN CONTACT.....	MAY CAUSE IRRITATION.	
SKIN ABSORPTION.....	ETHANOL CAN BE ABSORBED IN TOXIC AMOUNTS, ESPECIALLY FROM PROLONGED OR REPEATED EXPOSURE.	
EFFECTS OF ACUTE EXPOSURE.....	ETHANOL-LONG TERM REPEATED ORAL EXPOSURE MAY RESULT IN THE DEVELOPMENT OF PROGRESSIVE LIVER INJURY WITH FIBROSIS.	
EFFECTS OF CHRONIC EXPOSURE.....	REPEATED CONTACT WITH THE SKIN MAY CAUSE DERMATITIS IN SENSITIVE INDIVIDUALS.	
IRRITANCY OF MATERIAL.....	SKIN/EYE IRRITANT.	
CARCINOGENICITY OF MATERIAL.....	THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC, (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS).	
MUTAGENICITY.....	NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.	
TERATOGENICITY.....	NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED.	
REPRODUCTIVE EFFECTS.....	NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.	
SENSITIZING CAPABILITY OF MATERIAL.....	UNKNOWN.	

SECTION 12: ECOLOGICAL CONSIDERATIONS

ENVIRONMENTAL..... NOT AVAILABLE.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

PRODUCT: KONK BVT AIR FRESHENERS - ALL FRAGRANCES (100%)**SECTION 14: TRANSPORTATION INFORMATION**

T.D.G. CLASSIFICATION..... CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.1).
 D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.
 IMDG/IMO:
 Classification..... CONSUMER COMMODITY/LIMITED QUANTITY.
 Proper Shipping Name..... AEROSOLS, FLAMMABLE.
 UN Class..... 2.1.
 UN Number..... 1950.
 Marine Pollutant..... NO.

SECTION 15: REGULATORY INFORMATION**CANADIAN REGULATIONS:**

WHMIS1988 CLASSIFICATION..... A,B5,D2B.
 CNFC SECTION 3.3.5..... LEVEL 3.
 CEPA (Canadian Environmental Protection Act) ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

U.S. REGULATIONS:

HMIS RATING HEALTH..... 1 SLIGHT HAZARD.
 HMIS RATING FLAMMABILITY..... 4 SEVERE HAZARD.
 HMIS RATING REACTIVITY..... 0 MINIMAL HAZARD.
 HMIS RATING PERSONAL PROTECTION.. B.
 NFPA CODE 30B..... LEVEL 3.
 SARA 313 INFORMATION: THIS PRODUCT CONTAINS NO INGREDIENTS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372.
 NAME: . CAS #: . N/A. CHEMICAL
 CALIFORNIA PROPOSITION 65: THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986:
 . WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.
 . CAS #: . CHEMICAL NAME:
 . N/A.
 TSCA (Toxic Substances Control Act)..... ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.
 VOC (w/w%)..... 99-100.

SECTION 16: OTHER INFORMATION

NOTICE FROM ACUITY HOLDINGS INC... THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY ACUITY HOLDINGS INC.. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. ACUITY HOLDINGS INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.
 PREPARED BY..... Regulatory Affairs
 PREPARATION DATE DEC 22/2016



To Our Customers:

The attached Safety Data Sheet (SDS) was prepared by the vendor of the product you purchased through one of our divisions. We used the manufacturer's electronic document directly or scanned a paper copy and generated a file for our automated SDS delivery system.

All statements, technical information, and recommendations contained therein are solely that of the manufacturer of the product. We at Zep Inc. did not verify the accuracy and completeness of the statements and do not warrant or guarantee the information. We provide vendor SDSs to assist our customers in their compliance efforts. The attached document is in compliance with one of the respective country regulatory requirements noted below:

The OSHA Hazard Communication Standard (in the United States)
The Hazardous Products Regulations (in Canada)

We made every effort to deliver all of the information prepared by the manufacturer. We cannot anticipate all conditions under which this information will be used. If you have any questions about the statements on the SDS, please contact the company shown on the document.

Zep Inc. assumes no liability or responsibility for loss or damage resulting from the improper use or handling of this product, from incompatible product combinations, or from the failure to follow instructions, warnings, and advisories in the manufacturer's product label and Safety Data Sheet.

Sincerely,

Product Stewardship Team
Zep Inc.

ACUITY - dba AMREP
125 BUTTERMILL AVENUE,
CONCORD, ONTARIO
L4K 3X5 CANADA
1-800-267-1578

PRODUCT: B59601 BVT KONK 409D INSECT SPRAY 0.975%(PCP#29472)

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER MANUFACTURED FOR:
Acuity... dba Amrep
125 Buttermill Avenue
Concord, Ontario
L4K 3X5 Canada
PRODUCT NAME..... B59601 BVT KONK 409D INSECT SPRAY 0.975%(PCP#29472)
CHEMICAL FAMILY..... PYRETHRINS/PIPERONYL BUTOXIDE/MGK 264.
MOLECULAR WEIGHT..... NOT APPLICABLE.
CHEMICAL FORMULA..... MIXTURE.
TRADE NAMES & SYNONYMS
RECOMMENDED PRODUCT USES..... INSECTICIDE.
FORMULA/LAB BOOK #..... 99-4099/CC 005-034.
CHEM-TEL EMERGENCY # NORTH AMERICA 1-800-255-3924 (24 HR). INTERNATIONAL 1-813-248-0585 (24 HR)
(MIS 0000403).
PCP # (MASTER)

SECTION 02: HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION..... CAUTION.
SIGNAL WORD..... CAUTION.
HAZARD STATEMENTS H280 CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.
PRECAUTIONARY STATEMENTS..... P102 KEEP OUT OF REACH OF CHILDREN. P210 KEEP AWAY FROM
HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. – NO SMOKING. P251
PRESSURIZED CONTAINER: DO NOT PIERCE OR BURN, EVEN AFTER USE. P103
READ LABEL BEFORE USE.
OTHER HAZARDS..... No additional information available.

SECTION 03: COMPOSITION/INFORMATION INGREDIENTS

HAZARDOUS INGREDIENTS	CAS #	WT. %
ISOBUTANE	75-28-5	40-70
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	113-48-4	3.210
ODOURLESS MINERAL SPIRITS	64742-48-9	7-13
PIPERONYL BUTOXIDE	51-03-6	1.950
PROPANE	74-98-6	7-15
PYRETHRINS	8003-34-7	0.974

SECTION 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR
AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH
THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR
OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE
VOMITING, GET MEDICAL ATTENTION.

SECTION 05: FIRE FIGHTING MEASURES

FLAMMABILITY..... EXTREMELY FLAMMABLE.
IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.
SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS
TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL
PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING
APPARATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.
EXPLOSION DATA
SENSITIVITY TO STATIC DISCHARGE. NOT APPLICABLE.
SENSITIVITY TO IMPACT..... NOT APPLICABLE.
EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
HAZARDOUS COMBUSTION
PRODUCTS..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION
IS INCOMPLETE.
AEROSOL FLAME PROJECTION
CLASSIFIED AS:..... >15cm BUT <100cm.

PRODUCT: B59601 BVT KONK 409D INSECT SPRAY 0.975%(PCP#29472)**SECTION 05: FIRE FIGHTING MEASURES**

FLASHBACK..... NONE.

SECTION 06: ACCIDENTAL RELEASE MEASURES

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

SECTION 07: HANDLING AND STORAGE

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.
 ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS).
 HANDLING PROCEDURES AND EQUIPMENT STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.
 SYNERGISTIC MATERIALS..... NONE KNOWN.

SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENTS	TWA ACGIH TLV STEL	PEL OSHA PEL STEL	REL NIOSH
ISOBUTANE	NOT AVAILABLE		
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	NOT AVAILABLE		
ODOURLESS MINERAL SPIRITS	100 ppm		
PIPERONYL BUTOXIDE	NOT AVAILABLE		
PROPANE	1000 ppm		
PYRETHRINS	5 mg/m3		
GLOVES/ TYPE.....	NOT NORMALLY REQUIRED.		
RESPIRATORY/TYPE.....	NOT NORMALLY REQUIRED.		
EYE/TYPE.....	SAFETY GLASSES.		
FOOTWEAR/TYPE.....	NOT NORMALLY REQUIRED.		
OTHER/TYPE.....	NOT REQUIRED.		
EXPOSURE LIMIT OF MATERIAL.....	SEE SECTION 2.		

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE..... AEROSOL.
 APPEARANCE..... CLEAR AMBER LIQUID.
 ODOR..... INSECTICIDE.
 ODOR THRESHOLD..... NOT AVAILABLE.
 pH..... NOT APPLICABLE.
 FREEZING POINT: (°C)..... NOT AVAILABLE.
 BOILING POINT (°C)(CONC)..... 150-210.
 FLASH POINT(°C),TAG CLOSED-CUP 54.
 (CONCENTRATE)
 EVAPORATION RATE..... LESS THAN 1.
 n-BUTYL ACETATE = 1
 UPPER FLAMMABLE LIMIT..... 9.5.
 (% BY VOLUME)
 LOWER FLAMMABLE LIMIT..... 1.0.
 (% BY VOLUME)
 VAPOUR PRESSURE(PSIG)-AEROSOL..... 50-60.
 @ 20 C
 VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.
 SPECIFIC GRAVITY (AEROSOL)..... 0.56-0.60.
 SPECIFIC GRAVITY (LIQUID)..... 0.82-0.86.
 SOLUBILITY IN WATER g/L (20°C)..... NEGLIGIBLE.
 COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.
 AUTO IGNITION TEMPERATURE (°C)..... 349.
 AEROSOL PERCENT VOLATILE..... 92-93.
 (BY WEIGHT).
 AEROSOL PERCENT VOC (w/w)..... 92-93.

PRODUCT: B59601 BVT KONK 409D INSECT SPRAY 0.975%(PCP#29472)**SECTION 10: STABILITY AND REACTIVITY**

HAZARDOUS PRODUCTS OF DECOMPOSITION.....	HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.
CHEMICAL STABILITY:	
YES.....	UNDER NORMAL CONDITIONS.
NO, WHICH CONDITIONS?.....	NOT APPLICABLE.
COMPATIBILITY WITH OTHER SUBSTANCES:	
NO, WHICH ONES?.....	STRONG OXIDIZING AGENTS.
REACTIVITY CONDITIONS?.....	NOT APPLICABLE.
HAZARDOUS POLYMERIZATION.....	WILL NOT OCCUR.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
ISOBUTANE	142,500 ppm (4h) RAT - INHAL	NOT AVAILABLE
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	4080 mg/L INHAL - RAT	4980 mg/kg ORAL - RAT
ODOURLESS MINERAL SPIRITS	5,500mg/m3(4h)	5000 mg/kg ORAL - RAT
PIPERONYL BUTOXIDE	>5.9 mg/l	4.6 g/kg ORAL-RAT
PROPANE	NOT AVAILABLE	>5000 mg/kg DERMAL-RABBITS
PYRETHRINS	NOT AVAILABLE	1680 mg/kg ORAL - RAT
ROUTE OF EXPOSURE:		
INHALATION.....	INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIANT.	
INGESTION.....	MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.	
EYE CONTACT.....	MAY CAUSE IRRITATION.	
SKIN CONTACT.....	MAY CAUSE IRRITATION.	
SKIN ABSORPTION.....	NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.	
EFFECTS OF ACUTE EXPOSURE.....	DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES.	
EFFECTS OF CHRONIC EXPOSURE.....	SOLVENTS MAY CAUSE DEFATTING DERMATITIS	
IRRITANCY OF MATERIAL.....	MAY CAUSE IRRITATION.	
CARCINOGENICITY OF MATERIAL.....	THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC, (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS).	
MUTAGENICITY.....	NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.	
TERATOGENICITY.....	NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED.	
REPRODUCTIVE EFFECTS.....	NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.	
SENSITIZING CAPABILITY OF MATERIAL.....	UNKNOWN.	

SECTION 12: ECOLOGICAL CONSIDERATIONS

ENVIRONMENTAL..... THIS PRODUCT IS POTENTIALLY TOXIC TO FISH, BIRDS AND OTHER WILDLIFE.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

SECTION 14: TRANSPORTATION INFORMATION

T.D.G. CLASSIFICATION..... CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.1).
D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.

PRODUCT: B59601 BVT KONK 409D INSECT SPRAY 0.975%(PCP#29472)**SECTION 15: REGULATORY INFORMATION**

CANADIAN REGULATIONS:

WHMIS1988 CLASSIFICATION..... NOT REGULATED BY WHMIS.
CNFC SECTION 3.3.5..... LEVEL 3.
CEPA (Canadian Environmental Protection ... ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC
Act) SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

U.S. REGULATIONS:

HMIS RATING HEALTH..... 2 MODERATE HAZARD.
HMIS RATING FLAMMABILITY..... 4 SEVERE HAZARD.
HMIS RATING REACTIVITY..... 1 SLIGHT HAZARD.
HMIS RATING PERSONAL PROTECTION.. B.
NFPA CODE 30B..... LEVEL 3.
SARA 313 INFORMATION:..... THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE
REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:
. CAS #: CHEMICAL NAME:
. *51-03-6 PIPERONYL BUTOXIDE.
CALIFORNIA PROPOSITION 65:..... THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE
CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986:
. WARNING: THIS PRODUCT DOES NOT INTENTIONALLY
CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE
CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.
. CAS #: CHEMICAL NAME:
. N/A.
TSCA (Toxic Substances Control Act)..... ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY
IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.
VOC (w/w%)..... 92-93.

SECTION 16: OTHER INFORMATION

NOTICE FROM ACUITY HOLDINGS INC... THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY
ACUITY HOLDINGS INC.. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT
IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. ACUITY
HOLDINGS INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR
DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL
SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED
HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER
MATERIAL OR IN ANY PROCESS.
PREPARED BY..... Regulatory Affairs
PREPARATION DATE DEC 22/2016