



Local Music Organizer

Detailed User Guide - Early Access

macOS utility for large offline Music.app libraries

Early Access - Trial included - macOS 14 Sonoma or later - Universal Mac build

Version target: 0.3 Early Access

Apple Silicon recommended. Intel Macs are supported in Universal builds, but very large scans and Music.app automation may be slower.

Support: sergeyappleservice@gmail.com

Website: <https://local-music-organizer-site.pages.dev/>

Read this first

Keep backups before cleanup, tag editing, Repair / Convert, File Maintenance, or any action that changes Music.app records or local files. The app is designed for careful review, not blind one-click deletion.

This version is rebuilt with simple flowing text. There are no colored callout boxes, no framed text blocks, and no manual overlay positioning. Screenshots are inserted as normal images only.

Contents

1	1. What Local Music Organizer is for
2	2. Requirements, trial mode, and Early Access license
3	3. Permissions and first launch checklist
4	4. Safety model, backups, undo, logs, and navigation
5	5. Core architecture: Music.app database first
6	6. File-search roots: local, external, and network folders
7	7. Interface overview and tool groups
8	8. Warm Cache, direct scans, and trial limits
9	9. Library Dashboard
10	10. Library Map, Playlist Duplicates, Library Duplicates, and Quality Duplicates
11	11. Playlist Compare and bulk removal
12	12. Track Usage
13	13. Audio Inspector, Health Check, and Artwork Check
14	14. Repair / Convert, CUE sheets, and De-click cleanup
15	15. Helper tools: Homebrew, FFmpeg, xmp, WavPack, SACD, OptimFROG
16	16. File Maintenance and tag editing
17	17. Smart Shuffle Builder and Online Library tools
18	18. Website screenshots and downloads
19	19. Troubleshooting
20	20. Refunds, revocation, and support
21	21. Screenshot reference

This guide reflects the current Early Access workflow: Music.app database-first scans, local/external/network file-search roots, Playlist Compare diagnostics, Playlist Duplicates visible metadata matching, Library Duplicates record review, Repair / Convert De-click preview samples, and updated website screenshots.

1. What Local Music Organizer is for

Local Music Organizer is a macOS utility for people with large offline Music.app libraries. It is built for real collections: local files, external drives, network volumes, old imports, CUE albums, playlist curation, duplicate review, and repair/conversion workflows.

It is not a streaming service manager, not a cloud Apple Music replacement, and not a one-click deletion tool. The intended workflow is inspect - review - confirm - act - keep logs.

- Inspect Music.app library quality: bitrate, codec/container, sample rate, duration outliers, artwork, missing files, empty tags, and suspicious records.
- Compare playlists and find shared or repeated tracks before removing playlist entries.
- Find where a track is used before moving, repairing, converting, replacing, or removing it from a playlist.
- Use physical file tools for folders on the internal disk, external drives, old libraries, SMB/NAS volumes, and other mounted locations.
- Repair or convert difficult local audio files into Music.app-compatible copies while keeping original archive files.
- Build smarter shuffle-style playlists for large offline collections.

Offline-first positioning: the app is made for users who maintain their own offline libraries, not only rented or streamed music catalogs. It works best when tracks are visible to Music.app and the underlying audio files are reachable by macOS.

What the app should not do:

- It should not silently delete audio files.
- It should not replace original archive files without review.
- It should not run destructive cleanup without explicit confirmation.
- It should not hide logs for completed operations.

2. Requirements, trial mode, and Early Access license

System requirements:

- macOS 14 Sonoma or later.
- Apple Silicon is recommended for large libraries. Intel Macs are supported in Universal builds, but very large scans and Music.app automation may be slower.
- Music.app with a local/offline library or local records pointing to mounted files.
- Internet access is required for activation and periodic license checks.

Trial mode:

- The app can open without an active license.
- Trial scans/searches are limited to up to 50 local tracks or rows.
- Each trial function is intended to run once per Mac through the license server trial check.
- Show More is disabled in trial.
- Full-library scans, cleanup actions, Repair / Convert, File Maintenance, and unlimited playlist analysis require Early Access activation.
- Trial mode remains available if no license is activated or if a license is later revoked.

Early Access activation:

- Open Local Music Organizer and go to License.
- Enter the buyer email used for purchase.

- Copy the License Request or Hardware ID shown by the app.
- Send the request to support with the purchase email.
- Enter the serial/license key you receive and activate online.
- Keep a copy of your purchase receipt and license email.

License checks and offline grace:

- The app checks license status during activation and startup.
- While running, the app checks license status periodically, currently about every 60 minutes.
- If the license server is temporarily unavailable, the last successful active check allows up to 24 hours of offline use.
- If a license is revoked after a refund, chargeback, dispute, fraud review, or manual admin action, full-version access may stop during a future license check.

Privacy note: for license validation, the app may send buyer email, Mac Hardware ID, license key, app version, and basic license status data to the license server. This is used for activation, validation, fraud prevention, refund handling, support, and troubleshooting.

3. Permissions and first launch checklist

If the app sees no playlists, cannot read files, cannot edit tags, or cannot remove playlist entries, check macOS permissions before assuming the library is broken.

Music.app automation permission:

- Required for reading Music.app playlists and library records.
- Required for tag editing and playlist entry removal workflows.
- Open System Settings -> Privacy & Security -> Automation and allow Local Music Organizer to control Music.app.

Full Disk Access:

- May be required for file and folder checks, physical root comparisons, log export, missing file scans, external drives, and network volumes.
- Open System Settings -> Privacy & Security -> Full Disk Access and add Local Music Organizer if file access is incomplete.

Network and mounted storage access:

- Required for activation and license checks.
- Required when selecting SMB/NAS folders or network shares as additional file-search roots.
- External and network drives must be mounted before scans that rely on their files.

First launch checklist:

- Open Music.app once and confirm the target library is available.
- Open Local Music Organizer.
- Grant Automation permission if macOS asks.
- Choose a log folder you can easily find, such as Desktop.
- Run Refresh Playlists or a small trial scan first.
- If working with physical files, grant Full Disk Access before large folder scans.
- If using an external or network disk, choose it as an Additional file-search root in Setup or in the relevant physical-file tool.

4. Safety model, backups, undo, logs, and navigation

Before major cleanup, keep a backup. Time Machine is useful, but a separate copy of the Music folder and important archive folders is safer before bulk edits or conversion work.

General safety rules:

- Scans are generally read-only until a specific action button is pressed.
- Playlist removal actions remove playlist entries, not physical audio files.
- Tag edits are explicit and are sent to Music.app.
- Repair / Convert creates compatible copies. Do not delete originals until converted files are reviewed and tested.
- Stopped operations should not leave a misleading completed log.

Undo Last Change:

- Undo Last Change is intended for recent reversible actions, such as selected tag edits or playlist entry removals.
- Undo should restore removed playlist entries when supported.
- Undo should apply to Playlist Compare single removal and bulk Remove All from A/B operations when those entries were removed by the app.
- Undo is not a replacement for a backup when many files or tags are involved.

Readable logs:

- Text logs should use readable blocks with blank lines between tracks or files.
- Logs are useful when asking for support.

Navigation, Back, and Forward:

- Back should return to the exact previous tool and scroll area, such as Dashboard -> Inspect -> Back = Dashboard.
- Forward should return to the screen that Back came from.
- Reveal and Copy do not change the active tool.
- Inspect and Edit Tags are navigation actions and should preserve the source screen.

5. Core architecture: Music.app database first

Music.app records are the source of truth for Music.app tools. The app must not assume that local music is stored in ~/Music/Music or in the standard Artist/Album folder structure.

Music.app-based tools read Music.app records, persistent IDs, playlist membership, and each track actual Music.app location. They should not be filtered by a selected file-search root.

- Library Dashboard
- Library Map
- Playlist Duplicates
- Library Duplicates
- Playlist Compare
- Track Usage Music.app matches
- Quality Duplicates when comparing Music.app records
- Edit Tags
- Remove playlist entries
- Play in Music

Physical-file tools scan real folders and files. They use the Primary file-search root, Additional file-search root, or a chosen folder. They do not define the Music.app library structure.

- File Search
- Track Usage Find File on Disk
- Preview local file
- Reveal fallback
- Inspect fallback
- Health Check Physical Folder
- File Maintenance permission and Finder metadata scans
- Repair / Convert queue files

Matching order for compare and duplicate review:

- Persistent ID when Music.app provides it.
- Normalized Music.app location when a file path exists.
- Metadata and rounded duration fallback when path identity is missing or unstable.
- Review-only diagnostics when a match is metadata-based.

This distinction is important for local, external, and network libraries. A selected root helps file searches, but Music.app scans still read the actual Music.app records and each track location.

6. File-search roots: local, external, and network folders

A file-search root is a folder that physical-file tools scan. It can be a normal local folder, a non-standard library folder, an external USB/SSD drive, a network share, a copied old library, or any mounted folder containing audio files.

Primary file-search root:

- The default root is only a convenience fallback, usually ~/Music/Music or ~/Music.
- The default root is not treated as the only valid local music structure.
- Use Choose Root when your files are elsewhere.

Additional file-search root:

- Use Choose Additional to select a second physical root.
- Use it for external drives, network shares, old libraries, backup folders, or non-standard local folders.
- When enabled, physical searches can use it without changing Music.app database scans.

Network and external storage behavior:

- Mounted volumes usually appear under /Volumes/VolumeName/.
- If the disk is not mounted, Music.app records may still exist but physical scans cannot read files from that disk.
- Network volumes may be slower than internal or USB disks, especially for thousands of file-stat operations.
- If a network share changes name or mounts as VolumeName 1, reveal/search paths may need re-selection.

Recommended test for external/network support:

- Mount the disk/share.
- Choose it as Additional file-search root.
- Run File Search or Track Usage Find File on Disk with a known artist/title.
- Run Preview, Reveal, and Inspect on a found file.

- Run Health Check Physical Folder if you need folder-level validation.

7. Interface overview and tool groups

Main sidebar tools:

- Library Dashboard - read-only quality overview: bitrate, codec, sample rate, artwork, missing files, duration issues, and issue filters.
- Library Map - repeated tracks across selected user playlists.
- Playlist Duplicates - repeated entries inside one playlist.
- Library Duplicates - duplicate Music.app records pointing to the same local file.
- Health Check - scope-based checks for Music.app library, selected playlists, or physical folders.
- Artwork Check - focused missing artwork scan.
- Repair / Convert - convert/repair local audio, split CUE albums, run de-click cleanup, and create compatible copies.
- Track Usage - find where tracks are used and locate physical files.
- Playlist Compare - compare two playlists and remove entries from A or B after review.
- File Maintenance - permissions, Finder metadata, path inspection, and safe physical-file maintenance.
- Quality Duplicates - review better/worse versions using codec, bitrate, sample rate, duration, size, and metadata.
- Shuffle Builder - create anti-repeat Music.app playlists from existing playlists.
- Audio Inspector - inspect technical properties of a local audio file.
- File Search - physical folder search using the selected roots.
- License / Setup / Help - activation, permissions, diagnostics, roots, logs, and guide access.

Common buttons:

- Refresh Playlists reloads Music.app playlist names.
- Stop Music stops Music.app playback and local preview playback.
- Open Log Folder reveals the current log folder.
- Inspect opens Audio Inspector for a selected local file.
- Reveal opens Finder when the file exists or falls back to the parent folder when appropriate.

8. Warm Cache, direct scans, and trial limits

Music.app automation can be slow with thousands of tracks and many playlists. Warm Cache reads expensive Music.app data once and reuses it across tools.

Cache types:

- Full Library Records Cache feeds library-wide tools, duplicates, file maintenance, and fast searches.
- Light Music Library Cache feeds Library Map, Track Usage, and repeated matching operations.
- Playlist Membership Cache feeds Playlist Compare, Playlist Duplicates, Track Usage, and playlist usage protection.
- Use Clear Cache if Music.app was changed outside this app, then Warm Cache again.

Dashboard direct scan:

- Library Dashboard is designed to scan full Music.app records directly for current records.
- It should not rely only on playlist cache, because a playlist-only view can be misleading.

- Dashboard should clearly report when it is reading full Music.app records.
- Repair / Convert skips full Music.app cache by default because conversion is file/queue based.

Trial mode limits:

- Trial mode is limited to one run per supported feature and up to 50 rows/tracks.
- Show More is disabled in trial.
- Background full-record cache is not warmed in trial to avoid silently scanning a full library.
- Write-heavy actions, full cleanup, Repair / Convert, and File Maintenance require activation.

9. Library Dashboard

Library Dashboard is a read-only overview for quality and maintenance review. Use it before cleanup, tag edits, file moves, or conversion decisions.

Scan behavior:

- Dashboard reads full Music.app records directly for current records.
- It does not depend on selected playlists for a full dashboard scan.
- It can take time on large libraries because it reads real Music.app data.
- The progress view shows current scan progress and overall cache status separately.

Dashboard cards:

- Records, Empty artist, Low bitrate, No artwork, Missing files, Long tracks, Short tracks, and Other issues.
- Short tracks can indicate intros, fragments, failed imports, hidden samples, or metadata duration errors.

Result actions:

- Click a card to filter the result list.
- Use Clear Filter to return to issue-focused results.
- Use Save Current List to export a review list.
- Reveal opens the file in Finder when the file exists.
- Inspect opens technical audio inspection for a local file.
- Edit Tags is available for supported Music.app records.

10. Library Map, Playlist Duplicates, Library Duplicates, and Quality Duplicates

Library Map:

- Shows tracks that appear in two or more selected user playlists.
- Music Library itself is not counted as a second playlist.
- A track repeated inside one playlist belongs in Playlist Duplicates, not Library Map.

Playlist Duplicates:

- Finds repeated entries inside one playlist.
- Same Persistent ID repeated in one playlist is a duplicate playlist entry.
- Same file path is a duplicate playlist entry.
- Same visible Artist + Title + Album is treated as a duplicate playlist entry when Music.app IDs differ.

- Same visible Artist + Title + Duration is a fallback duplicate check.
- Removal affects playlist entries only; it does not delete the audio file and does not delete the Music.app library record.

Library Duplicates:

- Finds Music.app library records pointing to the same local file or exact duplicate candidates.
- It works from Music.app records, not arbitrary physical folder scans.
- Repeated Music.app read rows with the same Persistent ID should be skipped as repeated reads, not duplicate library records.
- Physical audio files are not intentionally deleted by duplicate review.

Quality Duplicates:

- Compares similar tracks or multiple versions using quality signals such as bitrate, codec, sample rate, file size, duration, and metadata similarity.
- Use it as a review tool, not automatic deletion.

11. Playlist Compare and bulk removal

Playlist Compare compares two playlists and shows shared or repeated tracks. It is useful when cleaning overlap between playlists, merging curated lists, or removing duplicates from one side only.

Basic workflow:

- Select Playlist A and Playlist B.
- Click Compare Playlists.
- Review repeated/shared tracks.
- Use the filter box to narrow the visible result list.
- Use Play in Music, Preview, Reveal, Inspect, Copy, or Edit actions to verify rows.
- Remove from A or Remove from B only when you know which playlist entry should be removed.

Compare diagnostics:

- After a compare, the app should show what it actually read and how it matched rows.
- Diagnostics include Playlist A read, Playlist B read, shared records found, matched by persistent ID, matched by Music.app location, and matched by metadata/duration.

Remove All from A / Remove All from B:

- Bulk removal removes playlist entries only.
- It does not delete audio files and does not delete Music.app library records.
- Bulk removal uses the current filtered compare rows. Filter first, review the visible set, then remove only that visible set.
- Undo Last Change can restore removed playlist entries when supported.

12. Track Usage

Track Usage answers one critical question: where is this track used? Use it before deleting, replacing, repairing, moving, or renaming files.

Search behavior:

- Enter a search term and press Enter to start Find File on Disk when the field is active.
- The tool can match physical file results and cached Music.app records.

- Physical file search uses selected file-search roots.
- Music.app record matches use persistent ID, Music.app location, and cache when available.
- The app avoids slow full Music.app scans on every Play action; it uses available cache where possible.

Buttons:

- Physical file rows: Preview, Stop, Reveal, Inspect, Copy.
- Music.app rows with persistent ID or cached record: Play in Music, Stop, Reveal, Inspect, Edit Tags when available.
- Stop should stop Music.app playback, NSSound, AVAudioPlayer, afplay, or fallback audio playback.

13. Audio Inspector, Health Check, and Artwork Check

Audio Inspector:

- Shows format, container, codec, sample rate, bit depth, bitrate, channels, duration, and file size.
- Shows raw ainfo data when available.
- Useful for deciding whether a file should be converted, repaired, or left unchanged.

Health Check scopes:

- Entire Music.app Library reads and checks current Music.app records, independent of playlist selection.
- Selected Playlists checks only selected playlists.
- Physical Folder scans audio files under the selected physical folder and does not read Music.app playlists.

Artwork Check:

- Artwork Check finds tracks or albums with missing artwork.
- Artwork access through Music.app can be slower and more fragile than light metadata reads, so artwork checking is separated from faster scans.

14. Repair / Convert, CUE sheets, and De-click cleanup

Repair / Convert creates new output files and should not overwrite original source files. It is for mixed formats, legacy files, old imports, CUE sheets, audiophile files, and files that may not work well in Music.app.

Queue and CUE behavior:

- Add Files or drag files into the queue; Add CUE Sheet for CUE-based albums.
- Analyze Queue detects source type, CUE mode, tracks, and likely output behavior.
- CUE reader should support UTF-8, UTF-8 BOM, Windows-1251/CP1251, and fallback text decoding.
- Track TITLE may appear after INDEX in some CUE sheets; output naming should wait until the track block is complete.
- Converted successful items may be removed from the queue after completion; failed or stopped items remain for review.

Output profiles and helper tools:

- AAC 256/320 and MP3 260/320 for smaller compatible copies.
- ALAC 16/44.1 M4A as the recommended normal lossless Music.app-compatible copy.
- ALAC 24-bit Archive M4A for intentional larger archival copies.
- AIFF 16/44.1 for large uncompressed output.
- Use Check Tools before installing helpers.

De-click cleanup:

- De-click is restoration for vinyl/rip defects. It can soften attacks, drums, handclaps, or sharp synth transients if used too strongly.
- Original files are never overwritten.
- Modes: Vinyl De-click Light, Medium, Strong, and Rescue.
- Preview 30s De-click creates a short cleaned sample so you can compare before processing a whole file.
- Compare 30s All Modes creates separate Light, Medium, Strong, and Rescue preview samples.
- Preview samples are saved to the chosen output folder, such as Music Converted.
- Output file names include the De-click level applied.
- Apply De-click To Selected can clean already-converted files, not only high-resolution source conversions.
- Stop De-click / Convert must stop the active FFmpeg or helper process at any stage.

15. Helper tools: Homebrew, FFmpeg, xmp, WavPack, SACD, OptimFROG

Check Tools first. Open Repair / Convert and click Check Tools before installing anything. The app reports which helpers are detected.

Recommended setup order:

- Click Check Tools.
- If brew is missing, click Install Homebrew.
- If macOS asks to install Command Line Tools for Xcode, allow it and wait.
- Return to Local Music Organizer and click Open Terminal Installer for FFmpeg and LAME.
- Click Install Old-School Helpers if you need tracker modules or WavPack helpers.
- Click Install SACD Extract only if you use SACD ISO files.
- Use Copy OptimFROG Notes for manual OFR/OFS decoder setup.
- Click Check Tools again and confirm that paths are detected.

Typical paths:

- Apple Silicon Homebrew: `/opt/homebrew/bin/brew`
- Intel Homebrew: `/usr/local/bin/brew`
- Manual local helpers: `~/.local/bin`

Helpers:

- FFmpeg and LAME for inspection and conversion.
- xmp for tracker/module playback/conversion helper for MOD, XM, IT, S3M, and similar files.
- WavPack / `wvunpack` for WV/WVC workflows.
- `sacd_extract` for SACD ISO workflows.
- OptimFROG decoder for rare `.ofr/.ofs` files.

16. File Maintenance and tag editing

File Maintenance scans selected physical roots for audio permissions and Finder metadata.

- Audio permission issues should appear as inline cards with Fix This To 644, Fix All Permissions, Reveal, Inspect, and Copy.
- Finder metadata issues should appear as cards with Remove Metadata From This where supported.
- Review before changing permissions or metadata.
- Do not move or delete physical audio files without checking Track Usage and playlists first.

Tag editing:

- Supported tag edits update Music.app records.
- Tag editing is powerful and should be done on reviewed visible rows only.
- Use Undo immediately if an edit was wrong.
- Export or copy logs when asking for support.

17. Smart Shuffle Builder and Online Library tools

Smart Shuffle Builder creates more natural listening sessions from large local collections by reducing repeated artist clusters, album blocks, and predictable patterns.

- Use it for curated local libraries where ordinary random shuffle feels repetitive.
- Build from existing Music.app playlists.
- Review the generated list before relying on it for a long session.
- The goal is better playlist construction, not a replacement media player.

Online Library tools are experimental diagnostics for exported/raw Music.app field samples and classification checks. They are not a replacement for the offline local-library workflow.

18. Website screenshots and downloads

The official website includes screenshots of the main workflows so users can see what the app does before downloading or purchasing Early Access.

- Screenshots are preview cards.
- Clicking a screenshot opens the original full-size screenshot in a new tab.
- The website user guide link should point to the final file named exactly LocalMusicOrganizer_UserGuide.pdf.
- Keep icon.png at the website root for the site icon.

19. Troubleshooting

The app does not see Music.app playlists:

- Open Music.app once and confirm your library is available.
- Check System Settings -> Privacy & Security -> Automation.
- Allow Local Music Organizer to control Music.app.
- Restart Local Music Organizer after granting permission.

File scans cannot access folders:

- Grant Full Disk Access if needed.
- Confirm the files are local or mounted, not cloud-only placeholders.
- Confirm external drives are mounted.

- Check that selected physical root points to the correct folder.

Activation fails:

- Check internet connection.
- Confirm buyer email matches the license request.
- Confirm Hardware ID did not change.
- Copy and paste the serial key exactly.
- If the license was refunded or revoked, full-version activation may be disabled.

Conversion or De-click fails quickly:

- Open the log and check FFmpeg/helper errors.
- Use Check Tools to confirm helper paths.
- Try a small Preview 30s De-click sample before processing a full file.

20. Refunds, revocation, and support

Refund requests are reviewed manually. Because Local Music Organizer includes a trial mode before purchase and provides access to full-library maintenance tools after activation, refunds are generally available only within 48 hours after purchase and only if the app cannot be activated or cannot reasonably run on a supported Mac after troubleshooting.

Refunds may be declined when:

- The request is after 48 hours.
- A license has been issued and the software works as described.
- Full-library scans, cleanup actions, Repair / Convert, File Maintenance, or other unlocked tools have already been used successfully.
- The issue is caused by unsupported macOS versions, missing permissions, missing backups, unsupported library setups, corrupted libraries, third-party tools, optional helper tools, or actions outside intended use.

Statutory consumer rights, where applicable, are not affected by this refund policy.

If a refund, chargeback, payment dispute, fraud review, or manual license review results in revocation, the license may be disabled on the license server. After revocation, the app may stop accepting that license during a future license check. Trial mode remains available.


Support email: send a clear description, purchase email, app version, macOS version, License Request text, screenshots if useful, and logs or reports when available to sergeyappleservice@gmail.com.

21. Screenshot reference

The following screenshots are included as normal images. They do not use manual overlay text blocks or PDF callout boxes.

Library Dashboard


Overview of Music.app records, quality signals, missing files, artwork state, and issue filters.



01-library-dashboard.jpg

Setup: File-search Roots


Primary and additional roots for local folders, external disks, and mounted network shares.



02-setup-file-search-roots.jpg

Library Map


Repeated tracks across selected user playlists, with play, stop, inspect, and edit actions.



03-library-map.jpg

Playlist Duplicates


Repeated entries inside one playlist; removal affects playlist entries only.



04-playlist-duplicates.jpg

Library Duplicates


Music.app duplicate-record manager for records pointing to the same local file.



05-library-duplicates-1.jpg

Library Duplicates Details


Review keep/merge candidates, playlist usage, reveal, inspect, and edit actions.



06-library-duplicates-2.jpg

Playlist Compare


Compare Playlist A and Playlist B with diagnostics for ID, location, and metadata matches.



07-playlist-compare.jpg

Track Usage


Find where a track is used and locate matching physical files.



08-track-usage.jpg

Quality Duplicates


Review better/worse versions using codec, bitrate, sample rate, duration, size, and metadata.



09-quality-duplicates.jpg

Audio Inspector


Inspect format, codec, sample rate, bitrate, channels, duration, and file size.



10-audio-inspector-1.jpg

Audio Inspector Details


Detailed technical audio inspection before repair, conversion, or cleanup.



11-audio-inspector-2.jpg

File Maintenance


Inline permission and Finder metadata cards with safe review actions.



12-file-maintenance.jpg

Repair / Convert


Queue-based repair/conversion for difficult audio formats and Music.app-compatible output.



13-repair-convert-1.jpg

Repair / Convert De-click


De-click preview samples and comparison of cleanup modes.



14-repair-convert-2.jpg

Smart Shuffle Builder


Create reviewed anti-repeat Music.app playlists from existing playlists.



15-shuffle-builder.jpg

License Activated


Activated Early Access license state.



16-license-activated.jpg

Trial / License State


Trial and license information before or after activation.



17-license-trial.jpg

Setup / Diagnostics

General setup, permissions, logs, and diagnostics.



18-setup-general.jpg