



# Local Music Organizer

## Detailed User Guide

Advanced collection analysis and maintenance - created by a collector for collectors.

For serious local/offline Music.app libraries and physically available audio files.

macOS 14 or later | Apple Silicon and Intel | Local/offline workflow



# About Local Music Organizer

Local Music Organizer (LMO) is a detailed, advanced macOS toolkit created by a music collector for music collectors who maintain serious offline Music.app libraries and large collections of local audio files. It is designed for the work that becomes difficult once a collection grows beyond ordinary browsing: understanding exactly which Music.app record points to which physical file, seeing where a track is used, separating playlist duplication from library-record duplication, finding missing or suspicious links, reviewing artwork and metadata, comparing physical versions, inspecting audio quality, searching disks, converting difficult formats, and playing local files through a live spectrum analyzer.

LMO deliberately distinguishes four things that are easy to confuse in a large collection: the Music.app library record, playlist membership, the physical audio file, and LMO's own saved Library Index. That separation is what makes the tools useful for careful maintenance: a scan can describe a problem without changing it, and an action can be limited to the exact record, playlist entry, tag, or file the collector has reviewed. The guiding principle is simple: inspect deeply, understand the evidence, and modify only through an explicit control whose scope is clear.

## What LMO does not do

LMO does not repair, rebuild, optimize, or patch the Music.app database. It does not edit Music.app service databases, private Music system files, or other internal Music.app support files. It is not a subscription/streaming manager: it does not operate on Apple Music subscription streams, online-only/cloud-only audio as source files, or any other streaming source. It does not download or convert a stream into a local source file. Network/NAS workflows have not been validated for this release and are outside the supported scope of this manual.

## Supported working model

The documented workflow is a local Music.app library plus physical audio files available through normal macOS file paths. A non-local Music.app record may still be visible as a record with no local path in a diagnostic count, but physical-file tools require an offline file that exists on disk.

## How to read the control descriptions

Read-only = inspect/filter/report/open only. LMO index = only LMO's own saved working index changes. Music.app metadata = a supported field on a specific Music.app record can change after an explicit action. Playlist entry = playlist membership can change without deleting the audio file. Physical file/output = a local file may be renamed, moved, cleaned, or newly created only by the explicitly labeled operation.



# Contents

Section numbers are on the left. The number on the right is the actual PDF page. Entries are clickable, and the PDF outline/bookmarks mirror the same structure.

|                                                         |           |
|---------------------------------------------------------|-----------|
| <b>About Local Music Organizer</b>                      | <b>2</b>  |
| <b>Contents</b>                                         | <b>3</b>  |
| <b>1. Setup</b>                                         | <b>5</b>  |
| 1.1 Appearance, analysis depth, and folders             | 5         |
| 1.2 Logs, automatic indexing, and saved index           | 6         |
| 1.3 Setup toolbar and status areas                      | 6         |
| 1.4 Music.app Diagnostics window                        | 7         |
| <b>2. Library Index</b>                                 | <b>8</b>  |
| 2.1 Index controls                                      | 8         |
| 2.2 Index stages and meaning                            | 9         |
| <b>3. Library Dashboard</b>                             | <b>10</b> |
| 3.1 Dashboard controls                                  | 10        |
| 3.2 Dashboard counters and filters                      | 11        |
| 3.3 Result-list controls and track actions              | 14        |
| <b>4. Library Map</b>                                   | <b>17</b> |
| 4.1 Library Map controls and result actions             | 17        |
| <b>5. Playlist Duplicates</b>                           | <b>19</b> |
| 5.1 Playlist selection and scan controls                | 20        |
| <b>6. Library Duplicates</b>                            | <b>22</b> |
| 6.1 Library Duplicates controls and statuses            | 22        |
| 6.2 Record-card actions                                 | 23        |
| <b>7. Health Check</b>                                  | <b>24</b> |
| 7.1 Scope and scan controls                             | 24        |
| 7.2 Health result actions                               | 25        |
| 7.3 “Music uses another file location” actions          | 26        |
| <b>8. Artwork Check</b>                                 | <b>27</b> |
| 8.1 Artwork Check controls                              | 27        |
| <b>9. Repair / Convert</b>                              | <b>28</b> |
| 9.1 Conversion profile and naming controls              | 28        |
| 9.2 Output, cleanup, and source handling                | 29        |
| 9.3 Queue controls                                      | 31        |
| 9.4 Vinyl De-click, CUE, and specialist-source controls | 32        |
| <b>10. Track Usage</b>                                  | <b>34</b> |
| 10.1 Track Usage controls and results                   | 34        |
| <b>11. Playlist Compare</b>                             | <b>36</b> |
| 11.1 Playlist Compare controls                          | 36        |
| <b>12. File Maintenance</b>                             | <b>38</b> |
| 12.1 Scope card and maintenance toolbar                 | 38        |
| 12.2 Hidden audio tag result example                    | 39        |
| <b>13. Quality Duplicates</b>                           | <b>41</b> |
| 13.1 Quality Duplicates controls and actions            | 41        |




|                                                        |           |
|--------------------------------------------------------|-----------|
| <b>14. Shuffle Builder</b>                             | <b>43</b> |
| 14.1 Shuffle rules and actions . . . . .               | 43        |
| <b>15. Audio Inspector</b>                             | <b>45</b> |
| 15.1 Single File mode . . . . .                        | 46        |
| <b>16. Audio Authenticity Analyzer</b>                 | <b>48</b> |
| 16.1 Batch authenticity controls . . . . .             | 48        |
| 16.2 Authenticity result cards . . . . .               | 49        |
| <b>17. File Search</b>                                 | <b>51</b> |
| 17.1 File Search controls . . . . .                    | 51        |
| 17.2 Indexed and direct-disk result actions . . . . .  | 52        |
| <b>18. Live Spectrum Player</b>                        | <b>53</b> |
| 18.1 Player transport and queue controls . . . . .     | 53        |
| 18.2 Spectrum Appearance controls . . . . .            | 54        |
| 18.3 Waveform and technical cards . . . . .            | 55        |
| <b>19. Help and Support</b>                            | <b>56</b> |
| 19.1 Help controls . . . . .                           | 56        |
| 19.2 Quick Help - corrected interpretation . . . . .   | 56        |
| <b>20. Global Controls and Common Editors</b>          | <b>57</b> |
| 20.1 Global navigation and top-right buttons . . . . . | 57        |
| 20.2 Music.app metadata editor . . . . .               | 57        |
| 20.3 Naming & Tag Formatting review window . . . . .   | 58        |
| 20.4 Batch Naming & Tag Formatting window . . . . .    | 58        |
| <b>Safety, Privacy, and Support Reference</b>          | <b>59</b> |





# 1. Setup



Two controls you will see in every main section  
At the top right beside the LMO app icon, Playlists opens the Music.app playlist/folder navigator and Player opens or restores the separate Live Spectrum Player. These are persistent navigation shortcuts, not Setup-only controls, and pressing Player does not start a scan.

Setup controls LMO preferences, local search roots, logging, Music.app permission tests, saved-index behavior, and analysis depth. It is the first screen to understand because these choices affect what later tools can see and where logs are written.

## 1.1 Appearance, analysis depth, and folders

|                                                |                                                                                                                                                                                                  |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Appearance</b><br>LMO setting               | Selects System, Light, or Dark. This changes only LMO's interface appearance.                                                                                                                    |
| <b>Audio Inspector speed</b><br>LMO setting    | Selects Fast, Balanced, or Deep. Fast analyzes a short window (about 8 s), Balanced up to about 30 s, and Deep up to about 120 s. The choice affects inspection depth/time, not the source file. |
| <b>Primary file search root</b><br>LMO setting | Displays the main folder used by physical-file tools. It does not restrict Music.app database scans, which use each Music.app record's actual location.                                          |
| <b>Choose</b><br>LMO setting                   | Chooses the primary physical-file search root through the macOS folder picker.                                                                                                                   |
| <b>Open</b><br>Navigation only                 | Opens the currently selected primary root in Finder.                                                                                                                                             |
| <b>Additional folders</b><br>LMO setting       | Shows the additional folder root available to File Search. This guide does not treat network/NAS locations as supported because those workflows have not been validated.                         |



|                                                                          |                                                                                                                                                                |
|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Choose Additional Folders...</b><br>LMO setting                       | Chooses the additional folder root. It becomes part of File Search only when the separate inclusion toggle is enabled.                                         |
| <b>Include selected additional folders in File Search</b><br>LMO setting | Adds the selected additional folder root to File Search. Music.app record scans remain based on real Music.app locations and are not filtered by this setting. |

## 1.2 Logs, automatic indexing, and saved index

|                                                                                            |                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Log folder</b><br>Read-only display                                                     | Shows where operation logs are written when logging is enabled.                                                                                                                                                                     |
| <b>Choose Log Folder</b><br>LMO setting                                                    | Grants LMO a destination for logs through the macOS folder picker.                                                                                                                                                                  |
| <b>Create log files</b><br>LMO setting                                                     | Enables scan-specific log creation for tools that use the common logging option. It does not start a scan.                                                                                                                          |
| <b>Automatic Library Index</b><br>LMO setting / index                                      | The line that controls whether LMO may build/update its Library Index automatically after the app becomes idle. It is optional.                                                                                                     |
| <b>Build or update the library index automatically after launch</b><br>LMO setting / index | Enables the idle-time automatic Library Index update. The automatic job waits until LMO is idle; it is not a substitute for understanding the current index state.                                                                  |
| <b>Also index playlist usage automatically</b><br>LMO setting / index                      | When automatic indexing is enabled, also includes visible playlist membership so usage-based tools are ready.                                                                                                                       |
| <b>Save the Music.app library index between launches</b><br>LMO setting / index            | Writes LMO's current Library Index to its own saved SQLite storage so full records and indexed playlist usage can be restored after LMO is reopened. Turning it off removes the saved LMO index; it does not delete Music.app data. |
| <b>Export Diagnostics</b><br>Support log only                                              | Creates a support report containing app/macOS information, settings, current counts, index state, and safety status. It is separate from scan-specific logs.                                                                        |
| <b>Write technical errors to a local log</b><br>LMO setting / log                          | Enables LMO's technical error log. The log is stored locally and is not transmitted automatically.                                                                                                                                  |
| <b>Open Error Log</b><br>Navigation only                                                   | Opens the local technical error log.                                                                                                                                                                                                |
| <b>Clear Error Log</b><br>LMO log only                                                     | Clears LMO's technical error log. It does not clear Music.app data or scan results.                                                                                                                                                 |
| <b>Music.app Diagnostics...</b><br>Read-only support test                                  | Appears while technical error logging is enabled. Opens explicit read-only support tests for startup state and track flags.                                                                                                         |

## 1.3 Setup toolbar and status areas

|                                                          |                                                                                                                                |
|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Stop Music Play</b><br>Playback only                  | Stops playback LMO has started in Music.app or through supported local playback paths.                                         |
| <b>Undo Last Change</b><br>Changes depend on last action | Reverses the most recent supported LMO change when an undo record exists. It is disabled when nothing supported can be undone. |
| <b>Test Music.app Access</b><br>Read-only support test   | Performs a small access test so you can see whether macOS currently allows LMO to communicate with Music.app.                  |
| <b>Request Music Permission</b><br>macOS permission      | Triggers the macOS automation permission flow for Music.app where available. LMO never receives an Apple Account password.     |
| <b>Open Privacy Settings</b><br>Navigation only          | Opens the relevant macOS Privacy & Security settings so Music.app automation permission can be reviewed.                       |



|                                                          |                                                                                                                                                             |
|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Refresh Music Changes</b><br>LMO index                | Performs LMO's incremental reconciliation against Music.app. It is intended for small changes and does not automatically rebuild the entire index.          |
| <b>Open Log Folder</b><br>Navigation only                | Opens the selected log folder in Finder.                                                                                                                    |
| <b>Status line and progress bar</b><br>Read-only display | Show the current operation/index state and progress. “Restored from disk” means LMO loaded its own saved index, not that Music.app was repaired or rebuilt. |
| <b>Permissions card</b><br>Read-only display             | Explains the current Music.app access status and which permission control to use if macOS blocks automation.                                                |
| <b>Default playlists card</b><br>Read-only display       | Shows names LMO will use for support/recovery-oriented playlist workflows, such as the review playlist name.                                                |
| <b>Audio Inspector speed card</b><br>Read-only display   | Repeats the currently selected inspection speed and its practical meaning.                                                                                  |

## 1.4 Music.app Diagnostics window

|                                                                  |                                                                                                                                                                                                                              |
|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Capture Music.app Startup State</b><br>Read-only support test | Explicitly launches/observes Music.app without sending Play, then records several short player-state snapshots for support. A large library that is still loading is recorded as not ready instead of blocking indefinitely. |
| <b>Audit Music.app Track Flags</b><br>Read-only support test     | Reads Music.app track flags in bounded ranges and reports non-default playback-related values and storage-volume totals. It does not rewrite those flags.                                                                    |
| <b>Stop</b><br>Stops diagnostic only                             | Requests cancellation of the active diagnostic.                                                                                                                                                                              |
| <b>Close</b><br>Navigation only                                  | Closes the diagnostics window when no diagnostic is running.                                                                                                                                                                 |



## 2. Library Index

Local Music ORGANIZER

Library Dashboard quality overview

Library Map repeated tracks

Playlist Duplicates inside one playlist

Library Duplicates same Music.app location

Health Check problems + missing

Artwork Check Missing Covers

Repair Convert Music Compatible

Track Usage where used

Playlist Compare A vs B

File Maintenance permissions / Finder

Quality Duplicates best version

Shuffle Builder anti-repeat shuffle

Setup permissions + settings

Help manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Library Dashboard

Large-library safe quality overview: bitrate, sample rate, artwork, storage, and issue filters.

Playlists Player

Meaning One read-only library dashboard for practical cleanup: bitrate, sample rate, container/kind, duration outliers, missing artwork, local-file availability, playlist distribution, and direct tag editing from every visible row.

Filter artist, title, album, path, playlist, issue, codec, bitrate Only issues

Scale Scale Fast Standard Deep 20000 Skip slow file checks

Mode Deep: reads playlist membership and file stats; best for small/medium libraries. Skip slow file-stat checks for large or unavailable paths.

Output Run creates a safe report in the log folder. Row actions can manually edit Music.app tags, inspect audio, reveal files, or copy paths. Tag changes appear in Music immediately, and Undo Last Change restores the values fr...

Log folder /Users/eurodisco/Desktop Choose Log Folder Create log files

Stop Music Play Undo Last Change Run Audio Quality Dashboard Export Dashboard Log Clear Open Log Folder

Status: Library Index restored from disk

New here? Start with the library index The index is a read-only local copy of Music.app information. On the first run, leave Include playlist usage enabled and click Build / Refresh Library Index. Later, use Refresh Music Changes after adding, removing, or replacing a few tracks.

Cache restored from disk Current: indexing - 100% - Library Index restored from disk

Library Index ready: Library ready - Full records ready - Playlists 10/10

Startup physical change check complete: no changed audio paths since the saved FSEvents checkpoint. Most recent saved-index restore — typed SQL read: 0.123s - typed Swift hydration: 0.007s - playlist index: 0.000s - total: 0.189s

Selected playlist index Selected playlist index Choose a playlist Index Selected Playlist

Refresh Music Changes Build / Refresh Library Index Index Playlist Usage Clear Saved Index Stop Indexing Save Last Indexing Log

Create Library Index Log Include playlist usage Library-index timing log will be saved automatically. Indexing reads full records, then visible playlist usage, so File Search labels are ready when it finishes.

Audio Quality Dashboard 0 loaded / 0 shown / 0 scanned - Filter: Empty artist

Needs attention

Empty artist 0 Low bitrate 0 No artwork 0 Long tracks 0 Short tracks 0 Comments 0 Unusual sample rate 0 Other metadata 0

Library information

Records 0 Cloud / no local path 0 44.1 kHz 0 48 kHz 0 >16-bit lossless 0 ALAC 0 MP3 0 AAC 0 AIFF 0

WAV 0 Other audio formats 0

Needs attention contains reviewable Music.app or local-file findings. Library information contains descriptive counts, not errors: Cloud / no local path normally means a stream, Store purchase, subscription item, or another non-local Music.app record. Files present on disk but absent from Music.app are intentionally reported by Health Check as orphan files because they are not Music.app records. Music.app info outdated appears after a physical Deep scan when Music.app's saved file size differs from the actual local file. Other metadata includes an empty track title, a genuinely uppercase audio-file extension, obvious URL/ source/promo text, or clear distribution-source labels such as Album = Telegram. >16-bit lossless is measured from local audio files in Deep mode; MP3/AAC are excluded. Show More loads the next 250 matching rows.

Library Index is the foundation of library-wide LMO work

Without the required saved index stage, most library-wide tools are unavailable, incomplete, or must wait for data. Once Full Library Records are built and the needed Playlist Usage is indexed, LMO can answer large-library questions quickly from its own saved SQLite rows instead of repeatedly reading the entire Music.app library. The index can be extended, refreshed incrementally, resumed after a stop, refreshed for one selected playlist, rebuilt when necessary, and saved between app launches.

The Library Index is the foundation for almost every library-wide LMO tool. It is LMO's saved working copy of Music.app information - not a repair of Music.app itself. Building it once converts repeated expensive library reads into fast local queries. Why this matters Without the required index stage, a library-wide tool may be unavailable, incomplete, or forced to wait for data. With the Full Library Records and the needed Playlist Usage saved, LMO can answer most library-wide questions from its own indexed rows instead of repeatedly reading the entire Music.app library.

### 2.1 Index controls

|                                                   |                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Build / Refresh Library Index</b><br>LMO index | Reads Music.app records in bounded batches and builds/updates LMO's Full Library Records index. When Include playlist usage is enabled, visible playlist membership is indexed after full records are ready. Building the index is read-only with respect to Music.app tracks, playlists, and audio files. |
| <b>Resume Library Index</b><br>LMO index          | The same main button changes to Resume when a previous full-record build was stopped after completed batches. Resume continues from the next safe record instead of throwing away completed work.                                                                                                          |
| <b>Include playlist usage</b><br>LMO index        | Adds visible playlist membership to the same indexing run. This is important for Track Usage, Playlist Compare, playlist labels, Library Map, and duplicate-safety relationships.                                                                                                                          |



|                                                                  |                                                                                                                                                                                          |
|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Index Playlist Usage</b><br>LMO index                         | Builds or refreshes visible playlist membership independently after full records are ready. It is useful when the record index is good but playlist coverage is missing or stale.        |
| <b>Queue Playlist Usage / Playlist Usage Queued</b><br>LMO index | During an active full-record build, the playlist-usage action can be queued so it begins after full records finish.                                                                      |
| <b>Selected playlist index</b><br>LMO index                      | Picker used to choose one playlist whose saved membership should be indexed or refreshed without rereading every visible playlist.                                                       |
| <b>Index Selected Playlist</b><br>LMO index                      | Reads and saves only the chosen playlist when it is not yet indexed.                                                                                                                     |
| <b>Refresh Selected Playlist</b><br>LMO index                    | Rereads only the chosen playlist and replaces that playlist's indexed membership with the newly verified complete snapshot.                                                              |
| <b>Refresh Music Changes</b><br>LMO index                        | Checks for additions, removals, identity changes, and playlist count changes after small Music.app edits. It is the normal incremental refresh; it does not start a full-record rebuild. |
| <b>Stop Indexing</b><br>LMO index                                | Finishes the current small Music.app batch, saves completed progress, and leaves the index resumable. It also disables automatic indexing for the current LMO session.                   |
| <b>Clear Saved Index</b><br>LMO index                            | Deletes LMO's saved Library Index so the next build starts from the beginning. Use this only when a clean rebuild is actually needed; it does not clear Music.app.                       |
| <b>Create Library Index Log</b><br>Support log only              | When enabled before indexing, automatically writes the completed indexing timing/row-count report to the selected log folder.                                                            |
| <b>Save Last Indexing Log</b><br>Support log only                | Saves the most recent completed/ended index performance report without rerunning Library Index.                                                                                          |

## 2.2 Index stages and meaning

|                                                       |                                                                                                                                                                                                                       |
|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Full Library Records</b><br>Read-only indexed data | The indexed Music.app record set used by Dashboard, whole-library Health Check, Library Duplicates, quality review, and library-wide search. Library Duplicates deliberately waits for complete full-record coverage. |
| <b>Playlist Usage</b><br>Read-only indexed data       | Saved membership of visible playlists. It answers “where is this track used?” and protects playlist-used records from being incorrectly treated as unused.                                                            |
| <b>Selected Playlist</b><br>Read-only indexed data    | A targeted playlist snapshot. It lets one changed playlist be refreshed without rebuilding all playlist usage.                                                                                                        |
| <b>Overall progress</b><br>Read-only display          | Shows progress across the required index stages. A full-record stage can be ready before every playlist has been indexed; LMO labels partial coverage rather than pretending it is complete.                          |
| <b>Saved index restore</b><br>LMO index               | When Save the Music.app library index between launches is enabled, LMO reloads its own typed SQLite rows after relaunch. This is why a large library can become usable much faster on later launches.                 |

Safe rule for large libraries Let one long index operation finish or stop it cleanly before starting another. After a small Music.app change, prefer Refresh Music Changes; after one playlist change, prefer Refresh Selected Playlist. A full rebuild is not the default answer to every change.



# 3. Library Dashboard

Local Music ORGANIZER

Library Dashboard quality overview

Library Map repeated tracks

Playlist Duplicates inside one playlist

Library Duplicates same Music.app location

Health Check problems + missing

Artwork Check Missing Covers

Repair Convert Music Compatible

Track Usage where used

Playlist Compare A vs B

File Maintenance permissions / Finder

Quality Duplicates best version

Shuffle Builder anti-repeat shuffle

Setup permissions + settings

Help manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Library Dashboard

Large-library safe quality overview: bitrate, sample rate, artwork, storage, and issue filters.

Playlists Player

Stop Music Play Undo Last Change Run Audio Quality Dashboard Export Dashboard Log Clear Open Log Folder

Status: Audio Quality Dashboard complete - took 5s scan last 5s

New here? Start with the library index

The index is a read-only local copy of Music.app information. On the first run, leave Include playlist usage enabled and click Build / Refresh Library Index. Later, use Refresh Music Changes after adding, removing, or replacing a few tracks.

Cache restored from disk

Current: Indexing - 100% - Library Index restored from disk

Library index ready: Library ready - Full records ready - Playlists 10/10

Startup physical change check complete: no changed audio paths since the saved FSEvents checkpoint.

Most recent saved-index restore — typed SQL read: 0.123s - typed Swift hydration: 0.007s - playlist index: 0.000s - total: 0.189s

Selected playlist index Selected playlist index Choose a playlist Index Selected Playlist

Refresh Music Changes Build / Refresh Library Index Index Playlist Usage Clear Saved Index Stop Indexing Save Last Indexing Log

Create Library Index Log

Include playlist usage

Library-index timing log is off. Indexing reads full records, then visible playlist usage, so File Search labels are ready when it finishes.

Audio Quality Dashboard

34 loaded / 34 shown / 7,200 scanned - Filter: Low bitrate

Needs attention

Empty artist 0

Low bitrate 34

No artwork 0

Long tracks 0

Short tracks 0

Comments 0

Unusual sample rate 0

Other metadata 0

Library information

Records 7200

Cloud / no local path 0

44.1 kHz 7200

48 kHz 0

>16-bit lossless 0

ALAC 6331

MP3 869

AAC 0

AIFF 0

WAV 0

Other audio formats 0

Needs attention contains reviewable Music.app or local-file findings. Library information contains descriptive counts, not errors. Cloud / no local path normally means a stream, Store purchase, subscription item, or another non-local Music.app record. Files present on disk but absent from Music.app are intentionally reported by Health Check as orphan files because they are not Music.app records. Music.app info outdated appears after a physical Deep scan when Music.app's saved file size differs from the actual local file. Other metadata includes an empty track title, a genuinely uppercase audio-file extension, obvious URL/ source/promo text, or clear distribution-source labels such as Album = Telegram. >16-bit lossless is measured from local audio files in Deep mode; MP3/AAC are excluded. Show More loads the next 250 matching rows.

Show More Clear Filter Save Current List... Batch Normalize Clear All Comments

Afrynthe Vora - Felicità - Afro House

Felicità (Afro House)

MPEG audio file • 135 kbps • 44100 Hz • 8:59 • 9.5 MB

Storage: Local

Low bitrate < 160 kbps

Used in playlists Various

/Users/eurodisco/Music/Music/Various/Afrynthe Vora - Felicità - Afro House.mp3

Play Stop Reveal Inspect Edit Tags Normalize This File Clear Comments Undo Last Change Copy Path Search Discogs

Library Dashboard is the main read-only overview of the indexed Music.app library. It summarizes both items that deserve review and descriptive facts about the collection. A high counter is a review signal, not proof that every matching track is wrong.

## 3.1 Dashboard controls

|                                               |                                                                                                                                                                                                                                                                         |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Meaning<br>Read-only display                  | Explains what the Dashboard evaluates and how the chosen scan depth changes the source of technical facts.                                                                                                                                                              |
| Filter<br>Read-only filter                    | Searches loaded/indexed Dashboard rows by artist, title, album, path, and related fields.                                                                                                                                                                               |
| Only issues<br>Read-only filter               | Limits results to rows classified as reviewable issues rather than descriptive library information.                                                                                                                                                                     |
| Scale - Fast<br>Read-only scan                | Uses indexed Music.app record information for fast review and skips playlist membership and slow physical-file checks.                                                                                                                                                  |
| Scale - Standard<br>Read-only scan            | Adds lightweight local-file checks when enabled while still avoiding playlist membership. It is the normal middle ground.                                                                                                                                               |
| Scale - Deep<br>Read-only scan                | Uses playlist membership and physical-file facts where available, including real local sample rate/bit depth/file size. It is the most complete and can be slower.                                                                                                      |
| Number field beside Scale<br>LMO scan setting | The numeric field immediately to the right of Fast / Standard / Deep limits how many indexed records the Dashboard considers for that run. When the field is empty its placeholder is "Max records"; when a number is present, the number itself is what the user sees. |
| Skip slow file checks<br>LMO scan setting     | Visible checkbox that avoids slow physical-file checks and favors the saved/indexed data path. It is useful when external storage is slow or temporarily unavailable. It does not mean that NAS/network workflows are validated.                                        |

Detailed User Guide

Contents

10



|                                                   |                                                                                                                           |
|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Log folder / Create log files<br>Support log only | Controls the destination and creation of the Dashboard operation log. This is separate from the Library Index timing log. |
| Run Audio Quality Dashboard<br>Read-only scan     | Runs the Dashboard using the current scale/filter settings. The scan itself is read-only.                                 |
| Export Dashboard Log<br>Support log only          | Exports the currently loaded Dashboard report when a scan exists.                                                         |
| Clear<br>LMO view only                            | Clears the Dashboard result state in LMO. It does not delete library records or files.                                    |

### 3.2 Dashboard counters and filters

Local Music Organizer

Local Music ORGANIZER

Library Dashboard  
quality overview

Library Map  
repeated tracks

Playlist Duplicates  
inside one playlist

Library Duplicates  
same Music.app location

Health Check  
problems - missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Library Dashboard

Large-library safe quality overview: bitrate, sample rate, artwork, storage, and issue filters.

Playlists Player

Meaning  
One read-only library dashboard for practical cleanup: bitrate, sample rate, container/kind, duration outliers, missing artwork, local-file availability, playlist distribution, and direct tag editing from every visible row.

Filter  
artist, title, album, path, playlist, issue, codec, bitrate

Scale  
Scale Fast Standard Deep 20000 Skip slow file checks

Mode  
Deep: reads playlist membership and file stats; best for small/medium libraries. Skip slow file-stat checks for large or unavailable paths.

Output  
Run creates a safe report in the log folder. Row actions can manually edit Music.app tags, inspect audio, reveal files, or copy paths. Tag changes appear in Music immediately, and Undo Last Change restores the values fr...  
This scan may take time on large libraries. It reads Music.app data only and does not change files.

Log folder  
/Users/eurodisco/Desktop Choose Log Folder Create log files

Stop Music Play Undo Last Change Run Audio Quality Dashboard Export Dashboard Log Clear Open Log Folder

Status: Audio Quality Dashboard complete · took 7s scan last 7s

New here? Start with the library index  
The index is a read-only local copy of Music.app information. On the first run, leave Include playlist usage enabled and click Build / Refresh Library Index. Later, use Refresh Music Changes after adding, removing, or replacing a few tracks.

Library Index: playlist usage ready · took 3s  
Current: Playlist · 100% · playlist usage ready · took 3s stage took 2s

Library Index ready: Library ready · Full records ready · Playlists 10/10 took 3s

Library index: playlist usage ready. Typed SQLite cache saved for future launches.  
Most recent saved-index restore — typed SQL read: 0.356s · typed Swift hydration: 0.007s · playlist index: 0.000s · total: 0.364s

Selected playlist index Selected playlist index Choose a playlist Index Selected Playlist

Refresh Music Changes Build / Refresh Library Index Index Playlist Usage Clear Saved Index Stop Indexing Save Last Indexing Log

Create Library Index Log  
Include playlist usage  
Library-index timing log is off. Indexing reads full records, then visible playlist usage, so File Search labels are ready when it finishes.

Audio Quality Dashboard

Needs attention

Empty artist 1

Low bitrate 34

No artwork 0

Music.app info outdated 5

Long tracks 0

Short tracks 0

Comments 1

Unusual sample rate 0

Other metadata 0

Library information

Records 7205

Cloud / no local path 1

44.1 kHz 7205

48 kHz 0

>16-bit lossless 0

ALAC 6333

MP3 872

AAC 0

AIFF 0

WAV 0

Other audio formats 0

Needs attention contains reviewable Music.app or local-file findings. Library information contains descriptive counts, not errors: Cloud / no local path normally means a stream, Store purchase, subscription item, or another non-local Music.app record. Files present on disk but absent from Music.app are intentionally reported by Health Check as orphan files because they are not Music.app records. Music.app info outdated appears after a physical Deep scan when Music.app's saved file size differs from the actual local file. Other metadata includes an empty track title, a genuinely uppercase audio-file extension, obvious URL/





Local Music Organizer

Local Music ORGANIZER

Library Dashboard  
quality overview

Library Map  
repeated tracks

Playlist Duplicates  
inside one playlist

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

< >

Library Dashboard

Large-library safe quality overview: bitrate, sample rate, artwork, storage, and issue filters.

Playlists

Player

Selected playlist index

Selected playlist index

Choose a playlist

Index Selected Playlist

Refresh Music Changes

Build / Refresh Library Index

Index Playlist Usage

Clear Saved Index

Stop Indexing

Save Last Indexing Log

Create Library Index Log

Include playlist usage

Library-index timing log is off. Indexing reads full records, then visible playlist usage, so File Search labels are ready when it finishes.

Audio Quality Dashboard

1 loaded / 1 shown / 7,205 scanned - Filter: Cloud / no local path

Needs attention

Empty artist  
0

Low bitrate  
34

No artwork  
0

Music.app info outdated  
5

Long tracks  
0

Short tracks  
0

Comments  
1

Unusual sample rate  
0

Other metadata  
0

Library information

Records  
7205

Cloud / no local path  
1

44.1 kHz  
7205

48 kHz  
0

>16-bit lossless  
0

ALAC  
6333

MP3  
872

AAC  
0

AIFF  
0

WAV  
0

Other audio formats  
0

Needs attention contains reviewable Music.app or local-file findings. Library information contains descriptive counts, not errors: Cloud / no local path normally means a stream, Store purchase, subscription item, or another non-local Music.app record. Files present on disk but absent from Music.app are intentionally reported by Health Check as orphan files because they are not Music.app records. Music.app info outdated appears after a physical Deep scan when Music.app's saved file size differs from the actual local file. Other metadata includes an empty track title, a genuinely uppercase audio-file extension, obvious URL/ source/promo text, or clear distribution-source labels such as Album = Telegram. >16-bit lossless is measured from local audio files in Deep mode; MP3/AAC are excluded. Show More loads the next 250 matching rows.

Show More

Clear Filter

Save Current List...

Batch Normalize

Clear All Comments

Refresh Music.app Info (5)

Refreshes only Music.app's stale file information. LMO does not rewrite, convert, move or delete the audio files. The batch stops if Music.app unexpectedly changes protected tag/artwork fields.

Nara Play - Не звони мне, прошлое (Punch Remix)

OK Online / non-local

MPEG audio file • 320 kbps • 44100 Hz • 2:34 • 6.2 MB

Storage: No local path

OK

Open in Music

Music Library

No local path

Play

Stop

Reveal

Repair Local Link...

Inspect

Edit Tags

Normalize This File

Clear Comments

Undo Last Change

Copy Path

Search Discogs

Music.app tags saved.

Detailed User Guide

Contents

12





Local Music Organizer

Local Music ORGANIZER

Library Dashboard  
quality overview

Library Map  
repeated tracks

Playlist Duplicates  
inside one playlist

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

< > Library Dashboard

Large-library safe quality overview: bitrate, sample rate, artwork, storage, and issue filters.

Playlists Player

5 loaded / 5 shown / 7,205 scanned • Filter: Music.app info outdated

Audio Quality Dashboard

Needs attention

Empty artist  
0

Low bitrate  
34

No artwork  
0

Music.app info outdated  
5

Long tracks  
0

Short tracks  
0

Comments  
1

Unusual sample rate  
0

Other metadata  
0

Library information

Records  
7205

Cloud / no local path  
0

44.1 kHz  
7205

48 kHz  
0

>16-bit lossless  
0

ALAC  
6334

MP3  
871

AAC  
0

AIFF  
0

WAV  
0

Other audio formats  
0

Needs attention contains reviewable Music.app or local-file findings. Library information contains descriptive counts, not errors: Cloud / no local path normally means a stream, Store purchase, subscription item, or another non-local Music.app record. Files present on disk but absent from Music.app are intentionally reported by Health Check as orphan files because they are not Music.app records. Music app info outdated appears after a physical Deep scan when Music.app's saved file size differs from the actual local file. Other metadata includes an empty track title, a genuinely uppercase audio-file extension, obvious URL/ source/promo text, or clear distribution-source labels such as Album = Telegram. >16-bit lossless is measured from local audio files in Deep mode; MP3/AAC are excluded. Show More loads the next 250 matching rows.

Show More Clear Filter Save Current List... Batch Normalize Clear All Comments

Refresh Music.app Info (5) Refreshes only Music.app's stale file information. LMO does not rewrite, convert, move or delete the audio files. The batch stops if Music.app unexpectedly changes protected tag/artwork fields.

Nara Play - Не звони мне, прошлое (Punch Remix)

Nara Play

Apple Lossless audio file • 869 kbps • 44100 Hz • 16-bit • 2:37 • 17.4 MB

Storage: Local

Music.app file size is outdated

Used in playlists Various

/Users/eurodisco/Music/Music/Various/Nara Play - Не звони мне, прошлое (Punch Remix).m4a

Play Stop Reveal Inspect Edit Tags Normalize This File Clear Comments Refresh Music.app Info Undo Last Change Copy Path Search Discogs

Sin With Sebastian, D.Mand - Shut Up (And Sleep with Me) - D.Mand Slap House Edit

Shut Up (And Sleep with Me) [D.Mand Remixes]

Apple Lossless audio file • 1066 kbps • 44100 Hz • 16-bit • 3:04 • 26 MB

Storage: Local

Music.app file size is outdated

Used in playlists Dance

/Users/eurodisco/Music/Music/Dance/Sin With Sebastian, D.Mand - Shut Up (And Sleep with Me) - D.Mand Slap House Edit.m4a

Play Stop Reveal Inspect Edit Tags Normalize This File Clear Comments Refresh Music.app Info Undo Last Change Copy Path Search Discogs

Playing in Music.app:

Nara Play - Не звони мне, прошлое (Punch Remix)

Music.app reported a new verified local file location after playback. LMO updated this record in its Library Index without rebuilding the full library.

Comments are a review category, not a defect

A non-empty Comments field often contains harmless imported text: encoder/ripper signatures, DJ/remixer notes, release-group notes, source information, website/shop URLs, forum or tracker references, promo/advertising text, catalog/archive notes, or the owner's own notes. LMO shows the count so these strings can be reviewed; it does not assume that every comment should be removed.

|                                                                |                                                                                                                                           |
|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Needs attention</div> <div>Read-only display</div>        | Heading for review-oriented counters. These are categories to inspect, not automatic repair commands.                                     |
| <div>Empty Artist</div> <div>Read-only filter</div>            | Filters rows whose Music.app artist field is empty.                                                                                       |
| <div>Low bitrate</div> <div>Read-only filter</div>             | Filters low-bitrate rows according to Dashboard criteria.                                                                                 |
| <div>No artwork</div> <div>Read-only filter</div>              | Filters rows with no artwork count available in the indexed/verified data.                                                                |
| <div>Music.app info outdated</div> <div>Read-only filter</div> | Appears after Deep physical comparison when Music.app's saved file information, especially file size, differs from the actual local file. |
| <div>Long tracks</div> <div>Read-only filter</div>             | Filters unusually long durations for review.                                                                                              |
| <div>Short tracks</div> <div>Read-only filter</div>            | Filters unusually short durations for review.                                                                                             |

Detailed User Guide

Contents

13



|                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Comments</b><br>Read-only filter                                            | Filters tracks whose Music.app Comments field is not empty. A comment is not automatically a problem. Comments are simply free-text metadata attached to a Music.app record and are often inherited from imported tags or added by software or people. Typical examples are an encoder/ripper signature or version, a DJ/remixer or release-group note, a source/rip note, a website or shop URL, forum/tracker references, advertising or promo text, catalog/archive notes, or the owner's own notes. The counter is therefore a review category: read the text before deciding whether it is useful or unwanted. |
| <b>Unusual sample rate</b><br>Read-only filter                                 | Filters sample rates outside the common categories used by Dashboard.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Other metadata</b><br>Read-only filter                                      | Filters additional review conditions such as an empty title, obvious source/promo text, or other clearly suspicious metadata patterns.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Library information</b><br>Read-only display                                | Heading for descriptive collection counters. These counts are not errors.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Records</b><br>Read-only filter                                             | Selects all scanned records.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Missing files</b><br>Read-only filter                                       | Filters Music.app records whose local path cannot be found. Non-local cloud/streaming records are a separate concept and are not repaired by LMO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>44.1 kHz / 48 kHz</b><br>Read-only filter                                   | Filters common sample-rate categories.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>&gt;16-bit lossless</b><br>Read-only filter                                 | Filters local lossless/PCM files measured above 16-bit in Deep mode. MP3/AAC are excluded from this bit-depth classification.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>ALAC / MP3 / AAC / AIFF / WAV / Other audio formats</b><br>Read-only filter | Filters the corresponding format families. These are descriptive format counts.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

### 3.3 Result-list controls and track actions



Local Music ORGANIZER

Library Dashboard  
quality overview

Library Map  
repeated tracks

Playlist Duplicates  
inside one playlist

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Library Dashboard

Library index ready: Library ready - Full records ready - Playlists 10/10

Track sent to Music.app; background indexing yields briefly.  
Most recent saved-index restore — typed SQL read: 0.356s - typed Swift hydration: 0.007s - playlist index: 0.000s - total: 0.364s

Selected playlist index   Selected playlist index   Choose a playlist   Index Selected Playlist

Refresh Music Changes   Build / Refresh Library Index   Index Playlist Usage   Clear Saved Index   Stop Indexing   Save Last Indexing Log

Create Library Index Log  
Include playlist usage  
Library-index timing log is off. Indexing reads full records, then visible playlist usage, so File Search labels are ready when it finishes.

Audio Quality Dashboard

Needs attention

Empty artist  
0

Low bitrate  
34

No artwork  
0

Music.app info outdated  
1

Long tracks  
0

Short tracks  
0

Comments  
1

Unusual sample rate  
0

Other metadata  
0

Library information

Records  
7205

Cloud / no local path  
0

44.1 kHz  
7205

48 kHz  
0

>16-bit lossless  
0

ALAC  
6334

MP3  
871

AAC  
0

AIFF  
0

WAV  
0

Other audio formats  
0

Needs attention contains reviewable Music.app or local-file findings. Library information contains descriptive counts, not errors: Cloud / no local path normally means a stream, Store purchase, subscription item, or another non-local Music.app record. Files present on disk but absent from Music.app are intentionally reported by Health Check as orphan files because they are not Music.app records. Music.app info outdated appears after a physical Deep scan when Music.app's saved file size differs from the actual local file. Other metadata includes an empty track title, a genuinely uppercase audio-file extension, obvious URL/ source/promo text, or clear distribution-source labels such as Album = Telegram. >16-bit lossless is measured from local audio files in Deep mode; MP3/AAC are excluded. Show More loads the next 250 matching rows.

Show More   Clear Filter   Save Current List...   Batch Normalize   Clear All Comments

Refresh Music.app Info (1)   Refreshes only Music.app's stale file information. LMO does not rewrite, convert, move or delete the audio files. The batch stops if Music.app unexpectedly changes protected tag/artwork fields.

Maskova - Dreamer

Dreamer

Apple Lossless audio file • 909 kbps • 44100 Hz • 16-bit • 3:10 • 21.9 MB

Storage: Local

Comments present

Comments: https://open.spotify.com/track/4QQbsDwW4ZJZV0pGZ6XEp0

Used in playlists   Various

/Users/eurodisco/Music/Music/Various/Maskova - Dreamer.m4a

Play   Stop   Reveal   Inspect   Edit Tags   Normalize This File   Clear Comments   Undo Last Change   Copy Path   Search Discogs


|                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Show More<br>Read-only view                                    | Loads the next page/batch of matching Dashboard rows. It does not rerun the full scan.                                                                                                                                                                                                                                                                                                                                        |
| Clear Filter<br>Read-only view                                 | Clears the search/focus filters so the broader Dashboard result set is visible again.                                                                                                                                                                                                                                                                                                                                         |
| Save Current List<br>Support/report output                     | Writes the currently focused Dashboard list to a report file.                                                                                                                                                                                                                                                                                                                                                                 |
| Batch Normalize<br>Creates conversion queue                    | Available for the supported 48 kHz or high-bit-depth focus categories. It queues the matching files into the explicit normalization/conversion workflow rather than silently rewriting them.                                                                                                                                                                                                                                  |
| Clear All Comments<br>Changes Music.app metadata               | Explicitly clears only the Music.app Comments field for the Dashboard comment rows covered by the action. LMO first verifies the current live value, keeps supported undo data for the most recent reversible action, and synchronizes the result to its own saved index. It does not rename the file, rewrite audio samples, remove artwork, or clear unrelated tags such as Title, Artist, Album, Genre, Composer, or Year. |
| Refresh Music.app Info (N)<br>Changes Music.app technical info | Targets rows whose Music.app file information is stale and asks Music.app to reread the same local file. LMO verifies protected metadata/artwork and does not convert or replace the audio file.                                                                                                                                                                                                                              |
| Play<br>Playback only                                          | Plays the matching record/file using the mode provided by that result card.                                                                                                                                                                                                                                                                                                                                                   |
| Stop<br>Playback only                                          | Stops current Music.app/local playback.                                                                                                                                                                                                                                                                                                                                                                                       |
| Reveal<br>Navigation only                                      | Reveals the local file in Finder when a local path exists.                                                                                                                                                                                                                                                                                                                                                                    |
| Repair Local Link...<br>Changes Music.app file link            | For a broken local link, lets you choose the replacement file for the same existing Music.app Persistent ID. It is a targeted relink, not a new library import and not a database repair.                                                                                                                                                                                                                                     |



|                                                                   |                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inspect</b><br>Read-only analysis                              | Opens the exact local file in Audio Inspector.                                                                                                                                                                                                                                                                                         |
| <b>Edit Tags</b><br>Changes only after save                       | Opens the reviewed Music.app metadata editor for the exact record. Nothing changes until Save to Music is used.                                                                                                                                                                                                                        |
| <b>Normalize This File</b><br>Physical/output file operation      | Queues/starts the explicit normalization path for that file using the selected safe conversion logic.                                                                                                                                                                                                                                  |
| <b>Clear Comments</b><br>Changes Music.app metadata               | Clears only the Comments field of this exact reviewed Music.app record after live verification. This is intended for unwanted free-text such as encoder/DJ signatures, URLs, promo text, advertising, or other imported notes. The physical audio file is not renamed or rewritten and other Music.app metadata fields are left alone. |
| <b>Refresh Music.app Info</b><br>Changes Music.app technical info | Refreshes technical file information for this exact Music.app record after verification.                                                                                                                                                                                                                                               |
| <b>Undo Last Change</b><br>Changes depend on last action          | Restores the most recent supported reversible LMO edit.                                                                                                                                                                                                                                                                                |
| <b>Copy Path</b><br>Clipboard only                                | Copies the local file path to the clipboard.                                                                                                                                                                                                                                                                                           |
| <b>Search Discogs</b><br>Navigation only                          | Opens a Discogs web search based on the visible artist/title/album. This is a browser lookup, not a metadata write.                                                                                                                                                                                                                    |



# 4. Library Map



Library Map shows exact repeated track usage across selected playlists. It is a relationship map: its purpose is to answer which selected playlists contain the same track, not to diagnose duplicate entries inside one playlist.

## 4.1 Library Map controls and result actions

|                                                                            |                                                                                                                                                                                      |
|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Compare playlists</b><br>Read-only selection                            | The checklist/list of playlists included in the map. Only the selected playlist snapshots are grouped.                                                                               |
| <b>Select All / Clear</b><br>Read-only selection                           | Selects or clears playlist scope for the map.                                                                                                                                        |
| <b>Meaning</b><br>Read-only display                                        | Explains that Library Map compares exact saved playlist memberships.                                                                                                                 |
| <b>Scan Library Playlist Map</b><br>Read-only scan                         | Fast path: groups the saved selected-playlist rows directly in SQLite. Music.app is not rescanned.                                                                                   |
| <b>Refresh Selected Playlists and Run</b><br>LMO index then read-only scan | Slow path: rereads every entry in the selected playlists from Music.app, saves complete snapshots, then runs the map. Use when the selected playlists changed after the saved index. |
| <b>Filter</b><br>Read-only filter                                          | Filters map groups by artist/title/path/playlist information.                                                                                                                        |
| <b>Show More</b><br>Read-only view                                         | Loads additional matching groups from the saved map query.                                                                                                                           |
| <b>Playlist chips/buttons</b><br>Navigation only                           | Each playlist chip identifies a destination containing the track and can reveal/open that exact playlist context.                                                                    |



|                                                                           |                                                                                                     |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Play</b><br>Playback only                                              | Plays the exact selected track from the indicated playlist/context.                                 |
| <b>Stop</b><br>Playback only                                              | Stops playback.                                                                                     |
| <b>Remove From Playlist</b><br>Changes playlist entry                     | Removes only the chosen playlist occurrence. The Music.app library record and physical file remain. |
| <b>Edit Tags</b><br>Changes only after save                               | Opens the exact Music.app record in the metadata editor.                                            |
| <b>Undo Last Change</b><br>Changes depend on last action                  | Restores the most recent supported playlist/tag operation.                                          |
| <b>Copy</b><br>Clipboard only                                             | Copies the row information requested by the action.                                                 |
| <b>Play Library Record</b><br>Playback only                               | Plays the underlying Music.app library record represented by the group.                             |
| <b>Copy Artist + Title / Copy Path / Copy Playlists</b><br>Clipboard only | Copies the corresponding text without changing the library.                                         |
| <b>Inspect File</b><br>Read-only analysis                                 | Opens the local file in Audio Inspector.                                                            |



# 5. Playlist Duplicates

Local Music Organizer

Local Music ORGANIZER

Library Dashboard  
quality overview

Library Map  
repeated tracks

Playlist Duplicates  
inside one playlist

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Playlist Duplicates

Find repeated entries inside one playlist.

Playlists

Player

Playlist

Dance

Available playlists

10 playlists

Refresh

Dance

1884

Italo Dance

817

Italy

1220

LMO DUP TEST

2

LMO DUP TEST

2

Meaning

Finds duplicate entries inside one playlist. Removal affects playlist entries only, not files and not Music library records.  
The normal Scan button makes one short live check, then scans the saved selected-playlist rows. Use Refresh Recent Changes and Scan immediately after manually changing this playlist in Music.app; that slower action can wait up to one minute for Music.app automation to publish the change. The scan is read-only; cleanup happens only after an explicit action.

Log folder

/Users/eurodisco/Desktop

Choose Log Folder

Create log files

Stop Music Play

Undo Last Change

Scan Playlist Duplicates

Refresh Recent Changes and Scan

Remove Selected Playlist Entries

Refresh Music Changes

Open Log Folder

Status: Playlist duplicate scan complete — Music.app changes refreshed · took 1s

scan last 1s

Playlist duplicate entries

1 groups 1 Selected

PID[F6FF4178FDCF9D51]

KEEP

Anthony Romeno feat. Natasha Watts - Chocolate Samba (Sweet & Brown Mix)

Album: Chocolate Samba

Duration: 6:11

Playlist index at scan: 1,439

Persistent ID: F6FF4178FDCF9D51

Used in playlists

Dance

Play

Stop

Preview

Reveal in Finder

Inspect

Edit Tags

REMOVE

Anthony Romeno feat. Natasha Watts - Chocolate Samba (Sweet...

Album: Chocolate Samba

Duration: 6:11

Playlist index at scan: 1,884

Persistent ID: F6FF4178FDCF9D51

Used in playlists

Dance

Play

Stop

Preview

Reveal in Finder

Inspect

Edit Tags

Remove This Entry

Playlist duplicate scan complete.


Mode:  
Fast single-pass verification

Playlist:  
Dance

Detailed User Guide

Contents

19



Playlist Duplicates finds repeated entries inside one selected Music.app playlist. It deliberately separates “which occurrence to keep” from “which occurrence to remove.” Removing an entry here does not delete the audio file or the Music.app library record.

## 5.1 Playlist selection and scan controls

|                                                                        |                                                                                                                                                             |
|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Playlist</b><br>Read-only selection                                 | Shows the selected source playlist.                                                                                                                         |
| <b>Available playlists</b><br>Read-only selection                      | List of visible playlists that can be selected as the scan scope.                                                                                           |
| <b>Scan Playlist Duplicates</b><br>Read-only scan                      | Runs the normal duplicate-entry scan for the selected playlist using current/saved playlist data as designed. The scan is read-only.                        |
| <b>Refresh Recent Changes and Scan / LMO index then read-only scan</b> | Slower synchronization scan intended immediately after manual changes in that Music.app playlist. It refreshes the selected playlist state before scanning. |
| <b>Remove Selected Playlist Entries</b><br>Changes playlist entries    | Removes only the checked duplicate occurrences from the selected playlist after explicit review.                                                            |
| <b>KEEP</b><br>Read-only label                                         | Marks the occurrence LMO presents as the retained entry in the duplicate group. It is a review label, not a physical-file operation.                        |
| <b>REMOVE checkbox</b><br>Read-only selection                          | Selects a duplicate playlist occurrence for removal. Checking it alone does not change anything.                                                            |
| <b>Play</b><br>Playback only                                           | Plays the exact occurrence/record represented by the card.                                                                                                  |
| <b>Preview</b><br>Playback/preview only                                | Uses local/Finder-style preview for the exact physical file so two similar entries can be compared independently.                                           |






|                                                    |                                                                   |
|----------------------------------------------------|-------------------------------------------------------------------|
| <b>Reveal in Finder</b><br>Navigation only         | Reveals the physical file path.                                   |
| <b>Inspect</b><br>Read-only analysis               | Opens the exact file in Audio Inspector.                          |
| <b>Edit Tags</b><br>Changes only after save        | Opens the exact Music.app record in the metadata editor.          |
| <b>Remove This Entry</b><br>Changes playlist entry | Removes only this reviewed occurrence from the selected playlist. |

Confirmation meaning The confirmation dialog is intentionally specific about scope: the operation removes a playlist entry. It does not delete the physical audio file. Use Undo Last Change promptly if a supported playlist-entry removal was made in error.

# 6. Library Duplicates



Library Duplicates examines duplicate Music.app records, including multiple records that point to the same local file and other carefully verified duplicate patterns. A complete Full Library Records index is required so a partial cache cannot produce a misleading zero-result scan.

## 6.1 Library Duplicates controls and statuses

|                                                                       |                                                                                                                                      |
|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <b>Scan Library Duplicates</b><br>Read-only scan                      | Scans the complete indexed Music.app record set for duplicate record groups. It is disabled until the full-record index is complete. |
| <b>Remove Selected Duplicate Records</b><br>Changes Music.app records | Removes only explicitly selected Music.app duplicate records after review. It does not physically delete the audio file.             |
| <b>Filter</b><br>Read-only filter                                     | Filters the duplicate groups/results.                                                                                                |
| <b>Show Unused</b><br>Read-only filter                                | Shows records proven to have no playlist usage. This proof requires complete playlist usage coverage.                                |
| <b>All Results</b><br>Read-only filter                                | Returns to all duplicate groups.                                                                                                     |
| <b>Show More</b><br>Read-only view                                    | Loads more matching groups.                                                                                                          |
| <b>Verify This Group</b><br>Read-only targeted verification           | Performs the targeted verification required before higher-risk merge/removal actions are offered.                                    |
| <b>KEEP</b><br>Read-only status                                       | The record currently favored to remain in the group.                                                                                 |



|                                                          |                                                                                                                                                 |
|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>UNUSED DUPLICATE</b><br>Read-only status              | A duplicate record for which complete playlist indexing proves no playlist membership.                                                          |
| <b>NEEDS VERIFIED MERGE</b><br>Read-only status          | A duplicate that cannot safely be removed until its playlist usage/identity is verified and any needed membership is preserved.                 |
| <b>PLAYLIST USAGE UNKNOWN</b><br>Read-only safety status | LMO cannot prove the record is unused because playlist coverage is incomplete. Cleanup is intentionally blocked.                                |
| <b>MISSING PHYSICAL FILE</b><br>Read-only status         | The record points to a local path that is no longer present. This is a review condition, not automatic proof that the record should be deleted. |
| <b>DATA MISMATCH</b><br>Read-only safety status          | Verification found facts that do not agree. LMO blocks automatic cleanup for the group.                                                         |


## 6.2 Record-card actions

|                                                                           |                                                                                                                                                                                       |
|---------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Play in Music</b><br>Playback only                                     | Plays the exact Music.app record represented by the card.                                                                                                                             |
| <b>Finder Preview</b><br>Preview only                                     | Previews the local physical file independently of Music.app.                                                                                                                          |
| <b>Stop</b><br>Playback only                                              | Stops playback/preview.                                                                                                                                                               |
| <b>Reveal</b><br>Navigation only                                          | Reveals the physical file in Finder.                                                                                                                                                  |
| <b>Inspect</b><br>Read-only analysis                                      | Opens the exact local file in Audio Inspector.                                                                                                                                        |
| <b>Edit Tags</b><br>Changes only after save                               | Opens the exact Music.app record in the metadata editor.                                                                                                                              |
| <b>Remove This Record</b><br>Changes Music.app record                     | Removes this specific duplicate Music.app library record after the required safety checks/confirmation. The physical file is not automatically deleted.                               |
| <b>Verified Merge Then Remove</b><br>Changes playlists + Music.app record | For a verified merge case, preserves required playlist relationships and then removes the reviewed redundant Music.app record. It is not offered when the verification is incomplete. |
| <b>Add This Unused To Recovery Playlist</b><br>Changes playlist entry     | Adds the reviewed unused record to the configured recovery/review playlist so it can be inspected before removal.                                                                     |

Quality labels are not mastering judgments Where Library Duplicates shows technical quality information, it is based on measurable file properties. It cannot prove which mastering, mix, pressing, or artistic version sounds best.



# 7. Health Check



Health Check is a read-only diagnostic workspace for missing links, inaccessible records, selected-playlist issues, and physical-folder problems. Some result cards then offer explicit repair/import/trash actions; the scan itself does not perform them.

Health Check principle  
Running Health Check is diagnostic. It does not delete, relink, import, or rewrite anything by itself. A result card may then expose explicit actions; each action has a narrower scope than the scan that found the issue.

## 7.1 Scope and scan controls

|                                                             |                                                                                                                                                                           |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Scope - Entire Music.app Library</b><br>Read-only scan   | Checks every saved Music.app record in bounded SQLite pages. After small library changes, Refresh Music Changes should update the index before this scope is used.        |
| <b>Scope - Selected Playlists</b><br>Read-only scan         | Checks every saved entry in the chosen indexed playlists. It does not require a full physical-root scan.                                                                  |
| <b>Scope - Physical Folder</b><br>Read-only filesystem scan | Scans audio files under the selected physical folder and does not read Music.app playlist membership for the scope itself.                                                |
| <b>Selected playlists</b><br>Read-only selection            | Chooses which indexed playlists are included when Scope is Selected Playlists.                                                                                            |
| <b>Physical root / Choose Root...</b><br>LMO setting        | Shows or chooses the folder used by Physical Folder scans and orphan comparison.                                                                                          |
| <b>Find Orphan Physical Files</b><br>Read-only comparison   | For Entire Music.app Library, compares physical files under the chosen root against complete Music.app paths to identify files present on disk but absent from Music.app. |



|                                                                                         |                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Include Missing Artwork</b><br>Read-only scan option                                 | Includes missing-artwork findings where the selected scope supports Music.app records.                                                                                         |
| <b>Review playlist</b><br>LMO setting                                                   | Name of the playlist used by reviewed orphan-import workflows.                                                                                                                 |
| <b>Run Health Check</b><br>Read-only scan                                               | Starts the selected read-only diagnostic scope.                                                                                                                                |
| <b>Import Selected Orphans as New Music.app Records...</b><br>Changes Music.app library | Imports only the explicitly selected orphan physical files as new Music.app records after review. This creates new Music.app records; it does not “repair” the Music database. |
| <b>Clear Health</b><br>LMO view only                                                    | Clears Health Check result state in LMO.                                                                                                                                       |
| <b>Recheck Visible</b><br>Read-only targeted verification                               | Reruns targeted checks only for currently visible findings.                                                                                                                    |
| <b>Show More</b><br>Read-only view                                                      | Loads more matching findings.                                                                                                                                                  |

## 7.2 Health result actions

Local Music ORGANIZER

Library Dashboard

Library Map

Playlist Duplicates

Library Duplicates

Health Check

Artwork Check

Repair Convert

Track Usage

Playlist Compare

File Maintenance

Quality Duplicates

Setup

Help

Refresh Music Changes

Stop Music Play

Open Log Folder

Log: Desktop

Health Check

Find missing links, no-local records, unreadable files, path risks, and orphan physical files.

Scope

Entire Music.app Library

Selected Playlists

Physical Folder

File search root

/Users/eurodisco/Music

Choose Root...

Options

Find orphan physical files

Include Missing Artwork

Compared files under the selected root with the complete Music.app library.

Review playlist

Recovered Orphan Files

Log folder

/Users/eurodisco/Desktop

Choose Log Folder

Create log files

Stop Music Play

Undo Last Change

Run Health Check

Import Selected Orphans as New Music.app Records...

Clear Health

Refresh Music Changes

Open Log Folder

Status: Health Check complete · took 1s · scan last 1s

Health Check

Filter by category, artist, title, album, path, playlist, details

Clear

Show More

Recheck Visible

8 shown / 8 results · 0 Selected

Missing file

Critical

C.C. Catch - Heaven and Hell (Index-1 Remix Extended)

Music record points to a physical path that does not exist on disk.

/Users/eurodisco/Music/Dance/C.C.Catch - Heaven and Hell (Index-1 Remix Extended).mp3

Used in playlists

Recheck

Repair Local Link...

Play

Stop

Reveal

Inspect

Copy Path

Edit Tags

Copy info

Search Discogs

Missing file

Critical

C.C.Catch - Good Guys Only Win in Movies (Tracking Version)

Now I Feel Your Love Again (The Remix Album 2024)

How to read the new Health result screenshot

The red "Missing file / Critical" card means the Music.app record still exists but its saved physical path does not exist on disk. The blue "Used in playlists" indicator means the record participates in indexed playlist relationships; that information is important before any relink or cleanup. Buttons on the card act only on this reviewed item unless their label explicitly says otherwise.

|                                                                 |                                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Used in playlists</b><br>Read-only relationship / navigation | Appears when the indexed record is used by a playlist. The adjacent playlist button identifies that playlist; selecting it opens the playlist in Music.app and reveals the exact matching track. It does not add, remove, or move any playlist entry. |
| <b>Recheck</b><br>Read-only targeted verification               | Rechecks only the selected finding against current file/Music.app state.                                                                                                                                                                              |



|                                                                       |                                                                                                                                                     |
|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Repair Local Link...</b><br>Changes Music.app file link            | Relinks the same existing Music.app Persistent ID to the local file the user chooses, with verification. It is not a whole-library database repair. |
| <b>Import as New Music.app Record...</b><br>Changes Music.app library | Imports the reviewed orphan file as a new Music.app record.                                                                                         |
| <b>Dismiss</b><br>LMO view/state only                                 | Hides/dismisses a reviewed orphan finding from the current result context without changing the physical file.                                       |
| <b>Play</b><br>Playback only                                          | Plays the matching local/Music.app item.                                                                                                            |
| <b>Reveal / Reveal Extra Copy</b><br>Navigation only                  | Reveals the path represented by the finding. "Extra Copy" distinguishes an unreferenced physical file from the file Music.app currently uses.       |
| <b>Reveal Music.app Copy/Copies</b><br>Navigation only                | Opens the alternative current Music.app location(s) when a suspicious extra physical copy is being reviewed.                                        |
| <b>Inspect</b><br>Read-only analysis                                  | Opens the local file in Audio Inspector.                                                                                                            |
| <b>Fix Invisible Characters</b><br>Changes reviewed name/tag only     | Applies the narrowly scoped visible naming/tag correction offered for a verified invisible-character finding.                                       |
| <b>Copy Path / Copy Info</b><br>Clipboard only                        | Copies the path or finding details.                                                                                                                 |
| <b>Edit Tags</b><br>Changes only after save                           | Opens Music.app metadata editor for a matched Music.app record.                                                                                     |
| <b>Show Tag Guess</b><br>Read-only / clipboard                        | For a physical-only file with no Music.app record, opens a guessed tag view; it cannot save to Music.app because there is no matched record.        |
| <b>Search Discogs</b><br>Navigation only                              | Opens a browser search from the visible metadata.                                                                                                   |

## 7.3 "Music uses another file location" actions


Meaning of "Music uses another file location"

This does not mean that Music.app has lost the song. It means LMO found an additional physical file with the same normalized filename while Music.app already points to another physical path. The extra copy is therefore not auto-imported. The result deliberately separates the path Music.app uses from the extra path so the user can compare them before choosing any destructive action.

|                                                                  |                                                                                                                                                                     |
|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TRASH THIS FILE</b><br>Read-only safety label                 | Label identifying the unreferenced extra physical copy, not the current Music.app file.                                                                             |
| <b>KEEP THIS FILE</b><br>Read-only safety label                  | Label identifying the physical path currently referenced by Music.app.                                                                                              |
| <b>Trash THIS Extra File...</b><br>Changes physical file / Trash | Moves only the explicitly identified extra physical file to macOS Trash after critical confirmation. It does not remove the current Music.app record automatically. |
| <b>Keep Both - Dismiss for Now</b><br>No file change             | Leaves both physical files untouched and dismisses the finding for the current review.                                                                              |
| <b>Prefer Extra Copy...</b><br>Review workflow                   | Opens the deliberate workflow for preferring the extra copy; it does not silently replace the Music.app link.                                                       |



# 8. Artwork Check



Artwork Check searches for Music.app records that appear to have no cover artwork. The check is diagnostic only: LMO does not download artwork and does not write artwork into Music.app or audio files.


## 8.1 Artwork Check controls

|                                                                                        |                                                                                                                                                                     |
|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Playlist selection</b><br>Read-only selection                                       | Chooses the playlist whose saved rows will be checked for artwork state.                                                                                            |
| <b>Meaning</b><br>Read-only display                                                    | Explains the difference between the fast candidate scan and full live verification.                                                                                 |
| <b>Run Artwork Check</b><br>Read-only scan                                             | Uses indexed rows to identify possible missing-artwork candidates and live-verifies only those candidates as required.                                              |
| <b>Run Full Live Verification</b><br>Read-only Music.app verification                  | Slow path that asks Music.app to verify every selected playlist entry live. Use when a complete current verification is more important than speed.                  |
| <b>Clear Artwork</b><br>LMO view only                                                  | Clears Artwork Check results from LMO.                                                                                                                              |
| <b>Filter / Show More / Clear</b><br>Read-only view                                    | Filter and page the current missing-artwork findings.                                                                                                               |
| <b>Result-card Play / Reveal / Inspect / Edit Tags / Copy</b><br>Mixed - explicit only | Use the same exact-record/file actions described elsewhere. Edit Tags changes supported text metadata only after Save; Artwork Check itself never writes cover art. |

Important limitation “Missing artwork” means LMO could not confirm artwork for that Music.app record in the chosen check. LMO does not fetch artwork from the internet and does not attempt to rewrite embedded cover images.



# 9. Repair / Convert



Repair / Convert creates verified output files from selected local audio sources and handles specialist sources such as CUE albums. Conversion, Queue Report, Vinyl De-click, and CUE handling are separate functions even though they share the same queue.

## 9.1 Conversion profile and naming controls

|                                                                          |                                                                                                                                                                |
|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Profile</b><br>LMO conversion setting                                 | Selects the conversion/normalization target. The profile defines codec/container/sample-rate/bit-depth behavior; it does not start conversion.                 |
| <b>Normalize 48 → 44.1 kHz (Keep Format)</b><br>Output file only         | Resamples 48 kHz sources to 44.1 kHz while keeping a supported source format family. Lossy MP3/AAC require lossy re-encoding and are warned before conversion. |
| <b>Normalize &gt;16 → 16-bit (Keep Format)</b><br>Output file only       | Reduces supported lossless/PCM sources above 16-bit to 16-bit while keeping their format family.                                                               |
| <b>Normalize 48/High-Res → 44.1/16 (Keep Format)</b><br>Output file only | Combines 44.1 kHz resampling and 16-bit normalization for supported sources while retaining the source format family.                                          |
| <b>AAC 256 M4A / AAC 320 M4A</b><br>Output file only                     | Creates stereo AAC M4A listening copies at the stated bitrate and 44.1 kHz.                                                                                    |
| <b>MP3 260 Stereo / MP3 320 Stereo</b><br>Output file only               | Creates CBR MP3 at the stated bitrate and 44.1 kHz. Stereo coding follows MP3 Stereo Mode.                                                                     |
| <b>ALAC 16/44.1 M4A</b><br>Output file only                              | Creates a Music.app-friendly Apple Lossless 16-bit / 44.1 kHz / stereo copy.                                                                                   |





|                                                                                         |                                                                                                                        |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>ALAC 24-bit Archive M4A</b><br>Output file only                                      | Creates a 24-bit Apple Lossless archive copy.                                                                          |
| <b>FLAC Lossless / FLAC Max Compression</b><br>Output file only                         | Creates FLAC output with balanced or stronger lossless compression. FLAC is primarily for workflows outside Music.app. |
| <b>WAV 24-bit / WAV 32-bit Float</b><br>Output file only                                | Creates uncompressed WAV output for archive/editor/intermediate workflows.                                             |
| <b>AIFF 16/44.1 / AIFF 24-bit</b><br>Output file only                                   | Creates PCM AIFF output at the stated resolution.                                                                      |
| <b>OGG Vorbis Q7 / Opus</b><br>Output file only                                         | Creates the stated lossy non-Apple listening format.                                                                   |
| <b>WavPack High</b><br>Output file only                                                 | Creates high-compression WavPack lossless output when the included engine supports encoding.                           |
| <b>MP3 Stereo Mode - Auto / Joint Stereo (Recommended)</b><br>LMO conversion setting    | Lets the MP3 encoder choose efficient joint stereo automatically.                                                      |
| <b>MP3 Stereo Mode - Forced Stereo</b><br>LMO conversion setting                        | Encodes left/right independently; intended only for a specific compatibility requirement.                              |
| <b>File names - Keep album numbering</b><br>LMO output naming setting                   | Keeps the source/CUE track name including leading album track numbers.                                                 |
| <b>File names - Artist - Title</b><br>LMO output naming setting                         | Uses Artist - Title when usable metadata/CUE fields exist, otherwise falls back to the source name.                    |
| <b>Remove leading track number in Artist - Title names</b><br>LMO output naming setting | When Artist - Title naming is selected, removes leading numeric track prefixes from the generated output name.         |

## 9.2 Output, cleanup, and source handling



Local Music Organizer

Local Music ORGANIZER

Library Dashboard

quality overview

Library Map

repeated tracks

Playlist Duplicates

inside one playlist

Library Duplicates

same Music.app location

Health Check

problems + missing

Artwork Check

Missing Covers

Repair Convert

Music Compatible

Track Usage

where used

Playlist Compare

A vs B

File Maintenance

permissions / Finder

Quality Duplicates

best version

Shuffle Builder

anti-repeat shuffle

Audio Inspector

Setup

permissions + settings

Help

manual + safety

Stop Music Play

Open Log Folder

Logs: Desktop

Repair Convert

Convert WMA, OGG, Opus, DSD, CUE albums, hi-res PCM, and audiophile formats into Music.app-compatible files.

MP3 Stereo Mode

MP3 Stereo Mode 

Auto / Joint Stereo (Rec...

Lets LAME choose efficient joint stereo automatically. Recommended for the best quality at the selected bitrate.

File names

File names 

Artist - Title

Uses Artist - Title when tags/CUE data are available. Falls back to the source filename.

Remove leading track number in Artist - Title names

Example: Al Bano & Romina Power - 01 Raccogli L'Attimo → Al Bano & Romina Power - Raccogli L'Attimo. Tags inside the output file are not rewritten by this option.

Audio cleanup

Audio cleanup 

None

No restoration filter. Best for clean digital files.

Use de-click only for vinyl/rip defects. It is applied to the converted copy only; the original is never changed.

Output location

Output location 

Same Folder as Source

Saves each converted file beside its source. LMO reuses folder access you already granted; macOS asks only when a destination folder is not yet authorized. Existing destination files are never overwritten. After a converted output passes verification, the source is handled according to the selected After conversion mode.

After conversion

Keep original

Open Backup Folder

Keep original leaves the source untouched. Trash moves it to the macOS Trash. LMO Backup Folder moves it into a dated backup session and preserves the original folder path, so a large batch can be restored later without sorting files out of Trash.

Supported input

Supported local audio: FLAC/WAV/AIFF, OGG/Opus/WebM, DSD/SACD, APE, WV/WVC, TAK+CUE, OFR/OFS, MPC, TTA, SHN, ATRAC, tracker modules, game audio, AC3/EAC3/DTS, CUE and M3U/M3UB/PLS. One nearby JPG/PNG in the folder is used automatically as cover art.

Log folder

/Users/eurodisco/Desktop

Choose Log Folder

Create log files

Stop Music Play

Undo Last Change

Open Log Folder

Repair status: SACD table of contents loaded: 13 tracks

Repair / Convert Queue

1 queued / 1 Selected

Drop files or .cue sheets here

Add Files

Add CUE Sheet

Queue Report

Start Conversion

Apply De-click To Selected

Preview 30s De-click

Compare 30s All Modes

Clear Queue

Repair / Convert handles format repair, conversion, CUE, SACD and de-click.

✓ FOOTLOOSE (15TH ANNIVERSARY COLLECTOR'S EDITION).iso

Reveal

File • whole file

/Users/eurodisco/Documents/Ipoeet/Various Artists - Footloose (1984) [SACD] [2001 Remaster ISO]/FOOTLOOSE (15TH ANNIVERSARY COLLECTOR'S EDITION).iso

Notes: SACD ISO detected; reading its table of contents now. Conversion will extract stereo DSF tracks with the built-in SACD engine, then encode them.

✓ SACD contents — 13 tracks

| #  | Title                                    | Performer      | Time | ISRC |
|----|------------------------------------------|----------------|------|------|
| 02 | Footloose                                | Unknown artist | 3:46 | —    |
| 03 | Let's Hear It For The Boy                | Unknown artist | 4:21 | —    |
| 04 | Almost Paradise (Love Theme 'Footloose') | Unknown artist | 3:48 | —    |
| 05 | Holding Out For A Hero                   | Unknown artist | 5:50 | —    |
| 06 | Dancing In The Sheets                    | Unknown artist | 4:04 | —    |

|                                                                                     |                                                                                                                      |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Audio cleanup - None</b><br>Output setting                                       | No restoration filter is applied.                                                                                    |
| <b>Vinyl De-click Light</b><br>Output file only                                     | Light de-click intended for mild ticks while preserving transients.                                                  |
| <b>Vinyl De-click Medium</b><br>Output file only                                    | Careful stronger de-click intended as the normal vinyl-cleanup starting point.                                       |
| <b>Vinyl De-click Strong</b><br>Output file only                                    | Stronger multi-pass cleanup for noisier rips; sharp attacks can be softened, so review is important.                 |
| <b>Vinyl De-click Rescue</b><br>Output file only                                    | Most aggressive rescue mode. It is the slowest/most destructive de-click option and should be auditioned before use. |
| <b>Output location - Music Converted Folder</b><br>Output setting                   | Saves converted files in the selected conversion destination.                                                        |
| <b>Output location - Same Folder as Source</b><br>Output setting                    | Saves each verified output beside its source. Existing destination files are never silently overwritten.             |
| <b>Choose... / Open</b><br>LMO setting / navigation                                 | Chooses or opens the current Music Converted Folder destination.                                                     |
| <b>After conversion - Keep original</b><br>Source unchanged                         | Leaves the source file in place after output verification.                                                           |
| <b>After conversion - Move original to Trash</b><br>Changes physical source / Trash | After the converted output passes verification, moves the source to macOS Trash.                                     |

Detailed User Guide

Contents

30



|                                                                                           |                                                                                                    |
|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| After conversion - Move original to LMO Backup Folder<br>Changes physical source location | After successful output verification, moves the source into LMO's backup folder rather than Trash. |
| Open Backup Folder<br>Navigation only                                                     | Opens the LMO backup folder in Finder.                                                             |

### 9.3 Queue controls

Local Music Organizer

Local Music ORGANIZER

Library Dashboard  
quality overview

Library Map  
repeated tracks

Playlist Duplicates  
inside one playlist

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Audio Inspector

Setup  
permissions + settings

Help  
manual + safety

Stop Music Play

Open Log Folder

Logs: Desktop

Repair Convert

Convert WMA, OGG, Opus, DSD, CUE albums, hi-res PCM, and audiophile formats into Music.app-compatible files.

Profile

File names

Audio cleanup

Output location

After conversion

Supported input

Log folder

Stop Music Play

Undo Last Change

Open Log Folder

Repair status: Converting extracted DSF 4 / 13: 04 - Holding Out For A Hero.dsf

Repair / Convert Queue

Drop files or .cue sheets here

ADD FILES

ADD CUE SHEET

Queue Report

Start Conversion

Apply De-click To Selected

Preview 30s De-click

Compare 30s All Modes

Stop Conversion

Clear Queue

FOOTLOOSE (15TH ANNIVERSARY COLLECTOR'S EDITION).iso

File - whole file

/Users/eurodisco/Documents/Ipoeet/Various Artists - Footloose (1984) [SACD] [2001 Remaster ISO]/FOOTLOOSE (15TH ANNIVERSARY COLLECTOR'S EDITION).iso

Notes: SACD ISO detected; reading its table of contents now. Conversion will extract stereo DSF tracks with the built-in SACD engine, then encode them.

SACD contents — 13 tracks

| #  | Title                                    | Performer      | Time | ISRC |
|----|------------------------------------------|----------------|------|------|
| 02 | Footloose                                | Unknown artist | 3:46 | —    |
| 03 | Let's Hear It For The Boy                | Unknown artist | 4:21 | —    |
| 04 | Almost Paradise (Love Theme 'Footloose') | Unknown artist | 3:48 | —    |
| 05 | Holding Out For A Hero                   | Unknown artist | 5:50 | —    |
| 06 | Dancing In The Sheets                    | Unknown artist | 4:04 | —    |

|                                    |                                                                                                                                                            |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Drop area<br>Queue only            | Accepts supported local audio sources/CUE sheets for the Repair / Convert queue. Adding a source does not convert it.                                      |
| Add Files<br>Queue only            | Opens a file picker and adds supported local audio files to the queue.                                                                                     |
| Add CUE Sheet<br>Queue only        | Adds a CUE sheet and resolves its referenced album audio. macOS may require folder access for sibling files referenced by the CUE.                         |
| Queue Report<br>Read-only report   | Creates an informational report for the current queue. It reports source kind, support/decoder status, and conversion decision. It does not convert files. |
| READY<br>Read-only status          | Queue Report status indicating the source is ready for the selected conversion path.                                                                       |
| NEEDS TOOL<br>Read-only status     | Queue Report status indicating a required bundled/available decoder/tool path is not ready.                                                                |
| NOT STANDALONE<br>Read-only status | Queue Report status for an item that is not a standalone audio source by itself.                                                                           |



|                                                               |                                                                                                                                                                     |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>LIMITED</b><br>Read-only status                            | Queue Report status for a source with limited handling.                                                                                                             |
| <b>SPECIAL DECODER</b><br>Read-only status                    | Queue Report status indicating a specialist decoder path is needed.                                                                                                 |
| <b>BLOCKED</b><br>Read-only status                            | Queue Report status indicating conversion is intentionally blocked for the current item/condition.                                                                  |
| <b>Start Conversion</b><br>Creates output / may handle source | Starts conversion only for the selected queue items using the current profile/output/cleanup/original-handling settings.                                            |
| <b>Stop Conversion</b><br>Stops conversion                    | Stops the active encoder process. Already verified completed outputs retain the selected After conversion handling; an unverified current source remains protected. |
| <b>Clear Queue</b><br>Queue only                              | Clears pending queue items and related preview state from LMO. It does not delete source files.                                                                     |
| <b>Reveal</b><br>Navigation only                              | Reveals the queued source file in Finder.                                                                                                                           |

## 9.4 Vinyl De-click, CUE, and specialist-source controls

Local Music Organizer

Local Music ORGANIZER

Library Map

repeated tracks

Playlist Duplicates

inside one playlist

Library Duplicates

same Music.app location

Health Check

problems + missing

Artwork Check

Missing Covers

Repair Convert

Music Compatible

Track Usage

where used

Playlist Compare

A vs B

File Maintenance

permissions / Finder

Quality Duplicates

best version

Shuffle Builder

anti-repeat shuffle

Audio Inspector

format + spectrum

File Search

.....

Setup

permissions + settings

Help

manual + safety

Stop Music Play

Open Log Folder

Logs: Desktop

Repair Convert

Convert WMA, OGG, Opus, DSD, CUE albums, hi-res PCM, and audiophile formats into Music.app-compatible files.

Playlists

Player

Profile

ProfileALAC 16/44.1 M4A

Apple Lossless repair copy, 16-bit / 44.1 kHz / stereo. Recommended default for Music.app and iPhone use. Profiles use the conversion engine included inside the app. Apple-safe profiles create AAC/ALAC/AIFF copies; archive profiles add FLAC/WAV/WavPack; compact profiles add OGG Vorbis and Opus. Optional de-click is applied to the output copy only.

File names

File namesArtist - Title

Uses Artist - Title when tags/CUE data are available. Falls back to the source filename.

Remove leading track number in Artist - Title names

Example: Al Bano & Romina Power - 01 Raccogli L'Attimo -> Al Bano & Romina Power - Raccogli L'Attimo. Tags inside the output file are not rewritten by this option.

Audio cleanup

Audio cleanupNone

No restoration filter. Use de-click only for converted copy only; the original is never changed.

Vinyl De-click Light

Vinyl De-click Medium

Vinyl De-click Strong

Vinyl De-click Rescue

Output location

Output location

Saves each converted file to the same folder as the source. If you have folder access you already granted; macOS asks only when a destination folder is not yet authorized. Existing destination files are never overwritten. After a converted output passes verification, the source is handled according to the original file's permissions.

After conversion

Keep originalOpen Backup Folder

Keep original leaves the source untouched. Trash moves it to the macOS Trash. LMO Backup Folder moves it into a dated backup session and preserves the original folder path, so a large batch can be restored later without sorting files out of Trash.

Supported input

Supported local audio: FLAC/WAV/AIFF, OGG/Opus/WebM, DSD/SACD, APE, WV/WVC, TAK+CUE, OFR/OFS, MPC, TTA, SHN, ATRAC, tracker modules, game audio, AC3/EAC3/DTS, CUE and M3U/M3U8/PLS. One nearby JPG/PNG in the folder is used automatically as cover art.

Log folder

/Users/eurodisco/Desktop

Choose Log FolderCreate log files

Stop Music Play

Undo Last Change

Open Log Folder

Repair status: Naming/tag formatting scan complete - took 0s

scan last 0s

Repair / Convert Queue

0 queued / 0 Selected

Drop files or .cue sheets here

Add Files

Add CUE Sheet

Queue Report

Start Conversion

Apply De-click To Selected

Preview 30s De-click

Compare 30s All Modes

Clear Queue

Repair / Convert handles format repair, conversion, CUE, SACD and de-click.

No conversion queue.

Use the buttons above to add audio files or CUE sheets. Queue Report shows what the app can convert, what needs a special decoder, and what is not a standalone audio file.

For CUE albums, click Add CUE Sheet above or drop the .cue directly onto that button.


|                                                           |                                                                                                                                                                              |
|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Apply De-click To Selected</b><br>Creates output file  | Runs the chosen de-click mode for selected queue files and creates cleaned copies at the selected destination. The selected source files are not overwritten by this action. |
| <b>Preview 30s De-click</b><br>Temporary preview output   | Creates/auditions a 30-second sample for the currently selected de-click mode so the restoration strength can be judged without changing the source.                         |
| <b>Compare 30s All Modes</b><br>Temporary preview outputs | Creates 30-second comparison samples for Light, Medium, Strong, and Rescue. The original remains unchanged.                                                                  |



|                                                          |                                                                                                                                                                                   |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CUE track rows</b><br>Queue only until conversion     | Represent track ranges defined by the CUE sheet, including title/artist/album information when present. Conversion extracts the selected ranges from the referenced source audio. |
| <b>SACD contents disclosure</b><br>Read-only source info | For recognized SACD ISO sources, expands the readable disc/table-of-contents information when the specialist decoder can obtain it. Reading the table does not extract audio.     |

Queue Report is not conversion The correct button name is Queue Report. Its purpose is to explain the queue and decoder path. Conversion begins only with Start Conversion.

# 10. Track Usage



Track Usage answers “where is this track used?” by searching indexed Music.app records and saved playlist membership. It can also start from a physical-file search and then test only the matching rows for playlist use or file risks.

## 10.1 Track Usage controls and results

|                                                                             |                                                                                                                                                 |
|-----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Search field</b><br>Read-only query                                      | Accepts artist, title, album, filename, path, or Persistent ID.                                                                                 |
| <b>Scan Usage</b><br>Read-only scan                                         | Fast path: searches the saved SQLite playlist-usage index. It does not rescan every playlist from Music.app.                                    |
| <b>Refresh All Playlist Usage and Scan</b><br>LMO index then read-only scan | Slow path: refreshes all visible playlist membership from Music.app, saves it, then runs the usage search.                                      |
| <b>Find File on Disk</b><br>Read-only filesystem search                     | Searches the configured physical-file area for the requested item when the physical file rather than playlist usage is the starting point.      |
| <b>Check File Risks</b><br>Read-only targeted verification                  | Runs read-only diagnostics on the matching rows for duplicate paths, repeated-copy risk, unusual file metadata, and related sync/file concerns. |
| <b>Clear</b><br>LMO view only                                               | Clears Track Usage search/results in LMO.                                                                                                       |
| <b>Filter / Show More</b><br>Read-only view                                 | Filters and pages the current usage results.                                                                                                    |
| <b>Playlist chips</b><br>Navigation only                                    | Show the indexed playlists that contain the track. Selecting a chip reveals the playlist destination rather than changing membership.           |



|                                             |                                                                                                          |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <b>Scan Usage now</b><br>Read-only scan     | For a physical result whose playlist usage has not yet been checked, performs the targeted usage lookup. |
| <b>Play in Music</b><br>Playback only       | Plays the matched Music.app record.                                                                      |
| <b>Preview</b><br>Preview only              | For a physical-only result, previews the local file without creating a Music.app record.                 |
| <b>Stop</b><br>Playback only                | Stops playback.                                                                                          |
| <b>Reveal</b><br>Navigation only            | Reveals the file path in Finder.                                                                         |
| <b>Inspect</b><br>Read-only analysis        | Opens Audio Inspector for the local file.                                                                |
| <b>Edit Tags</b><br>Changes only after save | Opens the Music.app metadata editor when an exact Music.app record is available.                         |
| <b>Copy Path</b><br>Clipboard only          | Copies the physical path.                                                                                |
| <b>Search Discogs</b><br>Navigation only    | Opens an external Discogs search from the visible metadata.                                              |



# 11. Playlist Compare

Local Music ORGANIZER

Library Dashboard  
quality overview

Library Map  
repeated tracks

Playlist Duplicates  
inside one playlist

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Playlist Compare

Compare two playlists and show shared or repeated tracks.

PlaylistsPlayer

Playlist A

Italy

Playlist B

Various

Selected: Italy vs Various

SwapClear

Long refresh

Refresh Selected Playlists and Compare

Log folder

/Users/eurodisco/Desktop

Choose Log FolderCreate log files

Stop Music PlayUndo Last ChangeCompare PlaylistsIndex Selected PlaylistsClearRefresh Music ChangesOpen Log Folder

Status: Playlist Compare SQL page loaded · 50 / 940 · took 0s scan last 0s

Playlist Compare

50 / 940 repeated rows

Filter by artist, title, album, path, status

Show MoreRemove Shown from ARemove Shown from B

Bulk removal uses the current filtered compare rows. It removes playlist entries only; audio files and Music library records are not deleted. Undo Last Change can restore them.

1A - 110 - 110 - 1A - DJ Dark, Mentol - Love In Portofino (Extended)

Repeated in both

Same physical file or same persistent ID appears in both playlists.

/Users/eurodisco/Music/Music/Various/DJ Dark, Mentol - Love In Portofino (Extended).mp3

/Users/eurodisco/Music/Music/Various/DJ Dark, Mentol - Love In Portofino (Extended).mp3

Used in playlistsItalyVarious

Play APlay BStopReveal AReveal BRemove from ARemove from BEdit AEdit BCopy

2raumwohnung - Bonjour Chérie (Edit)

Repeated in both

Same physical file or same persistent ID appears in both playlists.

/Users/eurodisco/Music/Music/Various/2raumwohnung - Bonjour Chérie (Edit).m4a

/Users/eurodisco/Music/Music/Various/2raumwohnung - Bonjour Chérie (Edit).m4a

Used in playlistsItalyVarious

Play APlay BStopReveal AReveal BRemove from ARemove from BEdit AEdit BCopy

Playlist Compare SQL scan complete.

Playlist A rows checked:  
1220

Playlist Compare compares every saved row from two selected playlists and shows what is shared or present on only one side. It can use the fast saved index or explicitly refresh the two selected playlists first.

## 11.1 Playlist Compare controls

|                                                                                |                                                                                                                |
|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Playlist A / Playlist B</b><br>Read-only selection                          | Choose the two playlists to compare.                                                                           |
| <b>Swap</b><br>Read-only selection                                             | Exchanges Playlist A and Playlist B so one-sided results can be interpreted from the opposite direction.       |
| <b>Clear</b><br>LMO view only                                                  | Clears the selected comparison/result state.                                                                   |
| <b>Compare Playlists</b><br>Read-only scan                                     | Fast path: compares all saved rows from both selected playlists directly in SQLite and loads results in pages. |
| <b>Index Selected Playlists</b><br>LMO index                                   | Builds missing saved membership for the two selected playlists without indexing every visible playlist.        |
| <b>Refresh Selected Playlists and Compare</b><br>LMO index then read-only scan | Slow path: rereads both selected playlists from Music.app, saves complete snapshots, then compares them.       |
| <b>Filter</b><br>Read-only filter                                              | Filters comparison results by artist/title/album/path/status.                                                  |
| <b>Show More</b><br>Read-only view                                             | Loads additional comparison rows.                                                                              |






|                                                                              |                                                                                                                                           |
|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Remove Shown from A / Remove Shown from B</b><br>Changes playlist entries | Bulk-removes only the currently shown/filtered playlist entries from the indicated playlist after review. Physical files are not deleted. |
| <b>Play A / Play B</b><br>Playback only                                      | Plays the exact record from the corresponding side.                                                                                       |
| <b>Reveal A / Reveal B</b><br>Navigation only                                | Reveals the local path for the corresponding side.                                                                                        |
| <b>Remove from A / Remove from B</b><br>Changes playlist entry               | Removes that exact occurrence from the indicated playlist only.                                                                           |
| <b>Edit A / Edit B</b><br>Changes only after save                            | Opens the exact Music.app record on that side in the metadata editor.                                                                     |
| <b>Copy</b><br>Clipboard only                                                | Copies the comparison row information.                                                                                                    |



# 12. File Maintenance



File Maintenance is a collection of separate physical-file and tag-maintenance tools. The current toolbar is intentionally split into two rows. Scans are read-only; fixing permissions, Finder metadata, filenames, Music.app tags, or embedded tags requires an explicit modifying button.

## 12.1 Scope card and maintenance toolbar

|                                                                                        |                                                                                                                                    |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Scope</b><br>Read-only display                                                      | Explains that permissions, safe Finder metadata, naming/tag spacing, and hidden embedded metadata are separate maintenance checks. |
| <b>Scan Naming &amp; Tag Formatting</b><br>Read-only scan                              | Read-only scan for supported spacing problems in Music.app Title/Artist/Album and local filenames.                                 |
| <b>File search root / Choose Root... / Choose Additional Folders...</b><br>LMO setting | Shows and changes the physical root(s) used by file-based maintenance. Network/NAS locations are not validated by this guide.      |
| <b>Log folder / Choose Log Folder / Create log files</b><br>Support log setting        | Controls maintenance log destination and whether scan logs are written.                                                            |
| <b>Stop Scan</b><br>Stops scan only                                                    | Appears while a supported maintenance scan is running and requests cancellation.                                                   |
| <b>Stop Music Play</b><br>Playback only                                                | Stops playback.                                                                                                                    |
| <b>Undo Last Change</b><br>Changes depend on last action                               | Restores the most recent supported maintenance edit when an undo snapshot exists.                                                  |
| <b>Scan Audio Permissions</b><br>Read-only filesystem scan                             | Reads file permission modes and lists audio files that do not match the expected maintenance target.                               |



|                                                                     |                                                                                                                                                   |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Normalize 755→644</b><br>Changes filesystem permissions          | Changes selected/listed audio-file permission mode from executable-style 755 to normal file mode 644 where the scan has identified eligible rows. |
| <b>Scan Finder Metadata</b><br>Read-only filesystem scan            | Reads the supported Finder extended-metadata state for the selected physical files.                                                               |
| <b>Remove Last-Used Finder Metadata</b><br>Changes Finder metadata  | Removes only the allow-listed “last used” Finder metadata from the reviewed eligible files. Other unknown attributes are not broadly erased.      |
| <b>Scan Naming &amp; Tags</b><br>Read-only scan                     | Same naming/tag-formatting scan exposed as a compact toolbar action.                                                                              |
| <b>Scan Hidden Audio Tags</b><br>Read-only file metadata scan       | Reads embedded metadata fields and shows values for review.                                                                                       |
| <b>Full Verify Tags</b><br>Read-only file metadata scan             | Forces full verification of hidden embedded tags instead of relying on reusable cached facts.                                                     |
| <b>Clean Selected Hidden Tags</b><br>Changes embedded file metadata | Removes only the explicitly selected supported hidden-tag fields after verification.                                                              |
| <b>Clear</b><br>LMO view only                                       | Clears File Maintenance result sets and selections in LMO.                                                                                        |
| <b>Refresh Music Changes</b><br>LMO index                           | Incrementally updates LMO's Music.app index after relevant Music.app changes.                                                                     |
| <b>Open Log Folder</b><br>Navigation only                           | Opens the selected log folder.                                                                                                                    |

## 12.2 Hidden audio tag result example

Local Music Organizer

Local Music ORGANIZER

Library Dashboard  
quality overview

Library Map  
repeated tracks

Playlist Duplicates  
inside one playlist

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Audio Inspector

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

File Maintenance

File permissions and safe metadata cleanup for local audio files.

Playlists

Player

Scope

Check or fix audio-file permissions, review safe Finder metadata, inspect naming/tag spacing, and compare a suspicious track before and after iPhone sync. Scans are read-only; edits run only after explicit review or selection.  
This check may read Music.app records and local file metadata. It does not delete files or change Music.app records during the scan.

Naming / tags

Scan Naming & Tag Formatting

Read-only scan for repeated spaces and parenthesis spacing in Music.app Title / Artist / Album plus local filenames. Manual review and batch fixes appear in the File Maintenance results below.

File search root

/Users/eurodisco/Music

Choose Root...

Choose Additional Folders...

Log folder

/Users/eurodisco/Desktop

Choose Log Folder

Create log files

Stop Music Play

Undo Last Change

Scan Audio Permissions

Normalize 755→644

Scan Finder Metadata

Remove Last-Used Finder Metadata

Scan Naming & Tags

Scan Hidden Audio Tags

Full Verify Tags

Clean Selected Hidden Tags

Clear

Refresh

Status: Hidden tag scan complete · took 1s

scan last 1s

File Maintenance Issues

Filter by artist, title, album, path, playlist, risk

Show More

Scan Hidden Audio Tags

Full Verify Tags

Select All Hidden Tags

Clear Tag Selection

Clean Selected Hidden Tags

1 issue(s)

Embedded metadata review

Publisher, label, copyright and license are preserved as Review only. Cleanup candidates are limited to obvious downloader/source/promo/bootleg/ripper traces and source-noise Grouping values. Scan results are never auto-selected for removal. Encoder fields are ignored because ffmpeg may recreate them during remuxing.

Maskova - Dreamer.m4a

/Users/eurodisco/Music/Music/Various/Maskova - Dreamer.m4a

Open In Music

Music Library

copyright file review only - manual removal

2025 Maskova

Preserved by default. Select this checkbox only when you intentionally want to remove this metadata.

Clean Selected In This File

Select Recommended

Select All In This File

Clear File Selection

Reveal

Copy

1 hidden tag(s)

Edit

Hidden embedded-tag scan complete.

Files checked: 7204

Files with any embedded tags: 7204




What the shown hidden-tag result means  
The example file contains a visible embedded tag named "copyright" with the value "2025 Maskova". LMO marks it "review only · manual removal" and preserves it by default. This is deliberate: copyright, publisher, label, license, catalog, provenance, and similar fields can be legitimate metadata. A large hidden-tag count therefore does not mean the files are damaged or that every field should be removed.

|                                                                      |                                                                                                                                                                                                                  |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Open in Music</b><br>Navigation only                              | Opens or reveals the matching Music.app record for this physical file when a match is available. It does not edit the record.                                                                                    |
| <b>Music Library</b><br>Read-only relationship / navigation          | Shows that the file is associated with the Music Library context; the relationship control is for locating the matched record, not for changing playlist membership.                                             |
| <b>Per-tag checkbox</b><br>Read-only selection                       | Selects this exact embedded field for a later cleanup action. Checking the box alone does not modify the file.                                                                                                   |
| <b>review only · manual removal</b><br>Safety classification         | Means LMO will preserve the field by default and will not choose it through Select Recommended. Remove it only if you have reviewed the value and intentionally do not want it.                                  |
| <b>Edit</b><br>Changes only after apply                              | Opens the supported editor for this exact embedded tag. The file is changed only after the reviewed edit is applied and verification succeeds.                                                                   |
| <b>Clean Selected In This File</b><br>Changes embedded file metadata | Removes only the selected supported embedded tags from this one file. Review-only fields trigger an additional warning. Audio streams are copied without re-encoding and artwork is verified before replacement. |
| <b>Select Recommended</b><br>Read-only selection                     | Selects only fields LMO classifies as cleanup candidates. Preserved review-only fields such as the shown copyright tag are not selected automatically.                                                           |
| <b>Select All In This File</b><br>Read-only selection                | Selects every cleanup-eligible displayed tag in this file, including preserved review-only fields; selection still does not write the file.                                                                      |
| <b>Clear File Selection</b><br>Read-only selection                   | Clears the tag selections for this file without changing metadata.                                                                                                                                               |
| <b>Reveal</b><br>Navigation only                                     | Reveals the physical audio file in Finder.                                                                                                                                                                       |
| <b>Copy</b><br>Clipboard only                                        | Copies the displayed embedded tag names and values for review or support.                                                                                                                                        |
| <b>Select All Hidden Tags</b><br>Read-only selection                 | Selects displayed hidden-tag rows across the loaded result set. It does not clean anything until an explicit cleanup button is used.                                                                             |
| <b>Clear Tag Selection</b><br>Read-only selection                    | Clears the current hidden-tag selection across the loaded results.                                                                                                                                               |
| <b>Clean Selected Hidden Tags</b><br>Changes embedded file metadata  | Runs the verified cleanup only for the currently selected supported hidden tags across the loaded files.                                                                                                         |

Review values, not just counts  
Publisher, copyright, label, license, catalog, provenance, encoder, source, and other embedded fields can be legitimate. Select Recommended is intentionally narrower than "delete every tag"; review-only fields stay preserved unless you deliberately select them.

# 13. Quality Duplicates



Quality Duplicates compares different physical versions of what appears to be the same recording across selected playlist data. It helps choose which physical copy deserves closer attention; it does not know which mastering or mix is artistically preferable.

## 13.1 Quality Duplicates controls and actions


|                                                              |                                                                                                                                                                |
|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Find Quality Duplicates</b><br>Read-only scan             | Groups candidate same-song/different-file rows using saved playlist data and verifies current file existence/technical facts as needed. The scan is read-only. |
| <b>Clear</b><br>LMO view only                                | Clears Quality Duplicates results.                                                                                                                             |
| <b>Filter / Show More</b><br>Read-only view                  | Filters and pages the current duplicate-version groups.                                                                                                        |
| <b>Recheck This Group</b><br>Read-only targeted verification | Re-verifies the current group against present indexed/file state.                                                                                              |
| <b>Likely Best</b><br>Read-only ranking                      | Technical ranking based on measurable file properties. It is a candidate for review, not proof of better mastering, mix, pressing, or sound quality.           |
| <b>Playlist chips</b><br>Navigation only                     | Show which selected playlists reference each physical version.                                                                                                 |
| <b>Play / Stop</b><br>Playback only                          | Play or stop the selected physical version.                                                                                                                    |
| <b>Edit Tags</b><br>Changes only after save                  | Opens Music.app metadata editor for a matched record.                                                                                                          |



|                                                       |                                                                                                                                                                          |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reveal</b><br>Navigation only                      | Reveals the physical version in Finder.                                                                                                                                  |
| <b>Inspect</b><br>Read-only analysis                  | Opens the physical file in Audio Inspector.                                                                                                                              |
| <b>Remove From Playlist</b><br>Changes playlist entry | Removes the chosen occurrence from one selected playlist. It does not delete the physical file.                                                                          |
| <b>Move to Trash</b><br>Changes physical file / Trash | Moves the explicitly chosen physical file to macOS Trash. It does not automatically remove Music.app records or playlist entries, so use only after relationship review. |



# 14. Shuffle Builder



Shuffle Builder creates a new ordering from a source playlist while trying to maintain spacing between the same artist/family, album, and user-defined “do not place near” groups. Preview is non-destructive; Create is the action that writes the target playlist.

## 14.1 Shuffle rules and actions

|                                                                   |                                                                                                                                                                                                   |
|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source playlist</b><br>Read-only selection                     | Chooses the Music.app playlist whose tracks will be rearranged.                                                                                                                                   |
| <b>Available playlists</b><br>Read-only selection                 | List of visible playlists available as the source.                                                                                                                                                |
| <b>New playlist</b><br>LMO input                                  | Name of the target playlist that will receive the shuffled order.                                                                                                                                 |
| <b>Artist / family gap</b><br>Shuffle rule                        | Minimum preferred separation between the same artist/family key. Default is 7. The builder scores remaining violations if a perfect arrangement is impossible.                                    |
| <b>Album gap</b><br>Shuffle rule                                  | Minimum preferred separation between tracks from the same album/cover key. Default is 6.                                                                                                          |
| <b>Do not place near</b><br>Shuffle rule                          | One direct group per line. Names can be separated by comma, semicolon, pipe, or equals. A line A,B,C makes those names a direct group. Separate lines A,B and B,C do not automatically imply A,C. |
| <b>Replace existing target playlist</b><br>Playlist-write setting | Allows the named target playlist to be replaced/rewritten by the create action. Leave it off when you do not intend to replace an existing target.                                                |
| <b>Preview</b><br>Read-only preview                               | Builds and scores candidate shuffled orders without creating or changing the target playlist.                                                                                                     |



|                                                               |                                                                                                                                  |
|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>Create shuffled playlist</b><br>Changes playlist           | Creates/writes the target Music.app playlist using the best arrangement found under the current rules.                           |
| <b>Stop</b><br>Stops playlist creation                        | When creation is in progress, stops further additions. Entries already added to the target remain.                               |
| <b>Shuffle quality / remaining issues</b><br>Read-only report | The result/log reports artist, title, album/cover spacing violations and a quality score so unavoidable compromises are visible. |



# 15. Audio Inspector

Local Music ORGANIZER

Library Map  
repeated tracks

Playlist Duplicates  
inside one playlist

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Audio Inspector  
format + spectrum

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Audio Inspector

Inspect local audio files and render a spectrum view.

Playlists Player

Emma Clair - Bootleg Beat.m4a

/Users/eurodisco/Music/Music/Various/Emma Clair - Bootleg Beat.m4a

Open in Music Music Library

|             |                                                                                       |           |         |
|-------------|---------------------------------------------------------------------------------------|-----------|---------|
| Format      | Data format: 2 ch, 44100 Hz, alac (0x00000001) from 16-bit source, 4096 frames/packet | Channels  | 2       |
| Family      | Lossless                                                                              | Duration  | 3:11    |
| Bitrate     | bit rate: 983465 bits per second                                                      | File size | 23.6 MB |
| Sample rate | 44100 Hz                                                                              |           |         |
| Bit depth   | 16-bit                                                                                |           |         |

No obvious authenticity issue

100%

Estimated source: Spectrum is compatible with natural mastering, analogue filtering, restoration, vinyl, or DSD/PCM conversion

Evidence

|                     |                                                                           |
|---------------------|---------------------------------------------------------------------------|
| Measured cutoff     | 20.6 kHz                                                                  |
| Effective cutoff    | 19321 Hz                                                                  |
| Effective stability | 39% of active windows                                                     |
| Upper residual      | 10 dB below the pre-cutoff band, 11% occupied, structured or inconclusive |
| Spectral regimes    | single dominant ceiling                                                   |
| Transition          | approximately 5690 Hz                                                     |
| Spectral drop       | 14 dB                                                                     |
| Roll-off            | 2 dB/kHz                                                                  |
| Cutoff stability    | 36% of active windows                                                     |
| Brickwall           | 0/100                                                                     |

Interpretation

The upper-frequency behavior does not form a sufficiently strong codec-like brickwall. A bandwidth limit near 20 kHz is not suspicious by itself; the transition shape, stability, spectral occupancy and roll-off slope were evaluated together.

Note

Lossless/PCM-style file. Bit depth should be meaningful when reported as 16-bit, 24-bit, or 32-bit.

Spectrogram

kHz

22

20

18

16

14

12

10

8

6

4

2

0

rel dB

0

-20

-40

-60

-80

-100

-120



Local Music ORGANIZER

Library Map  
repeated tracks

Playlist Duplicates  
inside one playlist

Library Duplicates  
same Music-app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Audio Inspector  
format + spectrum

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Audio Inspector

Inspect local audio files and render a spectrum view.

Die De Lay5 - Bellami.mp3

/Users/eurodisco/Music/Music/Various/Die De Lay5 - Bellami.mp3

Open in MusicMusic Library

|             |                                                                                                                 |           |        |
|-------------|-----------------------------------------------------------------------------------------------------------------|-----------|--------|
| Format      | Data format: 2 ch, 44100 Hz, mp3 (0x00000000) 0 bits/channel, 0 bytes/packet, 1152 frames/packet, 0 bytes/frame | Channels  | 2      |
| Family      | Lossy                                                                                                           | Duration  | 4:11   |
| Bitrate     | bit rate: 255999 bits per second                                                                                | File size | 8.2 MB |
| Sample rate | 44100 Hz                                                                                                        |           |        |
| Bit depth   | N/A for MP3/AAC lossy                                                                                           |           |        |

No obvious quality mismatch

Estimated source: No substantially lower-bitrate source inferred

Evidence

|                     |                                                                    |
|---------------------|--------------------------------------------------------------------|
| Measured cutoff     | 17.0 kHz                                                           |
| Effective cutoff    | 16968 Hz                                                           |
| Effective stability | 89% of active windows                                              |
| Upper residual      | 61 dB below the pre-cutoff band, 0% occupied, weak/noise-dominated |
| Spectral regimes    | single dominant ceiling                                            |
| Transition          | approximately 452 Hz                                               |
| Spectral drop       | 60 dB                                                              |
| Roll-off            | 147 dB/kHz                                                         |
| Cutoff stability    | 97% of active windows                                              |
| Brickwall           | 94/100                                                             |

Interpretation

The spectrum does not provide strong evidence that this lossy file was created from a substantially lower-bitrate source.

Note

Lossy file. Bit depth is normally not meaningful for MP3/AAC. Judge quality by bitrate and spectrum cutoff.

Spectrogram

Raw sfinfo

Audio Inspector examines one local audio file without requiring a Library Index. It reports container/codec information, duration, channels, technical characteristics, authenticity evidence, and a spectrogram. It does not “repair” the file merely by inspecting it.

## 15.1 Single File mode

|                                                                                                                    |                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mode - Single File</b><br>Read-only selection                                                                   | Chooses the one-file inspection workspace.                                                                                                                            |
| <b>Choose Audio File</b><br>Read-only file selection                                                               | Opens the macOS file picker and loads one local audio file for inspection.                                                                                            |
| <b>Drop area</b><br>Read-only file selection                                                                       | Accepts a local audio file by drag and drop.                                                                                                                          |
| <b>Clear Inspector</b><br>LMO view only                                                                            | Clears the loaded inspection result.                                                                                                                                  |
| <b>Format / family / bitrate / sample rate / bit depth / channels / duration / file size</b><br>Read-only analysis | Technical facts reported from the selected local file and available system/bundled analyzers.                                                                         |
| <b>Authenticity assessment</b><br>Read-only analysis                                                               | Summarizes evidence that may suggest retranscoding/upscaling/bandwidth limitations. It is evidence, not proof of source history.                                      |
| <b>Spectrogram</b><br>Read-only analysis                                                                           | Visual frequency-over-time representation of the selected audio. The picture is diagnostic evidence; mastering filters and old recordings can resemble codec cutoffs. |
| <b>Raw technical output</b><br>Read-only display                                                                   | Shows the underlying technical information returned by the local analyzer for advanced review.                                                                        |



|                                                           |                                                                                                                                          |
|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Music.app match/reveal controls</b><br>Navigation only | When the local file is matched to a Music.app record, lets you reveal/open the relevant library context without creating another record. |
|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|



# 16. Audio Authenticity Analyzer

Local Music Organizer

Local Music ORGANIZER

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Audio Inspector  
format + spectrum

File Search  
physical folders

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Audio Inspector

Inspect local audio files and render a spectrum view.

Playlists Player

Mode

Mode

Single File

Audio Authenticity Analyzer

Inspector

Scan MP3/AAC and lossless/PCM files from the whole Music.app library or one playlist for lower-bitrate retranscodes, lossy-to-lossless conversions, sample-rate upscales, and suspicious bandwidth limits. Results are estimates, not proof.

Log folder

/Users/eurodisco/Desktop

Choose Log Folder

Create log files

Stop Music Play

Undo Last Change

Start Authenticity Scan

Stop Scan

Clear Results

Refresh Music Changes

Open Log Folder

Status: Authenticity scan complete · took 1s

scan last 1s

Scan source

Scan source

Entire Music Library

One Playlist

The scan checks local MP3 and AAC bitrate consistency as well as FLAC, ALAC, WAV, AIFF and other readable lossless/PCM files. It does not claim that a suspicious file is fake; mastering filters and historical sources can resemble codec cutoffs. Confidence is an evidence-strength score, not a statistical probability.

Last scan: 7,204 / 7,204

Search results

Likely: 0 Review: 234 Failed: 0 Skipped: 0 Scanned: 7,204

Finding type

Finding type

All 234

High bitrate 128

MP3 transcode 58

Limited bandwidth 16

Other review 32

Nea Mitică - Timpul pleacă și se duce

Timpul pleacă și se duce

/Users/eurodisco/Music/Music/Various/Nea Mitică - Timpul pleacă și se duce.m4a

Estimated source: Effective bandwidth resembles high-bitrate lossy audio; the exact source format is not proven

Evidence: Measured cutoff: 18.0 kHz · Effective cutoff: 17883 Hz · Effective stability: 67% of active windows · Upper residual: 52 dB below the pre-cutoff band, 0% occupied, weak/noise-dominated · Spectral regimes: single dominant ceiling · Transition: approximately 2030 Hz · Spectral drop: 54 dB · Roll-off: 21 dB/kHz · Cutoff stability: 86% of active windows · Brickwall: 56/100

The lossless/PCM container has a substantial upper-band energy drop below the natural Nyquist boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended.

Open in Music Music Library

Inspect Evidence Reveal in Finder Copy Path Remove from List

High-bitrate lossy-equivalent profile

44,100 Hz · 16-bit

Confidence 84%

Yello - Vicious Games (Razormaid Mix)

The Best Remixes 2

/Users/eurodisco/Music/Music/Various/Yello - Vicious Games (Razormaid Mix).m4a

Estimated source: Effective bandwidth resembles high-bitrate lossy audio; the exact source format is not proven

Evidence: Measured cutoff: 18.6 kHz · Effective cutoff: 17887 Hz · Effective stability: 6% of active windows · Upper residual: 45 dB below the pre-cutoff band, 0% occupied, weak/noise-dominated · Spectral regimes: single dominant ceiling · Transition: approximately 366 Hz · Spectral drop: 47 dB · Roll-off: 126 dB/kHz · Cutoff stability: 0% of active windows · Brickwall: 70/100

The lossless/PCM container has a substantial upper-band energy drop below the natural Nyquist boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended.

Open in Music Music Library

Inspect Evidence Reveal in Finder Copy Path Remove from List

High-bitrate lossy-equivalent profile

44,100 Hz · 16-bit

Confidence 84%

Electro Swing - Dancing in the Light

Chicago Nights

/Users/eurodisco/Music/Music/Various/Electro Swing - Dancing in the Light.m4a

Estimated source: Effective bandwidth resembles high-bitrate lossy audio; the exact source format is not proven

Evidence: Measured cutoff: 18.8 kHz · Effective cutoff: 18669 Hz · Effective stability: 58% of active windows · Upper residual: 42 dB below the pre-cutoff band, 0% occupied, weak/noise-dominated · Spectral regimes: single dominant ceiling · Transition: approximately 598 Hz · Spectral drop: 45 dB · Roll-off: 79 dB/kHz · Cutoff stability: 78% of active windows · Brickwall: 81/100

The lossless/PCM container has a substantial upper-band energy drop below the natural Nyquist boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended.

Open in Music Music Library

Inspect Evidence Reveal in Finder Copy Path Remove from List

High-bitrate lossy-equivalent profile

44,100 Hz · 16-bit

Confidence 84%

Audio Authenticity Analyzer is the batch mode inside Audio Inspector. It searches an indexed library or one indexed playlist for evidence of lower-bitrate retranscodes, lossy-to-lossless conversions, sample-rate upscales, and suspicious bandwidth limits. Results are estimates, not proof.

## 16.1 Batch authenticity controls

|                                                                    |                                                                                                   |
|--------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Mode - Audio Authenticity Analyzer</b><br>Read-only selection   | Switches Audio Inspector from one-file inspection to the indexed batch analyzer.                  |
| <b>Scan source - Entire Music Library</b><br>Read-only scan source | Uses available saved Library Index rows as the batch source.                                      |
| <b>Scan source - One Playlist</b><br>Read-only scan source         | Uses one selected indexed playlist as the source. The playlist must have a usable saved snapshot. |
| <b>Playlist</b><br>Read-only selection                             | Chooses the playlist when One Playlist is selected.                                               |
| <b>Start Authenticity Scan</b><br>Read-only analysis               | Runs the local/indexed authenticity analysis for the selected source.                             |
| <b>Stop Scan</b><br>Stops scan only                                | Requests cancellation of the batch analysis.                                                      |
| <b>Clear Results</b><br>LMO view only                              | Clears authenticity findings from LMO.                                                            |



|                                                                                                                 |                                                                                                                          |
|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Search results</b><br>Read-only filter                                                                       | Filters the loaded findings by visible metadata/path.                                                                    |
| <b>Likely / Review / Failed / Skipped / Scanned counters</b><br>Read-only display                               | Summarize current analysis outcomes. These are classifications of evidence/processing state, not delete/repair commands. |
| <b>Finding type - All / High bitrate / MP3 transcode / Limited bandwidth / Other review</b><br>Read-only filter | Filters findings by the evidence category.                                                                               |

16.2 Authenticity result cards

Local Music ORGANIZER

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Audio Inspector  
format + spectrum

File Search  
physical folders

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Audio Inspector

Inspect local audio files and render a spectrum view.

Playlists Player

Mode: Single File Audio Authenticity Analyzer

Inspector: Scan MP3/AAC and lossless/PCM files from the whole Music.app library or one playlist for lower-bitrate retranscodes, lossy-to-lossless conversions, sample-rate upscales, and suspicious bandwidth limits. Results are estimates, not proof.

Log folder: /Users/eurodisco/Desktop

Choose Log Folder Create log files

Stop Music Play Undo Last Change Start Authenticity Scan Clear Results Refresh Music Changes Open Log Folder

Status: Authenticity scan complete scan last 0s

Scan source: Entire Music Library Playlist index ready: 839 tracks

Playlist: Relax

The scan checks local MP3 and AAC bitrate consistency as well as FLAC and lossless/PCM files. It does not claim that a suspicious file is fake; mastering filters and historical sources can resemble codec cutoffs. Confidence is an evidence-strength score, not a statistical probability.

Last scan: 839 / 839

Search results

Likely: 0 Review: 30 Failed: 0 Skipped: 0 Scanned: 839

Finding type: All 30 High bitrate 15 MP3 transcode 3 Limited bandwidth 3 Other review 9

Eir.M - The Last Call

The Last Call

/Users/eurodisco/Music/Music/Relax/Eir.M - The Last Call.m4a

Estimated source: Effective bandwidth resembles high-bitrate lossy audio; the exact source format is not proven

Evidence: Measured cutoff: 19.9 kHz • Effective cutoff: 19035 Hz • Effective stability: 14% of active windows • Upper residual: 44 dB below the pre-cutoff band, 0% occupied, weak/noise-dominated • Spectral regimes: single dominant ceiling • Transition: approximately 1782 Hz • Spectral drop: 49 dB • Roll-off: 26 dB/kHz • Cutoff stability: 72% of active windows • Brickwall: 41/100

The lossless/PCM container has a substantial upper-band energy drop below the natural Nyquist boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended.

Used in playlists Relax

Inspect Evidence Reveal in Finder Copy Path Remove from List

High-bitrate lossy-equivalent profile

44,100 Hz • 16-bit

Confidence 80%

Through The Mirror - Incomplete

Lounge Relax Mood

/Users/eurodisco/Music/Music/Relax/Through The Mirror - Incomplete.m4a

Estimated source: Effective bandwidth resembles high-bitrate lossy audio; the exact source format is not proven

Evidence: Measured cutoff: 20.0 kHz • Effective cutoff: 19088 Hz • Effective stability: 31% of active windows • Upper residual: 35 dB below the pre-cutoff band, 6% occupied, weak/noise-dominated • Spectral regimes: single dominant ceiling • Transition: approximately 1965 Hz • Spectral drop: 45 dB • Roll-off: 23 dB/kHz • Cutoff stability: 78% of active windows • Brickwall: 41/100

The lossless/PCM container has a substantial upper-band energy drop below the natural Nyquist boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended.

Used in playlists Relax

Inspect Evidence Reveal in Finder Copy Path Remove from List

High-bitrate lossy-equivalent profile

44,100 Hz • 16-bit

Confidence 77%

John Junior - Alfama

Alfama

/Users/eurodisco/Music/Music/Relax/John Junior - Alfama.m4a

Estimated source: Effective bandwidth resembles high-bitrate lossy audio; the exact source format is not proven

|                                                              |                                                                                                                                                   |
|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Category / severity / confidence</b><br>Read-only display | Describe the type and strength of the evidence. Confidence is evidence strength, not a mathematical probability that the source history is known. |
| <b>Estimated source</b><br>Read-only estimate                | LMO's best technical interpretation of the observed spectral/codec evidence.                                                                      |
| <b>Evidence</b><br>Read-only evidence                        | Lists measurable observations that triggered the classification.                                                                                  |
| <b>Interpretation</b><br>Read-only guidance                  | Explains how the evidence should be understood and its limitations.                                                                               |
| <b>Inspect Evidence</b><br>Read-only analysis                | Opens the exact file in the detailed one-file Audio Inspector so the spectrogram/metrics can be reviewed.                                         |
| <b>Reveal in Finder</b><br>Navigation only                   | Reveals the local file.                                                                                                                           |



|                                                                        |                                                                                                   |
|------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Copy Path</b><br>Clipboard only                                     | Copies the file path.                                                                             |
| <b>Remove from List</b><br>LMO view only                               | Removes the finding from the current LMO result list only. It does not delete or modify the file. |
| <b>Skipped row - Copy Path / Open Parent Folder</b><br>Navigation only | Lets you locate an item that could not be analyzed and inspect why it was skipped.                |

Authenticity is evidence, not provenance proof Codec cutoffs, vintage sources, mastering filters, noise reduction, resampling, and production choices can produce similar spectral signatures. Use these findings to decide what to inspect, not as an automatic reason to replace or delete a file.





# 17. File Search

Local Music ORGANIZER

Library Duplicates  
same Music.app location

Health Check  
problems + missing

Artwork Check  
Missing Covers

Repair Convert  
Music Compatible

Track Usage  
where used

Playlist Compare  
A vs B

File Maintenance  
permissions / Finder

Quality Duplicates  
best version

Shuffle Builder  
anti-repeat shuffle

Audio Inspector  
format + spectrum

File Search  
physical folders

Setup  
permissions + settings

Help  
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

File Search

Search and inspect local audio files on disk.

Playlists Player

File search root: /Users/eurodisco/Music  
Meaning: Scans every audio file under the selected root. Shows duplicate physical filenames/locations and copyable paths.  
Log folder: /Users/eurodisco/Desktop

Stop Music Play Undo Last Change Refresh File Index Refresh Music Changes

Status: File Search FTS5 trigram page loaded - 41 / 41 - took 0s scan last 1s

Physical File Search

Search Index is the fast search: it uses an already-built SQLite physical-file index and keeps the existing playlist/Music.app tools. Search Disk scans the selected folder directly and does not require or build an index. Disk results are file-only: no playlist lookup, Music.app matching, Inspect, or Edit Tags.

Log folder: /Users/eurodisco/Desktop

wolfgang lohr

Search Index Search Disk Clear Check Usage for Results

Wolfgang Lohr - Hit the Road Jack (Electro Swing Cover).m4a  
/Users/eurodisco/Music/Music/Various/Wolfgang Lohr - Hit the Road Jack (Electro Swing Cover).m4a  
Used in playlists Various Play Stop 18.6 MB Reveal in Finder Inspect Copy Path Edit Tags

Wolfgang Lohr - It Means A Thing If You Swing - Glenn Gatsby Hyper Swing Remix - Extended.m4a  
/Users/eurodisco/Music/Music/Various/Wolfgang Lohr - It Means A Thing If You Swing - Glenn Gatsby Hyper Swing Remix - Extended.m4a  
Used in playlists Various Play Stop 15.4 MB Reveal in Finder Inspect Copy Path Edit Tags

Bart - We Are What We Are (feat. The Billy Bros Orchestra) [Wolfgang Lohr Remix].m4a  
/Users/eurodisco/Music/Music/Various/Bart - We Are What We Are (feat. The Billy Bros Orchestra) [Wolfgang Lohr Remix].m4a  
Used in playlists Various Play Stop 35.8 MB Reveal in Finder Inspect Copy Path Edit Tags

Wolfgang Lohr - Die Nacht Ist Nicht Allein Zum Schlafen da (Electro Swing).m4a  
/Users/eurodisco/Music/Music/Various/Wolfgang Lohr - Die Nacht Ist Nicht Allein Zum Schlafen da (Electro Swing).m4a  
Used in playlists Italy Play Stop Various Play Stop 22.9 MB Reveal in Finder Inspect Copy Path Edit Tags

Wolfgang Lohr - Feel That Fire.m4a  
/Users/eurodisco/Music/Music/Various/Wolfgang Lohr - Feel That Fire.m4a  
Used in playlists Various Play Stop 21.1 MB Reveal in Finder Inspect Copy Path Edit Tags

Bart - It's in Her Heels (feat. Haylen) [Wolfgang Lohr Extended Remix].m4a  
/Users/eurodisco/Music/Music/Various/Bart - It's in Her Heels (feat. Haylen) [Wolfgang Lohr Extended Remix].m4a  
3.7 MB Reveal in Finder Inspect Copy Path Edit Tags

File Search has two deliberately different search paths. Search Index is fast and uses an explicitly built physical-file SQLite index. Search Disk walks the selected folder directly. LMO does not silently build a physical index merely because you typed a search.

## 17.1 File Search controls

|                                             |                                                                                                                                                                                                         |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| File search root<br>Read-only display       | Shows the current primary physical search folder.                                                                                                                                                       |
| Choose Root...<br>LMO setting               | Chooses the primary physical search root.                                                                                                                                                               |
| Choose Additional Folders...<br>LMO setting | Chooses the additional File Search folder root. Network/NAS behavior is not validated by this guide.                                                                                                    |
| Refresh File Index<br>LMO physical index    | Explicitly builds or refreshes the physical-file index from the selected folders. It does not search playlists and does not change audio files. On very large libraries this is never started silently. |
| Refresh Music Changes<br>LMO index          | Incrementally reconciles LMO's Music.app index; it is separate from the physical-file index.                                                                                                            |
| Search field<br>Read-only query             | Search text for filename/path and indexed metadata where available.                                                                                                                                     |
| Search Index<br>Read-only indexed search    | Fast search in the already-built physical SQLite index. If no physical index exists, LMO reports that fact instead of building one automatically.                                                       |
| Search Disk<br>Read-only filesystem scan    | Directly walks the selected folder for matches. It does not require or build the physical index. Direct disk results are intentionally file-only.                                                       |



|                                                                 |                                                                                                                |
|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Clear</b><br>LMO view only                                   | Clears the current File Search results/query.                                                                  |
| <b>Check Usage for Results</b><br>Read-only targeted usage scan | For indexed results, checks playlist membership for the current matches instead of rescanning unrelated files. |
| <b>Show More</b><br>Read-only view                              | Loads more indexed/direct result rows.                                                                         |


## 17.2 Indexed and direct-disk result actions

|                                                         |                                                                                                                                                             |
|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Indexed playlist chips</b><br>Navigation only        | Show playlists associated with an indexed physical result. A chip reveals/opens that playlist context.                                                      |
| <b>Play from playlist / Play</b><br>Playback only       | Plays the exact Music.app record represented by the playlist match.                                                                                         |
| <b>Stop Music Play</b><br>Playback only                 | Stops Music.app playback.                                                                                                                                   |
| <b>Reveal in Finder</b><br>Navigation only              | Reveals the physical file.                                                                                                                                  |
| <b>Inspect</b><br>Read-only analysis                    | Opens the physical file in Audio Inspector. Available on indexed/matched results, not intentionally on the minimal direct-disk path.                        |
| <b>Edit Tags</b><br>Changes only after save             | Opens the exact Music.app record in metadata editor when a match is known.                                                                                  |
| <b>Copy Path</b><br>Clipboard only                      | Copies the physical path.                                                                                                                                   |
| <b>Direct Search Disk row</b><br>Read-only / navigation | Intentionally offers only file-oriented actions such as Reveal in Finder and Copy Path. It does not imply a Music.app match, playlist usage, or tag editor. |





# 18. Live Spectrum Player



Fast shortcut: Option + Play opens LMO playback

Hold the Option key while clicking a Play control for a track that has a readable local file. LMO resolves the local path and sends that item to its own Live Spectrum Player instead of using the normal Play behavior. When possible, the player also builds its Previous/Next queue from the current playlist or the current result set. A normal click keeps the button's standard behavior. If no readable local file can be resolved - for example a cloud-only or missing item - the Live Spectrum Player cannot play it.

The Player button opens/restores LMO's local Live Spectrum window. It plays local audio through LMO, shows real-time spectrum/waveform information, and can maintain a playlist-derived queue. Playback controls and visual settings do not modify the source file unless the separate Apply to Original File gain action is explicitly confirmed.


## 18.1 Player transport and queue controls

|                                                   |                                                                                       |
|---------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Previous track</b><br>Playback only            | Moves to the previous queue item when a queue exists.                                 |
| <b>Play / Pause / Resume</b><br>Playback only     | Starts, pauses, or resumes the current local track.                                   |
| <b>Next track</b><br>Playback only                | Moves to the next queue item.                                                         |
| <b>Auto Next</b><br>Player setting                | Controls whether the player automatically advances when the current track finishes.   |
| <b>Stop</b><br>Playback only                      | Stops local player playback.                                                          |
| <b>Current Track List</b><br>Read-only navigation | Opens the queue popover, showing current position and the tracks in the active queue. |



|                                                                |                                                                                                                                   |
|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>Switch Playlist</b><br>Read-only queue selection            | Inside the queue popover, selects another Music.app playlist as the queue source. Loading a queue does not rewrite that playlist. |
| <b>Play next automatically</b><br>Player setting               | Queue-popover equivalent of Auto Next.                                                                                            |
| <b>Queue row</b><br>Playback/navigation                        | Selecting a row plays that local queue item. Hover/context actions can reveal the file or copy its path.                          |
| <b>Music.app Playlists</b><br>Read-only navigation             | Opens the playlist hierarchy popover used to load a playlist-derived local queue.                                                 |
| <b>Refresh Playlist Hierarchy</b><br>Read-only Music.app query | Rereads the visible Music.app playlist hierarchy for the navigator.                                                               |

18.2 Spectrum Appearance controls



|                                                      |                                                                                                                   |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Bar thickness</b><br>Player visual setting        | Changes the rendered width of spectrum bars.                                                                      |
| <b>Gap</b><br>Player visual setting                  | Changes spacing between rendered spectrum bars.                                                                   |
| <b>Motion - Clean</b><br>Player visual setting       | Uses strict analyzer motion without the decorative trail/energy glow. Frequency values are unchanged.             |
| <b>Motion - Lively</b><br>Player visual setting      | Uses faster attack/slower release, peak hold, ghost trail, and RMS glow while leaving frequency values unchanged. |
| <b>Segmented LED bars</b><br>Player visual setting   | Turns the segmented-bar visual treatment on/off.                                                                  |
| <b>Show track waveform</b><br>Player visual setting  | Shows/hides the track overview waveform below the spectrum.                                                       |
| <b>Show technical cards</b><br>Player visual setting | Shows/hides the technical analysis cards.                                                                         |



|                                                                 |                                                                                                                                                                                          |
|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Playback gain</b><br>Playback only                           | Temporary player gain from -12 dB to +12 dB. Moving this control changes playback level in LMO; by itself it does not rewrite the file.                                                  |
| <b>Auto for quiet track</b><br>Playback only                    | Sets a suitable Playback gain automatically from the currently measured source peak. It still does not write the file.                                                                   |
| <b>0 dB</b><br>Playback only                                    | Returns Playback gain to unity.                                                                                                                                                          |
| <b>Apply to Original File</b><br>Changes original physical file | Explicitly applies the current gain to the original local audio file after confirmation and verification. This is a real physical-file operation; lossy formats may require re-encoding. |
| <b>Visible bars</b><br>Read-only display                        | Shows the current estimated number of spectrum bars that fit at the chosen thickness/gap.                                                                                                |
| <b>Fine / Balanced / Bold</b><br>Player visual setting          | Convenience presets for bar thickness and gap.                                                                                                                                           |
| <b>Reset</b><br>Player visual setting                           | Restores the default spectrum appearance preset values.                                                                                                                                  |

### 18.3 Waveform and technical cards

|                                                                  |                                                                                                   |
|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>TRACK OVERVIEW</b><br>Read-only display / seek                | Waveform overview for seeking and understanding the track's amplitude envelope.                   |
| <b>Whole / Medium / Detail / Energy</b><br>Player visual setting | Changes the waveform/detail presentation mode. It does not alter audio.                           |
| <b>Click/drag waveform</b><br>Playback only                      | Seeks playback to the chosen position in the local file.                                          |
| <b>Technical cards</b><br>Read-only analysis                     | Report source/engine/analyzer, level meters, spectral details, and signal character when enabled. |



# 19. Help and Support

The built-in Help page is a short reminder. This manual expands it into a control-by-control reference. Help controls copy support text, show open-source notices, and provide the same incremental Music.app refresh/log-folder shortcuts used elsewhere.

## 19.1 Help controls

|                                                |                                                                                                                                              |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Copy Help Text</b><br>Clipboard only        | Copies the built-in Quick Help text to the clipboard.                                                                                        |
| <b>Copy Safety Notes</b><br>Clipboard only     | Copies the built-in safety summary to the clipboard.                                                                                         |
| <b>Open Source Licenses</b><br>Navigation only | Opens the bundled open-source license notices for included components such as FFmpeg/FFprobe, LAME, WavPack, DSD-related tools, and OpenMPT. |
| <b>Refresh Music Changes</b><br>LMO index      | Incrementally reconciles LMO's saved Music.app index after small changes.                                                                    |
| <b>Open Log Folder</b><br>Navigation only      | Opens the selected log folder.                                                                                                               |

## 19.2 Quick Help - corrected interpretation


• Start with Setup, then build the Library Index. Leave Include playlist usage enabled on the first full build when you want usage/relationship tools ready. • Result counts are review counts. They do not mean “delete/fix everything.” • Health Check and Audio Authenticity are diagnostic evidence. They do not change files merely by scanning. • Playlist cleanup changes playlist membership only. Physical files remain unless a separate physical-file action explicitly says otherwise. • Edit Tags changes supported Music.app fields only after Save to Music. • Physical file changes are explicit. Current LMO does include clearly labeled operations that can move a file to Trash, rename a file, rewrite selected embedded metadata, apply gain to the original, or handle a Repair/Convert source after verified output. Those are not hidden side effects of a scan. • For support logs: enable the requested log option before reproducing the problem, then export diagnostics and include the relevant operation log.



## 20. Global Controls and Common Editors

These controls appear across multiple sections. They are documented once here so their meaning is consistent wherever they appear.

### 20.1 Global navigation and top-right buttons



**Persistent top-right shortcuts**  
The cropped current-interface view above shows the controls that stay at the top right of every main LMO section. Playlists opens the Music.app hierarchy navigator. Player opens/restores the independent Live Spectrum Player without launching a scan. The Back/Forward arrows on the left navigate LMO screen history; they are not Undo.

|                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Option + Play</b><br>Local-player shortcut              | Hold Option while clicking a Play control that can resolve a readable local audio file. LMO opens/uses the Live Spectrum Player and plays the physical file locally with the spectrum analyzer. When the current context provides a playlist or result ordering, that context becomes the player queue for Previous/Next. Normal Play keeps its ordinary behavior, usually Music.app playback. If the item has no accessible local file, spectrum playback is unavailable and LMO does not fabricate or download one. |
| <b>Option + supported Preview</b><br>Local-player shortcut | For local Preview controls routed through LMO's file preview path, holding Option uses the Live Spectrum Player instead of the normal Finder-style Quick Look preview. This requires a readable physical file.                                                                                                                                                                                                                                                                                                        |
| <b>Back / Forward arrows</b><br>Navigation only            | Return to previously visited LMO tool screens and restore their remembered scroll position where available. They do not undo library changes.                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Playlists</b><br>Read-only navigation                   | Permanent top-right button beside the LMO app icon on every main section. It opens LMO's navigator for the actual Music.app playlist/folder hierarchy without changing the current tool. The hierarchy can be refreshed; a selected playlist can be opened/revealed in Music.app or used as player context where the visible UI offers that action.                                                                                                                                                                   |
| <b>Player</b><br>Navigation / local playback               | Permanent top-right button beside Playlists and the LMO app icon on every main section. It opens or restores the separate Live Spectrum Player window immediately; pressing it does not start a library scan. The player is LMO's own local-file playback/analyzer window.                                                                                                                                                                                                                                            |
| <b>Stop Music Play</b><br>Playback only                    | Stops Music.app/local playback; it does not stop an unrelated scan unless that scan has its own Stop control.                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Undo Last Change</b><br>Changes depend on last action   | Restores the latest supported reversible action. Undo is a convenience recovery layer, not a replacement for a Music library/media backup.                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Open Log Folder</b><br>Navigation only                  | Opens the user-selected local log folder.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

### 20.2 Music.app metadata editor

|                                                                                                                              |                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Title / Artist / Album / Album Artist / Composer / Genre / Year / Track # / Disc # / Comments</b><br>Read-only until save | Editable supported Music.app metadata fields for the exact matched record. Opening the editor does not change anything.                   |
| <b>Save to Music</b><br>Changes Music.app metadata                                                                           | Writes the reviewed supported fields to the exact Music.app record.                                                                       |
| <b>Cancel</b><br>No change                                                                                                   | Closes the editor without applying the draft.                                                                                             |
| <b>Copy Artist + Title</b><br>Clipboard only                                                                                 | On a physical-only guessed-tag draft with no Music.app Persistent ID, copies the guessed Artist/Title/Album instead of writing Music.app. |





## 20.3 Naming & Tag Formatting review window

|                                                                                                     |                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Title / Artist / Album / Album Artist / Composer / Genre / Filename</b><br>Read-only until apply | Shows the proposed spacing cleanup fields for review.                                                                                                     |
| <b>Update Music.app tags</b><br>Selection only until apply                                          | Chooses whether the reviewed Music.app text-field spacing corrections will be written.                                                                    |
| <b>Rename physical filename</b><br>Selection only until apply                                       | Chooses whether the reviewed same-folder/same-extension physical rename will be performed.                                                                |
| <b>Apply Reviewed</b><br>Changes / Changes selected metadata/file name                              | Applies only the options currently selected in the review window. Filename rename uses Persistent ID/artwork/filesystem verification and rollback guards. |
| <b>Cancel</b><br>No change                                                                          | Closes without applying the draft.                                                                                                                        |

## 20.4 Batch Naming & Tag Formatting window

|                                                                                   |                                                                                         |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>Fix Music.app Title / Artist / Album spacing</b><br>Selection only until apply | Controls whether selected batch rows update the supported Music.app spacing fields.     |
| <b>Rename physical filenames safely</b><br>Selection only until apply             | Controls whether selected rows with filename suggestions perform verified safe renames. |
| <b>Apply to Selected</b><br>Changes selected metadata/file names                  | Runs the chosen batch actions only for the selected reviewed rows.                      |
| <b>Cancel</b><br>No change                                                        | Closes without applying the batch.                                                      |

Backup remains essential Undo and rollback protect specific supported operations, but they are not a substitute for a current backup of an important Music.app library and its local media files.



# Safety, Privacy, and Support Reference

Offline/local media boundary  
LMO processes the documented library information, reports, and local-file work on this Mac. It does not collect analytics or tracking data for the workflows described here. Subscription streams, online-only audio, and streaming services are not supported source workflows in this release.

Keep a current backup before maintenance of an important library. A result count is evidence to review, not an instruction to delete or clean everything. Scan-specific log controls create support files only when explicitly enabled. Export Diagnostics is a separate support summary.

Open-source components. FFmpeg/FFprobe, LAME, WavPack, DSD Nexus, OpenMPT and their bundled license texts are listed by the visible Open Source Licenses control in Help.