



Local Music Organizer

Detailed User Guide - Version 1.1.5 (Build 44)

For local Music.app libraries, standalone audio files and careful collection maintenance.

macOS 14 or later | Apple Silicon and Intel | Built-in offline audio engines

Contents

Read the quick-start pages first. Full-size interface views follow their explanations.

Why Local Music Organizer exists	3
Start here: choose the problem to solve	4
First run: build the Library Index	5
Library Index: optional technical details	6
Navigation, playback and previews	7
Setup and permissions	8
Dashboard and Batch Normalize	10
Main library and playlist tools	14
Repair / Convert and original handling	26
Track Usage and Physical File Search	46
Specialist formats and CUE albums	50
Troubleshooting and support	51
Live Spectrum and player	53
Conversion and file safety	58
Audio Authenticity Analyzer	62
Trial, purchase and standalone files	69
Version 1.1.5 Build 44 overview	70

Two reading levels

Beginner notes explain what to click and what remains read-only. Advanced notes explain SQLite indexing, exact matching, verification, cancellation and rollback behavior.

Why Local Music Organizer exists

Local Music Organizer was not invented as a generic software product. It began as a personal solution written by a music collector and Music.app user with a very large offline library accumulated over many years.

The collection eventually became difficult to control: duplicate records, repeated playlist entries, missing artwork, inconsistent tags, broken file references, multiple versions of albums, rare releases and formats spread across folders and disks. Manual checking was too slow, and separate utilities showed only fragments of the problem.

The creator needed one place to answer practical questions before changing anything: Which file is better? Where is this track used? Is this a duplicate record or a second physical file? What is missing? What can be cleaned without losing the original?

Conversion created the same frustration. No single converter handled every difficult source in the collection. TAK, SACD ISO, DSD, DTS, AC3, CUE albums, tracker modules and other archival formats could require several tools and a fragile sequence of actions.

Local Music Organizer brought order back to that real collection and solved problems that had accumulated for years. Only after it worked as a personal tool did the creator decide it might be useful to other people who also maintain serious offline music libraries.

The result is intentionally cautious: understand first, review second, act only when the user explicitly chooses to act.

Start here

You do not need to learn every tool. Start with the problem you want to understand.

First time?

In **Setup**, choose your folders and allow Music.app access. Then open **Library Dashboard**, leave **Include playlist usage** enabled, click **Build / Refresh Library Index**, and wait for the required stages to show Ready.

What do you want to do?

General quality / metadata overview Library Dashboard	Inspect one file, waveform or spectrum Audio Inspector
Missing, inaccessible or suspicious file links Health Check	Investigate suspicious audio quality Audio Authenticity Analyzer
Repeated entries inside one playlist Playlist Duplicates	Review hidden embedded metadata File Maintenance - Hidden Audio Tags
Multiple Music.app records pointing to one file Library Duplicates	Search physical folders File Search
Repeated tracks / playlist relationships Library Map / Track Usage	Check permissions / Finder metadata File Maintenance
Compare two playlists Playlist Compare	Convert or repair audio Repair / Convert
Missing artwork Artwork Check	Build a less repetitive shuffled playlist Shuffle Builder
Compare different physical versions Quality Duplicates	Play and analyze a local file Live Spectrum

One rule that prevents most mistakes

A large result count is a **review signal**, not an instruction to delete or clean everything. Open representative rows, confirm what the finding means, and use a modifying action only when you intend to change something.

First run: build the Library Index

One normal first-run action prepares the library-wide tools. You do not need to understand the internal database to use it.

Plain-language meaning

The **Library Index** is LMO's saved working copy of Music.app information. Building it reads library information; it does not edit tracks, playlists or audio files.

Recommended first run

- Open **Library Dashboard**.
- Leave **Include playlist usage** enabled when you want Track Usage, Playlist Compare, playlist labels and duplicate-protection relationships.
- Click **Build / Refresh Library Index**.
- Wait until the required stages show **Ready**.
- Choose the tool that matches your task and review its findings.

After the first run

- After adding, removing or replacing a few tracks, use **Refresh Music Changes**.
- After changing one playlist, refresh/index only that selected playlist when appropriate.
- Rebuild the full Library Index only when the app specifically reports that it is required.

Tools that do not require the Library Index

- Audio Inspector, Live Spectrum, local playback and Repair / Convert work directly with selected local files.

Library Index: optional technical details

Skip this page on your first run. It explains how large-library work is saved and refreshed.

For beginners

Build the Library Index once with playlist usage enabled. After adding, removing or replacing a few tracks, use Refresh Music Changes. Rebuild everything only when LMO says it is required.

Full Library Records

Music.app records used by Dashboard, Health Check, duplicate review, quality checks and library-wide searches.

Playlist Usage

Visible playlist membership used by Track Usage, File Search labels, Playlist Compare and duplicate safety checks.

Selected Playlist

Refreshes one playlist when only that playlist changed. This avoids rereading every visible playlist.

Stop and Resume

Completed batches are saved. Stop finishes the current small batch, and Resume continues from the next safe point.

Advanced: what is stored and why it is fast

- The reusable library snapshot is stored in typed SQLite tables. Startup restores the saved rows instead of rebuilding a large in-memory structure from text files.
- Playlist membership is stored with ordered persistent IDs. The order is important: consecutive identical entries remain distinguishable for duplicate detection and safe removal.
- Refresh Music Changes updates only verified additions, replacements and removals. Incompatible data is rejected instead of silently reused.
- Selected-playlist and paged SQL queries keep memory and interface work bounded for very large collections.

Exact text policy

Unicode text is normalized only enough to treat composed and decomposed forms of the same character as equal. An umlaut letter matches that same umlaut letter, not the plain base letter.

Navigation, playback and previews

Play in Music

Opens Music.app and selects or plays the matching Music.app record. In File Search, choose the bright-blue playlist button to open the requested playlist and reveal the corresponding track. A file can belong to several playlists, so each playlist button is a separate destination.

Local Preview

Plays a physical file directly when you need to inspect the file without creating another Music.app record.

Finder and Quick Look

Reveal in Finder locates the physical file. Finder Preview or Quick Look is useful for checking a candidate independently of Music.app.

Stop


Stops Music.app playback, local preview and supported active conversion/de-click playback. A long Music.app request may finish its current step before the indexing operation fully stops.

Back and Forward

Use the application navigation controls to return to the tool that opened Audio Inspector or another detail view.

Setup and permissions

Choose folders, Music.app access, saved-index behavior and diagnostic settings.



For beginners

Choose the primary music folder and log folder. Test Music.app Access, keep Save the Music.app library index between launches enabled, then return to Library Dashboard.

Permissions and folders

- macOS controls Automation and folder access. LMO cannot grant those permissions by itself.
- Additional folders can extend Physical File Search beyond the primary music root.
- The log option can be enabled only for the test you want to record.

Advanced and support use

Automatic Library Index can update after launch when enabled. Export Diagnostics records app, macOS, architecture, settings, current counts and safety status; scan-specific reports are still created by their own Create log files options.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

Setup
permissions + settings

Help
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Setup
Permissions, folders, language, appearance, logs, and Audio Inspector speed.

Appearance

System

Audio Inspector speed

Fast — 30 sec

quick preview, less material

Primary file search root

/Users/eurodisco/Music

Choose

Open

Additional folders

/Volumes

Choose Additional Folders...

Open

Search additional folders

☐

Include selected additional folders in File Search

Off

Primary file-search root active: /Users/eurodisco/Music

Log folder

/Users/eurodisco/Desktop

Choose Log Folder

☐ Create log files

This is the default state when the app opens. You can still turn log files on or off during a session.

Automatic Library Index

☐ Build or update the library index automatically after launch

Off

☐ Also index playlist usage automatically

Automatic indexing starts only after the app is idle. Stop indexing disables it for this session.

Saved library index

☒ Save the Music.app library index between launches

Restores full records and playlist usage after relaunch. Clear Saved Index rebuilds it.

Diagnostics

Export Diagnostics

Creates a support report with app, macOS, architecture, settings, current counts, and safety status.

- Stop Music Play
- Undo Last Change
- Test Music.app Access
- Request Music Permission
- Open Privacy Settings
- Refresh Music Changes
- Open Log Folder

Status: Ready

Permissions

macOS permissions cannot be forced directly. Use Test Music.app Access or Request Music Permission. If macOS blocks automation, open Privacy Settings and allow this app to control Music.app.

Music.app access status:
Setup not tested yet.

Default playlists

Review playlist:
Recovered Orphan Files

Audio Inspector speed

Fast — 30 sec

quick preview, less material

Ready. Saved SQLite rows are available immediately. Read-only library tools use the available snapshot and clearly label partial coverage; rebuilding the Library Index remains optional.

The normal starting point for a read-only overview of a large local Music.app library.



Choose the scan depth

- ## Advanced

Local Music Organizer 1.1.5 (Build 44) - Detailed User Guide

Local Music ORGANIZER

Library Dashboard quality overview

Library Map repeated tracks

Playlist Duplicates inside one playlist

Library Duplicates same Music.app location

Health Check problems + missing

Artwork Check Missing Covers

Repair Convert Music Compatible

Track Usage where used

Playlist Compare A vs B

File Maintenance permissions / Finder

Quality Duplicates best version

Shuffle Builder anti-repeat shuffle

Audio Inspector format + spectrum

Setup permissions + settings

Help manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop



Library Dashboard Large-library safe quality overview: bitrate, sample rate, artwork, storage, and issue filters.

Meaning

One read-only library dashboard for practical cleanup: bitrate, sample rate, container/kind, duration outliers, missing artwork, missing files, playlist distribution, and direct tag editing from every visible row.

Filter

artist, title, album, path, playlist, issue, codec, bitrate

☒ Only issues

Scale

Scale

Fast

Standard

Deep

☐ Skip slow file checks

Mode

Standard: reads Music.app records and lightweight file stats when file checks are enabled; skips playlist membership. Skip slow file-stat checks for large or unavailable paths.

Output

Run creates a safe report in the log folder. Row actions can manually edit Music.app tags, inspect audio, reveal files, or copy paths. Tag changes appear in Music immediately, and Undo Last Change restores the values from before the most recent tag edit.
This scan may take time on large libraries. It reads Music.app data only and does not change files.

Log folder

/Users/████████Desktop

Choose Log Folder

☒ Create log files

Stop Music Play

Undo Last Change

Run Audio Quality Dashboard

Export Dashboard Log

Clear

Open Log Folder

Status: Library Index full records: 2000 / 7125 full records

New here? Start with the library index

The index is a read-only local copy of Music.app information. On the first run, leave include playlist usage enabled and click Build / Refresh Library Index. Later, use Refresh Music Changes after adding, removing, or replacing a few tracks.

Library Index: warming full Music records 2000 / 7125

Current: Full records · 28% · warming full Music records 2000 / 7125

Library Index partial: Library not indexed · Full records 0/7125 · Playlists 0/8

indexing 33s

Library Index feeds Dashboard, Quality, Library Duplicates, File Maintenance, fast searches, and—when included—File Search playlist chips.

Selected playlist index

Selected playlist index

Choose a playlist

Index Selected Playlist

Refresh Music Changes

Build / Refresh Library Index

Queue Playlist Usage

Clear Saved Index

Stop Indexing

Save Last Indexing Log

☒ Create Library Index Log

☒ Include playlist usage

Library-index timing log will be saved automatically. Indexing reads full records, then visible playlist usage, so File Search labels are ready when it finishes.

Audio Quality Dashboard

0 loaded / 0 shown / 0 scanned · Filter: Empty artist

Records 0	Empty artist 0	Low bitrate 0	No artwork 0	Missing files 0	Long tracks 0	Short tracks 0	Comments 0	Unusual sample rate 0	44.1 kHz 0	48 kHz 0	>16-bit lossless 0	ALAC 0
MP3 0	AAC 0	AIFF 0	WAV 0	Other audio formats 0	Other metadata 0							

Other metadata means an empty track title or a genuinely uppercase audio-file extension. >16-bit lossless is measured from local audio files in Deep mode; MP3/AAC are excluded because lossy codecs do not use source PCM bit depth in the same way. Show More loads the next 250 matching rows and becomes available only when the selected category or search contains more rows than are currently loaded.

Show More

Clear Filter

Save Current List...

Batch Normalize

Clear All Comments

No dashboard scan loaded.

Dashboard results and Batch Normalize

Counters include both problems to review and informational descriptions of your collection.

The screenshot shows the 'Local Music Organizer' application interface. The 'Library Dashboard' is active, displaying a sidebar with various tools and a main content area. The main area shows the 'Audio Quality Dashboard' with a table of counters for different audio file issues. The table includes categories like Records, Empty artist, Low bitrate, No artwork, Missing files, Long tracks, Short tracks, Comments, Unusual sample rate, 44.1 kHz, 48 kHz, >16-bit lossless, and ALAC. Below the table, there are sections for specific files, such as 'N°0°Y°S°E - Margarita' and 'Pupo - Lo Devo Solo A Te (Ural Dance Mix)', which show file details and a 'Warning Low bitrate' status.

For beginners

A high counter does not mean that every track is wrong. Select one category, inspect representative rows, and use Batch Normalize only when you intentionally want to change every selected file.

Informational categories

- ALAC, MP3, AAC, AIFF, WAV and Other audio formats describe containers or codecs.
- 44.1 kHz, 48 kHz and Unusual sample rate describe sample rate.
- >16-bit lossless is measured from local lossless or PCM files in Deep mode. MP3 and AAC are excluded because lossy codecs do not have meaningful source PCM depth in the same way.

Advanced

For .m4a, Music.app kind is used before the filename extension, so ALAC and AAC are not confused. The 48 kHz and >16-bit categories can send their current rows directly to Repair / Convert for format-preserving normalization.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

Setup
permissions + settings

Help
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop



Library Dashboard
Large-library safe quality overview: bitrate, sample rate, artwork, storage, and issue filters.

Log folder /Users/ /Desktop Choose Log Folder Create log files

Stop Music Play Undo Last Change Run Audio Quality Dashboard Export Dashboard Log Clear Open Log Folder

Status: Audio Quality Dashboard complete - took 1s scan last 1s

New here? Start with the library index

The index is a read-only local copy of Music.app information. On the first run, leave Include playlist usage enabled and click Build / Refresh Library Index. Later, use Refresh Music Changes after adding, removing, or replacing a few tracks.

Library Index: playlist usage ready - took 3s

Current: Playlist - 100% - playlist usage ready - took 3s

Library Index ready: Library ready - Full records ready - Playlists 8/8

Library Index: playlist usage ready. Typed SQLite cache saved for future launches.

Selected playlist index

Selected playlist index

Choose a playlist

Index Selected Playlist

Refresh Music Changes

Build / Refresh Library Index

Index Playlist Usage

Clear Saved Index

Stop Indexing

Save Last Indexing Log

Create Library Index Log

Include playlist usage

Library-index timing log will be saved automatically. Indexing reads full records, then visible playlist usage, so File Search labels are ready when it finishes.

Audio Quality Dashboard

35 loaded / 35 shown / 7,125 scanned • Filter: Issues

Records 7125	Empty artist 0	Low bitrate 35	No artwork 0	Missing files 0	Long tracks 0	Short tracks 0	Comments 0	Unusual sample rate 0	44.1 kHz 7052	48 kHz 73	>16-bit lossless 0	ALAC 6250
MP3 874	AAC 1	AIFF 0	WAV 0	Other audio formats 0	Other metadata 0							

Other metadata means an empty track title or a genuinely uppercase audio-file extension. >16-bit lossless is measured from local audio files in Deep mode; MP3/AAC are excluded because lossy codecs do not use source PCM bit depth in the same way. Show More loads the next 250 matching rows and becomes available only when the selected category or search contains more rows than are currently loaded.

Show More

Clear Filter

Save Current List...

Batch Normalize

Clear All Comments

N*O*Y*S*E - Margarita

Inutile

MPEG audio file • 151 kbps • 44100 Hz • 3:53 • 4.6 MB

Storage: Local

Low bitrate < 160 kbps

Used in playlists Various

/Users/ /Music/Music/Various/NOYSE - Margarita.mp3

Play Stop Reveal Inspect Edit Tags Clear Comments Undo Last Change Copy Path Search Discogs

Pupo - Lo Devo Solo A Te (Ural Dance Mix)

Gold Disco Remix Hits


MPEG audio file • 140 kbps • 44100 Hz • 4:02 • 4.6 MB

Storage: Local

Low bitrate < 160 kbps

Library Map

Shows repeated track usage across selected playlists.



How to use this section

- **Index Playlist Usage** before running the map.
- Use it to understand relationships, not to find repeated entries inside a single playlist.
- Review every playlist location before removing an entry.
- Playlist removal does not delete the audio file.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Setup
permissions + settings

Help
manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop



Library Map

Shows only repeated tracks that appear in 2 or more selected playlists.

Compare playlists

8 Selected / 8 visible

Select All

Clear

☒ Dance	1855
☒ Italo Dance	806
☒ Italy	1197
☒ Relax	823
☒ Romantic	664
☒ Transe	7
☒ Various	3285
☒ Dance	111

Select playlists to scan, or leave empty to scan all visible playlists.

Meaning

Checks every saved entry in all selected playlists inside SQLite and shows tracks that occur in two or more selected playlists. SwiftUI receives only paged finished groups.

Long refresh

⌚ Refresh Selected Playlists and Run

Slow full refresh: rereads every entry in every selected playlist directly from Music.app before rebuilding the map. Large playlists may take several minutes. Use only after playlist changes that the saved cache does not yet contain.

Fast mode checks and groups every saved entry from every selected playlist in SQLite. SwiftUI receives only 50 finished groups at a time; Show More loads the next page. Music.app is not rescanned.

Log folder

/Users/████████ Desktop

Choose Log Folder

☒ Create log files

Stop Music Play

Undo Last Change

Scan Library Playlist Map

Refresh Playlists

Open Log Folder

Status: Library Map SQL page loaded · 50 / 1537 · took 0s

scan last 0s

Library Playlist Map

50 / 1,537 mapped

Filter by artist, title, album, path, playlist

Clear

Show More

SQLite checks all entries in all selected cached playlists and counts every repeated group. SwiftUI receives only the current 50-group page; Search and Show More query the database.

-M- - Belleville rendez-vous - Version française

Les triplettes de Belleville (Bande originale du film)

Duration: 3:11

/Users/████████ Music/Music/Various/-M- - Belleville rendez-vous - Version française.m4a

🔍 Used in playlists

Italy

Various

Play

Stop

Remove from Playlist

Edit Tags

Undo Last Change

Copy

Play Track

Stop

Copy Artist / Title

Copy Path

Copy playlists

Inspect File

Playlists: 2

1000streets - Tommy on the Bone

Electro Way

Duration: 2:40


Playlists: 2

Library Playlist Map SQL scan complete.

Source:
Saved normalized SQLite playlist rows. Music.app was not rescanned.

Playlist Duplicates

Finds repeated entries inside one chosen playlist.



How to use this section

- The source playlist remains the scope of the scan.
- Compare title, artist, duration and file location before choosing an entry.
- Use Play in Music when two entries appear similar.
- Removal affects only the selected playlist entry.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

Setup
permissions + settings

Help
manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop



Playlist Duplicates
Find repeated entries inside one playlist.

Playlist: Dance

Available playlists: 8 playlists Refresh

Dance	1856
Italo Dance	806
Italy	1197
Relax	823
Romantic	664

Meaning: Finds duplicate entries inside one playlist. Removal affects playlist entries only, not files and not Music library records.
This Music.app scan may take time on large playlists. The scan is read-only; cleanup happens only after an explicit action.

Log folder: /Users/██████/Desktop Choose Log Folder ☒ Create log files

Stop Music Play Undo Last Change Scan Playlist Duplicates Remove Selected Playlist Entries Refresh Playlists Open Log Folder

Status: One playlist entry removed safely from "Dance" scan last 3s

Playlist duplicate entries 1 groups 1 Selected

KEEP

Körp - Paris
Album: Paris
Duration: 4:25
Playlist index at scan: 1,855
Persistent ID:
23CC0340EC83722B

Used in playlists Dance

Play Stop Preview
Reveal in Finder Inspect Edit Tags

REMOVE

Körp - Paris
Album: Paris
Duration: 4:25
Playlist index at scan: 1,856
Persistent ID:
23CC0340EC83722B

Used in playlists Dance

Play Stop Preview
Reveal in Finder Inspect Edit Tags

Remove This Entry


One playlist entry removed.

Playlist:
Dance

Removed:
LABACK - Mon Amour - Summer Version

Playlist duplicate cleanup

Actions remain explicit and reviewable.



How to use this section

- Select only confirmed duplicate entries.
- Use Undo Last Change immediately after an incorrect reversible action.
- Refresh the results after cleanup.
- Keep a backup before bulk playlist maintenance.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector

Setup
permissions + settings

Help
manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop

Playlist Duplicates
Find repeated entries inside one playlist.

Playlist

Available playlists 8 playlists

Refresh

Dance1855

Italo Dance806

Italy1197

Relax823

Romantic664

Meaning
Finds duplicate entries inside one playlist. Removal affects playlist entries only, not files and not Music library records.
This Music.app scan may take time on large playlists. The scan is read-only; cleanup happens only after an ex

Log folder
/Users/ Desktop

Stop Music Play Undo Last Change Scan Playlist Duplicates Remove Selected Playlist Entries

Status: Playlist duplicate scan complete scan last 0s

Playlist duplicate entries

VISIBLEJoy petersone night in loveone night in love

KEEP

Joy Peters - One Night In Love
Album: One Night In Love
Duration: 6:26
Playlist index at scan: 9
Persistent ID:
235F367C1E5574C1

Used in playlists Italo Dance

Play Stop Preview

Reveal in Finder Inspect Edit Tags

REMOVE

Joy Peters - One Night In Love
Album: One Night In Love
Duration: 4:03
Playlist index at scan: 800
Persistent ID:
018917986C662CC1

Used in playlists Italo Dance

Play Stop Preview

Reveal in Finder Inspect Edit Tags



Remove this playlist entry?

This one playlist entry will be removed from "Italo Dance":

Joy Peters - One Night In Love

Physical audio file will not be deleted. Music library record will not be deleted.

Remove This Entry

Cancel

Create log files

2 groups 2 Selected


Playlist duplicate scan complete.

Playlist:
Italo Dance

Source:
Playlist cache

Library Duplicates

Finds Music.app records that may refer to the same file or duplicate content.



How to use this section

- Build the Library Index and **Index Playlist Usage** first.
- Distinguish a duplicate Music.app record from a second physical file.
- Protect records used by playlists.
- Preview and reveal candidates before removing any library record.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector

Setup
permissions + settings

Help
manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop



Library Duplicates
Find duplicate Music library records that point to the same local file. Quality is shown per file.

Meaning
Finds duplicate Music.app library records: same local file first, missing-location Music.app records, plus possible re-imports with the same visible tags and duration. Playlist duplicates are handled separately. Physical audio files are not deleted.
Library Duplicates indexes the complete saved Music.app snapshot in SQLite, then searches and loads 50 groups at a time. A complete snapshot is still required before cleanup so partial data cannot create false zero results. Nothing is deleted during the scan.

Log folder
/Users/██████████ Desktop

Choose Log Folder ☒ Create log files

Stop Music Play Undo Last Change Scan Library Duplicates Remove Selected Duplicate Records Refresh Playlists Open Log Folder

Status: Library Duplicates SQL page loaded · 2 / 2 · took 0s scan last 0s

Music Library Duplicate Manager 2 / 2 groups 0 UNUSED selected

Filter by artist, title, album, path, Persistent ID, playlist, No playlist usage found Show UNUSED All Results Clear Show More

#2 Lower quality candidate Joy Peters - One Night In Love Album: One Night In Love Duration: 4:03 Quality: Apple Lossless audio file 1411 kbps 44100 Hz 29.6 MB Artwork: yes (1) Library index at scan: 3,127 Persistent ID: 01B917986C662CC1 Used in playlists Italo Dance Play in Music Finder Preview Stop Reveal Inspect Edit Tags Remove This Record	#1 Best quality candidate Joy Peters - One Night In Love Album: One Night In Love Duration: 6:26 Quality: Apple Lossless audio file 1411 kbps 44100 Hz 43.4 MB Artwork: yes (1) Library index at scan: 3,128 Persistent ID: 235F367C1E5574C1 Used in playlists Italo Dance Play in Music Finder Preview Stop Reveal Inspect Edit Tags Remove This Record Blocked: artist/title/album/duration are not exact matches.
---	---


Music Library Duplicate Manager SQL scan complete.

Source:
Materialized SQLite duplicate index. Music.app was not rescanned.

Library records indexed:
7048

Health Check

Read-only diagnostics for records, selected playlists or a physical folder.



How to use this section

- Choose the scope carefully before starting.
- Review missing files, inaccessible paths and metadata problems.
- A warning is diagnostic information, not permission to delete.
- Use File Maintenance only when a physical-file action is actually needed.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Setup
permissions + settings

Help
manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop

Health Check
Find missing links, no-local records, unreadable files, path risks, and orphan physical files.

Scope

Scope

Entire Music.app Library

Selected Playlists

Physical Folder

File search root

/Users/[redacted] Music

Choose Root...

Options

☒ Find orphan physical files

☐ Include Missing Artwork

Review playlist

Recovered Orphan Files

Log folder

/Users/[redacted]/Desktop

Choose Log Folder

☐ Create log files

Stop Music Play Run Health Check Add Selected Orphans To Review Playlist Clear Health Refresh Playlists Open Log Folder

Status: Health Check complete · took 6s scan last 6s

Cache: updated after playlist removal

Current: Playlist · 100% · updated after playlist removal

playlist last 13s

Cache ready: Library ready · Full records ready · Playlists 8/8

took 16:55

Health Check cache use: 8 / 8 playlists from cache

Warm Cache

Warm Playlist Usage

Clear Cache

Stop Cache

☒ Include playlist usage

Warm Cache reads full records, then visible playlist usage, so File Search chips are ready after warm-up.

Health Check 0 shown / 0 Issues 0 Selected


Filter by category, artist, title, album, path, playlist, details Clear Show More

No health report loaded.
Click Run Health Check. It creates a safe report and does not delete or rewrite anything.

Health Check complete.

Artwork Check

A separate artwork-focused scan.



How to use this section

- Artwork access through Music.app can be slower than light metadata checks.
- The scan finds missing covers but does not modify images.
- Review album grouping before deciding that artwork is missing.
- Add or replace artwork manually only after confirmation.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector

Setup
permissions + settings

Help
manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop



Artwork Check
Find tracks with no Music.app artwork and open manual Discogs search.

Check playlists 8 Selected / 8 visible

Select All Clear

☒ Dance	1855
☒ Italo Dance	806
☒ Italy	1197
☒ Relax	823
☒ Romantic	664
☒ Transe	7
☒ Various	3285

Select playlists to scan, or leave empty to scan all visible playlists.

Meaning Fast mode finds saved zero-artwork rows in SQLite and live-checks only that small candidate set. Full live verification is optional. Nothing is downloaded or written.

Long test

⌚ Run Full Live Verification

Slow full scan: checks every entry in every selected playlist directly in Music.app. Large playlists may take several minutes. Use this only when artwork was removed after the SQLite cache was created.

Fast mode avoids a full Music.app playlist scan. Artwork Check does not download or write artwork.

Log folder /Users/████████ Desktop

Choose Log Folder ☒ Create log files

- Stop Music Play
- Undo Last Change
- Run Artwork Check
- Clear Artwork
- Refresh Playlists
- Open Log Folder

Status: Artwork Check complete

Artwork Check 0 shown / 0 missing artwork

Filter by artist, title, album, path, playlist

Clear Show More

No artwork report loaded.


Click Run Artwork Check. It checks Music.app artwork and embedded file artwork, without downloading or writing anything.

Artwork Check complete.

Mode:

Repair / Convert queue

Add files, playlists or CUE sheets, then choose a profile and review the selected queue.



For beginners

Start with Keep original. Add a few test files, choose the output format, Analyze Queue when a source is unusual, then convert only the selected rows and listen to the results.

- Repair / Convert works directly with local files and does not require the Music.app Library Index.
- Built-in offline engines handle common and specialist sources. Homebrew and separate codec packs are not required.
- A listed extension can still fail if the file is damaged, encrypted, incomplete or non-standard.

Advanced

Queue analysis records the detected format, source properties, selected engine and any special decoder requirement. Clear Queue removes pending entries only; it does not change source files.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

File Search
physical folders

Setup
permissions + settings

Help
manual + safety

Stop Music Play

Open Log Folder

Logs: Desktop

Repair Convert
Convert WMA, OGG, Opus, DSD, CUE albums, hi-res PCM, and audiophile formats into Music.app-compatible files.

Profile

Batch n

Profiles

File names

Audio cleanup

Output location

After conversion

Supported input

Log folder

Profile

Batch n

Profiles

File names

Audio cleanup

Output location

After conversion

Supported input

Log folder

✓ Normalize 48 → 44.1 kHz (Keep Format)

Normalize >16 → 16-bit (Keep Format)

Normalize 48/High-Res → 44.1/16 (Keep Format)

AAC 256 M4A

AAC 320 M4A

MP3 260 Stereo

MP3 320 Stereo

ALAC 16/44.1 M4A

ALAC 24-bit Archive M4A

FLAC Lossless

FLAC Max Compression

WAV 24-bit

WAV 32-bit Float

AIFF 16/44.1

AIFF 24-bit

OGG Vorbis Q7

Opus 160

WavPack High

WAV format. MP3/AAC require lossy re-encoding and trigger a warning before conversion.

as create AAC/ALAC/AIFF copies; archive profiles add FLAC/WAV/WavPack; compact profiles add OGG Vorbis and Opus. Optional de-click is applied to the output copy only.

filename.

Power - Raccogli L'Attimo. Tags inside the output file are not rewritten by this option.

; the original is never changed.

ready granted; macOS asks only when a destination folder is not yet authorized. Existing destination files are never overwritten. After a converted output passes verification, the source is handled according to the selected After

h. LMO Backup Folder moves it into a dated backup session and preserves the original folder path, so a large batch can be restored later without sorting files out of Trash.

WV/WVC, TAK+CUE, OFR/OFS, MPC, TTA, SHN, ATRAC, tracker modules, game audio, AC3/EAC3/DTS, CUE and M3U/M3U8/PLS. One nearby JPG/PNG in the folder is used automatically as cover art.

Choose Log Folder

☒ Create log files

Stop Music Play

Undo Last Change

Open Log Folder

Repair status: Ready

Repair / Convert Queue 0 queued / 0 Selected

Drop files or .cue sheets here

Add Files

Add CUE Sheet

Queue Report

Start Conversion

Apply De-click To Selected

Preview 30s De-click

Compare 30s All Modes

Clear Queue

Repair / Convert handles format repair, conversion, CUE, SACD and de-click.


No conversion queue.

Use the buttons above to add audio files or CUE sheets. Queue Report shows what the app can convert, what needs a special decoder, and what is not a standalone audio file.

For CUE albums, click Add CUE Sheet above or drop the .cue directly onto that button.

Conversion profiles and Batch Normalize

Dashboard categories can create a selected conversion queue without changing files automatically.



For beginners

Select 48 kHz or >16-bit lossless in Dashboard, review the rows, then choose Batch Normalize. LMO opens Repair / Convert with those files queued and an appropriate normalization profile selected.

Normalization profiles

- Normalize 48 to 44.1 kHz (Keep Format).
- Normalize >16 to 16-bit (Keep Format).
- Normalize 48/High-Res to 44.1/16 (Keep Format).

Advanced

The source family is preserved: ALAC to ALAC, MP3 to MP3, AAC to AAC, AIFF to AIFF and WAV to WAV. MP3/AAC sample-rate conversion requires another lossy encode and shows a warning. Bit-depth normalization is not offered for MP3/AAC.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

File Search
physical folders

Setup
permissions + settings

Help
manual + safety

Stop Music Play

Open Log Folder

Logs: Desktop



Repair Convert

Convert WMA, OGG, Opus, DSD, CUE albums, hi-res PCM, and audiophile formats into Music.app-compatible files.

Profile

ProfileMP3 320 Stereo

Maximum-bitrate MP3, 320 kbps CBR, 44.1 kHz. Stereo coding follows the saved MP3 Stereo Mode setting.
Profiles use the conversion engine included inside the app. Apple-safe profiles create AAC/ALAC/AIFF copies; archive profiles add FLAC/WAV/WavPack; compact profiles add OGG Vorbis and Opus. Optional de-click is applied to the output copy only.

MP3 Stereo Mode

MP3 Stereo ModeAuto / Joint Stereo (Rec...

Lets LAME choose efficient joint stereo automatically. Recommended for the best quality at the selected bitrate.

File names

File namesArtist - Title

Uses Artist - Title when tags/CUE data are available. Falls back to the source filename.
☒ Remove leading track number in Artist - Title names
Example: Al Bano & Romina Power - 01 Raccogli L'Attimo → Al Bano & Romina Power - Raccogli L'Attimo. Tags inside the output file are not rewritten by this option.

Audio cleanup

Audio cleanupNone

No restoration filter. Best for clean digital files.
Use de-click only for vinyl/rip defects. It is applied to the converted copy only; the original is never changed.

Output location

Output locationSame Folder as Source

Saves each converted file beside its source. LMO reuses folder access you already granted; macOS asks only when a destination folder is not yet authorized. Existing destination files are never overwritten. After a converted output passes verification, the source is handled according to the selected After conversion mode.

After conversion

Keep original

Keep original leaves the source untouched. Trash moves it to the macOS Trash. LMO Backup Folder moves it into a dated backup session and preserves the original folder path, so a large batch can be restored later without sorting files out of Trash.

Supported input

Supported local audio: FLAC/WAV/AIFF, OGG/Opus/WebM, DSD/SACD, APE, WV/WVC, TAK+CUE, OFR/OFS, MPC, TTA, SHN, ATRAC, tracker modules, game audio, AC3/EAC3/DTS, CUE and M3U/M3U8/PLS. One nearby JPG/PNG in the folder is used automatically as cover art.

Log folder

/Users/eurodisco/Desktop

Choose Log Folder

☒ Create log files

Stop Music PlayUndo Last ChangeOpen Log Folder

Repair status: SACD table of contents loaded: 13 tracks

Repair / Convert Queue1 queued / 1 Selected

Drop files or .cue sheets here

Add FilesAdd CUE SheetQueue ReportStart ConversionApply De-click To SelectedPreview 30s De-clickCompare 30s All ModesClear Queue

Repair / Convert handles format repair, conversion, CUE, SACD and de-click.

☒ FOOTLOOSE (15TH ANNIVERSARY COLLECTOR'S EDITION).iso

Reveal


File - whole file
/Users/eurodisco/Documents/Проект/Various Artists - Footloose (1984) [SACD] (2001 Remaster ISO)/FOOTLOOSE (15TH ANNIVERSARY COLLECTOR'S EDITION).iso
Notes: SACD ISO detected; reading its table of contents now. Conversion will extract stereo DSF tracks with the built-in SACD engine, then encode them.

✓ SACD contents — 13 tracks

#	Title	Performer	Time	ISRC
02	Footloose	Unknown artist	3:46	—
03	Let's Hear It For The Boy	Unknown artist	4:21	—
04	Almost Paradise (Love Theme 'Footloose')	Unknown artist	3:48	—
05	Holding Out For A Hero	Unknown artist	5:50	—
06	Dancing In The Sheets	Unknown artist	4:04	—
07	I'm Free (Heaven Helos The Man)	Unknown artist	3:46	—

After Conversion, progress and Stop

Choose what happens to each original only after a converted result has passed verification.



For beginners

Use Keep original for the first test. Move original to Trash is convenient for a few files. For a large batch, use Move original to LMO Backup Folder so every source can be found again by session and original path.

Three After Conversion choices

- **Keep original:** leaves the source untouched.
- **Move original to Trash:** uses the normal macOS Trash.
- **Move original to LMO Backup Folder:** creates a dated session in Documents/Local Music Organizer/LMO Converted Originals and preserves the original folder hierarchy.

Advanced safety sequence

LMO creates and verifies the output first, then moves the original, then installs the replacement at the expected path. If final installation fails, it attempts to restore the original. Stop Conversion cancels on the first click and incomplete output is removed.

Full-size interface view | 31

ORGANIZER

quality overview

repeated tracks

inside one playlist

same Music.app location

problems + missing

Missing Covers

Music Compatible

where used

A vs B

permissions / Finder

best version.

anti-repeat shuffle

Audio Inspector

format + spectrum

The Search

physical folders

Setup

permissions + settings

Help
manual + safety

2014-2015

Logs: Desktop



Convert WMA, OGG, Opus, ... compatible files.

Profile

Apple Lossless
Profiles

File names

File name

Uses Apple Lossless
✓ Replaces original
Example

Audio cleanup

No restrictions
Use default

Output location

Output folder

After conversion

Supported input

Log folder

✓ ALAC 16/44.1 M4A

ALAC 24-bit Archive M4A

FLAC Lossless

FLAC Max Compression

WAV 24-bit

WAV 32-bit Float

AIFF 16/44.1

AIFF 24-bit

OGG Vorbis Q7

Opus 160

WavPack High

Saves each converted file beside its source. LMO reuses folder access you already granted; macOS asks only when a destination folder is not yet authorized. Existing destination files are never overwritten. After a converted output passes verification, the source is handled according to the selected After conversion mode.

Keep original

Keep original leaves the source untouched. Trash moves it to the macOS Trash. LMO Backup Folder moves it into a dated backup session and preserves the original folder path, so a large batch can be restored later without sorting files out of Trash.

Supported local audio: FLAC/WAV/AIFF, OGG/Opus/WebM, DSD/SACD, APE, WV/WVC, TAK+cue, OFR/OFS, MPC, TTA, SHN, ATRAC, tracker modules, game audio, AC3/EAC3/DTS, CUE and M3U/M3U8/PLS. One nearby JPG/PNG in the folder is used automatically as cover art.

/Users/eurodisco/Desktop

Choose Log Folder

✓ Create log files

Stop Music Play Undo Last Change Open Log Folder

Repair status: SACD table of contents loaded: 13 tracks

1 queued / 1 Selected

Drop files or .cue sheets here

Add Files

Add CUE Sheet

Queue Report

Start Conversion

Apply De-click To Selected

Preview 30s De-click

Compare 30s All Modes

Clear Queue

Repair / Convert handles format repair, conversion, CUE, SACD and de-click.

✓ FOOTLOOSE (15TH ANNIVERSARY COLLECTOR'S EDITION).iso

File • whole file

/Users/eurodisco/Documents/Проект/Various Artists - Footloose (1984) [SACD] (2001 Remaster ISO)/FOOTLOOSE (15TH ANNIVERSARY COLLECTOR'S EDITION).iso

Notes: SACD ISO detected; reading its table of contents now. Conversion will extract stereo DSF tracks with the built-in SACD engine, then encode them.

- ▼ SACD contents — 13 tracks


#	Title	Performer	Time	ISRC
02	Footloose	Unknown artist	3:46	—
03	Let's Hear It For The Boy	Unknown artist	4:21	—
04	Almost Paradise (Love Theme 'Footloose')	Unknown artist	3:48	—
05	Holding Out For A Hero	Unknown artist	5:50	—
06	Dancing In The Sheets	Unknown artist	4:04	—
07	I'm Free (Heaven Helps The Man)	Unknown artist	3:46	—
08	Somebody's Eyes	Unknown artist	3:28	—

Added to Repair / Convert queue:

Reveal

Playlist Compare

Compares two selected playlists using several matching levels.




How to use this section

- **Index Playlist Usage** first.
- Persistent ID is strongest, followed by exact Music.app location and metadata/duration fallback.
- A possible match requires human review.
- Removing a row affects the chosen playlist entry, not the physical file.

File Maintenance

Physical-file tools for selected folders and explicit actions.



How to use this section

- Choose the folder through the macOS picker.
- Review file paths and permissions before changing them.
- Do not use this section as a substitute for Library Duplicates.
- No Full Disk Access is required.

Local Music

ORGANIZER

Library Dashboard

quality overview

Library Map

repeated tracks

Playlist Duplicates

inside one playlist

Library Duplicates

same Music.app location

Health Check

problems + missing

Artwork Check

Missing Covers

Repair Convert

Music Compatible

Track Usage

where used

Playlist Compare

A vs B

File Maintenance

permissions / Finder

Quality Duplicates

best version

Setup

permissions + settings

Help

manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop

File Maintenance

File permissions and Finder metadata cleanup. iPhone sync investigation tools are removed.

Scope

Focused maintenance tools only: check/fix audio file permissions and remove Finder metadata from local audio files. Current cleanup actions do not physically delete audio files. iPhone/Finder sync investigation tools were removed from the product UI.
This check may read Music.app records and local file metadata. It does not delete files or change Music.app records during the scan.

File search root

/Users/[redacted]/Music

Choose Root...

Choose Additional Folders...

Log folder

/Users/[redacted]/Desktop

Choose Log Folder

☒ Create log files

- Stop Music Play
- Scan Audio Permissions
- Normalize 755→644
- Scan Finder Metadata
- Remove Finder Metadata
- Clear
- Refresh Playlists
- Open Log Folder

Status: Permission scan complete · took 8s · scan last 8s

● Cache: idle — manual warm-up

Current: cache · 100% · idle — manual warm-up

stage last 13s

Warm Cache

Warm Playlist Usage

Clear Cache

Stop Cache

Cache ready: Library ready · Full records ready · Playlists 8/8

took 16:55

☒ Include playlist usage

Warm Cache reads full records, then visible playlist usage, so File Search chips are ready after warm-up.

Auto Warm Cache is off. Use Warm Cache when you want faster repeated scans.

File Maintenance Issues 0 issue(s)

Filter by artist, title, album, path, playlist, risk Show More

No file maintenance scan loaded.
Click Scan Audio Permissions or Scan Finder Metadata. Issues will appear here with direct fix buttons.


Audio Permission Scan complete.

Root:
/Users/[redacted]/Music

Audio files checked:
6917

Vinyl De-click

Preview-first click repair for noisy recordings.



How to use this section

- Create a short comparison sample first.
- Compare Light, Medium, Strong and Rescue when available.
- Choose the weakest mode that removes the click.
- Stronger modes may soften attacks or transients.

Local Music ORGANIZER

Library Dashboard

quality overview

Library Map

repeated tracks

Playlist Duplicates

inside one playlist

Library Duplicates

same Music.app location

Health Check

problems + missing

Artwork Check

Missing Covers

Repair Convert

Music Compatible

Track Usage

where used

Playlist Compare

A vs B

File Maintenance

permissions / Finder

Quality Duplicates

best version

Shuffle Builder

shuffle builder

Setup

permissions + settings

Help

manual + safety

Stop Music Play

Open Log Folder

Logs: Desktop

Repair Convert

Convert OGG, Opus, DSD, CUE albums, hi-res PCM, and audiophile formats into Music.app-compatible files.

Profile ALAC 16/44.1 M4A

Apple Lossless repair copy, 16-bit / 44.1 kHz / stereo. Recommended default for Music.app and iPhone use.

All profiles normalize to clean 44.1 kHz stereo. Optional vinyl de-click uses FFmpeg adeclick. Lossless rescue profiles force 16-bit. MP3 profiles use LAME normal stereo, not joint stereo.

File names Artist - Title

Uses Artist - Title when tags/CUE data are available. Falls back to the source filename.

Remove leading track number in Artist - Title names

Example: Al Bano & Romina Power - 01 Raccogli L'Attimo → Al Bano & Romina Power - Raccogli L'Attimo. Tags inside the output file are not rewritten by this option.

Audio cleanup None

No restoration filter.

Use de-click only for vinyl de-click, so no extra Terminal install is needed beyond ffmpeg. It is applied to the converted copy only; the original is never changed.

Output folder /Users/Desktop

Tools Tools not checked

Recommended order: 1) Install Homebrew if missing, 2) Open Terminal Installer for ffmpeg/lame and core conversion tools, 3) Install Old-School Helpers for xmp/wavpack, 4) Install SACD Extract only if you use SACD ISO, 5) for OFR/OFS, use Open OptimFROG Download Page, Open ~/.local/bin Folder, and Copy OptimFROG Notes. Check Tools shows installed paths; Check Codec Support tests FFmpeg decoders.

Supported input Common and old-school audio: FLAC/WAV/AIFF, OGG/Opus/WebM, DSD/SACD, APE, WV/WVC, TAK+CUE, OFR/OFS, MPC, TTA, SHN, ATRAC, tracker modules, game audio, AC3/EAC3/DTS, CUE and M3U/M3U8/PLS. One nearby JPG/PNG in the folder is used automatically as cover art.

Log folder /Users/Desktop

Stop Music Play Check Tools Check Codec Support Install Homebrew Open Terminal Installer Install Old-School Helpers Install SACD Extract Open OptimFROG Download Page Open ~/.local/bin Folder Copy OptimFROG Notes Open Log Fold

Repair status: Artwork Check complete - took 1:46 scan last 1:46

Repair / Convert Queue 0 queued / 0 Selected

Drop files or .cue sheets here

Add Files Add CUE Sheet Analyze Queue Start Conversion Apply De-click To Selected Preview 30s De-click Compare 30s All Modes Stop De-click / Convert Clear Queue

Original files are never overwritten. Preview 30s De-click creates one saved sample in the Music Converted output folder. Compare 30s All Modes creates Light, Medium, Strong, and Rescue samples so you can choose by listening. De-clicked outputs include the cleanup level in the filename. Stop De-click / Convert can terminate the active ffmpeg/sacd_extract process at any moment.


No conversion queuee.

Use the buttons above to add audio files or CUE sheets. Analyze Queue refreshes detected names, tags, ranges, and codec information before conversion.

For CUE albums, click Add CUE Sheet above or drop the .cue directly onto that button.

Quality Duplicates

Compares likely versions using technical quality signals.



How to use this section

- Codec alone does not determine which master sounds better.
- Compare bitrate, sample rate, duration and file size together.
- Use Audio Inspector and listening before choosing a keeper.
- Preserve rare masters even when another file scores higher technically.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

Setup
permissions + settings

Help
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder



Quality Duplicates
Find same-song candidates with different physical files and likely best version.

Meaning
Groups every saved playlist entry in SQLite and finds same-song candidates that point to different physical files. Results load 50 groups at a time, including large libraries. Scan only; files are not changed.

Quality Duplicates reads saved playlist snapshots from SQLite and automatically refreshes only missing or stale playlists when needed. Ready snapshots are not rescanned. SwiftUI receives only one finished page. The existing file-quality formula is evaluated off the main thread and safely reused from SQLite while the file signature is unchanged. Nothing is deleted or rewritten.

Log folder
/Users/eurodisco/Desktop
Choose Log Folder
Create log files

Stop Music Play
Undo Last Change
Find Quality Duplicates
Clear
Refresh Music Changes
Open Log Folder

Status: Quality Duplicates SQL page loaded · 1 / 1 · took 0s
scan last 0s

Quality Duplicate Candidates

1 / 1 groups

Filter by artist, title, album, path, playlist
Show More

Mike Mareen - Don't Talk To The Snake

2 files

Let's Start Now

Heuristic candidate: artist, title and duration match, but the saved entries point to different physical files. Review before changing playlists or files.

Likely best: /Users/eurodisco/Music/Music/Italo Dance/Mike Mareen - Don't Talk To The Snake 2.m4a

/Users/eurodisco/Music/Music/Italo Dance/Mike Mareen - Don't Talk To The Snake 2.m4a

/Users/eurodisco/Music/Music/Italo Dance/Mike Mareen - Don't Talk To The Snake.m4a

Used in playlists
Italo Dance

Play
Stop
Edit Tags
Reveal
Inspect
Play
Stop
Edit Tags
Reveal
Inspect


Quality Duplicates SQL scan complete.

Source:
Saved normalized SQLite playlist rows. Only missing playlist snapshots were refreshed from Music.app.

Missing SQLite playlist snapshots refreshed automatically:
0

Shuffle Builder

Creates a new anti-repeat playlist from selected sources.



How to use this section

- The source playlists are not modified.
- Preview the source and target counts.
- Store/cloud tracks require a local file location when the workflow needs a file.
- Review the generated playlist in Music.app.

Local Music ORGANIZER

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

File Search
physical folders

Setup
permissions + settings

Help
manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Shuffle Builder
Create serious anti-repeat shuffled playlists.

Source playlist
Italo Dance

Available playlists
8 playlists

Dance1828

Italo Dance791

Italy1174

Relax798

Romantic659

New playlist
Italo Dance shuffled

Replace mode ☐ Replace existing target playlist

Stop Music Play Preview Create shuffled playlist Refresh Playlists Open Log Folder

Status: Quality scan complete

Cache: idle — manual warm-up

Current: cache · 100% · idle — manual warm-up

stage last 13s

Cache ready: Library ready · Full records ready · Playlists 8/8

took 16:55

Auto Warm Cache is off. Use Warm Cache when you want faster repeated scans.

Quality Duplicates complete.

Groups found:
1

Log:
/Users/[REDACTED]/Desktop/local_music_organizer_quality_duplicates_log.txt

Shuffle Rules

Set spacing rules before creating the shuffled playlist.

Artist / family gap 7 tracks

Album gap 6 tracks

Do not place near

Modern Talking, Thomas Anders, Blue System
Blue System, System in Blue

One direct rule per line. Separate artist names with commas. Lines are not merged automatically. Example: Artist A, Artist B

Warm Cache Warm Playlist Usage Clear Cache Stop Cache

☒ Include playlist usage
Warm Cache reads full records, then visible playlist usage, so File Search chips are ready after warm-up.

Audio Inspector - lossless

Detailed inspection of a standalone local file.

The screenshot displays the 'Audio Inspector' window within the 'Local Music Organizer' application. The interface is divided into a left sidebar with navigation options and a main content area. The main area shows the file path: `/Users/nurdisco/Music/Music/Various/-M- - Belleville rendez-vous - Version française.m4a`. Below the path, there are buttons for 'Open in Music' and 'Music Library'. A table of file metadata is presented, including Format (Data format: 2 ch, 44100 Hz, alac (Ba00000000) from 16-bit source, 4096 frames/packet), Family (Lossless), Source (bit rate: 1004287 bits per second), Sample rate (44100 Hz), and Bit depth (16-bit). A green banner indicates 'No obvious authenticity issue' with a 'Confidence 100%'. Below this, a detailed analysis of the detected spectral limit (approximately 21.0 kHz) and estimated source (no strong heavy source profile detected) is shown. A large spectrogram visualizes the frequency content over time. At the bottom, the 'Raw ainfo' section provides technical details about the file's format, duration, audio bytes, audio packets, bit rate, packet size, maximum packet size, audio data file offset, and whether the audio is optimized.

Local Music Organizer

Local Music ORGANIZER

Library Dashboard
Quality checker

Library Map
repeated tracks

Playlist Duplicates
merge one playlist

Library Duplicates
same Music app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compaction

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

Setup
permissions + settings

Help
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Log: Desktop

Audio Inspector
inspect local audio files and render a spectrum view.

`/Users/nurdisco/Music/Music/Various/-M- - Belleville rendez-vous - Version française.m4a`

[Open in Music](#) [Music Library](#)

Format	Data format: 2 ch, 44100 Hz, alac (Ba00000000) from 16-bit source, 4096 frames/packet	Channels	2
Family	Lossless	Duration	3:11
Source	bit rate: 1004287 bits per second	File size	24.2 MB
Sample rate	44100 Hz		
Bit depth	16-bit		

No obvious authenticity issue Confidence 100%

Detected spectral limit: approximately 21.0 kHz
Estimated source: No strong heavy source profile detected
The upper-frequency behavior does not form a sufficiently strong codec-like brickwall. A bandwidth limit near 20 kHz is not suspicious by itself, the transition shape, stability, spectral occupancy and roll-off slope were evaluated together. Measured cutoff: 21.0 kHz. Transition width: approximately 964 Hz. Median spectral drop: 31 dB. Roll-off slope: 25 dB/kHz. Cutoff stability: 69% of active windows. Brickwall score: 29/100.

Note
Lossless/PCM-style file. Bit depth should be meaningful when reported as 16-bit, 24-bit, or 32-bit.

Spectrogram

kHz 22
20
18
16
14
12
10
8
6
4
2
0

0 20 40 60 80 100 120

0 -100 -200 -300 -400 -500 -600 -700 -800 -900 -1000

Raw ainfo

File: `/Users/nurdisco/Music/Music/Various/-M- - Belleville rendez-vous - Version française.m4a`
File type ID: m4a
M4a Track: 1

Data format: 2 ch, 44100 Hz, alac (Ba00000000) from 16-bit source, 4096 frames/packet
no channel layout
estimated duration: 190.973333 sec
audio bytes: 23964089
audio packets: 2887
bit rate: 1004287 bits per second
packet size upper bound: 14367
maximum packet size: 14367
audio data file offset: 44
not optimized
audio Ba2926a valid frames + 0 printing + 2048 remainder = Ba292472

How to use this section

- Review container, codec, channels, sample rate, bit depth, bitrate and duration.
- Inspect waveform, metadata and spectral behavior.
- Select and copy visible title, path and technical text when documenting a file.
- Run Audio Authenticity analysis for an individual dropped file.
- Return to the originating tool with Back.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

Setup
permissions + settings

Help
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Audio Inspector
Inspect local audio files and render a spectrum view.

/Users/eurodisco/Music/Music/Various/-M- - Belleville rendez-vous - Version française.m4a

Open in Music Music Library

Format	Data format: 2 ch, 44100 Hz, alac (0x00000001) from 16-bit source, 4096 frames/packet	Channels	2
Family	Lossless	Duration	3:11
Bitrate	bit rate: 1004287 bits per second	File size	24.2 MB
Sample rate	44100 Hz		
Bit depth	16-bit		

✔ No obvious authenticity issue

Confidence 100%


Detected spectral limit: approximately 21.0 kHz

Estimated source: No strong lossy-source profile detected

The upper-frequency behavior does not form a sufficiently strong codec-like brickwall. A bandwidth limit near 20 kHz is not suspicious by itself; the transition shape, stability, spectral occupancy and roll-off slope were evaluated together. Measured cutoff: 21.0 kHz. Transition width: approximately 964 Hz. Median spectral drop: 31 dB. Roll-off slope: 35 dB/kHz. Cutoff stability: 69% of active windows. Brickwall score: 29/100.

Note
Lossless/PCM-style file. Bit depth should be meaningful when reported as 16-bit, 24-bit, or 32-bit.

Spectrogram




Raw ainfo

File: /Users/eurodisco/Music/Music/Various/-M- - Belleville rendez-vous - Version française.m4a
File type ID: m4af
Num Tracks: 1

Data format: 2 ch, 44100 Hz, alac (0x00000001) from 16-bit source, 4096 frames/packet
no channel layout.
estimated duration: 190.973333 sec
audio bytes: 23984109
audio packets: 2057
bit rate: 1004287 bits per second
packet size upper bound: 14367
maximum packet size: 14367
audio data file offset: 44
not optimized
audio 8421924 valid frames + 0 priming + 3548 remainder = 8425472

Audio Inspector - lossy

Technical inspection for compressed audio.



How to use this section

- Review bitrate and codec together.
- Check duration and channel layout for unexpected changes.
- Use listening and provenance alongside technical values.
- Do not assume a larger file is automatically better.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

Setup
permissions + settings

Help
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop

Audio Inspector
Inspect local audio files and render a spectrum view.

Status: Inspection complete · took 1s scan last 1s

Drop audio file here

MP3, AAC, M4A, ALAC, WAV, AIFF, FLAC. Format + bit depth + dB-scale spectrum.

Inspection complete: Ben Liebrand Vs Spandau Ballet - True (True Funk Mix).mp3

Choose Audio File

Ben Liebrand Vs Spandau Ballet - True (True Funk Mix).mp3

/Users/eurodisco/Music/Music/Dance/Ben Liebrand Vs Spandau Ballet - True (True Funk Mix).mp3

Open in Music Music Library

Format	Data format: 2 ch, 44100 Hz, .mp3 (0x00000000) 0 bits/channel, 0 bytes/packet, 1152 frames/packet, 0 bytes/frame
Family	Lossy
Bitrate	bit rate: 127999 bits per second
Sample rate	44100 Hz
Bit depth	N/A for MP3/AAC lossy

Channels	2
Duration	7:12
File size	6.9 MB

✔ No obvious quality mismatch


Detected spectral limit: approximately 16.0 kHz

Estimated source: No substantially lower-bitrate source inferred

The spectrum does not provide strong evidence that this lossy file was created from a substantially lower-bitrate source. Measured cutoff: 16.0 kHz. Transition width: approximately 194 Hz. Median spectral drop: 58 dB. Roll-off slope: 271 dB/kHz. Cutoff stability: 81% of active windows. Brickwall score: 95/100.


Confidence 70%

Note
Lossy file. Bit depth is normally not meaningful for MP3/AAC. Judge quality by bitrate and spectrum cutoff.



Track Usage

Find an artist or track and see exactly which visible Music.app playlists contain it.



For beginners

Index Playlist Usage first, type the artist or title, and run the search. Each blue playlist button opens that exact playlist and reveals the corresponding track.

- Use Track Usage to count appearances and locate the playlists that contain a recording or artist.
- If playlist membership was recently changed, refresh the selected playlist or Index Playlist Usage before relying on the result.
- Read-only results do not remove tracks or modify playlist order.

Advanced exact matching

Composed and decomposed spellings of the same Unicode character are treated as equal. Diacritics are not stripped: every umlaut letter matches that same umlaut letter only, never its plain base letter.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector

Setup
permissions + settings

Help
manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop



Track Usage
Search one track and show every playlist/file usage.

Search

fancy

Scope

Find File on Disk searches the local Music root by filename/path without reading Music.app playlists. Use it first for suspicious iPhone recopy tracks. Scan Usage is slower and shows playlist membership.

Long refresh

⌚ Refresh All Playlist Usage and Scan

Slow full refresh: use only after playlist changes that the saved SQLite cache does not contain. Every visible playlist is reread directly from Music.app and can take several minutes on large libraries.

Find File on Disk is fast. Scan Usage checks every saved playlist entry in SQLite and returns 50 finished track groups at a time; it does not rescan Music.app.

Log folder

/Users[REDACTED]Desktop

Choose Log Folder

☒ Create log files

- Stop Music Play
- Undo Last Change
- Find File on Disk
- Scan Usage
- Check File Risks
- Clear
- Refresh Playlists
- Open Log Folder

Status: File search complete

Track Usage Results

50 matches

fancy

Show More

Fancy - A Voice In The Dark (Happy Vibes Maxi Version 2008)

DJ Happy Vibes pres. Best Of Happy Vibes Disco Fox

Used in playlists

Dance

Click a playlist name to reveal the track in Music.app without playing it.

No file problems found

/Users/[REDACTED]/Music/Music/Dance/Fancy - A Voice In The Dark (Happy Vibes Maxi Version 2008).mp3

- Play in Music
- Stop
- Reveal
- Inspect
- Check Sync Risk
- Edit Tags
- Copy Path
- Search Discogs

Fancy - Dragostea Din Tei (Bob Shepherd X Da Clubbmaster Remix)

Dragostea Din Tei (Bob Shepherd x Da Clubbmaster Remix)

Used in playlists

Dance


Find File on Disk complete.

Query:
fancy

Raw matches found:
57

Physical File Search

Search the saved SQLite physical index by filename, artist/title text or extension.



For beginners

Enter a filename fragment, artist/title text, or an extension such as flac. Results load in pages. Use Play, Reveal, Inspect, Copy Path or a blue playlist button to confirm the exact file.

- Refresh File Index after changing files outside Music.app when you do not want to wait for automatic detection.
- Exact playlist-path labels come from saved SQLite usage data. Check Usage for Results can perform a broader live Music.app lookup when needed.
- Additional folders selected in Setup can be included without changing the primary music root.

Advanced search behavior

FTS5 trigram search and paged SQL keep large result sets bounded. Unicode normalization recognizes equivalent composed/decomposed forms while preserving diacritics, so umlaut letters do not collapse to their base letters.

Local Music ORGANIZER

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector
format + spectrum

File Search
physical folders

Setup
permissions + settings

Help
manual + safety

Refresh Music Changes

Stop Music Play

Open Log Folder

Logs: Desktop



File Search

Search and inspect local audio files on disk.

File search root /Users/eurodisco/Music Choose Root... Choose Additional Folders...
Meaning Scans every audio file under the selected root. Shows duplicate physical filenames/locations and copyable paths.
Log folder /Users/eurodisco/Desktop Choose Log Folder Create log files

Stop Music Play Undo Last Change Refresh File Index Refresh Music Changes

Status: File Search FTS5 trigram page loaded · 41 / 41 · took 0s

Physical File Search indexed files: 7,125 Showing all 41 matches

Finder-style results from the saved SQLite physical index. Large result sets load in pages. Exact playlist-path chips come directly from SQLite; use Check Usage for Results only for broader metadata matching.

Log folder /Users/eurodisco/Desktop Choose Log Folder Create log files

wolfgang lohr Search Files Clear Check Usage for Results

Wolfgang Lohr - Hit the Road Jack (Electro Swing Cover).m4a /Users/eurodisco/Music/Music/Various/Wolfgang Lohr - Hit the Road Jack (Electro Swing Cover).m4a Used in playlists Various Play Stop	18.6 MB	Reveal in Finder	Inspect	Copy Path	Edit Tags
Wolfgang Lohr - It Means A Thing If You Swing - Glenn Gatsby Hyper Swing Remix - Extended.m4a /Users/eurodisco/Music/Music/Various/Wolfgang Lohr - It Means A Thing If You Swing - Glenn Gatsby Hyper Swing Remix - Extended.m4a Used in playlists Various Play Stop	15.4 MB	Reveal in Finder	Inspect	Copy Path	Edit Tags
Bart - We Are What We Are (feat. The Billy Bros Orchestra) [Wolfgang Lohr Remix].m4a /Users/eurodisco/Music/Music/Various/Bart - We Are What We Are (feat. The Billy Bros Orchestra) [Wolfgang Lohr Remix].m4a Used in playlists Various Play Stop	35.8 MB	Reveal in Finder	Inspect	Copy Path	Edit Tags
Wolfgang Lohr - Die Nacht Ist Nicht Allein Zum Schlafen da (Electro Swing).m4a /Users/eurodisco/Music/Music/Various/Wolfgang Lohr - Die Nacht Ist Nicht Allein Zum Schlafen da (Electro Swing).m4a Used in playlists Italy Play Stop Various Play Stop	22.9 MB	Reveal in Finder	Inspect	Copy Path	Edit Tags
Wolfgang Lohr - Feel That Fire.m4a /Users/eurodisco/Music/Music/Various/Wolfgang Lohr - Feel That Fire.m4a Used in playlists Various Play Stop	21.1 MB	Reveal in Finder	Inspect	Copy Path	Edit Tags
Bart - It's in Her Heels (feat. Haylen) [Wolfgang Lohr Extended Remix].m4a /Users/eurodisco/Music/Music/Various/Bart - It's in Her Heels (feat. Haylen) [Wolfgang Lohr Extended Remix].m4a Used in playlists Various Play Stop	32 MB	Reveal in Finder	Inspect	Copy Path	Edit Tags
Wolfgang Lohr - Black Coffee - Electro Swing Mix.m4a /Users/eurodisco/Music/Music/Various/Wolfgang Lohr - Black Coffee - Electro Swing Mix.m4a		Reveal in Finder	Inspect	Copy Path	Edit Tags

Specialist formats and CUE albums

Built-in offline engines handle common files and collector formats without Terminal tools.

Supported sources

FLAC, ALAC, WAV, AIFF, AAC/M4A, MP3, Ogg Vorbis, Opus, WavPack/WVC, APE, TAK, TTA, SHN, DSF, DFF, DSD, SACD ISO, DTS, AC3/E-AC3, CUE sheets, tracker modules and additional specialist sources shown in the application.

Output profiles: AAC, ALAC, MP3, FLAC, WAV, AIFF, Ogg Vorbis, Opus and WavPack.

For beginners: CUE albums

Keep the CUE sheet and every referenced audio file together. Add the CUE, review source paths and track titles, choose an output profile, and test a small album before a large batch.

CUE behavior

- A single-file CUE can split one source by INDEX positions.
- A multi-file CUE can create output from several referenced sources.
- When the CUE is in a new folder, macOS permission is requested once for that folder. Start Conversion must not ask for the same permission again.
- Stop Conversion responds on the first click and does not present an incomplete result as finished.

Advanced: SACD, DSD and unusual sources

Large ISO, DSD and multi-track sources can take substantially longer than ordinary audio. Analyze Queue first, confirm channel and sample-rate expectations, and inspect the converted result before changing the original.

Remember

A supported extension is not proof that the file is readable. Damaged, encrypted, incomplete or non-standard sources can still fail safely and remain unchanged.

Troubleshooting

Start with the status and the exact reason before clearing indexes or changing files.

A library tool is slow

Confirm the Library Index completed, keep required external disks connected, and let one long Music.app operation finish before starting another.

Results look outdated

Use Refresh Music Changes after small library changes. Refresh one playlist after a playlist-only change. Rebuild everything only when requested.

CUE asks twice for permission

Current builds should ask once for a new CUE folder. If the second prompt returns, record the exact drop/add method, folder path and whether Start Conversion was used.

Stop does not react

Stop Conversion and other stop controls finish a safe boundary and should respond on the first click. Wait for the current small operation to close, then save the log if it continues.

A hidden-tag count is huge

The count describes detected embedded fields, not damaged tracks. Inspect field names and values; cleanup is optional and selected explicitly.

A file cannot be replaced

Read the verification reason. LMO should leave or restore the original when artwork, tags, audio properties or final replacement do not verify.

Advanced checks before reporting a bug

1. Enable the relevant Create log files option before reproducing the issue.
2. Note whether the source is local, external, removable or on an untested network/NAS location.
3. Record the selected scan depth, output profile and After Conversion mode.
4. Do not apply more fixes until the original failure and rollback result are understood.

Local disks and directly attached storage are supported. NAS and network-library behavior has not been validated.

Support diagnostics, privacy and open source

If support asks for logs, start logging before reproducing the problem so the complete test sequence is recorded.

When support asks for logs

- In **Library Dashboard**, enable **Create Library Index Log** before Build / Refresh Library Index.
- On scan pages that provide it, enable **Create log files** before starting the scan.
- In **Setup**, enable **Write technical errors to a local log** before reproducing the problem.
- Run the requested test without applying fixes unless support specifically asks you to.
- After the test, use **Setup > Export Diagnostics** and send the exported diagnostics together with the generated log files.
- For a controlled troubleshooting session, avoid restarting the Mac or relaunching Music.app between the requested scans and exporting diagnostics unless the restart itself is part of the test.

Privacy

Audio, metadata, artwork, playlists, saved indexes and logs remain on the Mac. LMO does not collect analytics or upload your library.

Support

Email: sergeyappleservice@gmail.com

Website: <https://local-music-organizer-site.pages.dev/>

Privacy: <https://local-music-organizer-site.pages.dev/privacy.html>

Open source: <https://local-music-organizer-site.pages.dev/open-source.html>

Live Spectrum and local player

Real-time analysis, full-track overview and technical playback data



Screenshot 21 - Live Spectrum with the full-track waveform, playback data and technical meters.

What the Live Spectrum window shows

- Local playback and analysis run inside Local Music Organizer without creating another Music.app record.
- The logarithmic analyzer displays sub-bass, bass, low mid, mid, upper mid, presence and brilliance regions, with a dBFS scale and peak trace.
- The analyzer uses 512 FFT bands and reports the current visible-bar count, selected bar width and refresh rate.
- Technical cards show file type, resolution, channels, duration, current time, remaining time, progress, peak, RMS, headroom and clipping state.
- The full-track waveform keeps short transients visible and shows the current playback cursor across the complete file.

Live Spectrum

1st Heavenue - E=mc2 (Relativity Single)

Playing in Local Music Organizer · ALAC · M4A · Compressed · 44.1 kHz · Stereo

⏸

■

⬆

⌵

dBFS

0

-12

-24

-36

-48

-60

-72

-84

-96

SUB BASS

BASS

LOW MID

MID

UPPER MID

PRESENCE

BRILLIANCE

20

30

40

60

80

100

200

300

400

600

800

1k

2k

3k

4k

6k

8k

10k

14k

20k

FREQUENCY (Hz)

LEVEL

0 dB

-12

-24

-36

-48

-60

-72

-84

-96

🔊

TRACK OVERVIEW

Source peak -0.1 dBFS Pending gain +0.0 dB

0:50

4:03

📄

FILE INFO

Type

ALAC · M4A

Resolution

Compressed · 44.1 kHz

Channels

Stereo

Duration

4:03

⏮

PLAYBACK

Current

0:50

Remaining

3:13

Progress

20.7%

State

Playing

📊

ANALYZER

FFT bands

512

Visible bars

167

Bar width

7.0 px

Refresh

45 fps

⚙️

METERS

Peak

-7.9 dBFS

RMS

-18.5 dBFS

Headroom

7.9 dB

Clipping

No

Player controls, seeking and window behavior

Clear transport logic and an independent macOS player window

Playback controls

- Play starts the loaded track. Pause keeps the current position, and Play continues from the same point.
- Stop is a true stop: the audio engine stops and the position returns to 0:00. The loaded track and already-built waveform remain visible, so Play starts the same track from the beginning without rebuilding the overview.
- Eject removes the loaded track and clears the player. Use Eject only when the player should become empty.
- Click anywhere in the waveform to jump to that position. Drag across the waveform for continuous seeking. The lower progress bar is also draggable.
- Seeking works during playback and while paused. During dragging, the displayed time follows the proposed position before the final seek is committed.


Independent macOS window

- The yellow window button minimizes Live Spectrum into the Dock.
- The red window button closes and hides the player window, but playback continues.
- When music is playing and the player is hidden, click the Local Music Organizer icon in the Dock to restore it.
- The player and the main organizer window are independent. Clicking the player does not intentionally bring the main organizer window to the front.
- Background conversion and gain processing do not intentionally close unrelated Finder folders or other organizer windows.

Normal macOS window meaning is preserved: yellow minimizes; red hides. Playback ends only after Pause, Stop, Eject, another playback command, or natural completion.

Spectrum appearance and playback gain

Customize the analyzer, preview gain and apply a verified change



Screenshot 22 - Spectrum Appearance controls and the playback-gain workflow.


Appearance controls

- Adjust bar thickness and gap, enable or disable segmented LED bars, and show or hide the waveform and technical cards.
- Fine, Balanced and Bold presets provide quick starting points. Reset restores the standard display.
- The visible bar count is calculated automatically from the current window width, selected bar thickness and gap.

Gain preview and Apply to Original File

- Playback gain can be previewed from -12 dB to +12 dB without immediately rewriting the source file. The waveform expands or contracts around its zero line to show the selected gain visually.
- Auto for quiet track provides a conservative preview increase. 0 dB returns playback to the source level.
- Apply to Original File creates a temporary candidate and verifies it before replacement. The workflow preserves the source codec family, sample rate, channel count and bit depth where supported.
- Embedded artwork is verified separately by SHA-256. Metadata, chapters and meaningful media streams are checked before replacement. If verification fails, the original remains or is restored from the rollback copy.
- A diagnostic gain-operation log records stages, the FFmpeg command, heartbeat, progress, verification results and the exact failure reason.

Spectrum appearance and playback gain



Drag-and-drop conversion

Send files from Finder to Repair / Convert or use Option-drop for Audio Inspector.

Repair / Convert drop area

- Drop one file, several files or a CUE sheet into the large Repair / Convert drop area.
- For a CUE album in a new folder, macOS may ask once for access to the folder containing the CUE and referenced audio. Start Conversion must reuse that permission rather than asking again.
- Analyze Queue reports the detected source, engine, special decoder requirements and entries that are not standalone audio.
- Select the rows to process, confirm the profile, output location and After Conversion mode, then convert.

Drop onto the application icon

- A normal Finder or Dock drop groups the events into one batch and starts conversion with the current Repair / Convert settings.
- Hold Option while dropping to open the first local file in Audio Inspector instead of converting it.
- The operation retains the sandbox permission supplied with the dropped file and does not intentionally close Finder or bring the organizer window forward.

For beginners

Before an automatic application-icon drop, open Repair / Convert once and verify the current output profile, output folder and After Conversion choice. The drop uses those active settings.

Advanced

Stop Conversion requests cancellation immediately, closes the current safe boundary and removes incomplete output. Completed results are not silently relabeled or overwritten.

Conversion, inspection and file safety

What LMO verifies before a converted result can replace or separate an original.

For beginners

Use Keep original for your first conversions. Listen to the output, inspect its tags and artwork, and confirm its physical path before choosing Trash or LMO Backup Folder for a larger batch.

Conversion workflow

1. Read or analyze the source and choose the built-in decoder/encoder.
2. Create a temporary converted candidate without overwriting the source.
3. Verify the candidate's audio properties, expected tags, artwork and output existence.
4. Apply the selected After Conversion rule only after verification.
5. Install the converted result at the expected path; restore the original if final installation fails.

Original handling

- **Keep original** is the safest comparison mode.
- **Move original to Trash** is convenient for a small number of sources.
- **Move original to LMO Backup Folder** creates one timestamped session and preserves source folder structure, which is safer for a large batch than finding many files in Trash.

Advanced backup location

Documents/Local Music Organizer/LMO Converted Originals/<session timestamp>/. Each session retains the original directory hierarchy so files from different folders remain identifiable and restorable.

Stop and incomplete output

Stop Conversion responds on the first click. The current safe unit closes, incomplete output is removed, and no unfinished candidate is presented as a completed conversion.

Library-index refresh, stop and resume rules

Keep large-library work accurate without discarding completed batches.

Continue instead of starting over

Build / Refresh Library Index saves progress after each completed batch. When a compatible partial index is restored, **Resume Library Index** continues from the last saved point.

Stopping safely

Stop Indexing can remain disabled briefly while a resumed Music.app request is being established. When available, it requests cancellation; the current small batch finishes and progress is saved.

Refresh only what you need

- **Build / Refresh Library Index** for complete Music.app records.
- **Index Playlist Usage** for relationships across visible playlists.
- **Index / Refresh Selected Playlist** for a targeted playlist workflow.
- **Refresh Music Changes** after adding, removing or replacing a small number of tracks.
- **Clear Saved Index** only when you intentionally want to discard saved progress.

Validation after library changes

At launch, the application compares saved SQLite data with current Music.app library and playlist information. If the saved state is no longer trustworthy, the status area gives the reason and requests the smallest appropriate refresh instead of returning stale results.

All library-index controls are in Library Dashboard. Audio Authenticity Analyzer keeps only its scan-scope controls: Entire Music Library or One Playlist.

Metadata and artwork protection

Hidden metadata is evidence to review. A large count is not automatically a problem.

Hidden embedded metadata

- The scan can find converter names, URLs, signatures, release notes and other fields that Music.app does not normally show.
- The number reported is the number of detected fields/candidates, not a count of damaged tracks. Large collections can legitimately produce very large counts.
- Cleanup starts only after you explicitly select removable candidates. Core tags, artwork and technical/container metadata are protected by the cleanup rules.
- When a file must be rebuilt, LMO verifies the result and keeps/restores the original if the verification does not pass.

Artwork

- Artwork Check is report-only: it finds missing covers but does not download, create or write artwork.
- Add or replace artwork only after confirming the correct album grouping.

Beginner rule

If a scan returns thousands of items, do not treat the number itself as a cleanup target. Open representative results, understand what they are, then act only on items you intentionally choose.

Audio Authenticity Analyzer


Library-wide, selected-playlist and individual-file technical review.

The analyzer compares the declared format with measured spectral behavior. It does not alter audio and does not claim to prove a recording history.

What it measures

- Detected bandwidth or cutoff and high-frequency occupancy.
- Transition width and roll-off slope around the upper-frequency boundary.
- Brickwall Score and cutoff stability across multiple analysis windows.
- Declared codec, bitrate, sample rate and bit depth consistency.
- Estimated source class and a confidence score with plain-language reasoning.

Normal files remain in summary counts but are omitted from the actionable list and report. Only Review, Likely and failed items are shown in detail.



Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector

Setup
permissions + settings

Help
manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop

Audio Inspector
Inspect local audio files and render a spectrum view.

Mode

Mode

Single File

Audio Authenticity Analyzer

Inspector

Scan MP3/AAC and lossless/PCM files from the whole Music.app library or one playlist for lower-bitrate retranscodes, lossy-to-lossless conversions, sample-rate upscales, and suspicious bandwidth limits. Results are estimates, not proof.

Log folder

/Users/████████Desktop

Choose Log Folder

☒ Create log files

Stop Scan

Stop Music Play

Undo Last Change

Start Authenticity Scan

Stop Scan

Clear Results

Refresh Playlists

Open Log Folder

Status: Authenticity scan: 391 / 7048

Scan source

Scan source

Entire Music Library

One Playlist

The scan checks local MP3 and AAC bitrate consistency as well as FLAC, ALAC, WAV, AIFF and other readable lossless/PCM files. It does not claim that a suspicious file is fake; mastering filters and historical sources can resemble codec cutoffs.

Scanning 391 / 7,048


Search results

Likely: 0 Review: 11 Failed: 0 Scanned: 391

⚠ L2r - Autre chanson (Idea short rmx) - L2r Vs Toto Cutugno Autre chanson (L2r Vs Toto) /Users/████████Music/Music/Dance/L2r - Autre chanson (Idea short rmx) - L2r Vs Toto Cutugno.m4a The lossless/PCM container has a substantial upper-band energy drop below the natural Nyquist boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended. Measured cutoff: 20.0 kHz. Transition width: approximately 673 Hz. Median spectral drop: 46 dB. Roll-off slope: 61 dB/kHz. Cutoff stability: 89% of active windows. Brickwall score: 78/100. 🔊 Open in Music Music Library Inspect File Reveal in Finder Copy Path ☐ Remove from List	High-bitrate lossy-equivalent profile 44,100 Hz • 16-bit Confidence 84%
⚠ SYSTAIME - BONNE ANNEE A TOI BONNE ANNEE A TOI /Users/████████Music/Music/Dance/SYSTAIME - BONNE ANNEE A TOI.m4a The lossless/PCM container has a substantial upper-frequency boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended. Measured cutoff: 20.0 kHz. Transition width: approximately 3241 Hz. Median spectral drop: 53 dB. Roll-off slope: 16 dB/kHz. Cutoff stability: 81% of active windows. Brickwall score: 47/100. 🔊 Open in Music Music Library Inspect File Reveal in Finder Copy Path ☐ Remove from List	High-bitrate lossy-equivalent profile 44,100 Hz • 16-bit Confidence 83%
⚠ fwc - No reward No reward /Users/████████Music/Music/Various/fwc - No reward.m4a The lossless/PCM container contains a persistent upper-frequency boundary with a relatively narrow transition, substantial energy drop and low occupancy above the boundary. These combined features form a strong lossy-equivalent profile and do not fully use the expected spectral range of the lossless container. The exact earlier codec cannot be proven from spectral behavior alone. Measured cutoff: 14.8 kHz. Transition width: approximately 361 Hz. Median spectral drop: 55 dB. Roll-off slope: 168 dB/kHz. Cutoff stability: 58% of active windows. Brickwall score: 70/100. 🔊 Open in Music Music Library Inspect File Reveal in Finder Copy Path ☐ Remove from List	Review recommended 44,100 Hz • 16-bit Confidence 74%
⚠ Elegant Ape - Desert Bloom Desert Bloom /Users/████████Music/Music/Various/Elegant Ape - Desert Bloom.m4a The lossless/PCM container has a substantial upper-band energy drop below the natural Nyquist boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended. Measured cutoff: 20.1 kHz. Transition width: approximately 1997 Hz. Median spectral drop: 40 dB. Roll-off slope: 19 dB/kHz. Cutoff stability: 81% of active windows. Brickwall score: 38/100. 🔊 Open in Music Music Library Inspect File Reveal in Finder Copy Path ☐ Remove from List	High-bitrate lossy-equivalent profile 44,100 Hz • 16-bit Confidence 74%

Running a library or playlist scan

Choose the scope in Audio Authenticity Analyzer; manage library-index work in Library Dashboard.



Workflow

- Choose **Entire Music Library** or **One Playlist**.
- For a playlist scan, select the playlist; **Index / Refresh Selected Playlist** is available in Library Dashboard.
- Start the scan and watch progress. **Stop Scan** preserves results already collected.
- Use Inspect File, Reveal in Finder, Copy Path or Remove from List for flagged entries.
- Drop one local file into the Analyzer for an independent single-file analysis.

Local Music Organizer

Local Music ORGANIZER

same music.app location

Health Check

problems + missing

Artwork Check

Missing Covers

Repair Convert

Music Compatible

Track Usage

where used

Playlist Compare

A vs B

File Maintenance

permissions / Finder

Quality Duplicates

best version

Shuffle Builder

anti-repeat shuffle

Audio Inspector

format + spectrum

File Search

physical folders

Setup

permissions + settings

Help

manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop

< >

Audio Inspector

Inspect local audio files and render a spectrum view.

Mode

Mode

Single File

Audio Authenticity Analyzer

Inspector

Scan MP3/AAC and lossless/PCM files from the whole Music.app library or one playlist for lower-bitrate retranscodes, lossy-to-lossless conversions, sample-rate upscales, and suspicious bandwidth limits. Results are estimates, not proof.

Log folder

/Users/ Desktop

Choose Log Folder

Create log files

Stop Music Play

Undo Last Change

Start Authenticity Scan

Stop Scan

Clear Results

Refresh Playlists

Open Log Folder

Status: Open-file action ignored

Scan source

Scan source

Entire Music Library

One Playlist

Playlist

Playlist

Choose a playlist

Dance

Italo Dance

Italy

Relax

Romantic

Transe

Various

Поэты

The scan checks local MP3 and AAC bitrate consistency as well as FLAC and ALAC for readable lossless/PCM files. It does not claim that a suspicious file is fake; mastering filters and historical sources can resemble codec cutoffs.

Search results

Likely: 0 Review: 0 Failed: 0 Scanned: 0

No authenticity results.

Choose the whole library or one playlist, then click Start Scan. Dragging single-file drag and drop remains available in Single File mode.

The dropped item did not contain a readable local audio file.

Understanding Audio Authenticity results

The analyzer reports technical evidence, not proof of a file's complete history.

Review recommended

One or more unusual indicators were measured, but the combined evidence is not decisive. Manual inspection is appropriate.

Likely authenticity mismatch

A stronger combination of persistent bandwidth boundary, transition shape, occupancy, stability and format mismatch was detected.

High-bitrate lossy-equivalent profile

The declared lossless container does not use the expected spectral range, but the evidence is not strong enough for the highest mismatch classification.

Analysis failed


The file could not be decoded or measured. Keep the path and error available for inspection.

What not to infer

A flagged result does not prove that a file is fake, damaged or previously encoded with one specific codec. Mastering, older digital equipment, analogue bandwidth limits, vinyl processing and noise reduction can produce similar spectral boundaries.

Detailed review and report

Manual confirmation remains important



The Desktop report is named Audio Authenticity Analyzer.txt. It begins with the scan source and summary counts. The detailed section contains only Review Recommended, Likely Authenticity Mismatch and failed items; files with no obvious issue are not repeated line by line.

Important limitation

Spectral analysis cannot reconstruct a file's complete production history. A sharp cutoff may be caused by lossy encoding, but it can also come from mastering, older digital equipment, analogue bandwidth limits, vinyl processing or noise reduction. The analyzer therefore uses probability-based language and provides the evidence instead of declaring a file fake.

Recommended confirmation steps

- Open the item in Single File mode and review the spectrum across the whole track.
- Compare with a trusted CD rip or verified lossless release when available.
- Check whether every track from the same album shows the same mastering signature.
- Do not replace or delete an archival file solely because it appears in the report.

Local Music ORGANIZER

Library Dashboard
quality overview

Library Map
repeated tracks

Playlist Duplicates
inside one playlist

Library Duplicates
same Music.app location

Health Check
problems + missing

Artwork Check
Missing Covers

Repair Convert
Music Compatible

Track Usage
where used

Playlist Compare
A vs B

File Maintenance
permissions / Finder

Quality Duplicates
best version

Shuffle Builder
anti-repeat shuffle

Audio Inspector

Setup
permissions + settings

Help
manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Logs: Desktop

Audio Inspector
Inspect local audio files and render a spectrum view.

Mode

Mode

Single File

Audio Authenticity Analyzer

Inspector

Scan MP3/AAC and lossless/PCM files from the whole Music.app library or one playlist for lower-bitrate retranscodes, lossy-to-lossless conversions, sample-rate upscales, and suspicious bandwidth limits. Results are estimates, not proof.

Log folder

/Users/████████Desktop

Choose Log Folder

☒ Create log files

Stop Scan

Stop Music Play

Undo Last Change

Start Authenticity Scan

Stop Scan

Clear Results

Refresh Playlists

Open Log Folder

Status: Authenticity scan: 391 / 7048

Scan source

Scan source

Entire Music Library

One Playlist

The scan checks local MP3 and AAC bitrate consistency as well as FLAC, ALAC, WAV, AIFF and other readable lossless/PCM files. It does not claim that a suspicious file is fake; mastering filters and historical sources can resemble codec cutoffs.

Scanning 391 / 7,048

Search results

Likely: 0 Review: 11 Failed: 0 Scanned: 391

⚠ L2r - Autre chanson (Idea short rmx) - L2r Vs Toto Cutugno Autre chanson (L2r Vs Toto) /Users/████████Music/Music/Dance/L2r - Autre chanson (Idea short rmx) - L2r Vs Toto Cutugno.m4a The lossless/PCM container has a substantial upper-band energy drop below the natural Nyquist boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended. Measured cutoff: 20.0 kHz. Transition width: approximately 673 Hz. Median spectral drop: 46 dB. Roll-off slope: 61 dB/kHz. Cutoff stability: 89% of active windows. Brickwall score: 78/100. 🔊 Open in Music Music Library Inspect File Reveal in Finder Copy Path ☐ Remove from List	High-bitrate lossy-equivalent profile 44,100 Hz • 16-bit Confidence 84%
⚠ SYSTAIME - BONNE ANNEE A TOI BONNE ANNEE A TOI /Users/████████Music/Music/Dance/SYSTAIME - BONNE ANNEE A TOI.m4a The lossless/PCM container has a substantial upper-frequency boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended. Measured cutoff: 20.0 kHz. Transition width: approximately 3241 Hz. Median spectral drop: 53 dB. Roll-off slope: 16 dB/kHz. Cutoff stability: 81% of active windows. Brickwall score: 47/100. 🔊 Open in Music Music Library Inspect File Reveal in Finder Copy Path ☐ Remove from List	High-bitrate lossy-equivalent profile 44,100 Hz • 16-bit Confidence 83%
⚠ fwc - No reward No reward /Users/████████Music/Music/Various/fwc - No reward.m4a The lossless/PCM container contains a persistent upper-frequency boundary with a relatively narrow transition, substantial energy drop and low occupancy above the boundary. These combined features form a strong lossy-equivalent profile and do not fully use the expected spectral range of the lossless container. The exact earlier codec cannot be proven from spectral behavior alone. Measured cutoff: 14.8 kHz. Transition width: approximately 361 Hz. Median spectral drop: 55 dB. Roll-off slope: 168 dB/kHz. Cutoff stability: 58% of active windows. Brickwall score: 70/100. 🔊 Open in Music Music Library Inspect File Reveal in Finder Copy Path ☐ Remove from List	Review recommended 44,100 Hz • 16-bit Confidence 74%
⚠ Elegant Ape - Desert Bloom Desert Bloom /Users/████████Music/Music/Various/Elegant Ape - Desert Bloom.m4a The lossless/PCM container has a substantial upper-band energy drop below the natural Nyquist boundary together with a measurable Brickwall signature. Its effective spectral profile resembles high-bitrate lossy audio and may not justify the storage cost of the lossless container, but this is not sufficient evidence for a red authenticity mismatch. Manual review is recommended. Measured cutoff: 20.1 kHz. Transition width: approximately 1997 Hz. Median spectral drop: 40 dB. Roll-off slope: 19 dB/kHz. Cutoff stability: 81% of active windows. Brickwall score: 38/100. 🔊 Open in Music Music Library Inspect File Reveal in Finder Copy Path ☐ Remove from List	High-bitrate lossy-equivalent profile 44,100 Hz • 16-bit Confidence 74%

Version 1.1.5 (Build 44) works with a local Music.app library and with individual audio files

Free 3-day trial

- Select **Start Free 3-Day Trial** and confirm the free App Store transaction.
- Every feature is available during the three-day trial.
- The trial does not renew and creates no automatic charge. Continued use requires an explicit one-time Full Version purchase.

Standalone-file workflows

- Open a supported file from Finder or drag it into Audio Inspector, Audio Authenticity Analyzer, Live Spectrum or Repair / Convert.
- These individual-file workflows do not require the Music.app Library Index.

Privacy and purchase restoration

Audio, playlists, metadata and reports remain on the Mac. StoreKit communicates with Apple only for trial activation, the optional one-time purchase and Restore Purchases. Restore Purchases restores the permanent unlock for the Apple Account that completed the purchase.

Version 1.1.5 - Build 44

Faster large-library work, clearer high-resolution review and safer batch conversion.

What changed for everyday use

- Dashboard now separates ALAC, MP3, AAC, AIFF, WAV, other formats, 44.1 kHz, 48 kHz, unusual sample rates and >16-bit lossless files.
- 48 kHz and >16-bit lossless results can be sent to Batch Normalize with format-preserving profiles.
- After Conversion now offers Keep original, Move original to Trash and Move original to LMO Backup Folder.
- CUE folders request permission once, and Stop Conversion responds on the first click.
- Track Usage and Physical File Search preserve exact diacritics while accepting equivalent composed/decomposed Unicode forms.
- Direct tag editing, Undo Last Change, hidden-tag protection and existing playlist cleanup safety remain available.

Advanced and large-library changes

- Playlist usage stores ordered persistent IDs and uses an indexed exact fallback, improving speed without losing consecutive identical entries.
- Typed SQLite restore, selected-playlist refresh and paged result queries keep startup, memory and interface work bounded.
- .m4a classification uses Music.app kind before extension fallback, avoiding ALAC/AAC confusion.
- Lossless bit depth is read from local audio in Deep mode; lossy codecs are excluded from >16-bit normalization.
- Conversion verifies output before moving the original and attempts rollback if the final replacement fails.

Safety retained

Read-only scans remain read-only. Cleanup, tag editing, gain application, playlist removal and conversion still require explicit user actions. The manual recommends Keep original for first tests and a dated LMO Backup session for large batches.