



Local Music Organizer

Detailed User Guide - Early Access

A macOS utility for cleaning, comparing, checking, and repairing large offline Music.app libraries.

macOS 14 Sonoma or later. Universal Mac build. Apple Silicon recommended. Intel supported.

Support: sergeyappleservice@gmail.com

Website: <https://local-music-organizer-site.pages.dev/>

Read this first

- Local Music Organizer is designed for local/offline Music.app collections, not cloud-only Apple Music streaming libraries.
- Music.app records, persistent IDs, playlist membership, and Music.app locations are the source of truth for Music.app tools.
- Physical file-search roots are used only by file tools. They must not filter Music.app database scans.
- Warm Cache is the recommended first step for large libraries. Warm once, then run repeated tests, comparisons, dashboard scans, duplicate reviews, Track Usage, and File Search faster from prepared data.
- Playlist cleanup removes playlist entries only. It does not delete audio files.
- Repair / Convert creates new output files and should not overwrite original archive files.
- No automatic backup or recovery playlists are created by default. Main safety mechanism is review plus Undo Last Change where available.
- Keep your own backup before bulk cleanup, tag editing, repair, conversion, or file maintenance.

Contents

- 1. Installation and first launch
- 2. Permissions: Music.app Automation and Full Disk Access
- 3. License, trial mode, and activation
- 4. Helper tools and codec installation through Terminal
- 5. Core architecture and file-search roots
- 6. Safety model: review, undo, logs, and backups
- 7. Navigation, playback, and Stop buttons

- 8. Warm Cache, persistent cache, and scan performance
- 9. Library Dashboard
- 10. Library Map
- 11. Playlist Duplicates
- 12. Library Duplicates
- 13. Playlist Compare
- 14. Track Usage and File Search
- 15. Quality Duplicates
- 16. Audio Inspector
- 17. Health Check and Artwork Check
- 18. File Maintenance
- 19. Repair / Convert, CUE, SACD, old formats, and De-click
- 20. Smart Shuffle Builder
- 21. Tag editing
- 22. Troubleshooting
- 23. Refunds, revocation, and support
- 24. Screenshots

1. Installation and first launch

- Open Music.app once before opening Local Music Organizer. Confirm that the intended Music.app library is selected and visible.
- Open Local Music Organizer from Applications. On first launch, macOS may ask whether the app may control Music.app.
- Open Settings, choose a log folder, run Refresh Playlists, then run a small read-only check before using cleanup actions.
- After activation, use Warm Cache first for large libraries. Enable Save warmed Music.app cache between launches if you want cache restore after relaunch.

2. Permissions: Music.app Automation and Full Disk Access

- Automation permission is required for reading Music.app playlists and library records, Play in Music, tag editing, playlist entry removal, and Music.app playlist creation.
- Full Disk Access is recommended for large local libraries, log export, File Maintenance, missing file checks, and physical-file searches. Restart the app after changing Full Disk Access.

3. License, trial mode, and activation

- Trial mode lets you test real local data before purchase. Trial scans/searches are limited to one playlist and up to 50 local tracks or rows.
- Open License, enter the buyer email, copy the License Request or Hardware ID, and send it with the purchase email. License delivery during Early Access is manual by email, usually within 24 hours.
- An active license unlocks full-library scans, cache persistence, unlimited playlist analysis, cleanup actions, Repair / Convert, and File Maintenance tools.

4. Helper tools and codec installation through Terminal

- Install Apple Command Line Tools, Homebrew, FFmpeg, and LAME for the main repair/conversion workflow. Optional helpers are only needed for rare formats such as tracker modules, WavPack helpers, SACD ISO, or OptimFROG.
- Use Repair / Convert > Check Tools and Check Codec Support after installing helpers.

5. Core architecture and file-search roots

- Music.app database first: Music.app records, persistent IDs, playlist membership, and Music.app locations are the source of truth for Music.app tools.
- Physical roots are for File Search, File Maintenance, Audio Inspector, physical folder health checks, and local-file previews. They must not filter Music.app database scans.
- Use additional local folders for copied old libraries, backup folders, or other local audio folders you want File Search and physical tools to inspect.

6. Safety model: review, undo, logs, and backups

- The app is built around inspect - review - confirm - act - keep logs. Scans are generally read-only until a specific action button is pressed.
- Playlist Duplicates and Playlist Compare remove playlist entries only. Library Duplicates can remove duplicate Music.app records only after explicit review and confirmation.
- Repair / Convert creates output copies. File Maintenance changes permissions or Finder metadata only after explicit action.
- Undo Last Change is intended for recent reversible actions. Use it immediately after a wrong change.

7. Navigation, playback, and Stop buttons

- Play in Music / Play Track plays an existing Music.app record. Local Preview plays a physical file directly. Finder Preview opens Finder/Quick Look style preview.
- Stop Music Play stops Music.app playback. Stop Scan stops scans, cache warm-up, and long operations. The labels are separate to avoid confusion.
- Back should return to the source tool and scroll area after Inspect or Edit Tags. Reveal and Copy should not change the active tool.

8. Warm Cache, persistent cache, and scan performance

- Music.app automation can be slow with thousands of tracks and many playlists. Warm Cache avoids asking Music.app for the same data repeatedly.
- Warm Cache reads full Music.app records. Include playlist usage also builds playlist membership/usage cache, so File Search can show Used in playlists labels and tools can protect playlist usage decisions.
- Save warmed Music.app cache between launches stores the warmed cache on disk. After relaunch, the app should restore it and show cache-ready bars instead of forcing a new full warm-up.
- The app reports elapsed time for completed warm-up stages: Full records, Music Library, Playlist usage, and Total. Tests, comparisons, dashboard scans, and search operations should also report how long they took.
- Use Clear Cache if Music.app was changed outside the app, if playlist membership changed heavily, or if cache status looks stale. Then warm again.

9. Library Dashboard

- Read-only quality overview for the Music.app library. Use it before cleanup, tag edits, file moves, or conversion decisions.
- With warmed records, Dashboard can filter and review quality issues faster because the heavy Music.app record read has already happened.

10. Library Map

- Shows tracks that appear in two or more selected user playlists. Music Library is not counted as an extra source.
- Use after playlist usage cache for faster repeated playlist checks.

11. Playlist Duplicates

- Finds repeated entries inside one selected playlist. Removal affects playlist entries only; it does not delete audio files or Music.app library records.
- Use Play in Music, Inspect, Copy, Edit Tags, and review actions before removing entries.

12. Library Duplicates

- Finds duplicate Music.app library records, especially records pointing to the same Music.app location. It is not a physical folder duplicate scanner.
- Review keep/remove candidates carefully. Playlist usage cache helps show where each candidate is used before action.

13. Playlist Compare

- Compares two selected playlists using persistent ID first, normalized Music.app location second, and metadata plus rounded duration fallback third.
- Remove from A/B removes only the playlist entry from that selected playlist. Diagnostics are review-only and should not silently remove uncertain matches.

14. Track Usage and File Search

- Track Usage shows where a Music.app track is used and where matching physical files are found.
- File Search searches physical files from the file index. It should not start a long Music.app scan by itself.
- Before playlist usage cache is ready, File Search can still find files but may show playlist usage as not checked yet. After playlist usage cache is warmed, File Search should show Used in playlists labels and Play/Stop actions for cached Music.app matches.
- Enter should run search from the search field. Progress/status text should show life during longer searches instead of leaving the user with only a spinning cursor.

15. Quality Duplicates

- Review better/worse versions using codec, bitrate, sample rate, file size, duration, and metadata similarity. This is a review tool, not an automatic deletion tool.

16. Audio Inspector

- Displays technical audio information: format/container, codec, sample rate, bit depth when available, bitrate, channels, duration, file size, and spectrum where available.
- Use before Repair / Convert, quality review, or tag cleanup.

17. Health Check and Artwork Check

- Health Check can check Entire Music.app Library, Selected Playlists, or a Physical Folder. Physical Folder scans audio files under the selected physical root and does not read Music.app playlists.
- Artwork Check is separated because Music.app artwork access can be slower and more fragile than light metadata reads.

18. File Maintenance

- Scans selected physical roots for audio permissions and Finder metadata issues. It does not delete audio files.
- Use this for physical-file maintenance, not for Music.app duplicate record deletion.

19. Repair / Convert, CUE, SACD, old formats, and De-click

- Creates new output files and should not overwrite originals. Add Files or drag files into the queue; Add CUE Sheet for CUE-based albums.
- CUE reader should support UTF-8, UTF-8 BOM, Windows-1251/CP1251, and fallback decoding.
- De-click uses FFmpeg adeclick. Preview 30s De-click and Compare 30s All Modes let you listen before applying. Stop De-click / Convert should terminate active helper processes.

20. Smart Shuffle Builder

- Creates a new anti-repeat Music.app shuffle playlist from existing playlists. This is a normal product feature, not backup clutter.

21. Tag editing

- Tag edits update Music.app records, not arbitrary physical files outside Music.app. Edit only reviewed visible rows and use Undo Last Change immediately if an edit was wrong.

22. Troubleshooting

- No playlists: open Music.app, confirm the expected library is loaded, check Automation permission, and run Refresh Playlists again.
- File scans cannot see files: check Full Disk Access, confirm the local drive/folder is available in Finder, re-select the physical root, and check that the selected folder contains supported audio files.
- Cache did not restore: confirm Save warmed Music.app cache between launches was enabled before or immediately after warming, wait for cache ready, close normally, reopen, and check for Cache restored from disk.
- Play in Music fails: confirm the track still exists as a Music.app record, try Refresh Playlists or Warm Cache, and use Local Preview to test a physical file directly.
- Conversion or de-click fails: run Check Tools, verify FFmpeg/helpers in Terminal, open the log, and check the exact helper error.

23. Refunds, revocation, and support

- Refund requests are reviewed manually. Because Local Music Organizer includes trial mode before purchase and full-library maintenance tools after activation, refunds are generally available only within 48 hours after purchase and only if the app cannot be activated or cannot reasonably run on a supported Mac after troubleshooting. Statutory consumer rights, where applicable, are not affected.
- Support email: sergeyappleservice@gmail.com. Include app version, macOS version, purchase email, screenshots, and relevant logs. Do not send private license keys or unnecessary personal files unless support


explicitly asks.

24. Screenshots

The following screenshots are from the latest build and replace the previous screenshot set. They show the cache-first workflow, license state, settings, dashboard, checks, duplicates, repair, audio inspection, File Search, and playlist tools.


Trial / License

Trial state, license fields, support details, and activation workflow.




License Activated

Activated Early Access state without exposing internal server details.




Settings and Warm Cache

Setup, cache persistence, Auto Warm Cache, playlist usage cache, logs, and diagnostics.



Library Dashboard

Dashboard before scanning with cache controls visible above the tool area.



Library Dashboard Results

Read-only quality overview after using warmed Music.app records.

Local Music Organizer

Library Dashboard

Library Map

Playlist Duplicates

Library Duplicates

Health Check

Artwork Check

Repair Convert

Track Usage

Playlist Compare

File Maintenance

Quality Duplicates

License

Setup

Help

Refresh Playlists

Stop Music Play

Open Log Folder

Library Dashboard

Large-library safe quality overview: bitrate, sample rate, artwork, storage, and issue filters.

Scale

Scale

Fast

Standard

Deep

20000

Skip slow file checks

Mode

Deep: reads playlist membership and file stats; best for small/medium libraries. Skip slow file-stat checks for large or unavailable paths.

Output

Run creates a safe report in the log folder. Row actions can edit Music.app tags, inspect audio, reveal files, or copy paths.

Log folder

/Users/ Desktop

Choose Log Folder

Create log files

Stop Music Play

Run Audio Quality Dashboard

Export Dashboard Log

Clear

Refresh Playlists

Open Log Folder

Status: Audio Quality Dashboard complete

scan last 0s

Cache: playlist usage ready - took 16:55

Current: Playlist - 100% - playlist usage ready - took 16:55

stage took 13s

Cache ready: Library ready - Full records ready - Playlists 8/8

took 16:55

Warm Cache

Warm Playlist Usage

Clear Cache

Stop Cache

Include playlist usage

Using cached playlist usage: 8 playlists

Audio Quality Dashboard

Records

Empty artist

Low bitrate

No artwork

Missing files

Long tracks

Short tracks

Comments

Other issues

15 shown / 6,917 scanned - Filter: Issues

Show More

Clear Filter

Save Current List...

Clear All Comments

Sonidero Nacional - Grande De Caderas (Tributo A Bronco)

Warning Low bitrate

Suñan Los Sonideros

MPEG audio file - 128 kbps - 44100 Hz - 4:56 - 4.8 MB

Storage: Local

Low bitrate < 160 kbps

Playlists: Various

/Users/ Music/Music/various/Sonidero Nacional - Grande De Caderas (Tributo A Bronco).mp3

Play

Stop

Reveal

Inspect

Edit Tags

Clear Comments

Undo Last Change

Copy Path

Search Discogs

Tabitha Kermorvant - Прекрасное далёко

Warning Low bitrate

MPEG audio file - 128 kbps - 44100 Hz - 3:59 - 4.1 MB

Storage: Local

Low bitrate < 160 kbps

Playlists: Various

/Users/ Music/Music/various/Tabitha Kermorvant - .mp3

Audio Quality Dashboard complete.

Mode: Deep

Skip slow file checks:

Local Music Organizer User Guide - Early Access

Page 12

Library Map Results

Repeated tracks across selected user playlists after cached playlist membership is ready.

Local Music Organizer

Local Music ORGANIZER

Library Dashboard

quality overview

Library Map

repeated tracks

Playlist Duplicates

made one playlist

Library Duplicates

same Music.app location

Health Check

problems + missing

Artwork Check

Missing Covers

Repair Convert

Music Compatible

Track Usage

where used

Playlist Compare

A vs B

File Maintenance

permissions / Finder

Quality Duplicates

best version

License

activation

Setup

permissions + settings

Help

manual + safety

Refresh Playlists

Stop Music Play

Open Log Folder

Log: Desktop

< >

Library Map

Shows only repeated tracks that appear in 2 or more selected playlists.

Compare playlists

8 Selected / 8 visible

Select All

Clear

☒ Dance

1828

☒ Italo Dance

791

☒ Italy

1174

☒ Relax

798

☒ Romantic

859

☒ Trance

3

☒ Various

3231

☒ ...

...

Select playlists to scan, or leave empty to scan all visible playlists.

Meaning

Scans the Music library as the base, maps selected playlists, and shows repeated tracks only. Single-playlist tracks are excl...

Library Map reads Music.app library and selected playlists. Large libraries may take a few minutes. The scan is read-only.

Log folder

/Users/.../Desktop

Choose Log Folder

Create log files

Stop Music Play

Scan Library Playlist Map

Refresh Playlists

Open Log Folder

Status: Library playlist map complete from cache

scan took 5s

Cache playlist usage ready - took 18:55

Current Playlist - 100% - playlist usage ready - took 18:55

stage took 13s

Warm Cache

Warm Playlist Usage

Clear Cache

Stop Cache

☒ Include playlist usage

Warm Cache reads full records, then visible playlist usage, so File Search chips are ready after warm-up.

Cache ready: Library ready - Full records ready - Playlists 8/8

took 18:55

Using cached playlist usage: 8 playlists

Library Playlist Map

Filter by artist, title, album, path, playlist

Clear

Show More

1,510 repeated tracks / 1,510 mapped

Only repeated tracks are shown: tracks appearing in 2 or more selected playlists. Single-playlist tracks are excluded.

-M - Belleville rendez-vous - Version française

Les triplettes de Belleville (Bande originale du film)

Duration: 3:11

Authors: .../Music/Music/Various/-M - Belleville rendez-vous - Version française.m4a

Appears in:

Italy, Various

Play

Stop

Remove from Playlist

Edit Tags

Undo Last Change

Copy

Various

Play

Stop

Remove from Playlist

Edit Tags

Undo Last Change

Copy

Play Track

Stop

Copy Artist / Title

Copy Path

Copy playlists

Inspect File

[dunkelbunt] - Cinnamon Girl

Cinnamon Girl

Playlists: 2

Library Playlist Map complete.


Source:

Local Music Organizer User Guide - Early Access

Page 13


Playlist Duplicates Results

Repeated entries inside one playlist, with review before playlist-entry removal.




Playlist Duplicate Edit

Context actions for reviewed duplicate playlist entries.




Library Duplicates

Music.app duplicate-record review with playlist usage protection.




Health Check

Focused health checks for Music.app records, selected playlists, or physical folders.




Artwork Check

Artwork-specific review separated from faster metadata health checks.




Repair / Convert Formats

Repair and conversion workflow for Music.app-compatible output files.




Repair / Convert De-click

De-click and vinyl repair tools with preview-first workflows.




Playlist Compare

Compare two playlists using IDs, paths, metadata, and duration fallbacks.




File Maintenance

Permission and Finder metadata maintenance for selected local audio folders.




Quality Duplicates

Review better/worse versions using codec, bitrate, sample rate, duration, and size.




Smart Shuffle Builder

Create reviewed anti-repeat Music.app playlists from existing playlists.




Audio Inspector - Lossless

Detailed inspection of lossless files before repair, conversion, or cleanup.



Audio Inspector - Lossy

Detailed inspection of lossy files and technical metadata.



File Search Results

Fast physical file search with playlist usage labels after the playlist usage cache is warmed.

