

Schäfter+Kirchhoff GmbH • Kieler Straße 212 • D-22525 Hamburg

University of Amsterdam  
van der Waals-Zeeman Institute  
Sumit Sarkar  
Science Park 904  
  
NL 1098 XH Amsterdam

Kieler Straße 212  
D-22525 Hamburg  
Fon: 49(0)40 85 39 97-0  
Fax: 49(0)40 85 39 97-79  
e-mail: info@sukhamburg.com  
http://www.sukhamburg.com

Our Reference: ppp  
Date: 23.02.2026  
Account: 134210

QUOTATION 740117

Page 1

Dear Sir or Madam,  
We thank you for your inquiry and quote as follows:

| Pos | Item / Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | pcs. | Unit price       | Total EUR    |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------------|--------------|
| 1   | <b>60FC-4-M6.2-01</b><br>Fiber Collimator, focusable, housing Ø 12 mm<br>Achromat f'6.2 mm / NA 0.2 / AR 350 - 700 nm<br>Inclined coupling axis, FC-APC connection                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 5    | 519.00<br>-3.00% | 2,517.15 EUR |
| 2   | <b>60FC-4-M8-10</b><br>Fiber Collimator, focusable, housing Ø 12 mm<br>Monochromat f'8 mm / NA 0.23 / AR 630 - 1080 nm<br>Inclined coupling axis, FC-APC connection                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 8    | 382.00<br>-3.00% | 2,964.32 EUR |
| 3   | <b>PMC-780-3-18E-500</b><br>Old product code:<br>PMC-E-780-5.3-NA012-3-APC.EC-500-P<br>Single-mode fiber cable, 5.0 m long<br>Cut-off < 780 nm<br>Nominal MFD 5.3 ± 0.5 µm<br>Nominal NA 0.12<br>Polarization-maintaining PANDA fiber<br>both ends FC-APC connector (8° angled polish)<br>Connector type 'N' (2.14 mm wide key)<br>with End cap 300 ± 50 µm long<br>Cable Ø 3 mm with Kevlar strain relief<br>Fiber cable with test chart, (Cable Reel P7-39):<br>Cut-off 705 nm<br>NA 0.083 (1/e2 level) at wavelength 785 nm<br>NA 0.079 (1/e2 level) at wavelength 940 nm<br>NA 0.073 (1/e2 level) at wavelength 1080 nm | 2    | 726.00           | 1,452.00 EUR |
| 4   | <b>PMC-780-3-18-500</b><br>Old product code:<br>PMC-780-5.3-NA012-3-APC-500-P<br>Single-mode fiber cable, 5.0 m long<br>Cut-off < 780 nm<br>Nominal MFD 5.3 ± 0.5 µm                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 5    | 517.00<br>-3.00% | 2,507.45 EUR |

Page 1/3



QUOTATION 740117

23.02.2026

Page 2

| Pos | Item / Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | pcs. | Unit price       | Total EUR    |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------------|--------------|
|     | <p>Nominal NA 0.12<br/>Polarization-maintaining PANDA fiber<br/>both ends FC-APC connector (8° angled polish)<br/>Connector type 'N' (2.14 mm wide key)<br/>Cable Ø 3 mm with Kevlar strain relief<br/>Fiber cable with test chart, (Cable Reel P7-41):<br/>Cut-off 707 nm<br/>NA 0.082 (1/e2 level) at wavelength 780 nm<br/>NA 0.077 (1/e2 level) at wavelength 940 nm<br/>NA 0.073 (1/e2 level) at wavelength 1080 nm</p>                                                                                                                                                                                                                         |      |                  |              |
| 5   | <p><b>PMC-980-3-18E-500</b><br/>Old product code:<br/>PMC-E-980-6.6-NA012-3-APC.EC-500-P<br/>Single-mode fiber cable, 5.0 m long<br/>Cut-off &lt; 980 nm<br/>Nominal MFD 6.6 ± 1 µm<br/>Nominal NA 0.12<br/>Polarization-maintaining PANDA fiber<br/>both ends FC-APC connector (8° angled polish)<br/>Connector type 'N' (2.14 mm wide key)<br/>with End cap 300 ± 50 µm long<br/>Cable Ø 3 mm with Kevlar strain relief<br/>Fiber cable with test chart, (Cable Reel P9-33):<br/>Cut-off 886 nm<br/>NA 0.085 (1/e2 level) at wavelength 980 nm<br/>NA 0.080 (1/e2 level) at wavelength 1310 nm<br/>NA 0.076 (1/e2 level) at wavelength 1559 nm</p> | 1    | 721.00           | 721.00 EUR   |
| 6   | <p><b>PMC-460-3-18-500</b><br/>Old product code:<br/>PMC-460-3.3-NA012-3-APC-500-P<br/>Single-mode fiber cable, 5.0 m long<br/>Cut-off &lt; 460 nm<br/>Nominal MFD 3.3 ± 0.5 µm<br/>Nominal NA 0.12<br/>Polarization-maintaining PANDA fiber<br/>both ends FC-APC connector (8° angled polish)<br/>Connector type 'N' (2.14 mm wide key)<br/>Cable Ø 3 mm with Kevlar strain relief<br/>Fiber cable with test chart, (Cable Reel P5-17):<br/>Cut-off 411 nm<br/>NA 0.084 (1/e2 level) at wavelength 450 nm<br/>NA 0.076 (1/e2 level) at wavelength 520 nm<br/>NA 0.058 (1/e2 level) at wavelength 638 nm</p>                                         | 1    | 567.00           | 567.00 EUR   |
| 7   | <p><b>60FC-4-A6.2S-02</b><br/>Fiber Collimator, focusable, housing Ø 12 mm<br/>Asphere f'6.2 mm / NA 0.3 / AR 600 - 1100 nm<br/>Inclined coupling axis, FC-APC connection</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 5    | 265.00<br>-3.00% | 1,285.25 EUR |
| 8   | <p><b>60FC-4-A6.2S-01</b><br/>Fiber Collimator, focusable, housing Ø 12 mm<br/>Asphere f'6.2 mm / NA 0.3 / AR 350 - 700 nm<br/>Inclined coupling axis, FC-APC connection</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 5    | 450.00<br>-3.00% | 2,182.50 EUR |



QUOTATION 740117

23.02.2026

Page 3

| Pos Item / Description | pcs. | Unit price | Total EUR |
|------------------------|------|------------|-----------|
|------------------------|------|------------|-----------|

|                    |               |
|--------------------|---------------|
| Total Goods .....  | 14,196.67 EUR |
| Shipping Fee ..... | 57.90 EUR     |
| Net value .....    | 14,254.57 EUR |
| Total .....        | 14,254.57 EUR |

Payment .....: 30 days net  
 Terms of Delivery ....: DAP NL 1098 XH Amsterdam  
 Incoterms® 2020  
 Delivery time approx. : 14 Weeks  
 Quote valid until ....: 22.08.2026  
 Delivery mode .....: UPS / FedEx

Subject to prior sale.

Sales terms and delivery conditions:  
<https://www.sukhamburg.com/documents/terms.pdf>

Data protection notes:  
<https://www.sukhamburg.com/documents/dataprotection.pdf>

Please specify the quotation number on your order.

We look forward to hearing from you.  
 Best regards

SCHÄFTER + KIRCHHOFF GmbH  
 OPTICS, METROLOGY, PHOTONICS

Paria Pajouhi Paad