

Using Blocks

YMPrint uses a special "block syntax" for defining custom content types. Some of these are similar to content types you might expect to see in markdown, e.g. images or code blocks, or extensions to common markdown such as admonitions.

Images



Figure 1: The catpuccin cat

Admonitions

■ INFO

Here is an "info" admonition

■ WARNING

Here is a "warning" admonition

✗ DANGER

Here is a danger admonition

✓ TIP

Here is a helpful tip

NOTE

This is useful when you want to give a note


Block quotes

“What you do makes a difference, and you have to decide what kind of difference you want to make.”

— Jane Goodall

Horizontal rules

Unlike a standard horizontal which does not have properties you can adjust, the ``_hrule`` block in YMPrint has optional parameters like `width_ratio`, `thickness`, `cap`, and `color` that you can manipulate.



Vertical spacers

You can create arbitrary amounts of vertical white space so you can manually the location of your content.

The ``_spacer`` object accepts a distance in points for the amount of vertical space to insert.

Below, a spacer is inserted in between each line of text

There is a 5 pt spacer above

There is a 10 pt spacer above

There is a 20 pt spacer above

There is a 40 pt spacer above

Executable code Blocks

YMPrint is a Python application and library that can execute arbitrary Python code within a code block using the `\_py` block.

In a `\_py` block, the code is *always* executed but can be *optionally* displayed by using the `echo: true` parameter.

When `\_py` blocks are executed, all variables created are added to the `vars` key within the document context. This allows you to dynamically compute values to be displayed within your report and to create Python objects that you may pass to other blocks as parameters.

The `\_py` block has additional display parameters such as `caption` and `line\_numbers` that apply when `echo: true` is set.

This code block is set to be visible and is always executed.

```
1 import math
2 a = 3
3 b = 4
4 c = math.sin(a/b)
```