

Lean Proof Strategy Proposal for the Scheduling Rules Document

Stuart Swan, Platform Architect, Siemens EDA

10 June 2026

0. Goal and scope

The goal is to formalize the scheduling rules document's **mathematical proof core** in Lean: trace compatibility, witness construction, cutpoint correspondence, elaboration, and one-way liveness/deadlock preservation. The Lean proof would certify the formalized theorem stack under the stated assumptions, not every informal prose statement in the document.

The scheduling rules document's own framing is conditional: the formal results depend on assumptions, observation-boundary choices, witness-selection conditions, and liveness/progress premises.

The Lean development should therefore be organized around explicit theorem instances and assumption bundles, rather than hidden global axioms.

Notation and signature status. The Lean-like declarations in this strategy are intended to fix proof architecture, theorem dependencies, and object domains. Unless a declaration is explicitly identified as a final Lean signature, it should be read as schematic pseudo-Lean. In particular, channel, process, side, prefix, and bucket types must be unified in the concrete development through the selected ComparisonInstance, the side-parametric SystemOfSide map, and the shared proof-internal alphabet C.Sigma. This note is not a relaxation of the proof obligations; it prevents schematic notation such as Channel, C.Sys_ref.Channel, Prefix, and InfiniteExecutionBucketed from being mistaken for already type-checking Lean code.

Version alignment note. This revision updates the Lean proof strategy to align with the scheduling-rules v32 changes. The main alignment points are: (i) Appendix G/J now separates the informational happens-before / causal-dependency graph from the strict Appendix J required-order relation $\prec_J$; (ii) Theorem J.1 now produces an explicitly selected Sys_ref witness prefix, and the proof construction is organized along the fixed RTL-time ideal chain rather than by arbitrary $\prec_J$ -minimal extension; (iii) Corollary J.1 and Appendix K/R cutpoint transfers use an explicit RTL_B-to-source abstraction relation J.Abs and a

corresponding implementation obligation J.AbsConf; and (iv) Appendix K A5 now includes scheduler-robust liveness for blocking distinct-interface rendezvous regions.

The primary scheduling rules document on which this doc is based is available here:

https://github.com/Stuart-Swan/Matchlib-Examples-Kit-For-Accellera-Synthesis-WG/blob/master/matchlib_examples/doc/catapult_user_view_scheduling_rules.pdf

The latest version of this Lean proof strategy document is available here:

https://github.com/Stuart-Swan/Matchlib-Examples-Kit-For-Accellera-Synthesis-WG/blob/master/matchlib_examples/doc/Lean_proof_strategy.pdf

The Matchlib examples kit that contains training slides, examples, etc., is available here:

<https://github.com/Stuart-Swan/Matchlib-Examples-Kit-For-Accellera-Synthesis-WG/tree/master>

1. Central comparison object

The proof should be parameterized by a selected comparison instance:

structure ComparisonInstance where

Sys_ref : System

RTL_B : System

-- Shared proof-internal observable alphabet for the Sys_ref / RTL_B comparison.

-- Both sides emit events in this same Σ schema.

Sigma : Alphabet

-- Optional outer DUT/testbench-visible projection alphabet.

-- In ordinary cases this may be the identity projection from Sigma.

Sigma_DUT : Alphabet

sigmaDUTProjection : ProjectionMap Sigma Sigma_DUT

env : ReactiveEnvironment Sigma

refChoice : SysRefChoice

-- The explicit Sys_ref field and the reference-choice record must name the

-- same source reference system. This prevents theorem instances from using

-- C.Sys_ref in one definition and C.refChoice.Sys_ref in another while silently

-- referring to different systems.

sys_ref_consistent :

Sys_ref = refChoice.Sys_ref

- Optional modular combinational model used by R2C.
- The R2C semantics are still stated over a composed cycle-level
- combinational fixed point, but that composed network is obtained from
- explicit per-process combinational components. This preserves the document's
- local/compositional proof style while still allowing a single global
- ε -quiescent fixed-point valuation μ_t to be used for observable R2C events.

combModel? : Option CombComposition

assumptions : AssumptionBundle

witness : WitnessBundle

contracts : ModelingContracts

The comparison relation between Sys_ref and RTL_B is defined over the single shared proof-internal alphabet C.Sigma. The reference and post-HLS executions may have different internal ε -structure, bucket decomposition, or implementation state, but their observable events are encoded in the same Σ event schema before CompatibleP / CompatibleSys is applied.

Sigma_DUT is not a second post-side alphabet. It is only the chosen outer DUT/testbench-visible projection of C.Sigma. In elaborated cases, introduced proof-internal staged/bundle/join events may be hidden or accounted for by sigmaDUTProjection / Π_{elab} when projecting to Sigma_DUT, while the proof-internal compatibility theorem still ranges over C.Sigma.

Sys_ref is the chosen source reference model for the theorem instance:

- ordinary bounded-FIFO case: Sys_ref = Sys_B;
- elaborated case: Sys_ref = Sys_B^{elab}(E) for a well-formed elaboration package E.

The refChoice field records why this Sys_ref is the prescribed source reference model, and sys_ref_consistent enforces that C.Sys_ref and C.refChoice.Sys_ref are the same system. This follows the updated Appendix Q direction: the formal theorems do not require a unique algorithm that constructs Sys_B^{elab}; instead, the chosen Sys_ref is part of the theorem instance, but the theorem instance may not contain two inconsistent reference systems.

2. Foundation layer: bucketed executions, not flat traces

The primary execution model should be **cycle-bucketed**, not a flat sequence of $\text{eps} \mid \text{tick} \mid \text{sigma } e$. The reason is that the document allows multiple same-cycle Σ -events without imposing artificial order among independent same-cycle events. The earlier review correctly noted that a flat trace would either impose a fake linearization or require an added bucket abstraction anyway.

Use:

structure State where

cycle : Nat

epsPos : Nat

store : Store

with explicit advancement rules:

- Intra-cycle ε -normalization steps advance epsPos only.
- Same-cycle Σ -events advance epsPos only.
- Clock ticks advance cycle and reset epsPos.
- Cycle-advancing silent progress is represented at the bucket level: a
- CycleBucket with $\text{sigmaEvents} = \emptyset$ may still consume a real clock cycle and
- may represent HLS-inserted FSM latency, arbitration/bookkeeping latency,
- failed non-blocking polls, or pipeline advances that emit no Σ -event.

Define buckets:

structure CycleBucket (Σ : Type) where

cycle : Nat

startState : State

epsPrefix : List EpsStep

-- The Σ -events committed in this clock cycle.

-- This is an unordered finite set. A CycleBucket does not carry an intrinsic

-- sequence or bucket-local partial order among same-cycle events.

sigmaEvents : Finset Σ

epsSuffix : List EpsStep

endState : State

endQuiescent : Prop

def ExecutionBucketed (Σ : Type) :=

List (CycleBucket Σ)

def InfiniteExecutionBucketed (Σ : Type) :=

Nat $\rightarrow$ CycleBucket Σ

Bucket well-formedness predicates, not the Finset representation alone, enforce per-cycle scalar constraints such as at most one Push_c and at most one Pop_c per channel in a cycle. Required ordering is not stored in CycleBucket. It is derived globally from observable units and from the Appendix J required-order relation $\prec_J$, not from bucket membership or bucket-local sequencing.

The scheduling-rules v32 text intentionally separates two relations: causal-dependency / happens-before ($\rightarrow$), an information-flow graph over observable IO actions that is useful for explaining functional dependencies but need not be acyclic in every legal execution; and RequiredJOrder / $\prec_J$, the well-founded strict order over observable units used by the Appendix J finite-ideal induction and by CompatibleP / CompatibleSys.

This provides the right foundation for:

- ε -quiescent cutpoints;
- rendezvous same-cycle commits;
- R2C combinational fixed-point buckets;
- J.1 ideal induction over observable units and the mandated $\prec_J$ relation;
- B2/B3 temporal reasoning over infinite bucketed executions.

Important separation: ExecutionBucketed is the semantic carrier for state advancement, ε -quiescence, occupancy updates, R2C fixed points, and fairness/progress reasoning. It is not itself the cross-model trace-compatibility predicate.

In particular, system-level compatibility $\tau_{\text{ref}, \text{system}} \approx_{\text{sys}} \tau_{\text{post}, \text{system}}$ must not be defined as equality of CycleBucket lists, equality of bucket cycle numbers, or bucket-by-bucket equality of sigmaEvents. The document's Appendix J compatibility relation is an ordered cross-model observable-compatibility predicate. It preserves the explicitly required $\prec_J$ constraints, atomic multi-endpoint units, E1–E5 obligations, FIFO/synchronization/signal-anchor obligations, and matched value labels, while allowing independent observable units to commute or to be grouped into different cycle buckets in Sys_ref and RTL_B. Same-cycle membership in a CycleBucket is therefore a timing fact for one execution, not a source of intrinsic order.

Thus:

- bucket equality may be required inside explicitly atomic units, such as rendezvous Push/Pop pairs and SyncChannel/ac_sync handshakes;

bucket decomposition may be used to prove local state-transition and enablement facts; but $\text{CompatibleSys} / \approx_{\text{sys}}$ is defined over observable units and the mandated $\leq_J$ relation, not over identical bucket decompositions.

3. Events, operation instances, and source order

Define dynamic operation universes:

inductive MsgKind

| Push

| Pop

| PushNB

| PopNB

def MsgKind.isBlocking : MsgKind → Bool

| MsgKind.Push => true

| MsgKind.Pop => true

| MsgKind.PushNB => false

| MsgKind.PopNB => false

structure DynMsgInstance where

proc : Process

channel : Channel

kind : MsgKind -- Push, Pop, PushNB, PopNB

sourceLoc : SourceLoc

instanceId : Nat

def Blocking (q : DynMsgInstance) : Prop :=

q.kind.isBlocking = true

def NonBlocking (q : DynMsgInstance) : Prop :=

q.kind.isBlocking = false

structure FrontierItem where

proc : Process

itemKind : FrontierItemKind

sourceLoc : SourceLoc

instanceId : Nat

Core source-order objects are witness-specific. They range only over dynamic operation instances that actually occur in the compared execution / witness. Untaken branches and unexecuted loop iterations are not members of this dynamic universe.

$Q_{exec} : \text{Process} \rightarrow \text{Set DynMsgInstance}$

$Q_{\Omega} : \text{Process} \rightarrow \text{Set DynMsgInstance}$

$\Omega : \text{Process} \rightarrow \text{Set FrontierItem}$

Q_{exec}, P is the execution-level dynamic-instance universe. It includes executed failed non-blocking polls that may produce no Σ -event.

Ω, P is the frontier/order universe used by Front, NextFront, WFG, E3/E5, BoundaryReq attribution, and source-order reasoning. Failed NB-only executed polls are not included in Ω, P merely because they executed.

Q_{Ω}, P denotes the executed dynamic message-operation-instance slice induced by Ω, P . Since Q_{exec}, P is a set of DynMsgInstance and Ω, P is a set of FrontierItem, this is not a direct set intersection. It is defined through the message-instance projection from frontier items:

```
QΩ,P :=
{ q : DynMsgInstance |
  q ∈ Qexec,P ∧
  ∃ x : FrontierItem,
  x ∈ Ω,P ∧
  MsgInstanceOfFrontierItem C P x = some q }
```

```
def MsgInstanceOfFrontierItem
(C : ComparisonInstance)
(P : Process)
(x : FrontierItem) : Option DynMsgInstance :=
...
```

```
-- R2/E2 signal anchors include both explicit synchronization calls and the
-- process-boundary synchronization events START_P and FINISH_P. This avoids
-- making signal reads before the first explicit wait(), or signal writes after
-- the last explicit wait(), ill-typed.
```

inductive SyncAnchor

```

| start (P : Process)
| call (s : SyncCall)
| finish (P : Process)

```

```

def SyncAnchorClock
(C : ComparisonInstance)
(W : WitnessBundle C)
(a : SyncAnchor) : Cycle :=
match a with
| SyncAnchor.start P => StartClock C W P
| SyncAnchor.call s => SyncClock C W s
| SyncAnchor.finish P => FinishClock C W P

```

-- A SyncAnchor may be used by pred_S / succ_S only when the corresponding
-- synchronization event is actually present on the dynamic path represented by
-- the witness universe. In particular, START_P is not an implicit free anchor:
-- it is usable only when the modeling convention includes START_P as a real
-- synchronization event in S. FINISH_P is usable only for an actually
-- terminating process whose FINISH_P event is realized.

```

def SyncAnchorRealizedInUniverse
(C : ComparisonInstance)
(P : Process)
(W : WitnessBundle C)
( $\Omega$  : Set FrontierItem)
(a : SyncAnchor) : Prop :=
match a with
| SyncAnchor.start P' =>
P' = P  $\wedge$ 
 $\exists x$ ,
 $x \in \Omega \wedge$ 
StartSyncFrontierItem C P x  $\wedge$ 
ExecutedInWitness C W P x
| SyncAnchor.call s =>
SyncCallOwnedByProcess C P s  $\wedge$ 
 $\exists x$ ,
 $x \in \Omega \wedge$ 
SyncCallFrontierItem C P s x  $\wedge$ 
ExecutedInWitness C W P x

```


| SyncAnchor.finish P' =>
 P' = P $\wedge$
 ProcessTerminatesInWitness C W P $\wedge$
 $\exists x,$
 $x \in \Omega \wedge$
 FinishSyncFrontierItem C P x $\wedge$
 ExecutedInWitness C W P x

structure DynamicUniverse
 (C : ComparisonInstance)
 (P : Process)
 (W : WitnessBundle C) where
 Q_exec : Set DynMsgInstance
 Ω : Set FrontierItem
 Q_ Ω : Set DynMsgInstance

qomega_characterization :
 $\forall q,$
 $q \in Q_{\Omega} \Leftrightarrow$
 $q \in Q_{\text{exec}} \wedge$
 $\exists x,$
 $x \in \Omega \wedge$
 MsgInstanceOfFrontierItem C P x = some q

message_frontier_items_have_exec_instance :
 $\forall x q,$
 $x \in \Omega \rightarrow$
 MsgInstanceOfFrontierItem C P x = some q $\rightarrow$
 $q \in Q_{\text{exec}} \wedge q \in Q_{\Omega}$

qomega_items_have_frontier_item :
 $\forall q,$
 $q \in Q_{\Omega} \rightarrow$
 $\exists x,$
 $x \in \Omega \wedge$
 MsgInstanceOfFrontierItem C P x = some q

executed_only :

$\forall x,$
 $x \in \Omega \rightarrow$
 ExecutedInWitness C W P x

leP :
 $\{x : \text{FrontierItem} // x \in \Omega\} \rightarrow$
 $\{y : \text{FrontierItem} // y \in \Omega\} \rightarrow$
 Prop

leP_partial_order :
 PartialOrder leP

prefS :
 SyncCall $\rightarrow$
 Set $\{x : \text{FrontierItem} // x \in \Omega\}$
 suffS :
 SyncCall $\rightarrow$
 Set $\{x : \text{FrontierItem} // x \in \Omega\}$

-- R2/E2 signal-anchor maps for sequential-process signal IO.
 -- pred_S is defined for ordinary sequential-process signal Reads.
 -- succ_S is defined for ordinary sequential-process signal Writes.
 -- The anchor type is SyncAnchor, not SyncCall, because START_P may be the
 -- closest preceding anchor for an initial Read and FINISH_P may be the closest
 -- succeeding anchor for a terminal Write.

pred_S :
 $\{x : \text{FrontierItem} // x \in \Omega\} \rightarrow$
 Option SyncAnchor
 succ_S :
 $\{x : \text{FrontierItem} // x \in \Omega\} \rightarrow$
 Option SyncAnchor

read_anchor_defined :
 $\forall x,$
 SequentialSignalReadItem x.val $\rightarrow$
 pred_S x $\neq$ none $\wedge$
 succ_S x = none

```

write_anchor_defined :
  ∀ x,
  SequentialSignalWriteItem x.val →
  succ_S x ≠ none ∧
  pred_S x = none
pred_S_anchor_realized :
  ∀ x a,
  SequentialSignalReadItem x.val →
  pred_S x = some a →
  SyncAnchorRealizedInUniverse C P W Ω a
succ_S_anchor_realized :
  ∀ x a,
  SequentialSignalWriteItem x.val →
  succ_S x = some a →
  SyncAnchorRealizedInUniverse C P W Ω a
pred_S_is_closest_preceding_anchor :
  ∀ x a,
  SequentialSignalReadItem x.val →
  pred_S x = some a →
  ClosestPrecedingDynamicSyncAnchor C P W a x.val
succ_S_is_closest_succeeding_anchor :
  ∀ x a,
  SequentialSignalWriteItem x.val →
  succ_S x = some a →
  ClosestSucceedingDynamicSyncAnchor C P W a x.val

signal_read_ordered_at_pred_S :
  ∀ x a,
  SequentialSignalReadItem x.val →
  pred_S x = some a →
  SignalItemClock C W x.val = SyncAnchorClock C W a

signal_write_ordered_at_succ_S :
  ∀ x a,
  SequentialSignalWriteItem x.val →
  succ_S x = some a →
  SignalItemClock C W x.val = SyncAnchorClock C W a

```

`MsgInstanceOfFrontierItem` is defined only for frontier items that correspond to message-operation dynamic instances. Non-message frontier items, such as pure synchronization or signal-anchor items, map to none. Signal-anchor items instead use the explicit `pred_S` / `succ_S` fields above. For sequential processes, `pred_S` places each ordinary signal `Read` at its closest preceding `SyncAnchor`, and `succ_S` places each ordinary signal `Write` at its closest succeeding `SyncAnchor`. A `SyncAnchor` may be `START_P`, an explicit synchronization call, or `FINISH_P`. These anchors, not raw lexical position, determine the signal item's formal position for $\leq_P$ / $<_P$, `Done_P`, `Remain_P`, `NextFront`, `E2SignalAnchorOrder`, and `CompatibleP` / `CompatibleSys` reasoning.

The field `Q_Ω` is therefore not a second independent universe: it is exactly the set of executed dynamic message-operation instances $q \in Q_{\text{exec}}$ for which some message frontier item $x \in \Omega$ satisfies `MsgInstanceOfFrontierItem` $C \ P \ x = \text{some } q$. This keeps `Q_exec`, Ω , `Q_Ω`, and the signal-anchor universe type-distinct while making their relationships explicit for `BoundaryReq`, `Front`, `NextFront`, `WFG`, `E2`, `E3/E5` issue-order reasoning, and `R2/R2C` signal visibility.

Thus source order $\leq_P$ is not a static total order over syntactic program statements. It is a partial order over the witness-bundle-specific dynamic frontier-item universe Ω . The selector component `W.selector` determines ε -modeled source choices, while `W.nbMap` records the dynamic-instance correspondence for failed non-blocking polls that produce no Σ -event.

Non-blocking calls need explicit modeling:

- failed `PushNB` / `PopNB` polls are executed dynamic instances in `Qexec`, but produce no Σ -event;
- successful non-blocking calls produce the corresponding committed `Push_c(v)` / `Pop_c(v)` event;
- repeated NB calls are distinct dynamic source instances even if a request signal remains physically asserted.

This matches the document's issue/commit treatment of NB calls.

```
structure NonBlockingInstanceWF
(C : ComparisonInstance)
(P : Process)
(W : WitnessBundle C)
(U : DynamicUniverse C P W) where
```

nb_instances_are_nonpersistent :

$\forall q,$

$q \in U.Q_exec \rightarrow$

$\text{NonBlocking } q \rightarrow$

$\neg \text{PersistentBlockingRequestInstance } C \ P \ q$

nb_reexecution_distinct_instances :

$\forall q_1 \ q_2 \ t_1 \ t_2,$

$q_1 \in U.Q_exec \rightarrow$

$q_2 \in U.Q_exec \rightarrow$

$\text{NonBlocking } q_1 \rightarrow$

$\text{NonBlocking } q_2 \rightarrow$

$\text{SameSourceNBPollSite } q_1 \ q_2 \rightarrow$

$\text{ExecutedAtCycle } C \ W \ q_1 \ t_1 \rightarrow$

$\text{ExecutedAtCycle } C \ W \ q_2 \ t_2 \rightarrow$

$t_1 \neq t_2 \rightarrow$

$q_1 \neq q_2$

nb_physical_assertion_does_not_identify_instances :

$\forall q_1 \ q_2 \ t_1 \ t_2,$

$q_1 \in U.Q_exec \rightarrow$

$q_2 \in U.Q_exec \rightarrow$

$\text{NonBlocking } q_1 \rightarrow$

$\text{NonBlocking } q_2 \rightarrow$

$\text{SameEndpoint } q_1 \ q_2 \rightarrow$

$\text{EndpointRequestContinuouslyAsserted } C \ W \ q_1.\text{channel } t_1 \ t_2 \rightarrow$

$\text{ExecutedAtCycle } C \ W \ q_1 \ t_1 \rightarrow$

$\text{ExecutedAtCycle } C \ W \ q_2 \ t_2 \rightarrow$

$t_1 \neq t_2 \rightarrow$

$q_1 \neq q_2$

nb_not_fair_action :

$\forall q,$

$q \in U.Q_exec \rightarrow$

$\text{NonBlocking } q \rightarrow$

$\neg \exists h, \text{FairAction.push } q \ h \vee \text{FairAction.pop } q \ h$

The last field is only a type-level sanity condition for the fairness layer:
 B2 fairness ranges over persistent blocking Push/Pop requests and real
 synchronization calls. A successful NB call may still contribute the ordinary
 committed Push_c / Pop_c Σ -event, but the NB call instance itself does not become
 a persistent FairAction.

4. Reactive environment and modeling contracts

4.1 Reactive environment

“Fixed stimulus” should be modeled as a causal global strategy over Σ -history, not merely
 as a fixed stream of per-process inputs.

```
structure ReactiveEnvironment ( $\Sigma$  : Type) where
  inputAt : SigmaHistory  $\Sigma$   $\rightarrow$  ExternalInputs
  causal :
     $\forall h_1 h_2,$ 
      SamePrefix  $h_1 h_2 \rightarrow$ 
        inputAt  $h_1 =$  inputAt  $h_2$ 
```

This directly addresses the earlier issue that reactive stimulus must be interpreted as the
 same global Σ -causal behavior, not a function of local process history.

4.2 Modeling contracts

Direct-input contracts, array-access contracts, and latency-sensitive local-protocol
 isolation contracts should be parallel top-level modeling contracts, not partly folded into
 RRules and partly left separate.

The scheduling-rules document treats cadence-sensitive retry/timeout polling as latency-
 sensitive local protocol logic. In the Lean development this should be an explicit modeling
 contract, not a hidden theorem-side convention. Failed non-blocking polls still remain ϵ -
 steps with no committed Push_c / Pop_c Σ -event; the contract instead states that a polling
 site whose externally visible behavior depends on the number or cadence of failed polls is
 outside the ordinary latency-insensitive Appendix I/J source core unless it has been
 isolated, snoop-aligned, or supplied with an equivalent explicit cycle-accurate local
 protocol model at the chosen boundary.

```
inductive LocalProtocolHandling
| ordinaryLatencyInsensitiveCore
| isolatedBoundary
```

| snoopAligned

| explicitCycleAccurateModel

structure LatencySensitiveLocalProtocolContract

(C : ComparisonInstance) where

handlingOf :

Process → SourceLoc → LocalProtocolHandling

cadence_sensitive_nb_sites_handled :

∀ P loc,

CadenceSensitiveNBPollingSite C P loc →

handlingOf P loc = LocalProtocolHandling.isolatedBoundary ∨

handlingOf P loc = LocalProtocolHandling.snoopAligned ∨

handlingOf P loc = LocalProtocolHandling.explicitCycleAccurateModel

ordinary_core_excludes_unhandled_cadence :

∀ P loc,

handlingOf P loc = LocalProtocolHandling.ordinaryLatencyInsensitiveCore →

¬ CadenceSensitiveNBPollingSite C P loc

isolated_boundary_has_stable_observable_interface :

∀ P loc,

handlingOf P loc = LocalProtocolHandling.isolatedBoundary →

LatencyInsensitiveOrExplicitlyModeledBoundary C P loc

snoop_aligned_sites_have_admissible_witness :

∀ P loc,

handlingOf P loc = LocalProtocolHandling.snoopAligned →

SnoopAlignedLocalProtocolSite C P loc

cycle_accurate_sites_have_explicit_model :

∀ P loc,

handlingOf P loc = LocalProtocolHandling.explicitCycleAccurateModel →

ExplicitCycleAccurateLocalProtocolModel C P loc

structure ModelingContracts (C : ComparisonInstance) where

directInputs : DirectInputContract C

arrays : ArrayAccessMappingRules C

latencySensitiveLocalProtocols : LatencySensitiveLocalProtocolContract C

This keeps RRules close to the document's actual R-rule set and treats direct-input, external-array, and latency-sensitive local-protocol obligations as environment/modeling

contracts. In particular, timeout/retry/poll-arbiter cadence is not added to the ordinary Σ alphabet; it is either local to an isolated block, selected by a snooping witness for that block, or covered by an explicit cycle-accurate local protocol model.

5. Direct-input contract and late sampling

The direct-input contract should contain only primitive environmental stability/update obligations. The fact that late sampling preserves the logical anchor should be a **derived theorem**, not a separate hypothesis.

The document says `hls_direct_input` permits late physical sampling because the environment holds the signal stable after reset, while `hls_direct_input_sync` permits controlled updates only at the designated synchronization handshake. The document also states that logical signal Read/Write events are timestamped at the E2 anchor, not at any later physical RTL sampling cycle; late sampling is ε -internal.

Define:

The direct-input stability rule applies only within a single reset epoch. The scheduling document explicitly permits dynamic resetting during normal HW operation, including resetting of direct-input-controlled regions.

```
def NoRelevantResetBetween
(C : ComparisonInstance)
(sig : Signal)
(t1 t2 : Cycle) : Prop :=
  ¬ ∃ r,
    t1 < r ∧
    r ≤ t2 ∧
    ReceiverResetAffectsSignal C sig r
```

```
structure DirectInputContract (C : ComparisonInstance) where
  stableWithinResetEpoch :
```

```
  ∀ sig t1 t2,
    DirectInput sig →
    AfterAllReceiversOutOfReset C sig t1 →
    t1 ≤ t2 →
    NoRelevantResetBetween C sig t1 t2 →
    InputValue C.env sig t1 = InputValue C.env sig t2
```


syncControlledUpdateOnlyAtSync :

$\forall \text{ sig s t,}$

DirectInputSyncControlled sig s $\rightarrow$

ValueChangesAt C.env sig t $\rightarrow$

SyncHandshakeOccursAt C s t

Then prove:

theorem lateSamplingPreservesLogicalAnchor

(C : ComparisonInstance)

(hDI : DirectInputContract C)

(sig : Signal)

(anchor sampleT : Cycle)

(hIsDI : DirectInput sig)

(hOutOfReset :

AfterAllReceiversOutOfReset C sig anchor)

(hWindow : DirectInputAnchorWindow C sig anchor sampleT)

(hLe : anchor $\leq$ sampleT)

(hNoReset :

NoRelevantResetBetween C sig anchor sampleT) :

InputValue C.env sig anchor =

InputValue C.env sig sampleT :=

hDI.stableWithinResetEpoch

sig

anchor

sampleT

hIsDI

hOutOfReset

hLe

hNoReset

Bucket-location rule:

For sequential processes, the logical direct-input Read(sig,val) / Write(sig,val)

event belongs only to the E2 anchor bucket β_{anchor} . A physical late sample, if

modeled, is an ε -step in a later bucket. The late ε -step creates no new Σ -event.

lateSamplingPreservesLogicalAnchor is used only to justify the value recorded in the logical sequential anchor bucket.

This sequential anchoring rule is not applied to combinational-process signal IO.

Combinational processes do not have pred_S / succ_S synchronization anchors.

Their observable direct-input Read/Write labels, when any direct input participates in combinational signal IO, are recorded in the R2C bucket corresponding to the

cycle's ε -quiescent combinational fixed point. Intermediate physical samples, delta-cycle reads/writes, redundant re-evaluations, and transient values before that fixed point are ε -steps and are not separately Σ -visible.

```
-- These anchor predicates are derived from the per-process DynamicUniverse
-- fields pred_S and succ_S. For a sequential read item x,
-- SequentialSignalReadAnchoredAt C (LogicalReadEvent sig val) anchor means
-- that x is the corresponding read frontier item and pred_S x = some anchor.
-- For a sequential write item x,
-- SequentialSignalWriteAnchoredAt C (LogicalWriteEvent sig val) anchor means
-- that x is the corresponding write frontier item and succ_S x = some anchor.
-- Thus the anchor used below is the event's actual E2/R2 anchor, not an
-- unconstrained universally quantified synchronization point.
```

structure DirectInputBucketWF (C : ComparisonInstance) where

sequential_read_recorded_only_at_pred_anchor :

$\forall$ sig val anchor sampleT β ,

DirectInput sig $\rightarrow$

SequentialSignalReadEvent (LogicalReadEvent sig val) $\rightarrow$

LogicalReadEvent sig val $\in$ BucketSigmaEvents C $\beta \rightarrow$

SequentialSignalReadAnchoredAt C (LogicalReadEvent sig val) anchor $\rightarrow$

DirectInputAnchorWindow C sig anchor sampleT $\rightarrow$

$\beta = \text{AnchorBucket C anchor}$

The late-sample value agreement field is reset-epoch local. It is derived from stableWithinResetEpoch and may be used only when no relevant dynamic reset occurs between the logical anchor cycle and the physical sample cycle.

sequential_write_recorded_only_at_succ_anchor :

$\forall$ sig val anchor β ,

DirectInput sig $\rightarrow$

SequentialSignalWriteEvent (LogicalWriteEvent sig val) $\rightarrow$

LogicalWriteEvent sig val $\in$ BucketSigmaEvents C $\beta \rightarrow$

SequentialSignalWriteAnchoredAt C (LogicalWriteEvent sig val) anchor $\rightarrow$

$\beta = \text{AnchorBucket C anchor}$

late_sample_is_epsilon_only :

$\forall$ sig anchor sampleT,

DirectInputAnchorWindow C sig anchor sampleT →
 PhysicalLateSample C sig sampleT →
 EpsilonStepOnly C sig sampleT ∧
 ¬ ∃ val β,
 PhysicalSampleEvent sig val sampleT ∈ BucketSigmaEvents C β

late_sample_value_matches_anchor :
 ∀ sig anchor sampleT,
 DirectInput sig →
 AfterAllReceiversOutOfReset C sig anchor →
 DirectInputAnchorWindow C sig anchor sampleT →
 anchor ≤ sampleT →
 NoRelevantResetBetween C sig anchor sampleT →
 InputValue C.env sig anchor = InputValue C.env sig sampleT

This explicitly reconciles the bucket model with direct-input late sampling:
 CompatibleP and CompatibleSys compare the logical Σ -visible direct-input
 Read/Write events at the appropriate logical bucket — the E2 anchor bucket for
 sequential-process signal IO, or the R2C ε -quiescent fixed-point bucket for
 combinational-process signal IO — never the later physical sample micro-step.

Combinational-process signal IO uses R2C, not the direct-input late-sampling contract.
 The R2C bucket-placement rule is therefore a general combinational-process
 well-formedness obligation. It applies to every combinational-process signal
 Read/Write event in the compared Σ trace, regardless of whether the signal is
 marked DirectInput.

structure CombinationalBucketWF (C : ComparisonInstance) where
 combinational_read_recorded_only_at_fixed_point :
 ∀ sig val β,
 CombReadWriteEvent (LogicalReadEvent sig val) →
 LogicalReadEvent sig val ∈ BucketSigmaEvents C β →
 R2CFixedPointBucket C β ∧
 EventReadsWritesBucketFixedPoint C (LogicalReadEvent sig val) β

combinational_write_recorded_only_at_fixed_point :
 ∀ sig val β,
 CombReadWriteEvent (LogicalWriteEvent sig val) →

LogicalWriteEvent sig val $\in$ BucketSigmaEvents C $\beta \rightarrow$
 R2CFixedPointBucket C $\beta \wedge$
 EventReadsWritesBucketFixedPoint C (LogicalWriteEvent sig val) β

6. Temporal logic layer for B2/B3/B4/B5/B6

B2 and B3 should not be opaque Prop fields. They are temporal assumptions over infinite executions.

The document defines B2 as weak fairness: if an action remains continuously enabled from some cycle onward, the scheduler must eventually select it. It applies to Push, Pop, and Sync operations. It also defines B3 as the $P_push(c) / P_pop(c)$ channel-progress obligations.

Define temporal operators:

```
def AlwaysFrom
  (τ : InfiniteExecutionBucketed Σ)
  (t : Nat)
  (P : Nat → Prop) : Prop :=
  ∀ n, t ≤ n → P n
```

```
def EventuallyFrom
  (τ : InfiniteExecutionBucketed Σ)
  (t : Nat)
  (P : Nat → Prop) : Prop :=
  ∃ n, t ≤ n ∧ P n
```

Concrete fairness actions:

```
-- B2 fairness ranges only over scheduler-selectable operations.
-- For message operations, this means persistent blocking Push and Pop boundary
-- requests. Non-blocking PushNB/PopNB polls are not FairAction cases: failed NB
-- polls are  $\varepsilon$ -steps, and successful NB polls contribute the ordinary committed
-- Push/Pop  $\Sigma$ -event without creating a persistent scheduler-fairness obligation.
-- For synchronization, fairness ranges only over real synchronization calls
-- such as wait(), ac_wait, ac_sync, or SyncChannel calls. It does not range over
-- the auxiliary process-boundary anchors START_P and FINISH_P.
```

inductive FairAction

```
| push (q : DynMsgInstance) (h : q.kind = MsgKind.Push)
```

```
| pop (q : DynMsgInstance) (h : q.kind = MsgKind.Pop)
| sync (s : SyncCall)
```

Weak fairness:

Weak fairness is a side-parametric temporal assumption over the `FairAction` type above. For message operations, `FairAction` contains only blocking `Push` and blocking `Pop` dynamic instances. For synchronization operations, `FairAction` contains only real `SyncCall` instances, not arbitrary `SyncAnchor` values. Thus `START_P` and `FINISH_P` may still be used as formal `R2/E2` signal anchors when they are realized in the dynamic universe, but they are not scheduler-fairness actions. Non-blocking `PushNB/PopNB` instances are excluded at the type level; they are handled through the `NB` execution/witness machinery and through ordinary committed `Push/Pop` Σ -events when successful.

Weak fairness applies to any valid infinite execution of the selected comparison side. In particular, it is not a post-only premise: the reference-side execution used by `Exec_ref` and the post-side execution used by `RTL_B` both carry the same `WF/B2` obligation whenever that side is being used in a liveness/progress theorem.

```
def WeakFairness
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma) : Prop :=
 $\forall$  a t,
AlwaysFrom  $\tau$  t (fun n => FairActionEnabled C side  $\tau$  a n)  $\rightarrow$ 
EventuallyFrom  $\tau$  t (fun n => FairActionSelected C side  $\tau$  a n)
```

`B3` channel-progress predicates should be defined in terms of continuous endpoint-level ready/valid requests, with operation attribution supplied separately. They should not require that the complementary endpoint's continuous request be witnessed by one persistent dynamic message-operation instance.

A blocking request is persistent from cycle `t` through its commit cycle inclusive when the same dynamic operation instance `q` keeps its `BoundaryReq` asserted throughout that interval. For `Push` operations, persistence also includes payload stability while the request is outstanding, including the commit cycle itself:

```
def PersistentRequestFrom
(C : ComparisonInstance)
```

```

(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(q : DynMsgInstance)
(t : Nat) : Prop :=
Blocking q  $\wedge$ 
 $\forall$  n,
t  $\leq$  n  $\rightarrow$ 
 $\neg$  CommitsBefore C side  $\tau$  q n  $\rightarrow$ 
BoundaryReqAt C side  $\tau$  q n  $\wedge$ 
(q.kind = MsgKind.Push  $\rightarrow$ 
PayloadAt C side  $\tau$  q n = PayloadAt C side  $\tau$  q t)

```

PersistentRequestFrom remains the right predicate for a single outstanding blocking Push or Pop. It is deliberately not used to collapse a sequence of executed non-blocking polls into one dynamic instance. Repeated PushNB/PopNB polls are distinct source-level dynamic instances, even if the concrete endpoint request signal remains asserted across adjacent cycles.

```

inductive EndpointDirection
| push
| pop

```

```

def DirectionOf
(q : DynMsgInstance) : EndpointDirection :=
match q.kind with
| MsgKind.Push => EndpointDirection.push
| MsgKind.PushNB => EndpointDirection.push
| MsgKind.Pop => EndpointDirection.pop
| MsgKind.PopNB => EndpointDirection.pop

```

```

def IsPushKind
(k : MsgKind) : Prop :=
k = MsgKind.Push  $\vee$  k = MsgKind.PushNB

```

```

def IsPopKind
(k : MsgKind) : Prop :=
k = MsgKind.Pop  $\vee$  k = MsgKind.PopNB

```

```

def EndpointRequestAssertedAt
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)

```

```

(dir : EndpointDirection)
(n : Nat) : Prop :=
match dir with
| EndpointDirection.push => EndpointValidAssertedAt C side  $\tau$  c n
| EndpointDirection.pop  => EndpointReadyAssertedAt C side  $\tau$  c n

```

```

structure EndpointRequestWitness
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(dir : EndpointDirection)
(n : Nat) where
endpoint_asserted :
EndpointRequestAssertedAt C side  $\tau$  c dir n
source_attributed :
 $\exists$  q,
q.channel = c  $\wedge$ 
DirectionOf q = dir  $\wedge$ 
BoundaryReqAt C side  $\tau$  q n
payload_present_if_push :
dir = EndpointDirection.push  $\rightarrow$ 
 $\exists$  v, EndpointPayloadAt C side  $\tau$  c n = some v

```

-- Endpoint request continuity is not a forever-after-t predicate. It is scoped
-- to the interval before the relevant discharge event D. After D occurs, the
-- endpoint may drop the request or change payload for the next operation.

```

def EndpointRequestHoldsUntilDischarged
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(dir : EndpointDirection)
(t : Nat)
(D : Nat  $\rightarrow$  Prop) : Prop :=
HoldsUntilDischarged  $\tau$  t
(fun n =>
EndpointRequestWitness C side  $\tau$  c dir n)
D

```

-- Push payload stability is also scoped only to the outstanding interval. A
-- successful transfer may be followed by a deasserted request or a different
-- payload for a later operation.

```

def PushPayloadStableUntilDischarged
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(t : Nat)
(D : Nat  $\rightarrow$  Prop) : Prop :=
 $\exists v$ ,
HoldsUntilDischarged  $\tau$  t
(fun n =>
EndpointPayloadAt C side  $\tau$  c n = some v)
D

```

```

def ContinuousPushRequestUntilDischarged
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(t : Nat)
(D : Nat  $\rightarrow$  Prop) : Prop :=
EndpointRequestHoldsUntilDischarged C side  $\tau$  c EndpointDirection.push t D  $\wedge$ 
PushPayloadStableUntilDischarged C side  $\tau$  c t D

```

```

def ContinuousPopRequestUntilDischarged
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(t : Nat)
(D : Nat  $\rightarrow$  Prop) : Prop :=
EndpointRequestHoldsUntilDischarged C side  $\tau$  c EndpointDirection.pop t D

```

```

def BufferedChannel
(C : ComparisonInstance)
(c : Channel) : Prop :=
0 < capacity C c

```

```

def RendezvousChannel
(C : ComparisonInstance)
(c : Channel) : Prop :=
capacity C c = 0

```

```

def SomePopCommitOn
(C : ComparisonInstance)

```



```

(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(n : Nat) : Prop :=
 $\exists$  qPop,
qPop.channel = c  $\wedge$ 
IsPopKind qPop.kind  $\wedge$ 
CommitAtCycle C side  $\tau$  qPop n

```

```

def SomePushCommitOn
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(n : Nat) : Prop :=
 $\exists$  qPush,
qPush.channel = c  $\wedge$ 
IsPushKind qPush.kind  $\wedge$ 
CommitAtCycle C side  $\tau$  qPush n

```

```

def MatchingTransferCommitOnChannel
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(n : Nat) : Prop :=
 $\exists$  qPush qPop,
qPush.channel = c  $\wedge$ 
qPop.channel = c  $\wedge$ 
IsPushKind qPush.kind  $\wedge$ 
IsPopKind qPop.kind  $\wedge$ 
MatchingTransferCommitOn C side  $\tau$  qPush qPop n

```

```

def BufferedFullBothEndpointsRequesting
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(n : Nat) : Prop :=
BufferedChannel C c  $\wedge$ 
occAt C side  $\tau$  c n = capacity C c  $\wedge$ 
EndpointRequestAssertedAt C side  $\tau$  c EndpointDirection.push n  $\wedge$ 
EndpointRequestAssertedAt C side  $\tau$  c EndpointDirection.pop n

```

```

def BufferedEmptyBothEndpointsRequesting
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(n : Nat) : Prop :=
BufferedChannel C c  $\wedge$ 
occAt C side  $\tau$  c n = 0  $\wedge$ 
EndpointRequestAssertedAt C side  $\tau$  c EndpointDirection.pop n  $\wedge$ 
EndpointRequestAssertedAt C side  $\tau$  c EndpointDirection.push n

```

```

def RendezvousBothEndpointsRequesting
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel)
(n : Nat) : Prop :=
RendezvousChannel C c  $\wedge$ 
EndpointRequestAssertedAt C side  $\tau$  c EndpointDirection.push n  $\wedge$ 
EndpointRequestAssertedAt C side  $\tau$  c EndpointDirection.pop n

```

-- P holds continuously from t until the first discharge cycle.
-- This avoids the vacuity that would result from requiring the stalled condition
-- to remain true forever after the discharge has already occurred.

```

def HoldsUntilDischarged
( $\tau$  : InfiniteExecutionBucketed  $\Sigma$ )
(t : Nat)
(P : Nat  $\rightarrow$  Prop)
(D : Nat  $\rightarrow$  Prop) : Prop :=
 $\forall n, t \leq n \rightarrow (\forall k, t \leq k \rightarrow k < n \rightarrow \neg D k) \rightarrow P n$ 

```

```

def EventuallyDischargedFrom
( $\tau$  : InfiniteExecutionBucketed  $\Sigma$ )
(t : Nat)
(D : Nat  $\rightarrow$  Prop) : Prop :=
 $\exists n, t \leq n \wedge D n$ 

```

Then:

```

def P_push
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : Channel) : Prop :=
(BufferedChannel C c  $\rightarrow$ 

```

$\forall t,$
 BufferedFullBothEndpointsRequesting C side $\tau \ c \ t \rightarrow$
 ContinuousPushRequestUntilDischarged C side $\tau \ c \ t$
 (fun n =>
 SomePopCommitOn C side $\tau \ c \ n) \rightarrow$
 ContinuousPopRequestUntilDischarged C side $\tau \ c \ t$
 (fun n =>
 SomePopCommitOn C side $\tau \ c \ n) \rightarrow$
 EventuallyDischargedFrom $\tau \ t$
 (fun n =>
 SomePopCommitOn C side $\tau \ c \ n))$
 $\wedge$
 (RendezvousChannel C c $\rightarrow$
 $\forall t,$
 RendezvousBothEndpointsRequesting C side $\tau \ c \ t \rightarrow$
 ContinuousPushRequestUntilDischarged C side $\tau \ c \ t$
 (fun n =>
 MatchingTransferCommitOnChannel C side $\tau \ c \ n) \rightarrow$
 ContinuousPopRequestUntilDischarged C side $\tau \ c \ t$
 (fun n =>
 MatchingTransferCommitOnChannel C side $\tau \ c \ n) \rightarrow$
 EventuallyDischargedFrom $\tau \ t$
 (fun n =>
 MatchingTransferCommitOnChannel C side $\tau \ c \ n))$

def P_pop
 (C : ComparisonInstance)
 (side : Side)
 (τ : InfiniteExecutionBucketed C.Sigma)
 (c : Channel) : Prop :=
 (BufferedChannel C c $\rightarrow$
 $\forall t,$
 BufferedEmptyBothEndpointsRequesting C side $\tau \ c \ t \rightarrow$
 ContinuousPopRequestUntilDischarged C side $\tau \ c \ t$
 (fun n =>
 SomePushCommitOn C side $\tau \ c \ n) \rightarrow$
 ContinuousPushRequestUntilDischarged C side $\tau \ c \ t$
 (fun n =>
 SomePushCommitOn C side $\tau \ c \ n) \rightarrow$
 EventuallyDischargedFrom $\tau \ t$
 (fun n =>
 SomePushCommitOn C side $\tau \ c \ n))$
 $\wedge$
 (RendezvousChannel C c $\rightarrow$

$\forall t,$
 RendezvousBothEndpointsRequesting C side $\tau \ c \ t \rightarrow$
 ContinuousPopRequestUntilDischarged C side $\tau \ c \ t$
 (fun n =>
 MatchingTransferCommitOnChannel C side $\tau \ c \ n) \rightarrow$
 ContinuousPushRequestUntilDischarged C side $\tau \ c \ t$
 (fun n =>
 MatchingTransferCommitOnChannel C side $\tau \ c \ n) \rightarrow$
 EventuallyDischargedFrom $\tau \ t$
 (fun n =>
 MatchingTransferCommitOnChannel C side $\tau \ c \ n))$

The removed HoldsUntilDischarged premises are not independent B3 assumptions.
 For bounded FIFOs, the needed full/empty persistence facts are derived from E4: if $\text{occAt C side } \tau \ c \ t = \text{capacity C c}$ and no Pop_c commits before n , then the channel remains full at n ; dually, if $\text{occAt C side } \tau \ c \ t = 0$ and no Push_c commits before n , then the channel remains empty at n . For rendezvous channels, the corresponding “both endpoints requesting until transfer” fact is exactly the conjunction of the two continuous endpoint-request premises together with $\text{RendezvousChannel C c}$.

Thus P_{push} and P_{pop} state only the real B3 progress obligation: once the appropriate blocked condition holds at t and both endpoint requests continue until the matching discharge event, that discharge event must eventually occur. The occupancy-stability facts needed inside proofs should be supplied as E4 derived lemmas rather than duplicated as extra hypotheses in B3.

This matches the document’s conditional B3 reading: B3 forces progress only when both endpoints continuously request the matching transfer until the corresponding discharge event. A producer stalled on a full channel is not automatically a B3 violation if the consumer is not yet requesting the matching pop, and a consumer stalled on an empty channel is not automatically a B3 violation if the producer is not yet requesting the matching push.

The continuous-request premise is endpoint-level and interval-scoped. For blocking Push/Pop it may be witnessed by one persistent dynamic operation instance using $\text{PersistentRequestFrom}$ through the commit cycle. For non-blocking polling loops it may instead be witnessed by a sequence of distinct executed PushNB/PopNB instances on the same endpoint, provided the endpoint request remains continuously asserted until discharge and each cycle’s assertion has BoundaryReq attribution to the appropriate executed dynamic instance.

The payload-stability premise for Push is likewise scoped only until discharge. After the discharge event, the producer may deassert valid or present a different payload for a later operation. Thus B3 tracks the ready/valid progress premise

without requiring an endpoint request or payload to remain stable forever and without misidentifying multiple NB polls as one persistent q .

The scheduling document assumes B1 determinism only of the post-HLS RTL_B side. The source-side models $\text{Sys} / \text{Sys}_B / \text{Sys}_{\text{ref}}$ may admit multiple ε - or latency-different executions having the same Σ -projection; witness selection and snooping resolve the required source-side correspondence when needed.

For a fixed comparison instance — including the fixed initial state and fixed reactive environment / external stimulus — B1 requires uniqueness of the labeled post-side Σ -trace, not uniqueness of the full internal ε -execution. Internal ε -steps, ε -depths, and other non-observable scheduling details may differ between valid post-side executions.

```
def PostDeterministicSigmaTrace
(C : ComparisonInstance) : Prop :=
 $\forall \tau_1 \tau_2,$ 
InfinitePostExecution C  $\tau_1 \rightarrow$ 
InfinitePostExecution C  $\tau_2 \rightarrow$ 
SigmaTraceOf C .post  $\tau_1 =$ 
SigmaTraceOf C .post  $\tau_2$ 
```

Constructive ε -normalization and finite-stutter obligations for B4/B5.

B4 and B5 should not be merely opaque Prop fields when used to mechanize Lemma I.1-style arguments. They are assumptions, but they must expose enough structure to prove that internal ε -evolution cannot hide an infinite internal tail before the next Σ -action or stable wait.

This Lean strategy distinguishes two implementation-level measurements that are both silent with respect to Σ :

- intra-cycle ε -normalization: ε -microsteps inside one CycleBucket, used to reach an ε -quiescent cutpoint within a cycle; and
- cycle-advancing silent progress: one or more real clock cycles whose buckets contain no Σ -event for the process, used to model HLS-inserted FSM latency, arbitration/bookkeeping latency, failed non-blocking polls, and pipeline advances.

This distinction is only a Lean-internal decomposition. It is not a redefinition

of B4. The main-document B4 premise remains a single finite ε -stutter bound for each process P: along any consecutive ε -only evolution in which P is internally advancing and is not externally stalled, P must reach either a Σ -action or a stable waiting state within a finite bound D_P .

Accordingly, ProcessEpsilonBound and IntraCycleNormalizationBound may remain separate Lean-internal implementation parameters, but neither one is the main-document B4 bound D_P . FiniteEpsilonDepth must expose a derived unified B4 consequence with one bound per process, and that derived bound is the Lean representative of the main document's D_P .

In this strategy, the identification is:

$D_P \equiv \text{MainB4Bound } C\ P$.

ProcessEpsilonBound $C\ P$ is only an internal bound on cycle-advancing silent progress, and IntraCycleNormalizationBound $C\ P$ is only an internal bound on intra-cycle ε -normalization. They are useful for proof engineering, but together they must imply the single main-document B4 finite-stutter obligation. Any B5 statement of the form “within $\max_P\ D_P$ ” is therefore represented in Lean using $\max_P\ \text{MainB4Bound } C\ P$, not $\max_P\ \text{ProcessEpsilonBound } C\ P$.

```
def ProcessEpsilonBound
(C : ComparisonInstance)
(P : Process) : Nat :=
pipe_depth C P
```

```
def IntraCycleNormalizationBound
(C : ComparisonInstance)
(P : Process) : Nat :=
eps_norm_depth C P
-- Main-document B4 bound  $D\_P$ .
-- MainB4Bound  $C\ P$  is the single  $D\_P$ -style finite  $\varepsilon$ -stutter bound exposed to
-- the theorem stack. ProcessEpsilonBound and IntraCycleNormalizationBound are
-- Lean-internal components only; they are not separate candidates for  $D\_P$ . The
-- exact arithmetic expression is not important, provided MainB4Bound dominates
-- the Lean-internal cycle-progress and bucket-normalization bounds strongly
-- enough to prove the unified B4 consequence.
```

```

def MainB4Bound
(C : ComparisonInstance)
(P : Process) : Nat :=
(ProcessEpsilonBound C P + 1) *
(2 * IntraCycleNormalizationBound C P + 1)

```

```

def IntraCycleEpsilonStep
(C : ComparisonInstance)
(side : Side)
( $\sigma \ \sigma'$  : State) : Prop :=
InternalStep C side  $\sigma \ \sigma' \wedge$ 
SigmaEventsBetween C side  $\sigma \ \sigma' = \emptyset \wedge$ 
 $\sigma'.cycle = \sigma.cycle$ 

```

```

def IntraCycleEpsilonSegment
(C : ComparisonInstance)
(side : Side)
( $\sigma_0 \ \sigma_1$  : State)
(steps : List EpsStep) : Prop :=
EpsilonStepsFromTo C side  $\sigma_0$  steps  $\sigma_1 \wedge$ 
 $\forall \sigma \ \sigma',$ 
AdjacentInEpsilonSteps C side  $\sigma_0$  steps  $\sigma_1 \ \sigma \ \sigma' \rightarrow$ 
IntraCycleEpsilonStep C side  $\sigma \ \sigma'$ 

```

```

def StableWaitOrSigmaEnabled
(C : ComparisonInstance)
(side : Side)
( $\sigma$  : State) : Prop :=
StableWaitCutpoint C side  $\sigma \vee$ 
 $\exists e, \text{SigmaEnabledAt } C \text{ side } e \ \sigma$ 

```

-- Event ownership is side-parametric. In simple cases the ownership predicate
-- may reduce to a side-agnostic schema-level owner map over C.Sigma, but the
-- side parameter is still carried here so bucket membership, execution
-- well-formedness, and process attribution are checked in the same side context.

```

def SigmaCommitsForProcessInBucket

```

(C : ComparisonInstance)
 (side : Side)
 (P : Process)
 (β : CycleBucket C.Sigma) : Prop :=
 $\exists e,$
 $e \in \beta.\text{sigmaEvents} \wedge$
 EventOwnedByProcess C side P e

def SigmaCommitsForProcessAt
 (C : ComparisonInstance)
 (side : Side)
 (P : Process)
 (τ : InfiniteExecutionBucketed C.Sigma)
 (n : Cycle) : Prop :=
 SigmaCommitsForProcessInBucket C side P (τ n)

def ProcessSilentCycle
 (C : ComparisonInstance)
 (side : Side)
 (P : Process)
 (β : CycleBucket C.Sigma) : Prop :=
 WellFormedCycleBucket C side $\beta \wedge$
 ProcessActiveInBucket C side P $\beta \wedge$
 $\neg \text{SigmaCommitsForProcessInBucket C side P } \beta \wedge$
 InternalProgressForProcess C side P β

def SilentCycleSegment
 (C : ComparisonInstance)
 (side : Side)
 (P : Process)
 (τ : InfiniteExecutionBucketed C.Sigma)
 ($t_0 t_1$: Cycle) : Prop :=
 $t_0 \leq t_1 \wedge$
 $\forall n,$
 $t_0 \leq n \rightarrow$
 $n < t_1 \rightarrow$
 ProcessSilentCycle C side P (τ n)


```

def StableWaitOrSigmaEnabledAtCycle
(C : ComparisonInstance)
(side : Side)
(P : Process)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(n : Cycle) : Prop :=
StableWaitOrSigmaEnabled C side (( $\tau$  n).endState)  $\vee$ 
 $\exists$  e,
EventOwnedByProcess C side P e  $\wedge$ 
SigmaEnabledAt C side e (( $\tau$  n).endState)

```

```

structure FiniteEpsilonDepth (C : ComparisonInstance) where
-- MainB4Bound is the Lean representative of the main-document D_P. These two
-- fields record that the Lean-internal component bounds are dominated by that
-- single exposed D_P bound.
main_B4_bound_dominates_cycle_bound :
 $\forall$  P,
ProcessEpsilonBound C P  $\leq$  MainB4Bound C P

```

```

main_B4_bound_dominates_normalization_bound :
 $\forall$  P,
IntraCycleNormalizationBound C P  $\leq$  MainB4Bound C P

```

```

-- Cycle-level internal consequence used by Lemma I.1-style arguments.
-- This bound is intentionally stated using the Lean-internal
-- ProcessEpsilonBound. It is not the main-document D_P; it is one component
-- used to prove the unified D_P bound below.
silent_cycle_bound :
 $\forall$  side  $\tau$  P  $t_0$   $t_1$ ,
InfiniteExecutionOfSide C side  $\tau \rightarrow$ 
SilentCycleSegment C side P  $\tau$   $t_0$   $t_1 \rightarrow$ 
( $\forall$  n,
 $t_0 \leq n \rightarrow$ 
 $n < t_1 \rightarrow$ 
 $\neg$  StableWaitOrSigmaEnabledAtCycle C side P  $\tau$  n)  $\rightarrow$ 
 $t_1 - t_0 \leq$  ProcessEpsilonBound C P

```

-- Main-document B4 consequence: all consecutive ε -only evolution, including
 -- any intra-cycle normalization ε -steps represented inside CycleBucket, is
 -- bounded by the single D_P bound before the process either commits a Σ -action
 -- or reaches stable wait. In this Lean strategy, that D_P bound is

-- MainB4Bound C P.

unified_epsilon_stutter_bound :

$\forall$ side τ P s,

InfiniteExecutionOfSide C side $\tau \rightarrow$

ConsecutiveEpsilonOnlySegment C side P τ s $\rightarrow$

ProcessInternallyAdvancingThroughout C side P τ s $\rightarrow$

NoExternalStallThroughout C side P τ s $\rightarrow$

NoSigmaCommitOrStableWaitBeforeEnd C side P τ s $\rightarrow$

EpsilonStepCount C side P τ s $\leq$ MainB4Bound C P

normalizes_or_reaches_sigma_or_wait :

$\forall$ side τ P t_0 ,

InfiniteExecutionOfSide C side $\tau \rightarrow$

ProcessActiveInBucket C side P (τt_0) $\rightarrow$

BeginsInternalProgressTowardNextObservable C side P $\tau t_0 \rightarrow$

$\exists$ n,

$t_0 \leq n \wedge$

$n \leq t_0 + \text{MainB4Bound C P} \wedge$

(SigmaCommitsForProcessAt C side P τ n $\vee$

StableWaitOrSigmaEnabledAtCycle C side P τ n)

-- Counts only ε -steps attributed to process P. A global CycleBucket may contain
 -- ε -steps from several processes, so the per-process normalization bound must
 -- be stated over the P-owned slice of the ε -prefix / ε -suffix, not over the
 -- entire global list.

def ProcessEpsilonStepsIn

(C : ComparisonInstance)

(side : Side)

(P : Process)

(steps : List EpsStep) : Nat :=

CountEpsStepsOwnedByProcess C side P steps

-- Equality of the non-clock state components that may not change across an
 -- idle quiescent bucket. A bucket may still advance the clock, so B5-style

```

-- idle/quiescent reasoning must not assert  $\beta.\text{endState} = \beta.\text{startState}$  unless
-- endState is defined before the tick. However, when the bucket has no
--  $\Sigma$ -events and no  $\varepsilon$ -prefix/ $\varepsilon$ -suffix steps, the intra-cycle  $\varepsilon$  position must not
-- drift silently.
def NonClockStateEq
(C : ComparisonInstance)
( $\sigma_0 \sigma_1 : \text{State}$ ) : Prop :=
 $\sigma_0.\text{store} = \sigma_1.\text{store} \wedge$ 
 $\sigma_0.\text{epsPos} = \sigma_1.\text{epsPos}$ 

-- Finite process universe used to form the main-document B5 maximum.
-- This is the set of processes in the selected Sys_ref / RTL_B comparison.
def ProcessUniverse
(C : ComparisonInstance) : Finset Process :=
ProcessesOfComparison C

-- Lean representation of the main-document B5 bound  $\max\_P D\_P$ .
-- Since  $D\_P$  is represented in this strategy by MainB4Bound C P,
-- SystemQuiescenceBound C is exactly  $\max\_P \text{MainB4Bound C P}$  over the finite
-- process universe of the selected comparison instance.
def SystemQuiescenceBound
(C : ComparisonInstance) : Nat :=
(ProcessUniverse C).sup (fun P => MainB4Bound C P)

structure QuiescentNormalization (C : ComparisonInstance) where
bucket_prefix_bounded :
 $\forall \text{side } \beta P,$ 
WellFormedCycleBucket C side  $\beta \rightarrow$ 
ProcessEpsilonStepsIn C side P  $\beta.\text{epsPrefix} \leq \text{IntraCycleNormalizationBound C P}$ 
bucket_suffix_bounded :
 $\forall \text{side } \beta P,$ 
WellFormedCycleBucket C side  $\beta \rightarrow$ 
ProcessEpsilonStepsIn C side P  $\beta.\text{epsSuffix} \leq \text{IntraCycleNormalizationBound C P}$ 
end_quiescent_sound :
 $\forall \text{side } \beta,$ 
WellFormedCycleBucket C side  $\beta \rightarrow$ 
 $\beta.\text{endQuiescent} \rightarrow$ 
QuiescentAt C side  $\beta.\text{endState}$ 

```

-- Starting a bucket at an ε -quiescent state only says that the incoming state
 -- has no pending internal normalization. It does not forbid Σ -events in the
 -- bucket, and it does not forbid ε -suffix normalization caused by those Σ -events.
 -- The no-further- ε conclusion is valid only for an idle bucket in which no
 -- observable action is enabled and no external/environmental change wakes the
 -- system.

idle_quiescent_bucket_has_no_epsilon_steps :

$\forall$ side β ,
 WellFormedCycleBucket C side $\beta \rightarrow$
 QuiescentAt C side $\beta.startState \rightarrow$
 $\beta.sigmaEvents = \emptyset \rightarrow$
 NoObservableActionEnabledAtState C side $\beta.startState \rightarrow$
 NoExternalChangeInBucket C side $\beta \rightarrow$
 $\beta.epsPrefix = [] \wedge$
 $\beta.epsSuffix = [] \wedge$
 NonClockStateEq C $\beta.startState \beta.endState$

bounded_system_quiescence :

$\forall$ side τ t,
 InfiniteExecutionOfSide C side $\tau \rightarrow$
 NoObservableActionEnabledAtState C side $((\tau t).startState) \rightarrow$
 NoExternalChangeFrom C side $\tau t \rightarrow$
 $\exists n$,
 $t \leq n \wedge$
 $n \leq t + \text{SystemQuiescenceBound C} \wedge$
 QuiescentAt C side $((\tau n).endState) \wedge$
 $\forall m$,
 $n \leq m \rightarrow$
 QuiescentAt C side $((\tau m).startState) \wedge$
 QuiescentAt C side $((\tau m).endState) \wedge$
 $((\text{NoExternalChangeFrom C side } \tau m \wedge$
 NoObservableActionEnabledAtState C side $((\tau m).startState)) \rightarrow$
 $(\tau m).sigmaEvents = \emptyset \wedge$
 $(\tau m).epsPrefix = [] \wedge$
 $(\tau m).epsSuffix = [])$

The bounded_system_quiescence field is the Lean-level semantic assumption

corresponding to B5. It is triggered from a single cycle whose start state has no enabled observable action. If no external/environmental change wakes the system, this assumption says that the system reaches the ε -fixed point within the explicit main-document bound $\max_P D_P$.

In this Lean strategy, D_P means $\text{MainB4Bound } C\ P$. Therefore the B5 phrase “within $\max_P D_P$ ” is represented by $\text{SystemQuiescenceBound } C$, defined as the finite maximum of $\text{MainB4Bound } C\ P$ over the process universe of the selected comparison instance. The fact that each $\text{MainB4Bound } C\ P$ is below $\text{SystemQuiescenceBound } C$, and the least-upper-bound property of $\text{SystemQuiescenceBound } C$, are not B5 assumptions; they are Lean lemmas proved from the Finset.sup definition of $\text{SystemQuiescenceBound } C$. $\text{ProcessEpsilonBound } C\ P$ is only an internal cycle-progress component and is not the D_P used by B5.

After that point, later buckets remain idle only while the no-external-change condition continues to hold and no observable action becomes enabled again. Thus B5 is a bounded quiescence-closure premise from an idle start state, not a requirement to prove in advance that no observable action is disabled forever from the original cycle.

The field `idle_quiescent_bucket_has_no_epsilon_steps` is deliberately weaker than the invalid statement “ $\text{QuiescentAt } \beta.\text{startState}$ implies $\beta.\text{epsPrefix} = []$ and $\beta.\text{epsSuffix} = []$ and $\beta.\text{endState} = \beta.\text{startState}$.” A quiescent start state may still be followed by committed Σ -events, and those Σ -events may update state and create ε -suffix normalization. Also, a bucket may advance the clock, so the idle fixed-point conclusion uses `NonClockStateEq` rather than literal equality of `startState` and `endState`.

`B4_finiteEpsilonDepth` exposes the main-document B4 consequence through `MainB4Bound`: each process has a single finite D_P ε -stutter bound before a Σ -action or stable wait, and in this Lean strategy that D_P bound is exactly $\text{MainB4Bound } C\ P$. `ProcessEpsilonBound` and `IntraCycleNormalizationBound` remain useful Lean-internal components, but they are not separate replacements for B4 and must not be used as the D_P in B5. The formalization must prove that the internal decomposition implies the single unified B4 finite-stutter obligation. `QuiescentNormalization` may still use `IntraCycleNormalizationBound` for bucket well-formedness and ε -quiescent cutpoint construction, but those bounds are applied per process by counting only the ε -steps owned by that process.

Bundle B-rules:

structure BRules (C : ComparisonInstance) where

B1_postDeterminism :

PostDeterministicSigmaTrace C

-- B2 is not post-only. It applies to any valid infinite execution of the

-- selected comparison side when that side participates in a progress/liveness

-- theorem.

B2_weakFairness :

$\forall$ side τ ,

InfiniteExecutionOfSide C side $\tau \rightarrow$

WeakFairness C side τ

-- B3 is likewise side-parametric. The P_push/P_pop obligations are required

-- for the reference-side Sys_ref execution as well as the post-side RTL_B

-- execution when the theorem uses those executions for liveness/deadlock

-- reasoning.

B3_channelProgress :

$\forall$ side τ c,

InfiniteExecutionOfSide C side $\tau \rightarrow$

P_push C side τ c $\wedge$ P_pop C side τ c

B4_finiteEpsilonDepth :

FiniteEpsilonDepth C

B5_quiescentNormalization :

QuiescentNormalization C

B6_idleStutterTimeDivergence :

IdleStutterTimeDivergence C

B2/B3 remain temporal assumptions usable by K proofs. B4/B5 also remain assumptions, but they are now constructive assumptions: they provide the finite ε -normalization facts needed to bound epsPrefix / epsSuffix lengths in CycleBucket and to prove bounded ε -chain lemmas such as Lemma I.1.

7. Channel semantics and E4

Define channel state over the selected Sys_ref boundary.

The abstract occupancy is cycle-boundary, non-fall-through occupancy. It is indexed by the execution side, the infinite bucketed execution, the channel, and the cycle, not by the full intra-cycle state. It must not be a free bookkeeping function disconnected from the committed trace.

capacity : C.Sys_ref.Channel → Nat

-- Number of Σ -visible Push_c commits on channel c strictly before cycle t.

def PushCommitsBefore

(C : ComparisonInstance)

(side : Side)

(τ : InfiniteExecutionBucketed C.Sigma)

(c : C.Sys_ref.Channel)

(t : Cycle) : Nat :=

CountSigmaCommitsBefore C side τ t (fun e => IsPushCommitOnChannel C side e c)

-- Number of Σ -visible Pop_c commits on channel c strictly before cycle t.

def PopCommitsBefore

(C : ComparisonInstance)

(side : Side)

(τ : InfiniteExecutionBucketed C.Sigma)

(c : C.Sys_ref.Channel)

(t : Cycle) : Nat :=

CountSigmaCommitsBefore C side τ t (fun e => IsPopCommitOnChannel C side e c)

-- Initial occupancy at the selected comparison boundary. In the usual reset-empty

-- case this is 0. In accounted-initial-occupancy cases it is supplied explicitly

-- by the comparison instance / elaboration package.

initialOcc :

ComparisonInstance → Side → C.Sys_ref.Channel → Nat

-- Commit-history-derived cycle-boundary occupancy.

-- For B(c)=0 rendezvous channels this value is always 0; rendezvous enablement

-- is governed by same-cycle matching endpoint requests, not stored occupancy.

def occAt

(C : ComparisonInstance)

(side : Side)

(τ : InfiniteExecutionBucketed C.Sigma)

(c : C.Sys_ref.Channel)

(t : Cycle) : Nat :=

```

if capacity C c = 0 then
0
else
initialOcc C side c

+ PushCommitsBefore C side  $\tau$  c t

- PopCommitsBefore C side  $\tau$  c t

```

For convenience, one may define a state-indexed abbreviation only by projecting the state to its cycle, and only relative to the execution whose state is being inspected:

```

def occAtState
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : C.Sys_ref.Channel)
( $\sigma$  : State) : Nat :=
occAt C side  $\tau$  c  $\sigma$ .cycle

```

This abbreviation is not a second occupancy notion. In particular, occupancy is invariant under ε -steps and under same-cycle Σ -events because it is defined from commits strictly before the cycle boundary:

```

theorem occ_invariant_within_cycle
(C : ComparisonInstance)
(side : Side)
( $\tau$  : InfiniteExecutionBucketed C.Sigma)
(c : C.Sys_ref.Channel)
( $\sigma_1$   $\sigma_2$  : State) :
 $\sigma_1$ .cycle =  $\sigma_2$ .cycle  $\rightarrow$ 
occAtState C side  $\tau$  c  $\sigma_1$  = occAtState C side  $\tau$  c  $\sigma_2$ 

```

The definition above is the canonical occupancy used by E4, ChannelEnabled, ChannelDisabled, WFG construction, B3 progress reasoning, and drain-closure reasoning. If the concrete Lean development keeps occAt opaque for proof-engineering reasons, it must instead assume the following well-formedness condition and use it everywhere occAt is consumed:

```

structure E4OccupancyTraceWF
(C : ComparisonInstance)
(side : Side)

```



```

( $\tau$  : InfiniteExecutionBucketed C.Sigma) where
occ_matches_committed_prefix :
 $\forall c\ t$ ,
occAt C side  $\tau\ c\ t =$ 
if capacity C  $c = 0$  then
0
else
initialOcc C side  $c$ 

+ PushCommitsBefore C side  $\tau\ c\ t$ 

- PopCommitsBefore C side  $\tau\ c\ t$ 
initial_occupancy_bounded :
 $\forall c$ ,
initialOcc C side  $c \leq \text{capacity C } c$ 
occupancy_bounded :
 $\forall c\ t$ ,
occAt C side  $\tau\ c\ t \leq \text{capacity C } c$ 
no_underflow :
 $\forall c\ t$ ,
PopCommitsBefore C side  $\tau\ c\ t \leq$ 
initialOcc C side  $c + \text{PushCommitsBefore C side } \tau\ c\ t$ 
rendezvous_has_no_stored_occupancy :
 $\forall c\ t$ ,
capacity C  $c = 0 \rightarrow$ 
occAt C side  $\tau\ c\ t = 0$ 

-- Domain for one-cycle issue-time request reasoning.
-- This domain includes every executed source-level message-operation instance,
-- including failed PushNB / PopNB polls that produce no committed  $\Sigma$ -event.
def BoundaryReqIssueDomainSide
(C : ComparisonInstance)
(side : Side)
(q : DynMsgInstance)
( $\sigma$  : State) : Prop :=
 $\exists P$ ,
 $q \in \text{QExecSide C side } P \wedge$ 
MessageOperationInstance  $q \wedge$ 
OwnsMessageEndpoint  $P\ q \wedge$ 
IssuedAtState C side  $q\ \sigma$ 

```

-- Domain for persistent operation-attributive request/channel reasoning.
 -- This is the domain used by ChannelEnabled, ChannelDisabled, Front, NextFront,
 -- automatic flush, and WFG construction. Failed NB-only polls are not included
 -- merely because they executed.

```
def BoundaryReqPersistentDomainSide
(C : ComparisonInstance)
(side : Side)
(q : DynMsgInstance)
( $\sigma$  : State) : Prop :=
 $\exists P$ ,
 $q \in Q\Omega_{\text{side}} C \text{ side } P \wedge$ 
MessageOperationInstance  $q \wedge$ 
OwnsMessageEndpoint  $P \ q$ 
```

-- General BoundaryReq domain.
 -- A request may be meaningful either because q is issuing in the current cycle
 -- or because q is a persistent message-operation frontier instance.

```
def BoundaryReqDomainSide
(C : ComparisonInstance)
(side : Side)
(q : DynMsgInstance)
( $\sigma$  : State) : Prop :=
BoundaryReqIssueDomainSide  $C \text{ side } q \ \sigma \vee$ 
BoundaryReqPersistentDomainSide  $C \text{ side } q \ \sigma$ 
```

Executed failed non-blocking polls may belong to Q_{exec}, P for replay and witness purposes while remaining absent from $Q\Omega_{\text{side}}, P$ and Ω_P . Such polls do acquire the one-cycle BoundaryReq-at-issue obligation when they issue, via BoundaryReqIssueDomainSide. They do not acquire persistent BoundaryReqPersistentDomainSide, ChannelEnabled, ChannelDisabled, Front, NextFront, automatic-flush, or WFG obligations merely because they executed.

```
BoundaryReqSide :
ComparisonInstance  $\rightarrow$  Side  $\rightarrow$  DynMsgInstance  $\rightarrow$  State  $\rightarrow$  Prop
```

```
ChannelEnabledSide :
ComparisonInstance  $\rightarrow$  Side  $\rightarrow$  DynMsgInstance  $\rightarrow$  State  $\rightarrow$  Prop
```

```
def ChannelDisabledSide
(C : ComparisonInstance)
(side : Side)
(q : DynMsgInstance)
( $\sigma$  : State) : Prop :=
BoundaryReqPersistentDomainSide  $C \text{ side } q \ \sigma \wedge$ 
```

BoundaryReqSide C side q $\sigma \wedge$
 $\neg$ ChannelEnabledSide C side q σ

For post-side automatic-flush and issue/commit formulas, use the following abbreviations:

```
def BoundaryReqIssueDomain
(C : ComparisonInstance)
(q : DynMsgInstance)
( $\sigma$  : State) : Prop :=
BoundaryReqIssueDomainSide C .post q  $\sigma$ 
```

```
def BoundaryReqPersistentDomain
(C : ComparisonInstance)
(q : DynMsgInstance)
( $\sigma$  : State) : Prop :=
BoundaryReqPersistentDomainSide C .post q  $\sigma$ 
```

```
def BoundaryReqDomain
(C : ComparisonInstance)
(q : DynMsgInstance)
( $\sigma$  : State) : Prop :=
BoundaryReqDomainSide C .post q  $\sigma$ 
```

```
def BoundaryReq
(C : ComparisonInstance)
(q : DynMsgInstance)
( $\sigma$  : State) : Prop :=
BoundaryReqSide C .post q  $\sigma$ 
```

```
def ChannelEnabled
(C : ComparisonInstance)
(q : DynMsgInstance)
( $\sigma$  : State) : Prop :=
ChannelEnabledSide C .post q  $\sigma$ 
```

```
def ChannelDisabled
(C : ComparisonInstance)
(q : DynMsgInstance)
( $\sigma$  : State) : Prop :=
ChannelDisabledSide C .post q  $\sigma$ 
```

BoundaryReqSide, ChannelEnabledSide, and ChannelDisabledSide are the canonical side-indexed predicates. The shorter BoundaryReq / ChannelEnabled /

ChannelDisabled forms are post-side abbreviations used only where the section is already explicitly about RTL_B / post-side behavior.

BoundaryReqSide is used under BoundaryReqDomainSide. This includes both one-cycle issue requests, via BoundaryReqIssueDomainSide, and persistent frontier/channel requests, via BoundaryReqPersistentDomainSide.

ChannelEnabledSide and ChannelDisabledSide are used only under BoundaryReqPersistentDomainSide or its post-side abbreviation BoundaryReqPersistentDomain. Thus failed non-blocking polls in $Q_{\text{exec}, P \setminus \Omega_P}$ may satisfy the Appendix C one-cycle request-at-issue rule, but they still do not become message-operation frontier items and do not acquire ChannelEnabled, ChannelDisabled, Front, NextFront, automatic-flush, or WFG obligations merely because they executed.

ChannelEnabled is allowed to inspect the settled boundary-request state σ for persistent message-operation frontier instances, but its capacity/occupancy component must use the commit-history-linked value $\text{occAt } C \text{ side } \tau \text{ q.channel } \sigma.\text{cycle}$. Thus E4 enablement is evaluated against the beginning-of-cycle abstract occupancy, with no same-cycle fall-through through ε -settling or same-cycle Σ -events.

Capacity cases:

inductive CapacityKind
 | rendezvous -- $B(c) = 0$
 | buffered -- $B(c) > 0$

Derived E4 lemmas:

BufferedPushEnabled
 BufferedPopEnabled
 RendezvousEnabled
 FIFOOrderPreservation
 NoDropNoDuplicate
 OccupancyUpdatePush
 OccupancyUpdatePop

The occupancy-update lemmas are derived from the commit-history definition of occAt , or from E4OccupancyTraceWF if occAt is kept opaque. They are not independent facts about a free primitive. In particular, OccupancyUpdatePush and OccupancyUpdatePop must prove that moving from cycle t to $t+1$ changes occAt exactly according to the $\text{Push}_c /$

Pop_c commits in cycle t, subject to the non-fall-through rule and the single-transfer-per-cycle endpoint constraints.

E4 should be parameterized by Sys_ref, so in elaborated cases it ranges over explicit elaborated channels, not merely outer channels.

8. Appendix Q elaboration interface

Appendix Q should be introduced early. In the updated document, elaboration is not a late proof afterthought: in elaborated cases, $\text{Sys_ref} = \text{Sys_B}^{\text{elab}(E)}$, and all references to B, occ, BoundaryReq, ChannelEnabled/Disabled, Front_P, and WFG are interpreted over the explicit channels of the elaborated model.

As in the ordinary E4 semantics, elaborated-channel occupancy is cycle-boundary, non-fall-through occupancy. Thus $\text{occ_E}(d, t)$ and $\text{A_E}(c, t)$ are indexed by cycle t. State-indexed forms such as $\text{occ_E}(d, \sigma)$ or $\text{A_E}(c, \sigma)$, when used informally at ε -quiescent cutpoints, are only abbreviations for $\text{occ_E}(d, \sigma.\text{cycle})$ and $\text{A_E}(c, \sigma.\text{cycle})$.

Chan_outer should be a parameter fixed by the chosen outer Sys_B, not a field chosen internally by the elaboration package.

The channel-level elaboration projection follows Appendix Q's single-valued optional form. A proof-internal elaborated channel is either hidden from the outer DUT/testbench boundary or assigned to one outer channel. Separately, a proof-internal token/event may account for multiple outer Σ_{DUT} -visible channel effects in bundled or joined cases.

```
structure ElaborationPackage
(Sys_B : System)
(Chan_outer : Type)
( $\Sigma_{\text{DUT}}$  : Type) where
Sys_elab : System
Chan_elab : Type
finite_chan_elab : Fintype Chan_elab
ElabToken : Type
B_E : Chan_elab  $\rightarrow$  Nat
occ_E : Chan_elab  $\rightarrow$  Cycle  $\rightarrow$  Nat
```

```

-- Channel-level projection/accounting support.
--  $\Pi_{\text{elab}}$  d = some c means that elaborated channel d belongs to the
-- channel-level fiber for outer channel c.  $\Pi_{\text{elab}}$  d = none corresponds to
-- the  $\perp$  case in Appendix Q: d is proof-internal and hidden from the outer
-- DUT/testbench boundary.
Pi_elab : Chan_elab  $\rightarrow$  Option Chan_outer

-- Token/event-level accounting support.
--  $\Pi_{\text{token\_elab}}$  tok is the set of outer channels accounted for by one
-- proof-internal token/event. This may contain multiple outer channels for
-- bundled or joined work items. Token-level multiplicity does not make the
-- channel-level  $\Pi_{\text{elab}}$  relation multi-valued.
Pi_token_elab : ElabToken  $\rightarrow$  Set Chan_outer
tokenOfSigma : Sys_elab.Sigma  $\rightarrow$  Option ElabToken

-- Bucketed outer-projection of the elaborated proof-internal execution.
-- This replaces any flat Trace-level projection. The projection may hide
-- proof-internal staged/bundle/join events, but it must preserve the
-- cycle-bucket structure needed for  $\varepsilon$ -quiescent cutpoints, same-cycle atomic
-- units, and temporal B2/B3 reasoning.
piSigmaBucket :
CycleBucket Sys_elab.Sigma  $\rightarrow$ 
CycleBucket  $\Sigma_{\text{DUT}}$ 

piSigmaFinite :
ExecutionBucketed Sys_elab.Sigma  $\rightarrow$ 
ExecutionBucketed  $\Sigma_{\text{DUT}}$ 

piSigmaInfinite :
InfiniteExecutionBucketed Sys_elab.Sigma  $\rightarrow$ 
InfiniteExecutionBucketed  $\Sigma_{\text{DUT}}$ 

piSigma_bucket_wf : Prop
piSigma_finite_agrees_with_bucket : Prop
piSigma_infinite_agrees_with_bucket : Prop

A_E : Chan_outer  $\rightarrow$  Cycle  $\rightarrow$  Nat
outer_bucketed_execution_preservation : Prop

```

`occupancy_preservation : Prop`
`internal_refinement : Prop`
`no_hidden_cross_channel_disablement : Prop`
`wfg_visibility : Prop`
`combinational_wellformedness : Prop`

For each outer channel c , the channel-level fiber of the elaboration is the single-valued optional fiber

$$\Pi_{\text{elab}}^{-1}(c) = \{ d : \text{Chan_elab} \mid \text{Pi_elab } d = \text{some } c \}.$$

This channel-level optional map matches Appendix Q's Π_{elab} :

$\text{Chan_elab}(E) \rightarrow \text{Chan_outer} \cup \{\perp\}$. The token-level projection Pi_token_elab is a Lean-side refinement used to make bundled/joined multi-channel accounting explicit when one proof-internal staged/bundle/join token accounts for several outer Σ_{DUT} -visible channel effects. It is not an additional named component of Appendix Q.1; the scheduling-rules document folds this accounting into A_E and the corresponding Q.1 accounting clauses. The bucketed projection piSigmaBucket , together with piSigmaFinite and piSigmaInfinite , and the occupancy/accounting map A_E must be consistent with the channel-level optional projection Pi_elab and with this Lean-side token-level accounting refinement. In particular, elaboration projection is not a flat event-list projection: it preserves the cycle-bucket decomposition needed for ε -quiescent cutpoints, same-cycle atomic units, R2C fixed-point buckets, and B2/B3 temporal reasoning, while allowing proof-internal staged/bundle/join events to be hidden from the outer Σ_{DUT} view.

For convenience, the elaboration package may also define state-indexed abbreviations by projecting the state to its cycle:

`occ_E_atState : Chan_elab → State → Nat`
`occ_E_atState d σ := occ_E d σ.cycle`

`A_E_atState : Chan_outer → State → Nat`
`A_E_atState c σ := A_E c σ.cycle`

These abbreviations are not separate occupancy or accounting notions. They are invariant under ε -steps and same-cycle Σ -events:

$\text{occ_E_invariant_within_cycle} :$
 $\forall d \sigma_1 \sigma_2,$
 $\sigma_1.\text{cycle} = \sigma_2.\text{cycle} \rightarrow$
 $\text{occ_E_atState } d \sigma_1 = \text{occ_E_atState } d \sigma_2$

$\text{A_E_invariant_within_cycle} :$
 $\forall c \sigma_1 \sigma_2,$
 $\sigma_1.\text{cycle} = \sigma_2.\text{cycle} \rightarrow$
 $\text{A_E_atState } c \sigma_1 = \text{A_E_atState } c \sigma_2$

Reference choice:
 inductive ReferenceKind
 | ordinarySysB
 | elaborated

structure SysRefChoice where
 outerSysB : System
 Chan_outer : Type
 kind : ReferenceKind
 elab? : Option (ElaborationPackage outerSysB Chan_outer Σ _DUT)
 Sys_ref : System
 sys_ref_matches_kind : Prop

For ordinarySysB, sys_ref_matches_kind entails Sys_ref = outerSysB.
 For elaborated, sys_ref_matches_kind entails that there exists an elaboration package E with elab? = some E and Sys_ref = E.Sys_elab.

When SysRefChoice is embedded in a ComparisonInstance C, the field C.sys_ref_consistent additionally requires C.Sys_ref = C.refChoice.Sys_ref. Thus SysRefChoice records the construction/justification of the selected reference system, while ComparisonInstance.Sys_ref is the single reference system used by the theorem statements. There is no freedom for these two references to diverge.

This also handles sync-boundary epoch gates: if proof-relevant withholding exists, it must be represented by explicit gate channels in Sys_B^elab(E), not by hidden gating on an otherwise E4-enabled outer channel. The earlier review correctly flagged this as a point that must be explicit in the Lean strategy.

Locality note. Although `ElaborationPackage` is presented as a single structure parameterizing the theorem instance, its components (`Sys_elab`, `Chan_elab`, `Π_elab`, `Π_token,elab`, `π_Σ,E`, `A_E`) are constructed locally per process and per channel boundary. The channel-level projection `Π_elab` is single-valued and optional, matching Appendix Q’s map `Chan_elab(E) → Chan_outer ∪ {⊥}`. The token-level projection `Π_token,elab` is the object allowed to map one proof-internal staged/bundle/join token to multiple outer `Σ_DUT`-visible channels. Each per-process elaboration is determined by that process's local channel structure (number of inputs, sync-boundary discipline, pipelining configuration) and is independent of the elaboration chosen for any other process. The system-level `ElaborationPackage` is the disjoint composition of these per-process pieces. Treating `E` as a theorem-instance parameter is the right Lean encoding of "the verifier has chosen per-process elaborations and the proof takes them as given"; it is not a claim that the verifier must reason globally to construct `E`.

9. R-rules, E-rules, and modeling contracts

The R-rule bundle should include only the document’s actual R-rules plus an optional Lean-side array-rule pointer if desired. It should not include a fictional `R5_syncBoundaryNoCrossing`; sync-boundary crossing is `E5`. The document explicitly labels “Messages cannot cross their immediate synchronization boundary” as `E5`.

However, `R5` itself is a real R-rule: `R5` (Channel capacity semantics; `Sys` vs. `Sys_B`). In the Lean strategy, `R5` should record the chosen source/reference-model capacity convention: raw `Sys` uses rendezvous capacity, while `Sys_B` / `Sys_ref` uses the selected capacity `B(c)`, with `B(c)=0` interpreted as rendezvous and `B(c)>0` interpreted as cycle-boundary, non-fall-through bounded FIFO. The concrete enablement and occupancy-update obligations remain the `E4` channel-capacity semantics; `R5` records which source/reference capacity semantics are being used by the selected comparison instance.

The predicates `RendezvousChannel C c` and `BufferedChannel C c` are definitional abbreviations for the zero-capacity and positive-capacity cases. Therefore the substantive `R5` obligation is not the tautological case split
`capacity C c = 0 → RendezvousChannel C c` and
`0 < capacity C c → BufferedChannel C c`. The substantive obligation is that the

selected source reference model uses the intended capacity convention for the comparison instance: in the raw Sys case this means rendezvous capacity; in Sys_B / Sys_B^elab this means the selected B(c) capacities, with E4 supplying the corresponding ChannelEnabled / ChannelDisabled and occupancy-update semantics.

```
def R2CCombinationalFixedPointRule
(C : ComparisonInstance) : Prop :=
SequentialOnly C ∨
∃ hR2C : R2C_WF C,
R2CEventsObservedOnlyAtFixedPoint C hR2C
```

```
def R5ChannelCapacitySemantics
(C : ComparisonInstance) : Prop :=
SysRefUsesSelectedCapacitySemantics C
```

```
structure RRules (C : ComparisonInstance) where
R1_syncOrder : Prop
R2_signalAnchorSequential : Prop
R2C_combinationalFixedPoint :
R2CCombinationalFixedPointRule C
R3_syncSemantics : Prop
R4_messageIssueOrder : Prop
R5_channelCapacitySemantics :
R5ChannelCapacitySemantics C
```

R4_messageIssueOrder is deliberately named only as an issue-order rule. It records the source-induced no-reverse discipline for message-operation issue. It does not impose a separate commit-order rule; commit timing is constrained by E4 channel availability, FIFO/rendezvous semantics, backpressure, and the chosen Sys_ref / RTL_B comparison instance.

E-rules:

```
structure ERules (C : ComparisonInstance) where
E1_sync_order_preservation : Prop
E2_signal_anchor_preservation : Prop
E3_message_order_preservation : Prop
```

E4_channel_capacity_semantics : Prop
E5_sync_boundary_preservation : Prop

Modeling contracts live in the single ModelingContracts structure defined in Section 4.2. That structure includes direct-input contracts, array-access mapping rules, and latency-sensitive local-protocol handling:

```
structure ModelingContracts (C : ComparisonInstance) where
  directInputs : DirectInputContract C
  arrays : ArrayAccessMappingRules C
  latencySensitiveLocalProtocols : LatencySensitiveLocalProtocolContract C
```

Section 9 should not introduce a second, narrower definition of ModelingContracts. The same contract bundle is used by the R/E-rule theorem instances, Appendix I/J witness construction, Appendix L snooping/WC, direct-input late-sampling proofs, external-array proofs, and the cadence-sensitive local-protocol isolation obligations.

10. Array access mapping

External arrays are not merely internal Store. The document states that external arrays are mapped onto IO operations by an array access mapping layer, and that array accesses before a synchronization call must commit no later than the sync commit, while accesses after the sync must commit strictly after it. It also permits transformations such as caching, merging, splitting, and reordering when allowed by the mapping layer.

Define:

```
inductive MemoryEvent
| read (array : ArrayId) (addr : Addr) (value : Value)
| write (array : ArrayId) (addr : Addr) (value : Value)
```

```
structure ArrayAccessMapping where
  sourceArrayAccess : SourceArrayAccess → List CoreIOEvent
  commitTime : SourceArrayAccess → Cycle
  fixedLatency : SourceArrayAccess → Nat
```

```
conflictFreeReorderAllowed :
  SourceArrayAccess → SourceArrayAccess → Prop
```

transformedEquivalent :

SourceArrayAccess $\rightarrow$ List SourceArrayAccess $\rightarrow$ Prop

Rules:

Array accesses are constrained by the same dynamic synchronization intervals as the ordinary source-order frontier, but SourceArrayAccess values are not themselves members of $\text{prefS}(s)$ or $\text{suffS}(s)$. The array-access mapping layer must therefore provide an explicit bridge from source array accesses to the dynamic frontier/synchronization interval structure.

structure ArraySyncIntervalBridge

(C : ComparisonInstance) where

arrayFrontierItemOf :

SourceArrayAccess $\rightarrow$ Option FrontierItem

array_item_in_dynamic_universe :

$\forall a \ x,$

arrayFrontierItemOf a = some x $\rightarrow$

$\exists P \ W,$

$x \in (C.\text{witness.dynamicUniverse } P \ W).\Omega$

array_before_sync_matches_prefS :

$\forall a \ s \ x,$

arrayFrontierItemOf a = some x $\rightarrow$

ArrayAccessBeforeSync C a s $\leftrightarrow$

FrontierItemInPrefS C x s

array_after_sync_matches_suffS :

$\forall a \ s \ x,$

arrayFrontierItemOf a = some x $\rightarrow$

ArrayAccessAfterSync C a s $\leftrightarrow$

FrontierItemInSuffS C x s

array_commit_cycle_is_mapping_commit_cycle :

$\forall a,$

ArrayCommitCycle C a = ArrayCommitTime a

```

-- External/shared array accesses are interpreted through the array access
-- mapping layer, not as ordinary internal Store updates. The mapping layer
-- supplies the externally relevant memory operation, the addressed storage
-- location, the commit cycle at which that storage is accessed, and the
-- declared memory semantics used to compare Sys_ref and RTL_B.

```

```

inductive ArrayOpKind

```

```

| read

```

```

| write

```

```

structure ExternalStorageLocation where

```

```

storage : ExternalArrayStorage

```

```

addr : ArrayAddress

```

```

def ArrayMappedOpKind

```

```

(C : ComparisonInstance)

```

```

(a : ArrayAccess) : ArrayOpKind :=

```

```

...

```

```

def ArrayMappedLocation

```

```

(C : ComparisonInstance)

```

```

(a : ArrayAccess) : ExternalStorageLocation :=

```

```

...

```

```

def ArrayWriteValue

```

```

(C : ComparisonInstance)

```

```

(a : ArrayAccess) : Option Value :=

```

```

...

```

```

def ArrayReadValue

```

```

(C : ComparisonInstance)

```

```

(a : ArrayAccess) : Option Value :=

```

```

...

```

```

def SameExternalStorageLocation

```

```

(C : ComparisonInstance)

```

```

(a1 a2 : ArrayAccess) : Prop :=

```

```

ArrayMappedLocation C a1 = ArrayMappedLocation C a2

```

```

-- The mapping layer may declare that a transformation splits, merges, caches,
-- or otherwise rewrites source array accesses. Such transformations are legal
-- only when the mapped external memory behavior is equivalent under the
-- declared memory semantics.
def MappingEquivalentUnderSharedMemorySemantics
(C : ComparisonInstance)
(a : ArrayAccess)
(transformed : ArrayAccess) : Prop :=
MappingEquivalent a transformed  $\wedge$ 
PreservesExternalMemoryBehavior C a transformed

-- Serialization order for accesses that touch the same externally visible
-- storage location and are not proven conflict-free. This is a semantic order
-- over mapped memory commits, not a new source-order rule for ordinary core IO.
def SharedStorageSerializedBefore
(C : ComparisonInstance)
(a1 a2 : ArrayAccess) : Prop :=
SameExternalStorageLocation C a1 a2  $\wedge$ 
ArrayCommitTime a1 < ArrayCommitTime a2

def SharedStorageSameCycleCompatible
(C : ComparisonInstance)
(a1 a2 : ArrayAccess) : Prop :=
SameExternalStorageLocation C a1 a2  $\wedge$ 
ArrayCommitTime a1 = ArrayCommitTime a2  $\wedge$ 
DeclaredSameCycleMemoryPolicyAllows C a1 a2

def SharedStorageConflict
(C : ComparisonInstance)
(a1 a2 : ArrayAccess) : Prop :=
SameExternalStorageLocation C a1 a2  $\wedge$ 
 $\neg$  conflictFreeReorderAllowed a1 a2

def SharedStorageCoherent
(C : ComparisonInstance) : Prop :=
 $\forall$  aRead aWrite,
ArrayMappedOpKind C aRead = ArrayOpKind.read  $\rightarrow$ 

```

ArrayMappedOpKind C aWrite = ArrayOpKind.write $\rightarrow$
 SameExternalStorageLocation C aWrite aRead $\rightarrow$
 ArrayCommitTime aWrite < ArrayCommitTime aRead $\rightarrow$
 NoInterveningWriteToSameLocation C aWrite aRead $\rightarrow$
 ArrayReadValue C aRead = ArrayWriteValue C aWrite

structure ArrayAccessMappingRules (C : ComparisonInstance) where
 syncIntervalBridge :
 ArraySyncIntervalBridge C
 beforeSyncCommitsNoLater :
 $\forall a s,$
 ArrayAccessBeforeSync C a s $\rightarrow$
 ArrayCommitTime a $\leq$ SyncCommitTime s
 afterSyncCommitsAfter :
 $\forall a s,$
 ArrayAccessAfterSync C a s $\rightarrow$
 SyncCommitTime s < ArrayCommitTime a
 issueConsistentWithFixedLatency :
 $\forall a,$
 ArrayCommitTime a =
 ArrayIssueTime a + ArrayFixedLatency a

-- Transformed operations must preserve the memory behavior declared by the
 -- array access mapping layer, including any externally visible shared-memory
 -- effects.

transformedOpsRespectMapping :
 $\forall a$ transformed,
 TransformedFrom a transformed $\rightarrow$
 MappingEquivalentUnderSharedMemorySemantics C a transformed

-- Reordering of external array/memory accesses is legal only when the mapping
 -- layer declares the reordering conflict-free.

conflictFreeReorderingOnly :
 $\forall a_1 a_2,$
 Reordered a₁ a₂ $\rightarrow$
 conflictFreeReorderAllowed a₁ a₂

-- If two mapped accesses touch the same externally visible storage location and

-- are not covered by a declared conflict-free reordering proof, the mapping
 -- layer must provide a serialization relation or an explicit same-cycle memory
 -- policy. This is the shared-storage rule required by the main scheduling
 -- document for external/shared memories.

sharedStorageConflictsAreSerializedOrPolicyCompatible :

$\forall a_1 a_2,$

$a_1 \neq a_2 \rightarrow$

SharedStorageConflict C $a_1 a_2 \rightarrow$

SharedStorageSerializedBefore C $a_1 a_2 \vee$

SharedStorageSerializedBefore C $a_2 a_1 \vee$

SharedStorageSameCycleCompatible C $a_1 a_2$

-- Reads observe the value determined by the declared serialization/coherence
 -- semantics of the shared external storage.

sharedStorageCoherence :

SharedStorageCoherent C

For early milestones, it is acceptable to assume:

AllExternalArrayAccessesAlreadyMappedToCoreIO C

but the full proof strategy should include array mapping.

11. R2C combinational fixed point

ComparisonInstance now has:

combModel? : Option CombComposition

R2C should use that field when combinational processes are in scope. The document says combinational Read/Write events occur in the observable bucket corresponding to the cycle's ε -quiescent combinational fixed point, and that combinational signal IO is well formed only when the relevant combinational network is deterministic and reaches a unique ε -fixed point.

The Lean model should preserve both facts:

1. R2C observes one composed fixed-point valuation μ_t for the cycle.
2. That composed valuation is obtained from explicit local combinational process components, rather than from an unexplained monolithic global object.

Define:

```
structure LocalCombNetwork where
  proc : Process
  combStepLocal : Store → Store → Prop
  reads : Finset Signal
  writes : Finset Signal
  localDeterministic : Prop
```

```
structure CombNetwork where
  combStep : Store → Store → Prop
  deterministic : Prop
```

```
structure CombComposition where
  components :
    Process → Option LocalCombNetwork
```

```
composed :
  CombNetwork
```

```
component_processes_are_combinational :
  ∀ P N,
  components P = some N →
  CombinationalProcess P
```

```
component_owner_matches_process :
  ∀ P N,
  components P = some N →
  N.proc = P
```

```
local_step_embeds_in_composed_step :
  ∀ P N σ σ',
  components P = some N →
  N.combStepLocal σ σ' →
  composed.combStep σ σ'
```

```
composed_step_generated_by_components :
  ∀ σ σ',
  composed.combStep σ σ' →
```

$\exists P N,$
 components $P = \text{some } N \wedge$
 $N.\text{combStepLocal } \sigma \sigma'$

resolved_driver_or_disjoint_write_policy :
 $\forall P_1 P_2 N_1 N_2 \text{ sig},$
 components $P_1 = \text{some } N_1 \rightarrow$
 components $P_2 = \text{some } N_2 \rightarrow$
 $\text{sig} \in N_1.\text{writes} \rightarrow$
 $\text{sig} \in N_2.\text{writes} \rightarrow$
 $P_1 \neq P_2 \rightarrow$
 ResolvedMultiDriverPolicy composed sig

composed_deterministic_from_components :
 $(\forall P N, \text{components } P = \text{some } N \rightarrow N.\text{localDeterministic}) \rightarrow$
 composed.deterministic

The scheduling document's R2C rule requires deterministic ε -settling to a unique observable fixed point. It does not globally require structural combinational acyclicity for every admissible combinational network. Pure combinational oscillation, ambiguous unresolved multi-driver behavior, or non-convergent ε -behavior are excluded through the unique-fixed-point obligation below.

Structural acyclicity may still be imposed as a separate well-formedness requirement for specific elaboration/coupler constructions in Appendix Q, but it is not a universal requirement of LocalCombNetwork, CombNetwork, or CombComposition itself.

def CombQuiescent (N : CombNetwork) (σ : State) : Prop :=
 $\neg \exists \sigma', N.\text{combStep } \sigma.\text{store } \sigma'.\text{store}$

def CombFixedPointAtCycle
 (N : CombNetwork)
 (t : Cycle)
 (μ : Store) : Prop :=
 ReachesByCombSteps N t $\mu \wedge$
 IsFixedPoint N μ

def ComponentParticipatesInCycle

(C : ComparisonInstance)

(M : CombComposition)

(P : Process)

(t : Cycle) : Prop :=

∃ N,

M.components P = some N ∧

CombinationalProcessActiveAt C P t

Well-formedness:

structure R2C_WF (C : ComparisonInstance) where

composition_present :

C.combModel?.isSome

uniqueComposedFixedPoint :

∀ t M,

C.combModel? = some M →

∃! μ, CombFixedPointAtCycle M.composed t μ

component_events_use_composed_fixed_point :

∀ P e t μ M,

C.combModel? = some M →

ComponentParticipatesInCycle C M P t →

CombReadWriteEventOfProcess C P e →

e ∈ BucketSigmaEvents C t →

CombFixedPointAtCycle M.composed t μ →

EventReadsWritesStore e μ

all_comb_events_have_component :

∀ P e t M,

C.combModel? = some M →

CombReadWriteEventOfProcess C P e →

e ∈ BucketSigmaEvents C t →

∃ N,

M.components P = some N

def R2CEventsObservedOnlyAtFixedPoint

(C : ComparisonInstance)

```

(hR2C : R2C_WF C) : Prop :=
  ∀ P e t,
  CombReadWriteEventOfProcess C P e →
  e ∈ BucketSigmaEvents C t →
  ∃ M μ,
  C.combModel? = some M ∧
  ComponentParticipatesInCycle C M P t ∧
  CombFixedPointAtCycle M.composed t μ ∧
  EventReadsWritesStore e μ

```

This formulation keeps the semantic fixed point global where R2C needs it, but makes the proof obligation modular: each combinational process contributes a local component, and the composed network used for μ_t is justified by the CombComposition fields. Thus R2C fixed-point equality remains a system-level statement, while conformance remains checkable process-by-process plus an explicit composition/driver-resolution obligation.

If combinational processes are out of scope for an early milestone, use:

```

SequentialOnly C
and postpone R2C_WF.

```

12. Issue/Commit well-formedness

Issue and Commit should be relational plus existence/uniqueness, not necessarily computable total functions.

The Issue/Commit layer is side-parametric and uses the same bucketed execution carrier as the rest of the strategy. It must not introduce a separate flat Trace type.

```

def SystemOfSide
  (C : ComparisonInstance) : Side → System
  | Side.ref => C.Sys_ref
  | Side.post => C.RTL_B

```

```

abbrev SidePrefix
  (C : ComparisonInstance)
  (side : Side) : Type :=

```

Prefix (SystemOfSide C side)

abbrev SideInfiniteExecution
(C : ComparisonInstance)
(side : Side) : Type :=
InfiniteExecutionBucketed C.Sigma

IssueAt :
(C : ComparisonInstance) →
(side : Side) →
SidePrefix C side →
DynMsgInstance →
Cycle →
Prop

CommitAt :
(C : ComparisonInstance) →
(side : Side) →
SidePrefix C side →
DynMsgInstance →
Cycle →
Payload →
Prop

def CommitAtCycle
(C : ComparisonInstance)
(side : Side)
(τ : SidePrefix C side)
(q : DynMsgInstance)
(t : Cycle) : Prop :=
∃ v, CommitAt C side τ q t v

Well-formedness:

def BoundaryRequestAtIssue
(C : ComparisonInstance) : Prop :=
∀ side τ q tIssue σ,
IssuedInPrefix C side τ q →
IssueAt C side τ q tIssue →

StateAtCycleInPrefix C side τ tIssue $\sigma \rightarrow$
 BoundaryReqIssueDomainSide C side $q \sigma \wedge$
 BoundaryReqSide C side $q \sigma \wedge$
 (($q.kind = \text{MsgKind.Push} \vee q.kind = \text{MsgKind.PushNB}$) $\rightarrow$
 PayloadAtState C side $q \sigma = \text{PayloadAtIssue C side } \tau q \text{ tIssue}$)

def BlockingBoundaryRequestPersistence
 (C : ComparisonInstance) : Prop :=
 $\forall$ side $\tau q \text{ tIssue } t \sigma,$
 IssuedInPrefix C side $\tau q \rightarrow$
 IssueAt C side $\tau q \text{ tIssue} \rightarrow$
 StateAtCycleInPrefix C side $\tau t \sigma \rightarrow$
 $\text{tIssue} \leq t \rightarrow$
 $\neg \text{CommitsBefore C side } \tau q t \rightarrow$
 Blocking $q \rightarrow$
 BoundaryReqPersistentDomainSide C side $q \sigma \wedge$
 BoundaryReqSide C side $q \sigma \wedge$
 ($q.kind = \text{MsgKind.Push} \rightarrow$
 PayloadAtState C side $q \sigma = \text{PayloadAtIssue C side } \tau q \text{ tIssue}$)

def BoundaryRequestSoundness
 (C : ComparisonInstance) : Prop :=
 BoundaryRequestAtIssue C $\wedge$
 BlockingBoundaryRequestPersistence C

-- SameEndpointDirection means the same concrete ready/valid endpoint, not
 -- merely the same Push-vs-Pop direction. In particular, two Push operations on
 -- different channels are not the same endpoint direction and may be outstanding
 -- concurrently.

def SameEndpointDirection
 ($q_0 q_1 : \text{DynMsgInstance}$) : Prop :=
 $q_0.channel = q_1.channel \wedge$
 $\text{DirectionOf } q_0 = \text{DirectionOf } q_1$

def StableAttribution
 (C : ComparisonInstance) : Prop :=
 $\forall$ side $\tau q_0 q_1 t \sigma t \sigma_{\text{next}},$
 SameEndpointDirection $q_0 q_1 \rightarrow$

$q_0 \neq q_1 \rightarrow$
 Blocking $q_0 \rightarrow$
 StateAtCycleInPrefix C side $\tau \ t \ \sigma t \rightarrow$
 StateAtCycleInPrefix C side $\tau \ (t + 1) \ \sigma_{next} \rightarrow$
 BoundaryReqDomainSide C side $q_0 \ \sigma t \rightarrow$
 BoundaryReqSide C side $q_0 \ \sigma t \rightarrow$
 BoundaryReqDomainSide C side $q_1 \ \sigma_{next} \rightarrow$
 BoundaryReqSide C side $q_1 \ \sigma_{next} \rightarrow$
 $\neg$ EndpointCommitAt C side $\tau \ q_0.endpoint \ t \rightarrow$
 $\neg$ EndpointCommitAt C side $\tau \ q_1.endpoint \ t \rightarrow$
 False

Equivalently, the first premise may be written as $q_0.endpoint = q_1.endpoint$ if the concrete Lean development defines endpoint as the pair $(q.channel, DirectionOf \ q)$. The important point is that StableAttribution forbids retagging one still-outstanding request to a different operation on the same physical endpoint; it does not forbid independent blocking pushes or pops on different channels.

BoundaryRequestSoundness has two parts. BoundaryRequestAtIssue applies to every issued source-level message-operation instance q , including PushNB and PopNB instances that fail and therefore produce no committed Σ -event. Such a non-blocking poll must still assert the appropriate endpoint request in its issue cycle. BlockingBoundaryRequestPersistence is the additional non-withdrawal rule for blocking Push/Pop instances: after issue and before commit, the same dynamic operation instance keeps its request asserted, and a Push keeps its payload stable.

StableAttribution applies when the earlier outstanding request q_0 is a blocking Push/Pop. In that case, attribution cannot change to any distinct same-endpoint operation before a commit on that endpoint direction, whether the later candidate q_1 is blocking or non-blocking. For non-blocking PushNB / PopNB calls, request assertion at the issue cycle does not by itself imply persistence beyond that issue cycle, and continuous assertion of the endpoint request signal does not by itself collapse later executed non-blocking call instances into the same dynamic instance q . Repeated executed NB polls remain distinct source-level dynamic instances unless the witness explicitly identifies the same still-

outstanding request instance.

-- Dynamic source interval between synchronization anchors.
-- This is witness-specific: only executed dynamic instances in the selected
-- witness universe are classified. Untaken branches and unexecuted loop
-- iterations have no SyncIntervalId.

structure SyncInterval where

proc : Process

pred? : Option SyncCall

succ? : Option SyncCall

intervalId : Nat

def SyncIntervalId

(C : ComparisonInstance)

(W : WitnessBundle C)

(q : DynMsgInstance) : Option SyncInterval :=

DynamicSourceIntervalOf C W q

structure SyncIntervalWF

(C : ComparisonInstance)

(W : WitnessBundle C) where

interval_defined_for_frontier_messages :

$\forall P q,$

$q \in (C.witness.dynamicUniverse P W).Q_ \Omega \rightarrow$

$\exists I, \text{SyncIntervalId } C W q = \text{some } I$

same_interval_iff_same_anchors :

$\forall q_0 q_1 I_0 I_1,$

$\text{SyncIntervalId } C W q_0 = \text{some } I_0 \rightarrow$

$\text{SyncIntervalId } C W q_1 = \text{some } I_1 \rightarrow$

$I_0 = I_1 \leftrightarrow$

$I_0.proc = I_1.proc \wedge$

$I_0.pred? = I_1.pred? \wedge$

$I_0.succ? = I_1.succ? \wedge$

$I_0.intervalId = I_1.intervalId$

$\text{pref_suff_consistent} :$
 $\forall s q,$
 $q \in \text{prefS } s \vee q \in \text{suffS } s \rightarrow$
 $\exists I, \text{SyncIntervalId } C \ W \ q = \text{some } I$

$\text{def SameSyncInterval}$
 $(C : \text{ComparisonInstance})$
 $(W : \text{WitnessBundle } C)$
 $(q_0 \ q_1 : \text{DynMsgInstance}) : \text{Prop} :=$
 $\exists I,$
 $\text{SyncIntervalId } C \ W \ q_0 = \text{some } I \wedge$
 $\text{SyncIntervalId } C \ W \ q_1 = \text{some } I$

$\text{def SourceIssuesBackToBackAfterCommit}$
 $(C : \text{ComparisonInstance})$
 $(W : \text{WitnessBundle } C)$
 $(\text{side} : \text{Side})$
 $(\tau : \text{SidePrefix } C \ \text{side})$
 $(q_0 \ q_1 : \text{DynMsgInstance})$
 $(t : \text{Cycle}) : \text{Prop} :=$
 $\text{SameEndpointDirection } q_0 \ q_1 \wedge$
 $\text{SameSyncInterval } C \ W \ q_0 \ q_1 \wedge$
 $\text{CommitAtCycle } C \ \text{side } \tau \ q_0 \ t \wedge$
 $\text{NextSourceMessageOpOnEndpoint } C \ q_0 \ q_1 \wedge$
 $\text{IssuedInPrefix } C \ \text{side } \tau \ q_1 \wedge$
 $\text{SourceControlReachesAndIssuesAt } C \ W \ \text{side } \tau \ q_1 \ (t + 1)$

$\text{def BackToBackIssueWF}$
 $(C : \text{ComparisonInstance})$
 $(W : \text{WitnessBundle } C) : \text{Prop} :=$
 $\forall \text{side } \tau \ q_0 \ q_1 \ t,$
 $\text{SourceIssuesBackToBackAfterCommit } C \ W \ \text{side } \tau \ q_0 \ q_1 \ t \rightarrow$
 $\text{EndpointRequestContinuouslyAsserted } C \ \text{side } \tau \ q_0.\text{endpoint } t \ (t + 1) \rightarrow$
 $\text{IssueAt } C \ \text{side } \tau \ q_1 \ (t + 1)$

The SameSyncInterval component of SourceIssuesBackToBackAfterCommit prevents the back-to-back issuance rule from carrying a continuously asserted endpoint

request across an explicit wait(), SyncChannel, ac_sync, or other synchronization boundary. Cross-boundary issue timing is governed instead by SyncBoundaryIssueDiscipline / E5.

The continuous physical endpoint assertion is not what causes q_1 to issue. It only explains why the boundary signal may remain asserted across the q_0/q_1 transition without a visible deassertion bubble. The source-level cause is the separate SourceControlReachesAndIssuesAt premise: q_1 has actually been reached and issued as the next same-endpoint operation in the same synchronization interval. Without that premise, a held valid/ready signal could be incorrectly used to infer issuance of a source operation that control flow has not yet reached.

```
def SyncBoundaryIssueDiscipline
(C : ComparisonInstance) : Prop :=
  ∀ side τ  $q_0$   $q_1$  s tSync  $t_0$   $t_1$ ,
   $q_0 \in \text{prefS } s \rightarrow$ 
   $q_1 \in \text{suffS } s \rightarrow$ 
  SyncCommitAt C side τ s tSync  $\rightarrow$ 
  IssueAt C side τ  $q_0$   $t_0 \rightarrow$ 
  IssueAt C side τ  $q_1$   $t_1 \rightarrow$ 
   $t_0 \leq \text{tSync} \wedge \text{tSync} < t_1$ 
```

```
def NBDynamicInstanceDiscipline
(C : ComparisonInstance) : Prop :=
  ∀ P  $q_0$   $q_1$ ,
  IsNB  $q_0 \rightarrow$ 
  IsNB  $q_1 \rightarrow$ 
  ExecutedInProcess C P  $q_0 \rightarrow$ 
  ExecutedInProcess C P  $q_1 \rightarrow$ 
  SameSourceCallSiteButDifferentExecution  $q_0$   $q_1 \rightarrow$ 
   $q_0 \neq q_1$ 
```

```
structure IssueCommitWF
(C : ComparisonInstance)
(W : WitnessBundle C) where
issue_exists :
```

$\forall \text{ side } \tau q,$
 $\text{IssuedInPrefix } C \text{ side } \tau q \rightarrow$
 $\exists t, \text{IssueAt } C \text{ side } \tau q t$
 $\text{issue_unique} :$
 $\forall \text{ side } \tau q t_1 t_2,$
 $\text{IssueAt } C \text{ side } \tau q t_1 \rightarrow$
 $\text{IssueAt } C \text{ side } \tau q t_2 \rightarrow$
 $t_1 = t_2$
 $\text{commit_exists_unique} :$
 $\forall \text{ side } \tau q,$
 $\text{CommitsInPrefix } C \text{ side } \tau q \rightarrow$
 $\exists! tp : \text{Cycle} \times \text{Payload},$
 $\text{CommitAt } C \text{ side } \tau q tp.1 tp.2$
 $\text{boundary_request_soundness} :$
 $\text{BoundaryRequestSoundness } C$
 $\text{stable_attribution} :$
 $\text{StableAttribution } C$
 $\text{back_to_back_issue} :$
 $\text{BackToBackIssueWF } C W$
 $\text{sync_boundary_discipline} :$
 $\text{SyncBoundaryIssueDiscipline } C$
 $\text{nb_dynamic_instance_discipline} :$
 $\text{NBDynamicInstanceDiscipline } C$

Derived timestamp:
 $\text{noncomputable def IssueTime}$
 $(hWF : \text{IssueCommitWF } C W)$
 $(h : \text{IssuedInPrefix } C \text{ side } \tau q) : \text{Cycle} :=$
 $\text{Classical.choose } (hWF.\text{issue_exists side } \tau q h)$

This preserves Appendix C's use of $\text{Issue}(q)$ as an auxiliary timestamp while avoiding an unnecessary computability requirement.

13. Automatic flush and sync-boundary policy

Define:

Pending $P \sigma$

Front $P \sigma$

NextFront $P \sigma$

BlockingMsgNextFront $P \sigma$

Done $P \sigma$

Remain $P \sigma$

Automatic flush must be stated over the same dynamic universe and source-order objects used by Appendix I/J/K. In particular, it must not be an opaque Prop bundle.

Section 13 reasons primarily about FrontierItem values, while Section 7's BoundaryReqSide / ChannelEnabledSide / ChannelDisabledSide predicates are operation-attributive predicates over DynMsgInstance values. Therefore Section 13 uses the following item-level wrappers. These wrappers are not new semantic predicates; they merely read a message-operation frontier item through its owning dynamic message instance.

```
def MsgOfFrontierItemSide
```

```
(C : ComparisonInstance)
```

```
(side : Side)
```

```
(x : FrontierItem) : Option DynMsgInstance :=
```

```
MsgInstanceOfFrontierItem C x.proc x
```

```
def BoundaryReqItemSide
```

```
(C : ComparisonInstance)
```

```
(side : Side)
```

```
(x : FrontierItem)
```

```
( $\sigma$  : State) : Prop :=
```

```
 $\exists q,$ 
```

```
MsgOfFrontierItemSide C side x = some q  $\wedge$ 
```

```
BoundaryReqPersistentDomainSide C side q  $\sigma \wedge$ 
```

```
BoundaryReqSide C side q  $\sigma$ 
```

```
def ChannelEnabledItemSide
```

```

(C : ComparisonInstance)
(side : Side)
(x : FrontierItem)
( $\sigma$  : State) : Prop :=
 $\exists$  q,
MsgOfFrontierItemSide C side x = some q  $\wedge$ 
ChannelEnabledSide C side q  $\sigma$ 

```

```

def ChannelDisabledItemSide
(C : ComparisonInstance)
(side : Side)
(x : FrontierItem)
( $\sigma$  : State) : Prop :=
 $\exists$  q,
MsgOfFrontierItemSide C side x = some q  $\wedge$ 
ChannelDisabledSide C side q  $\sigma$ 

```

```

def PayloadAtFrontierItemState
(C : ComparisonInstance)
(side : Side)
(x : FrontierItem)
( $\sigma$  : State) : Payload :=
PayloadAtState C side (Classical.choose (MsgOfFrontierItemSide_isSome C side x))  $\sigma$ 

```

```

def FrontierItemIssuedAt
(C : ComparisonInstance)
(side : Side)
( $\tau$  : SidePrefix C side)
(x : FrontierItem)
(t : Cycle) : Prop :=
 $\exists$  q,
MsgOfFrontierItemSide C side x = some q  $\wedge$ 
IssueAt C side  $\tau$  q t

```

```

def FrontierItemCommitsBeforeCycle
(C : ComparisonInstance)
(side : Side)
( $\tau$  : SidePrefix C side)

```

$(x : \text{FrontierItem})$
 $(t : \text{Cycle}) : \text{Prop} :=$
 $\exists q,$
 $\text{MsgOfFrontierItemSide } C \text{ side } x = \text{some } q \wedge$
 $\text{CommitsBefore } C \text{ side } \tau q t$

$\text{def FrontierItemCommitsBetween}$
 $(C : \text{ComparisonInstance})$
 $(\text{side} : \text{Side})$
 $(\tau : \text{SidePrefix } C \text{ side})$
 $(x : \text{FrontierItem})$
 $(t_0 t : \text{Cycle}) : \text{Prop} :=$
 $\exists q,$
 $\text{MsgOfFrontierItemSide } C \text{ side } x = \text{some } q \wedge$
 $\text{CommitsBetween } C \text{ side } \tau q t_0 t$

$\text{def FrontierItemCommitsAtCycle}$
 $(C : \text{ComparisonInstance})$
 $(\text{side} : \text{Side})$
 $(\tau : \text{SidePrefix } C \text{ side})$
 $(x : \text{FrontierItem})$
 $(t : \text{Cycle}) : \text{Prop} :=$
 $\exists q,$
 $\text{MsgOfFrontierItemSide } C \text{ side } x = \text{some } q \wedge$
 $\text{CommitAtCycle } C \text{ side } \tau q t$

$\text{def FrontierBlocked}$
 $(C : \text{ComparisonInstance})$
 $(\text{side} : \text{Side})$
 $(P : \text{Process})$
 $(\sigma : \text{State}) : \text{Prop} :=$
 $\text{Front } C \text{ side } P \sigma \neq \emptyset \wedge$
 $\forall x,$
 $x \in \text{Front } C \text{ side } P \sigma \rightarrow$
 $\text{BlockingMessageFrontierItem } x \wedge$
 $\text{BoundaryReqItemSide } C \text{ side } x \sigma \wedge$
 $\text{ChannelDisabledItemSide } C \text{ side } x \sigma$

def LaterThanBlockedFrontier

(C : ComparisonInstance)

(side : Side)

(P : Process)

(σ : State)

(y : FrontierItem) : Prop :=

$\exists x,$

$x \in \text{Front } C \text{ side } P \sigma \wedge$

$\text{SourceOrderLt } C \text{ side } P x y$

def FrontierRemainsBlockedOver

(C : ComparisonInstance)

(side : Side)

(P : Process)

(τ : SidePrefix C side)

($t_0 t$: Cycle) : Prop :=

$\forall n \sigma n,$

$t_0 \leq n \rightarrow$

$n \leq t \rightarrow$

$\text{StateAtCycleInPrefix } C \text{ side } \tau n \sigma n \rightarrow$

$\text{FrontierBlocked } C \text{ side } P \sigma n$

def NoNewLaterWorkWhileBlocked

(C : ComparisonInstance)

(side : Side)

(P : Process)

(τ : SidePrefix C side) : Prop :=

$\forall t_0 t \sigma_0 y,$

$\text{StateAtCycleInPrefix } C \text{ side } \tau t_0 \sigma_0 \rightarrow$

$\text{FrontierBlocked } C \text{ side } P \sigma_0 \rightarrow$

$\text{FrontierRemainsBlockedOver } C \text{ side } P \tau t_0 t \rightarrow$

$\text{LaterThanBlockedFrontier } C \text{ side } P \sigma_0 y \rightarrow$

$\neg \text{FrontierItemIssuedAt } C \text{ side } \tau y t$

def NoWithdrawalWhileBlocked

(C : ComparisonInstance)

(side : Side)

```

(P : Process)
( $\tau$  : SidePrefix C side) : Prop :=
 $\forall t_0 t \sigma_0 \sigma t x,$ 
StateAtCycleInPrefix C side  $\tau t_0 \sigma_0 \rightarrow$ 
StateAtCycleInPrefix C side  $\tau t \sigma \rightarrow$ 
 $t_0 \leq t \rightarrow$ 
 $x \in \text{Front C side P } \sigma_0 \rightarrow$ 
BoundaryReqItemSide C side  $x \sigma_0 \rightarrow$ 
 $\neg \text{FrontierItemCommitsBetween C side } \tau x t_0 t \rightarrow$ 
BoundaryReqItemSide C side  $x \sigma t \wedge$ 
(IsPushFrontierItem  $x \rightarrow$ 
PayloadAtFrontierItemState C side  $x \sigma t =$ 
PayloadAtFrontierItemState C side  $x \sigma_0$ )

```

```

def FrontierMinimality
(C : ComparisonInstance)
(side : Side)
(P : Process)
( $\tau$  : SidePrefix C side) : Prop :=
 $\forall t \sigma x y,$ 
StateAtCycleInPrefix C side  $\tau t \sigma \rightarrow$ 
 $x \in \text{Front C side P } \sigma \rightarrow$ 
 $y \in \text{Remain C side P } \sigma \rightarrow$ 
SourceOrderLt C side  $P y x \rightarrow$ 
False

```

The next predicates separate two obligations that should not be conflated.

First, there is the $K\varepsilon$ / A11-style WFG-inertness obligation. It applies only to intervals that contain no observable Σ -commit. It says that pure internal / ε -only movement while a process remains blocked at the same frontier cannot create a new wait-for cause.

Second, there is the active drain-only automatic-flush discipline. It permits already-issued downstream work to commit while the process is blocked at a minimal frontier. Such drain commits may be observable Σ -events, so they must not be excluded by an InternalOrEpsilonOnlyBetween premise. The discipline is instead that no new later source work is issued past the blocked frontier, already

asserted requests are not withdrawn before commit, and any observable commit owned by the blocked process during the blocked interval is attributable to an already-issued drainable downstream request.

```
def WFGInertForProcess
(C : ComparisonInstance)
(side : Side)
(P : Process)
( $\sigma_0 \sigma t$  : State) : Prop :=
 $\forall Q$ ,
WFGEdge C side  $\sigma_0 P Q \leftrightarrow$  WFGEdge C side  $\sigma t P Q$ 
```

```
def NoNewBlockingFrontierCause
(C : ComparisonInstance)
(side : Side)
(P : Process)
( $\sigma_0 \sigma t$  : State) : Prop :=
 $\forall x$ ,
 $x \in \text{Front } C \text{ side } P \sigma t \rightarrow$ 
BlockingMessageFrontierItem  $x \rightarrow$ 
ChannelDisabledItemSide C side  $x \sigma t \rightarrow$ 
 $\exists y$ ,
 $y \in \text{Front } C \text{ side } P \sigma_0 \wedge$ 
BlockingMessageFrontierItem  $y \wedge$ 
SameBlockingCause C side  $P y x$ 
```

```
def WFGInertUnderInternalOnlyBetween
(C : ComparisonInstance)
(side : Side)
(P : Process)
( $\tau$  : SidePrefix C side) : Prop :=
 $\forall t_0 t \sigma_0 \sigma t$ ,
StateAtCycleInPrefix C side  $\tau t_0 \sigma_0 \rightarrow$ 
StateAtCycleInPrefix C side  $\tau t \sigma t \rightarrow$ 
 $t_0 \leq t \rightarrow$ 
FrontierBlocked C side  $P \sigma_0 \rightarrow$ 
FrontierRemainsBlockedOver C side  $P \tau t_0 t \rightarrow$ 
```

$\text{InternalOrEpsilonOnlyBetween } C \text{ side } \tau \ t_0 \ t \rightarrow$
 $\text{WFGInertForProcess } C \text{ side } P \ \sigma_0 \ \sigma t \ \wedge$
 $\text{NoNewBlockingFrontierCause } C \text{ side } P \ \sigma_0 \ \sigma t$

$\text{def DrainableDownstreamRequest}$
 $(C : \text{ComparisonInstance})$
 $(\text{side} : \text{Side})$
 $(P : \text{Process})$
 $(\sigma_0 : \text{State})$
 $(x : \text{FrontierItem}) : \text{Prop} :=$
 $\text{AlreadyIssuedBeforeBlockedCutpoint } C \text{ side } P \ \sigma_0 \ x \ \wedge$
 $\text{DownstreamOfBlockedFrontier } C \text{ side } P \ \sigma_0 \ x \ \wedge$
 $\text{BlockingMessageFrontierItem } x \ \wedge$
 $\text{BoundaryReqItemSide } C \text{ side } x \ \sigma_0$

$\text{def DrainOnlyCommitDiscipline}$
 $(C : \text{ComparisonInstance})$
 $(\text{side} : \text{Side})$
 $(P : \text{Process})$
 $(\tau : \text{SidePrefix } C \text{ side}) : \text{Prop} :=$
 $\forall \ t_0 \ t \ \sigma_0 \ e,$
 $\text{StateAtCycleInPrefix } C \text{ side } \tau \ t_0 \ \sigma_0 \rightarrow$
 $t_0 \leq t \rightarrow$
 $\text{FrontierBlocked } C \text{ side } P \ \sigma_0 \rightarrow$
 $\text{FrontierRemainsBlockedOver } C \text{ side } P \ \tau \ t_0 \ t \rightarrow$
 $e \in \text{SigmaEventsAtCycleInPrefix } C \text{ side } \tau \ t \rightarrow$
 $\text{EventOwnedByProcess } C \text{ side } P \ e \rightarrow$
 $\text{ObservableCommitEvent } e \rightarrow$
 $\exists \ x,$
 $\text{DrainableDownstreamRequest } C \text{ side } P \ \sigma_0 \ x \ \wedge$
 $\text{EventCommitsFrontierItem } C \text{ side } x \ e \ \wedge$
 $\neg \text{FrontierItemCommitsBeforeCycle } C \text{ side } \tau \ x \ t_0 \ \wedge$
 $\text{FrontierItemCommitsAtCycle } C \text{ side } \tau \ x \ t$

$\text{def DrainOnlyDownstreamProgress}$
 $(C : \text{ComparisonInstance})$
 $(\text{side} : \text{Side})$
 $(P : \text{Process})$

$(\tau : \text{SidePrefix } C \text{ side}) : \text{Prop} :=$
 $\text{WFGInertUnderInternalOnlyBetween } C \text{ side } P \tau \wedge$
 $\text{DrainOnlyCommitDiscipline } C \text{ side } P \tau$

$\text{structure AutomaticFlush}$
 $(C : \text{ComparisonInstance})$
 $(\text{side} : \text{Side})$
 $(P : \text{Process})$
 $(\tau : \text{SidePrefix } C \text{ side}) \text{ where}$
 $\text{block_point} :$
 $\forall t \sigma,$
 $\text{StateAtCycleInPrefix } C \text{ side } \tau t \sigma \rightarrow$
 $\text{FrontierBlocked } C \text{ side } P \sigma \rightarrow$
 $\text{FlushBlockedPoint } C \text{ side } P \tau t \sigma$

$\text{no_new_later_work} :$
 $\text{NoNewLaterWorkWhileBlocked } C \text{ side } P \tau$

$\text{no_withdrawal} :$
 $\text{NoWithdrawalWhileBlocked } C \text{ side } P \tau$

$\text{frontier_minimality} :$
 $\text{FrontierMinimality } C \text{ side } P \tau$

$\text{drain_only_downstream_progress} :$
 $\text{DrainOnlyDownstreamProgress } C \text{ side } P \tau$

$\text{sync_boundary_policy} :$
 $\text{SyncBoundaryPolicy } C \text{ side } P \tau$

The sync-boundary policy must explicitly split the ordinary and elaborated cases.
 In the elaborated case, it must also state the content of the withholding rule:
 producer-facing availability for capacity belonging only to $\text{suff_S}(s)$ is unavailable
 while the synchronization call s is pending.

def SyncPendingAt
 $(C : \text{ComparisonInstance})$
 $(\text{side} : \text{Side})$

(P : Process)
 (τ : SidePrefix C side)
 (s : SyncCall)
 (t : Cycle) : Prop :=
 SyncIssuedButNotCommitted C side P τ s t

def FutureEpochCapacityFor
 (C : ComparisonInstance)
 (side : Side)
 (P : Process)
 (s : SyncCall)
 (gateChannel : Channel)
 (q : DynMsgInstance) : Prop :=
 q $\in$ suffS_msg C side P s $\wedge$
 MessageOperationInstance q $\wedge$
 TransferWouldUseCapacityBehindGate C side P s gateChannel q

def SyncBoundaryGateCorrect
 (C : ComparisonInstance)
 (side : Side)
 (P : Process)
 (τ : SidePrefix C side)
 (E : ElaborationPackage C.refChoice.outerSysB C.refChoice.Chan_outer C.Sigma_DUT)
 (gateChannel : Channel)
 (s : SyncCall) : Prop :=
 GateChannelOf E gateChannel $\wedge$
 $\forall t \sigma q,$
 StateAtCycleInPrefix C side τ t $\sigma \rightarrow$
 SyncPendingAt C side P τ s t $\rightarrow$
 FutureEpochCapacityFor C side P s gateChannel q $\rightarrow$
 BoundaryReqPersistentDomainSide C side q $\sigma \rightarrow$
 BoundaryReqSide C side q $\sigma \rightarrow$
 ChannelDisabledSide C side q σ
 Here suffS_msg C side P s is the message-operation-instance projection of
 suffS(s). The sync-boundary gate rule is stated over DynMsgInstance values
 because BoundaryReqSide, ChannelEnabledSide, and ChannelDisabledSide are
 obligations of attributed message-operation instances, not of arbitrary
 FrontierItem records.

```

inductive SyncBoundaryPolicy
(C : ComparisonInstance)
(side : Side)
(P : Process)
( $\tau$  : SidePrefix C side)
| no_withholding_in_ordinary_SysB :
C.refChoice.kind = ReferenceKind.ordinarySysB  $\rightarrow$ 
NoProofRelevantSyncBoundaryWithholding C side P  $\tau$   $\rightarrow$ 
SyncBoundaryPolicy C side P  $\tau$ 
| explicit_gate_in_elab :
 $\forall$  E gateChannel s,
C.refChoice.kind = ReferenceKind.elaborated  $\rightarrow$ 
SyncBoundaryGateCorrect C side P  $\tau$  E gateChannel s  $\rightarrow$ 
SyncBoundaryPolicy C side P  $\tau$ 

```

In the ordinary Sys_B case, the sync-boundary clause does not add hidden gating. It asserts that no proof-relevant sync-boundary withholding is present. If such withholding is needed, the theorem instance must use Sys_B^{elab}(E), where the withholding appears as ordinary ChannelDisabled behavior at an explicit sync-boundary / epoch-gate abstract channel.

14. Witness selector and Appendix L

The uploaded document's witness selector is a partial strategy over ε -quiescent source cutpoints and ε -modeled choices whose outcomes may affect later Σ -visible behavior; it must be causally available from the matched RTL prefix and global Σ -causal history.

Avoid circularity by defining it over the partial construction so far:

```

structure WitnessSelector (C : ComparisonInstance) where
choose :
( $\tau_{\text{post\_prefix}}$  : Prefix C.RTL_B)  $\rightarrow$ 
( $\tau_{\text{ref\_so\_far}}$  : Prefix C.Sys_ref)  $\rightarrow$ 
(cp : ChoicePoint  $\tau_{\text{ref\_so\_far}}$ )  $\rightarrow$ 
Option ChoiceOutcome
causal :
 $\forall$   $\tau_p$   $\tau_r$  cp out,
choose  $\tau_p$   $\tau_r$  cp = some out  $\rightarrow$ 

```

DependsOnlyOnAvailablePrefix $\tau p \ \tau r \ cp \ out$
 consistent_with_post_prefix :
 $\forall \tau p \ \tau r \ cp \ out,$
 choose $\tau p \ \tau r \ cp = \text{some } out \rightarrow$
 ConsistentWithRTLPrefix $\tau p \ \tau r \ cp \ out$

Non-blocking witness mapping.

Failed PushNB / PopNB polls are executed dynamic instances in Q_exec but produce no Σ -event. Therefore the Post $\rightarrow$ Ref construction cannot reconstruct them from the Σ -trace alone. The witness bundle must carry an explicit partial dynamic-instance correspondence for such ε -modeled NB instances.

structure NBInstanceMap (C : ComparisonInstance) where

$\mu_Q :$
 $DynMsgInstance \rightarrow Option \ DynMsgInstance$

maps_only_executed_nb :
 $\forall q_post \ q_ref,$
 $\mu_Q \ q_post = \text{some } q_ref \rightarrow$
 $ExecutedInPost \ C \ q_post \wedge$
 $ExecutedInRef \ C \ q_ref \wedge$
 $IsNB \ q_post \wedge IsNB \ q_ref$

preserves_owner_and_interface :
 $\forall q_post \ q_ref,$
 $\mu_Q \ q_post = \text{some } q_ref \rightarrow$
 $q_post.proc = q_ref.proc \wedge$
 $q_post.channel = q_ref.channel \wedge$
 $q_post.kind = q_ref.kind$

preserves_nb_outcome :
 $\forall q_post \ q_ref,$
 $\mu_Q \ q_post = \text{some } q_ref \rightarrow$
 $NBOutcomePost \ C \ q_post = NBOutcomeRef \ C \ q_ref$

covers_non_cadence_control_relevant_failed_polls :
 $\forall q_post,$
 $ExecutedInPost \ C \ q_post \rightarrow$

```

IsFailedNB q_post →
AffectsLaterSigmaOrFrontier C q_post →
¬ CadenceSensitiveNBInstance C q_post →
∃ q_ref, μ_Q q_post = some q_ref

cadence_sensitive_failed_polls_are_not_unhandled_core :
∀ q_post,
ExecutedInPost C q_post →
IsFailedNB q_post →
CadenceSensitiveNBInstance C q_post →
HandledByLatencySensitiveLocalProtocolContract C q_post

source_order_position_preserved :
∀ q_post q_ref,
μ_Q q_post = some q_ref →
SourceOrderKeyOf C q_post = SourceOrderKeyOf C q_ref

respects_source_order_slice :
∀ P q1_post q2_post q1_ref q2_ref,
μ_Q q1_post = some q1_ref →
μ_Q q2_post = some q2_ref →
SourceOrderLe C P (SourceOrderKeyOf C q1_post) (SourceOrderKeyOf C q2_post) ↔
SourceOrderLe C P (SourceOrderKeyOf C q1_ref) (SourceOrderKeyOf C q2_ref)

structure WitnessBundle (C : ComparisonInstance) where
selector : WitnessSelector C
nbMap : NBInstanceMap C

Witness compatibility:

def WC
(C : ComparisonInstance)
(W : WitnessBundle C) : Prop :=
(∀ constructionPrefix,
WitnessChoicesRespectMatchedPrefix C W.selector constructionPrefix) ∧
WitnessNBMapRespectsMatchedPrefix C W.nbMap ∧
WitnessChoicesAndNBMapAgree C W.selector W.nbMap ∧
LatencySensitiveLocalProtocolWC C W C.contracts.latencySensitiveLocalProtocols

Thus WC is the Lean-side packaging of witness selection, the μ_Q matching obligation, and
the modeling-contract obligation that cadence-sensitive failed-poll behavior is not left as

```

an unconstrained hidden timing dependence inside the ordinary source core. When E3/E5 reasoning or the Post $\rightarrow$ Ref construction refers to failed ε -modeled non-blocking call instances in Q_exec, P , the required μ_Q correspondence is supplied by $W.nbMap$ as part of WC for non-cadence-sensitive or already boundary-selected cases. If a failed-poll sequence is cadence-sensitive because externally visible behavior depends on the number or cadence of failures, then WC is applied at the chosen observable boundary of the isolated/snoop-aligned local protocol block, not to the raw internal failed-poll cadence.

Snooping assumptions:

structure SnoopingWrapperAssumptions

(C : ComparisonInstance)

(W : WitnessBundle C) where

covers_eps_choices_affecting_boundary :

$\forall P$ choice,

EpsChoiceAffectsLaterSigmaOrFrontier C P choice $\rightarrow$

ChoiceCoveredBySnoopingOrWitness C W P choice

does_not_relabel_boundary_sigma :

$\forall \tau$,

SnoopedExecution C W $\tau \rightarrow$

BoundarySigmaTracePreserved C W τ

selected_choices_prefix_causal :

$\forall$ constructionPrefix,

WitnessChoicesRespectMatchedPrefix C W.selector constructionPrefix

failed_polls_remain_epsilon :

$\forall q$,

IsFailedNB q $\rightarrow$

$\neg \exists e$, FailedPollContributesCommittedSigmaEvent C q e

cadence_sensitive_sites_isolated_or_snoop_aligned :

$\forall P$ loc,

CadenceSensitiveNBPollingSite C P loc $\rightarrow$

LocalProtocolSiteHandledByContract C W C.contracts.latencySensitiveLocalProtocols P loc

Lemma L.2:

theorem L2_snooping_establishes_WC

(C : ComparisonInstance)

(W : WitnessBundle C)
(hSnoop : SnoopingWrapperAssumptions C W) :
WC C W

This theorem does not turn failed PushNB/PopNB polls into committed Σ -events. Failed polls remain ε -steps. For ordinary NB-CF sites, the identity/arbitrary witness suffices. For non-NB-CF but non-cadence-sensitive sites, the witness selects the ε -modeled outcomes needed for the matched prefix. For cadence-sensitive retry/timeout/poll-arbiter sites, the theorem may be used only after the local protocol block has been isolated, snoop-aligned, or given an explicit cycle-accurate model, and the comparison is made at that block's chosen observable boundary.

IdentityOrArbitraryNBWitnessBundle C is the witness bundle used in the NB-CF case. Its selector uses identity choices for ε -modeled non-blocking outcomes that are fixed by the matched prefix, and arbitrary choices for non-blocking outcomes that NB-CF proves cannot affect later Σ -visible control flow or NextFront behavior. Its nbMap maps matched executed NB instances to the corresponding same dynamic source-call instance when such a match is relevant, and is arbitrary on failed NB instances that NB-CF proves irrelevant. It is not a discharge for cadence-sensitive retry/timeout/poll-arbiter sites unless those sites have first been shown not to affect later Σ -visible behavior, or have been handled by the latency-sensitive local-protocol contract.

```
def IdentityOrArbitraryNBWitnessBundle
(C : ComparisonInstance) : WitnessBundle C :=
{
  selector := IdentityOrArbitraryNBSelector C,
  nbMap := IdentityOrArbitraryNBMap C
}
```

Corollary L.3:

The document-level WC predicate is global for the selected comparison instance and now includes the latency-sensitive local-protocol contract. Therefore a theorem returning global WC must not be stated from a single-process NB-CF premise alone.

Use a global theorem when proving WC for the full comparison instance:

```
theorem L3_nb_cf_identity_witness
(C : ComparisonInstance)
```

$(hNBCF : \forall P, NBCF\ C\ P)$
 $(hLocalProtocols :$
 $LatencySensitiveLocalProtocolWC$
 C
 $(IdentityOrArbitraryNBWitnessBundle\ C)$
 $C.contracts.latencySensitiveLocalProtocols) :$
 $WC\ C\ (IdentityOrArbitraryNBWitnessBundle\ C)$

If a per-process theorem is useful, state it as a local witness fact rather than as global WC:

$theorem\ L3_nb_cf_identity_witness_local$
 $(C : ComparisonInstance)$
 $(P : Process)$
 $(hNBCF : NBCF\ C\ P) :$
 $LocalWCForProcess\ C\ (IdentityOrArbitraryNBWitnessBundle\ C)\ P$

The global theorem is then obtained by combining the local theorem over all processes with the latency-sensitive local-protocol contract:

$theorem\ L3_nb_cf_identity_witness_from_local$
 $(C : ComparisonInstance)$
 $(hLocal : \forall P, LocalWCForProcess\ C\ (IdentityOrArbitraryNBWitnessBundle\ C)\ P)$
 $(hLocalProtocols :$
 $LatencySensitiveLocalProtocolWC$
 C
 $(IdentityOrArbitraryNBWitnessBundle\ C)$
 $C.contracts.latencySensitiveLocalProtocols) :$
 $WC\ C\ (IdentityOrArbitraryNBWitnessBundle\ C)$

Appendix L Note 1: Σ_DUT -safety-inert local timing choices.

The preceding L.2/L.3 facts are WC-producing facts for the ordinary proof-internal C.Sigma theorem. Appendix L Note 1 is different: it is a projected-safety principle for the outer DUT/testbench alphabet C.Sigma_DUT. It says that an internal latency-sensitive interface need not be snooped for the Σ_DUT -safety fragment when its ϵ -modeled timing choices cannot change which Σ_DUT -visible observable units occur, cannot change their projected values, and can only permute projected units that are causally independent at the DUT boundary.

This is not a replacement for WC in the full C.Sigma theorem, and it is not an Appendix K deadlock/liveness exemption. A Σ_DUT -safety-inert interface that is also used in Appendix K reasoning must still satisfy the WFG-inert / $K\epsilon$ obligations, such as A11_Kepsilon_WFGInert.

```

-- A proof-internal observable unit whose projection is visible at the chosen
-- DUT/testbench boundary.
SigmaDUTVisibleUnit :
ComparisonInstance → ObservableUnit C.Sigma → Prop

-- Required projected Appendix J order at the DUT boundary.
-- This is the mandated projected  $\prec_J$  relation induced by E1–E5, channel
-- semantics, synchronization semantics, atomic-unit constraints,
-- witness-control dependencies that survive projection, and elaboration /
--  $\sigma_{\text{DUT}}$ -projection constraints. It is not an incidental order that merely
-- appears in one admissible schedule.
ProjectedRequiredJOrderDUT :
ComparisonInstance →
ObservableUnit C.Sigma →
ObservableUnit C.Sigma →
Prop

-- Two proof-internal observable units are ordered at the DUT boundary exactly
-- when their projected  $\Sigma_{\text{DUT}}$ -visible units are related by the required projected
-- Appendix J order.
def DUTOrdered
(C : ComparisonInstance)
(u v : ObservableUnit C.Sigma) : Prop :=
SigmaDUTVisibleUnit C u ∧
SigmaDUTVisibleUnit C v ∧
ProjectedRequiredJOrderDUT C u v

-- A pair is causally comparable if either order direction is required at the
-- projected DUT boundary.
def DUTCausallyComparable
(C : ComparisonInstance)
(u v : ObservableUnit C.Sigma) : Prop :=
DUTOrdered C u v ∨ DUTOrdered C v u

-- The choice may change the projected DUT-visible presence or value label of u.
ChoiceMayAddRemoveOrRelabelSigmaDUTUnit :
ComparisonInstance → Process → EpsModeledChoice C P → ObservableUnit C.Sigma →
Prop

-- The choice may change the relative order of two projected DUT-visible units.
ChoiceMayReorderSigmaDUTUnits :
ComparisonInstance → Process → EpsModeledChoice C P →
ObservableUnit C.Sigma → ObservableUnit C.Sigma → Prop

```

```

-- A single  $\varepsilon$ -modeled local timing choice is inert for  $\Sigma$ _DUT safety when it
-- neither changes projected event presence/value nor reorders any projected
-- pair whose order is causally required at the DUT boundary.
def EpsChoicelsSigmaDUTSafetyInert
(C : ComparisonInstance)
(P : Process)
(choice : EpsModeledChoice C P) : Prop :=
(∀ u,
SigmaDUTVisibleUnit C u →
¬ ChoiceMayAddRemoveOrRelabelSigmaDUTUnit C P choice u) ∧
(∀ u v,
ChoiceMayReorderSigmaDUTUnits C P choice u v →
¬ DUTCausallyComparable C u v)

-- A latency-sensitive interface is  $\Sigma$ _DUT-safety-inert when all of the  $\varepsilon$ -modeled
-- local timing choices owned by the interface are safety-inert in the sense above.
def SigmaDUTSafetyInertInterface
(C : ComparisonInstance)
(I : LatencySensitiveInterface C) : Prop :=
∀ P choice,
ChoiceOwnedByInterface C I P choice →
EpsChoicelsSigmaDUTSafetyInert C P choice

-- A choice has a  $\Sigma$ _DUT-safety discharge either by ordinary snooping/witness
-- coverage or by belonging to a certified  $\Sigma$ _DUT-safety-inert interface.
def ChoiceHasSigmaDUTSafetyDischarge
(C : ComparisonInstance)
(W : WitnessBundle C)
(P : Process)
(choice : EpsModeledChoice C P) : Prop :=
ChoiceCoveredBySnoopingOrWitness C W P choice ∨
∃ I,
ChoiceOwnedByInterface C I P choice ∧
SigmaDUTSafetyInertInterface C I

-- The projected-safety obligation is deliberately weaker than WC. It covers
-- only choices that can matter to the  $\Sigma$ _DUT projected safety theorem.
def SigmaDUTSafetyWitnessObligation
(C : ComparisonInstance)
(W : WitnessBundle C) : Prop :=
∀ P choice,
EpsChoiceCanAffectSigmaDUTProjection C P choice →
ChoiceHasSigmaDUTSafetyDischarge C W P choice

```

-- Local Appendix L Note 1 corollary: a certified safety-inert interface
 -- discharges only its own choices. This theorem is intentionally local; it does
 -- not claim that an arbitrary identity witness satisfies the global obligation
 -- for every other choice in the design.

theorem L5_sigmaDUT_safety_inert_interface

(C : ComparisonInstance)

(W : WitnessBundle C)

(I : LatencySensitiveInterface C)

(hl : SigmaDUTSafetyInertInterface C I) :

∀ P choice,

ChoiceOwnedByInterface C I P choice →

ChoiceHasSigmaDUTSafetyDischarge C W P choice

-- No global L.5 assembly theorem is stated here. The global obligation
 -- SigmaDUTSafetyWitnessObligation C W is intentionally an assumption of
 -- JSigmaDUTSafetyAssumptions. Individual certified inert-interface choices are
 -- discharged locally by L5_sigmaDUT_safety_inert_interface; all other
 -- Σ _DUT-relevant choices must be discharged by the ordinary snooping/witness
 -- machinery at the point where the global obligation is established.

The L.5 facts are safety-side counterparts of the WFG-inert $\varepsilon / K\varepsilon$ idea, but they live in Appendix L/J rather than Appendix K. They are used only for the Σ _DUT-projected safety theorem below. They do not produce WC C W, do not prove CompatibleSys over the full proof-internal C.Sigma alphabet, and do not discharge A11_Kepsilon_WFGInert for deadlock/liveness proofs.

15. Concrete ObsSigma, Obs-congruence, and deterministic replay

Do not define ObsSigma as an informal least fixed point. Define it as a concrete record of the source-state slices required for replay. The record is P-local: it contains the P-owned state, frontier, pending, attribution, signal-anchor, direct-input, and array-mapping facts needed to determine later P-local Σ -visible behavior and Appendix I–K proof predicates. It does not independently store ChannelEnabled / ChannelDisabled as P-local facts; enablement is obtained from the P-local request/frontier/BoundaryReq facts together with the chosen Sys_ref boundary state and E4.

structure ObsSigma

(C : ComparisonInstance)

(W : WitnessBundle C)

(P : Process)

(σ : State) where

`control_pos` : ControlPos P
`relevant_vars` : RelevantVarSlice C P σ
`selected_eps_outcomes` : SelectedOutcomeSlice C W.selector P σ
`nb_witness_slice` : NBWitnessSlice C W.nbMap P σ
`msg_attribution_slice` : MsgAttributionSlice C W P σ
`pending_slice` : PendingSlice C P σ
`front_slice` : FrontSlice C P σ
`nextfront_slice` : NextFrontSlice C P σ
`boundary_req_slice` : BoundaryReqSlice C P σ
`signal_anchor_slice` : SignalAnchorSlice C P σ
`array_mapping_slice` : ArrayMappingSlice C P σ
`direct_input_slice` : DirectInputSlice C P σ

Here `msg_attribution_slice` records the $Q_{\text{exec}}, P / Q_{\Omega}, P$ attribution facts needed for E3/E5, Issue/Commit replay, WFG construction, and BoundaryReq ownership. It is broader than `nb_witness_slice`: `nb_witness_slice` records μ_Q matching for ε -modeled failed NB calls, while `msg_attribution_slice` records the source-level operation attribution of pending and frontier message-operation instances generally.

Cadence-sensitive failed-poll behavior is not represented by adding failed-poll cadence events to ObsSigma or to Σ . Failed PushNB/PopNB polls remain ε -steps with no committed transfer event. If a retry counter, timeout counter, polling arbiter, or other local policy computes externally visible behavior from the number or cadence of failed polls, then that site must already be handled by `C.contracts.latencySensitiveLocalProtocols`. The ordinary source-core ObsSigma record is then applied at the chosen observable boundary of the isolated/snoop-aligned/explicitly modeled block.

`def SigmaRelevantEq C W P  $\sigma_1$   $\sigma_2$  :=`
`ObsSigma C W P  $\sigma_1$  = ObsSigma C W P  $\sigma_2$`

One-step Obs-congruence:

`theorem IObs_congruence_one_step`
`(C : ComparisonInstance)`
`(W : WitnessBundle C)`
`(hB : BRules C)`
`(hR : RRules C)`
`(hE : ERules C)`
`(hIC : IssueCommitWF C W)`
`(hContracts : ModelingContracts C)`

(hWC : WC C W)
 (P : Process)
 ($\sigma_1 \sigma_2 \sigma_1' \sigma_2'$: State)
 (ℓ : C.Sigma)
 (hObs : SigmaRelevantEq C W P $\sigma_1 \sigma_2$)
 (hStep₁ : SameLabelCutpointStep C W P $\sigma_1 \ell \sigma_1'$)
 (hStep₂ : SameLabelCutpointStep C W P $\sigma_2 \ell \sigma_2'$)
 (hBoundary : ChosenObservableBoundaryWF C W P hContracts)
 (hCadence :
 AllCadenceSensitiveNBSitesHandled
 C W P hContracts.latencySensitiveLocalProtocols) :
 SigmaRelevantEq C W P $\sigma_1' \sigma_2'$

Proof obligations for IObs_congruence_one_step should be decomposed by source construct:

- deterministic local computation: equal relevant variables and control position determine equal successor ObsSigma fields;
- anchored signal reads/writes: the fixed reactive stimulus and common label ℓ determine equal latched Read/Write facts;
- blocking Push/Pop and synchronization: common label ℓ plus equal pending/frontier/attribution/BoundaryReq facts determine equal successor ObsSigma fields;
- successful PushNB/PopNB: the committed Push_c(v) / Pop_c(v) label ℓ determines equal data, control, attribution, and frontier updates;
- failed PushNB/PopNB: the failed poll is ε . If NB-CF holds, it cannot affect the next Σ -visible control/frontier/attribution facts. If WC selects a non-cadence-sensitive failed outcome, the selected outcome is fixed by W. If the site is cadence-sensitive, hCadence ensures it is not part of the unisolated ordinary source core; replay is performed at the chosen boundary of the isolated/snoop-aligned/explicit local protocol block;
- other ε -only choices: WC supplies every outcome that can affect later Σ -visible behavior or Appendix I–K proof predicates.

Deterministic replay:

theorem IDR_deterministic_replay
 (C : ComparisonInstance)
 (W : WitnessBundle C)
 (hB : BRules C)
 (hR : RRules C)

(hE : ERules C)
 (hIC : IssueCommitWF C W)
 (hContracts : ModelingContracts C)
 (hWC : WC C W)
 (P : Process)
 ($\rho_1 \rho_2$: ExecutionPrefix C.Sigma)
 (hInit : SameInitialSourceState C W P $\rho_1 \rho_2$)
 (hSameLabels : SamePLocalSigmaLabelSequence C P $\rho_1 \rho_2$)
 (hBoundary : ChosenObservableBoundaryWF C W P hContracts)
 (hCadence :
 AllCadenceSensitiveNBSitesHandled
 C W P hContracts.latencySensitiveLocalProtocols) :
 $\forall k,$
 SigmaRelevantEq C W P
 (EpsQuiescentCutpointAfter C W P $\rho_1 k$)
 (EpsQuiescentCutpointAfter C W P $\rho_2 k$)

Proof. By induction on k . The base case follows from hInit. For the successor case, hSameLabels gives the common next P-local Σ label ℓ . Apply IObs_congruence_one_step to the two same-label cutpoint steps under the same fixed stimulus, same witness W, and the same latency-sensitive local-protocol handling contract. Therefore the ObsSigma slices agree after $k+1$ labels.

This same ObsSigma object and the IObs_congruence_one_step theorem should be reused by Lemma S1, Corollary J.1, and any cutpoint-correspondence theorem that needs agreement of source variables, frontier predicates, signal-anchor facts, direct-input facts, or array-mapping facts. For request attribution, BoundaryReq, pending, endpoint-request, and enablement facts, the source-side deterministic-replay slice comes from ObsSigma / I.DR, but the RTL_B-side cutpoint facts used by Corollary J.1 and Appendix K are supplied by J.AbsConf for the same selected $(\tau_{\text{post}}, \tau_{\text{ref}}, \rho_{\text{post}}, \sigma_{\text{ref}}, W)$ triple. Do not treat ObsSigma replay alone as proving RTL_B-side request-attribution agreement.

16. Appendix I per-process construction

Bundle the assumptions:

structure IConstructionAssumptions
 (C : ComparisonInstance)
 (W : WitnessBundle C) where

wellformed : C.WellFormed
 bRules : BRules C
 rRules : RRules C
 eRules : ERules C
 issueCommitWF : IssueCommitWF C W
 implementation : ImplementationAssumptions C
 witnessCompatible : WC C W
 contracts : ModelingContracts C

Main theorems:

theorem I1_bounded_epsilon_closure
 (C : ComparisonInstance)
 (hB4 : C.assumptions.B.B4_finiteEpsilonDepth)
 (hB5 : C.assumptions.B.B5_quiescentNormalization) :
 ...

theorem I2_channel_progress_instance
 (C : ComparisonInstance)
 (hB3 : C.assumptions.B.B3_channelProgress) :
 ...

theorem I3_finite_extension_step
 (C : ComparisonInstance)
 (W : WitnessBundle C)
 (hI : IConstructionAssumptions C W) :
 ...

theorem I4_finite_prefix_construction
 (C : ComparisonInstance)
 (W : WitnessBundle C)
 (hI : IConstructionAssumptions C W) :
 ...

theorem I5_infinite_limit_construction
 (C : ComparisonInstance)
 (W : WitnessBundle C)
 (hI : IConstructionAssumptions C W) :

...

I3 should use IssueAt plus derived IssueTime, not an unconstrained guessed issue cycle.

17. Appendix J system-level correspondence

Define execution scopes:

def FairProgressSatisfying

(C : ComparisonInstance)

(side : Side)

(τ^∞ : InfiniteExecutionBucketed C.Sigma) : Prop :=

InfiniteExecutionOfSide C side τ^∞ $\wedge$

WeakFairness C side τ^∞ $\wedge$

$\forall c$,

P_push C side $\tau^\infty c$ $\wedge$

P_pop C side $\tau^\infty c$

def PostAdmissible

(C : ComparisonInstance)

(τ^∞ : InfiniteExecutionBucketed C.Sigma) : Prop :=

InfinitePostExecute C τ^∞ $\wedge$

FairProgressSatisfying C .post τ^∞

def RefAdmissible

(C : ComparisonInstance)

(τ^∞ : InfiniteExecutionBucketed C.Sigma) : Prop :=

InfiniteRefExecution C τ^∞ $\wedge$

FairProgressSatisfying C .ref τ^∞

def Exec_post (C : ComparisonInstance) (τ : Prefix C.RTL_B) : Prop :=

$\exists \tau^\infty$,

Extends $\tau^\infty \tau$ $\wedge$

PostAdmissible C τ^∞

def Exec_ref (C : ComparisonInstance) (τ : Prefix C.Sys_ref) : Prop :=

$\exists \tau^\infty$,

Extends $\tau^\infty \tau$ $\wedge$

RefAdmissible C τ^∞

Here FairProgressSatisfying is side-parametric. It includes the B2/B3 fairness/progress assumptions for the selected execution side: weak fairness and the P_push / P_pop channel-progress obligations. PostAdmissible is the post-side instance of this condition together with InfinitePostExecution; RefAdmissible is the reference-side instance together with InfiniteRefExecution. Thus Exec_post and Exec_ref are defined analogously, and any τ_{ref} produced or consumed by J.1 / K.1 carries the ref-side B2/B3 progress assumptions needed by the drain-closure and deadlock-preservation arguments.

B6 is not limited to deadlock cutpoints. It is the general time-divergence / idle-stutter convention for any reachable finite prefix/state at which the system has reached a fixed point: after no further Σ -action or internal ε -microstep is enabled under the same stimulus, the global clock may continue by infinite idle-stutter ticks. Each idle-stutter bucket has no sigmaEvents and performs no ε -prefix or ε -suffix work. It changes no non-clock state; the only permitted state change is the clock/tick bookkeeping associated with the idle cycle.

```
def ClockOnlyIdleStep
(C : ComparisonInstance)
(side : Side)
( $\sigma_0 \sigma_1$  : State) : Prop :=
NonClockStateEq  $\sigma_1 \sigma_0 \wedge$ 
 $\sigma_1.\text{cycle} = \sigma_0.\text{cycle} + 1 \wedge$ 
 $\sigma_1.\text{epsPos} = 0$ 
```

```
def IdleStutterBucket
(C : ComparisonInstance)
(side : Side)
( $\sigma$  : State)
( $\beta$  : CycleBucket C.Sigma) : Prop :=
 $\beta.\text{startState} = \text{AdvanceClockOnly } \sigma \beta.\text{cycle} \wedge$ 
 $\beta.\text{sigmaEvents} = \emptyset \wedge$ 
 $\beta.\text{epsPrefix} = [] \wedge$ 
 $\beta.\text{epsSuffix} = [] \wedge$ 
ClockOnlyIdleStep C side  $\beta.\text{startState} \beta.\text{endState} \wedge$ 
 $\beta.\text{endQuiescent}$ 
```

```

def FixedPointState
(C : ComparisonInstance)
(side : Side)
( $\sigma$  : State) : Prop :=
EpsQuiescent  $\sigma$   $\wedge$ 
NoObservableActionEnabledAtState C side  $\sigma$   $\wedge$ 
NoInternalEpsilonStepEnabledAtState C side  $\sigma$ 

theorem B6_extend_reachable_prefix_by_idle_stutter
(C : ComparisonInstance)
(side : Side)
( $\pi$  : Prefix (SystemOfSide C side))
( $\sigma$  : State)
(hReach : TerminalCutpoint  $\pi$   $\sigma$ )
(hFP : FixedPointState C side  $\sigma$ ) :
 $\exists \tau$  : InfiniteExecutionBucketed C.Sigma,
ExtendsPrefix C side  $\tau$   $\pi$   $\wedge$ 
 $\forall n$ ,
 $n \geq \text{PrefixLength } \pi \rightarrow$ 
IdleStutterBucket C side  $\sigma$  ( $\tau$   $n$ ) :=
by
-- General B6 theorem: any reachable finite execution prefix/state at a
-- fixed point is extendable to an infinite execution by appending idle
-- stutter ticks under the same stimulus. B6 supplies time divergence only;
-- it does not by itself prove the B2/B3 fairness/progress side conditions
-- required for membership in Exec_post or Exec_ref.
sorry

-- Exec_post / Exec_ref membership at an arbitrary internal-MP deadlock
-- cutpoint is not a theorem of InternalMPDeadlockAt alone. Exec_post and
-- Exec_ref require infinite extensions satisfying the applicable B2/B3
-- fairness/progress premises, and B6 supplies only time-divergent idle-stutter
-- extension from a globally fixed-point state.
-- -- Therefore the only B6-based Exec_post construction stated in Section 18 is
-- the fixed-point special case:

```

```

--
-- theorem fixedpoint_cutpoint_in_Exec_post
-- (C : ComparisonInstance)
-- (W : WitnessBundle C)
-- (hK : KAssumptions C W)
-- (ρ_post : State)
-- (hReach : Reachable C.RTL_B ρ_post)
-- (hFP : FixedPointState C .post ρ_post)
-- (hIdle : C.assumptions.B.B6_idleStutterTimeDivergence) :
-- ∃ τ_post,
-- TerminalCutpoint τ_post ρ_post ∧
-- Exec_post C τ_post
--
-- General partial internal-MP deadlock reasoning is handled instead by the
-- execution-scoped K.1 theorem:
--
-- theorem K1_liveness_preservation
-- (C : ComparisonInstance)
-- (W : WitnessBundle C)
-- (hK : KAssumptions C W) :
-- InternalMPDeadlockFreeOnExecRef C →
-- InternalMPDeadlockFreeOnExecPost C
--
-- In that theorem, Exec_post membership is supplied by the counterexample
-- execution to InternalMPDeadlockFreeOnExecPost itself; it is not reconstructed
-- from reachability plus B6 idle-stutter. Do not state a theorem of the form

```

-- deadlock_cutpoint_in_Exec_post with only a reachable partial-deadlock state
 -- and B6 idle-stutter, because that would hide the missing fair/progress-
 -- satisfying continuation for non-deadlocked processes.

theorem finish_process_idle_padding

(C : ComparisonInstance)

(side : Side)

(P : Process)

(π : Prefix (SystemOfSide C side))

(σ : State)

(hReach : TerminalCutpoint π σ)

(hFin : ProcessFinishedAt C side P σ)

(hNoMoreP : NoFurtherProcessStepEnabled C side P σ) :

$\exists \tau$: InfiniteExecutionBucketed C.Sigma,

ExtendsPrefix C side τ $\pi \wedge$

$\forall n$,

$n \geq \text{PrefixLength } \pi \rightarrow$

ProcessIdleStuttered C side P (τ n) :=

by

-- FINISH_P remains a realized SyncAnchor for R2/E2 signal anchoring, but
 -- after the process has terminated, the infinite execution is padded by
 -- process-local idle stutter. This padding creates no new process-owned
 -- Σ -events, no new BoundaryReq, no new Front/NextFront item, and no new
 -- WFG edge for P.

sorry

The FINISH_P corollary is process-local: a finished process is padded by ϵ /idle-stutter while the global system may continue executing other processes. This padding must not be counted as additional B4/B5 internal progress by P, because it performs no enabled internal ϵ -step and emits no Σ -event.

Directed compatibility:

Do not define CompatibleP or CompatibleSys as equality of bucketed executions.

First define the observable units extracted from a bucketed execution. An observable unit may be: a single ordinary Σ -event; an explicitly atomic multi-endpoint unit, such as a

rendezvous Push/Pop pair or a SyncChannel/ac_sync pair; or an R2C fixed-point observation unit. Independent same-cycle events are not ordered merely because they share a CycleBucket; any strict required order among observable units is imposed only by RequiredJOrder / $\prec_J$. The broader causal-dependency graph $\rightarrow$ may still be recorded for explanatory information-flow reasoning, but it is not the induction order.

structure ObservableUnit (Σ : Type) where

events : Finset Σ

atomic : Prop

ObservableUnitsOf extracts Σ -visible events from the bucketed execution and groups them into comparison units as follows:

an ordinary committed message, signal, or synchronization event may form a singleton observable unit;

explicitly atomic multi-endpoint events, such as rendezvous Push/Pop pairs and SyncChannel/ac_sync handshakes, form one atomic observable unit and may not be split by CompatibleP or CompatibleSys;

R2C combinational observations are taken from the ε -quiescent fixed-point bucket and grouped according to the R2C well-formedness relation;

independent same-cycle events are unordered merely by virtue of being in the same CycleBucket;

same-cycle events that are merely coincident in one implementation are not forced to remain same-cycle in the other implementation unless they are explicitly atomic or otherwise constrained by RequiredJOrder.

A CycleBucket records which Σ -events commit in a cycle. It does not record a same-cycle sequence or a same-cycle partial order. The proof may also build a CausalDependency graph for informational happens-before reasoning, but any strict proof order used by Theorem J.1 is RequiredJOrder. Atomic multi-endpoint units constrain grouping/splitting; they do not introduce an arbitrary intra-bucket linearization.

def ObservableUnitsOf

(C : ComparisonInstance)

(side : Side)

(τ : Prefix (SystemOfSide C side)) :

Set (ObservableUnit (C.Sigma)) :=

ExtractSigmaUnits

C side τ

(AtomicRendezvousUnits C side τ)
 (AtomicSyncUnits C side τ)
 (R2CFixedPointUnits C side τ)
 (IndependentSameCycleUnits C side τ)

CausalDependency, also called happens-before in the scheduling-rules prose, is an information-flow graph. It is useful for explaining that a Pop observes the corresponding Push value, that signal handshakes communicate information, or that a witness-selected ε choice affects later visible behavior. It is not itself the strict partial order used by Theorem J.1, and the Lean development should not assume the unquotiented CausalDependency graph is acyclic.

```

def CausalDependency
  (C : ComparisonInstance)
  (side : Side)
  ( $\tau$  : Prefix (SystemOfSide C side))
  (u v : ObservableUnit (C.Sigma)) : Prop :=
  Relation.TransGen
  (CausalDependencyGenerator C side  $\tau$ )
  u v
  
```

```

def CausalDependencyGenerator
  (C : ComparisonInstance)
  (side : Side)
  ( $\tau$  : Prefix (SystemOfSide C side))
  (u v : ObservableUnit (C.Sigma)) : Prop :=
  MessageInformationFlow C side  $\tau$  u v V
  SignalInformationFlow C side  $\tau$  u v V
  SynchronizationInformationFlow C side  $\tau$  u v V
  WitnessControlDependency C side  $\tau$  u v V
  ElaborationInformationFlow C side  $\tau$  u v
  
```

RequiredJOrder is the mandated Appendix J order over observable units. It is narrower than CausalDependency. It contains only strict order constraints that CompatibleP / CompatibleSys must preserve as order. It does not contain mere information-flow dependencies, grouping requirements, or source-lexical order that v32 intentionally treats as non-ordering.

The generator must encode the v32 exclusions explicitly:

- E2 signal anchoring contributes equality/alignment of the corresponding anchor cycle and value label; it never contributes an independent strict RequiredJOrder edge.
- E3 same-interface message operations may impose strict same-interface order, and a strict RTL/ref issue timestamp may impose order when the selected comparison actually contains such a strict timestamp fact.
- E3 distinct-interface lexical source order is only a no-reverse legality constraint. It is not a positive strict edge between the distinct-interface commits. In particular, two distinct-interface operations that v32 permits to issue/commit in parallel do not create $u <_J v$ merely because one appears earlier in source text.
- Atomic rendezvous, SyncChannel/ac_sync handshakes, and R2C fixed-point observations are represented as single ObservableUnit objects. Their non-splitting constraints are checked by ObservableUnitWF and CompatibleSys; they do not add strict internal edges.
- Witness-control dependencies remain in CausalDependency / WC, where they justify selected ε outcomes. They are not RequiredJOrder generators.
- Elaboration legality is represented by the explicit $\text{Sys_B}^{\text{elab}}$ channels, E4 channel-realization semantics, and $\Pi_{\text{elab}} / \text{sigmaDUTProjection}$ projection constraints. It is not a separate RequiredJOrder generator unless it is realized as one of the explicit strict channel, synchronization, or timestamp edges below.

```
def E2SignalAnchorAlignmentConstraint
(C : ComparisonInstance)
(side : Side)
( $\tau$  : Prefix (SystemOfSide C side))
( $u\ v$  : ObservableUnit (C.Sigma)) : Prop :=
SignalAnchorCyclesAndLabelsAligned C side  $\tau$   $u\ v$ 
```

```
def E3MessageStrictRequiredOrder
(C : ComparisonInstance)
(side : Side)
( $\tau$  : Prefix (SystemOfSide C side))
( $u\ v$  : ObservableUnit (C.Sigma)) : Prop :=
E3SameInterfaceMessageOrder C side  $\tau$   $u\ v\ v$ 
E3StrictIssueTimestampOrder C side  $\tau$   $u\ v$ 
```

```

def E3DistinctInterfaceNoReverseLegality
(C : ComparisonInstance)
(side : Side)
( $\tau$  : Prefix (SystemOfSide C side)) : Prop :=
 $\forall$  u v,
DistinctMessageInterfaces C side  $\tau$  u v  $\rightarrow$ 
SourceLexicallyBefore C side  $\tau$  u v  $\rightarrow$ 
 $\neg$  RequiredReverseCommitOrder C side  $\tau$  v u

```

-- The actual generator is intentionally the narrow v32 generator below.

```

def RequiredJOrderGenerator
(C : ComparisonInstance)
(side : Side)
( $\tau$  : Prefix (SystemOfSide C side))
(u v : ObservableUnit (C.Sigma)) : Prop :=
E1SyncOrder C side  $\tau$  u v V
E3MessageStrictRequiredOrder C side  $\tau$  u v V
E4ChannelRequiredOrder C side  $\tau$  u v V
E5SyncBoundaryRequiredOrder C side  $\tau$  u v V
SynchronizationUnitRequiredOrder C side  $\tau$  u v

```

```

structure RequiredJOrderWF
(C : ComparisonInstance)
(side : Side)
( $\tau$  : Prefix (SystemOfSide C side)) where
e2_alignment_only :
 $\forall$  u v,
E2SignalAnchorAlignmentConstraint C side  $\tau$  u v  $\rightarrow$ 
 $\neg$  RequiredJOrderGenerator C side  $\tau$  u v  $\wedge$ 
 $\neg$  RequiredJOrderGenerator C side  $\tau$  v u
distinct_interface_no_positive_source_edge :
 $\forall$  u v,
DistinctMessageInterfaces C side  $\tau$  u v  $\rightarrow$ 
SourceLexicallyBefore C side  $\tau$  u v  $\rightarrow$ 
 $\neg$  RequiredJOrderGenerator C side  $\tau$  u v
atomicity_is_grouping_not_order :
 $\forall$  u v,

```

AtomicUnitNonSplittingConstraint C side $\tau \ u \ v \rightarrow$
 SameObservableUnit C side $\tau \ u \ v$
 witness_control_not_order :
 $\forall \ u \ v,$
 WitnessControlDependency C side $\tau \ u \ v \rightarrow$
 $\neg$ RequiredJOrderGenerator C side $\tau \ u \ v$
 elaboration_not_separate_order :
 $\forall \ u \ v,$
 ElaborationInformationFlow C side $\tau \ u \ v \rightarrow$
 (RequiredJOrderGenerator C side $\tau \ u \ v \rightarrow$
 E1SyncOrder C side $\tau \ u \ v \vee$
 E3MessageStrictRequiredOrder C side $\tau \ u \ v \vee$
 E4ChannelRequiredOrder C side $\tau \ u \ v \vee$
 E5SyncBoundaryRequiredOrder C side $\tau \ u \ v \vee$
 SynchronizationUnitRequiredOrder C side $\tau \ u \ v$)

def RequiredJOrder
 (C : ComparisonInstance)
 (side : Side)
 (τ : Prefix (SystemOfSide C side))
 ($u \ v$: ObservableUnit (C.Sigma)) : Prop :=
 Relation.TransGen
 (RequiredJOrderGenerator C side τ)
 $u \ v$

theorem RequiredJOrder_acyclic_on_observable_units
 (C : ComparisonInstance)
 (side : Side)
 (τ : Prefix (SystemOfSide C side))
 (hWF : RequiredJOrderWF C side τ) :
 Acyclic (RequiredJOrder C side τ) :=
 by

-- Strict RequiredJOrder edges are exactly the v32 strict edges above. Each edge
 -- is justified by an explicit synchronization order, same-interface/timestamp
 -- message order, FIFO/channel order, or immediate synchronization-boundary
 -- order. Atomic multi-endpoint transactions are single observable units, E2
 -- signal anchors are alignment constraints, distinct-interface lexical order is
 -- no-reverse legality rather than a positive edge, and witness-control /

-- elaboration information-flow dependencies are not in this generator.
 -- Therefore the commit-cycle / strict-timestamp measure used by the v32
 -- Appendix J argument cannot be defeated by same-cycle internal edges or by the
 -- classic distinct-interface rendezvous cycle.
 sorry

CompatibleP : ComparisonInstance → Process → Prefix C.Sys_ref → Prefix C.RTL_B → Prop

CompatibleP C P τ_{ref} τ_{post} means:

the P-local observable units of τ_{ref} and τ_{post} are related by a value-label-preserving bijection;
 explicitly atomic units are mapped to explicitly atomic units and are not split;
 the mapping preserves the P-local RequiredJOrder constraints induced by E1, the strict v32 subset of E3, E4, E5, R2/R2C alignment, and the selected witness/request-attribution facts;
 it preserves E2 signal-anchor equality/alignment constraints, but does not treat E2 as an independent source of strict order;
 it treats distinct-interface source-order no-reverse as legality, not as a strict edge; and
 it does not require independent P-local units to occupy the same cycle bucket in both executions.

CompatibleSys : ComparisonInstance → Prefix C.Sys_ref → Prefix C.RTL_B → Prop

CompatibleSys C τ_{ref} τ_{post} means:

$\forall P, \text{CompatibleP } C \text{ } P \text{ } \tau_{\text{ref}} \text{ } \tau_{\text{post}};$
 all explicit abstract channels in the chosen Sys_ref / RTL_B comparison satisfy the applicable E4 channel semantics at the agreed abstract boundaries;
 the system-level observable-unit mapping preserves the mandated global RequiredJOrder / $\prec_J$ constraints and value labels;
 explicitly atomic multi-endpoint units remain atomic on both sides;
 E2 anchor alignment, distinct-interface no-reverse legality, and elaboration projection legality are preserved by their own well-formedness/projection obligations rather than by extra strict $\prec_J$ edges;
 no equality of CycleBucket lists, no equality of bucket cycle numbers, and no bucket-by-bucket equality of sigmaEvents is required.

Thus the bijection used by CompatibleSys is over ObservableUnitsOf, and its ordering obligation is preservation of the narrowed v32 RequiredJOrder.

Independent observable units may be placed in different cycle buckets or grouped differently in Sys_ref and RTL_B, provided their Σ labels, values, atomicity requirements, FIFO/signal/synchronization obligations, no-reverse legality, and required $\prec_J$ constraints are preserved.

The notation $\tau_{\text{ref},\text{system}} \approx_{\text{sys}} \tau_{\text{post},\text{system}}$ is an abbreviation for $\text{CompatibleSys } C \tau_{\text{ref}} \tau_{\text{post}}$. It is a directed compatibility predicate, not a symmetric equivalence relation. The main construction direction is $\text{Post} \rightarrow \text{Ref}$; the reverse direction is restricted to RTL-consistent source prefixes.

J.0:

theorem J0_pairwise_composition

(C : ComparisonInstance)

(W : WitnessBundle C)

(hC : C.WellFormed)

(hB : BRules C)

(hR : RRules C)

(hE : ERules C)

(hIC : IssueCommitWF C W)

(hContracts : ModelingContracts C)

(τ_{ref} : Prefix C.Sys_ref)

(τ_{post} : Prefix C.RTL_B)

(hProc : $\forall P, \text{CompatibleP } C P \tau_{\text{ref}} \tau_{\text{post}}$)

(hChan : ChannelsWellFormedAndMatched C $\tau_{\text{ref}} \tau_{\text{post}}$) :
CompatibleSys C $\tau_{\text{ref}} \tau_{\text{post}}$

-- Projected process compatibility for the outer DUT/testbench-visible alphabet.
-- This is weaker than CompatibleP over C.Sigma: it compares only the
-- C.sigmaDUTProjection image of the process-owned observable units, preserving
-- projected values, atomicity that remains visible at Σ_{DUT} , and required
-- projected RequiredJOrder / $\prec_J$ constraints. It may ignore proof-internal units hidden

-- by the projection and may commute projected units that are not causally
-- comparable at the DUT boundary.

def CompatiblePDUT

(C : ComparisonInstance)

(P : Process)

(τ_{ref} : Prefix C.Sys_ref)

(τ_{post} : Prefix C.RTL_B) : Prop :=

CompatiblePOnProjection C P C.Sigma_DUT C.sigmaDUTProjection $\tau_{\text{ref}} \tau_{\text{post}}$

```

-- Projected system compatibility for the outer DUT/testbench-visible alphabet.
-- This is the formal target of the Appendix L Note 1 safety branch.
def CompatibleSysDUT
  (C : ComparisonInstance)
  (τ_ref : Prefix C.Sys_ref)
  (τ_post : Prefix C.RTL_B) : Prop :=
  CompatibleSysOnProjection C C.Sigma_DUT C.sigmaDUTProjection τ_ref τ_post

-- Projected pairwise composition. This is the  $\Sigma_{DUT}$  analogue of J.0 and is
-- intentionally weaker than J0_pairwise_composition: it requires projected
-- process compatibility, projected channel/accounting consistency, and projected
-- required-order preservation only at C.Sigma_DUT.
theorem J0_pairwise_composition_DUT
  (C : ComparisonInstance)
  (W : WitnessBundle C)
  (hC : C.WellFormed)
  (hB : BRules C)
  (hR : RRules C)
  (hE : ERules C)
  (hIC : IssueCommitWF C W)
  (hContracts : ModelingContracts C)
  (τ_ref : Prefix C.Sys_ref)
  (τ_post : Prefix C.RTL_B)
  (hProc : ∀ P, CompatiblePDUT C P τ_ref τ_post)
  (hChan : ChannelsWellFormedAndMatchedOnProjection
    C C.Sigma_DUT C.sigmaDUTProjection τ_ref τ_post) :
  CompatibleSysDUT C τ_ref τ_post

J.1:
structure JAssumptions
  (C : ComparisonInstance)
  (W : WitnessBundle C) where
  wellformed : C.WellFormed
  bRules : BRules C
  rRules : RRules C
  eRules : ERules C
  issueCommitWF : IssueCommitWF C W
  implementation : ImplementationAssumptions C
  witnessCompatible : WC C W
  contracts : ModelingContracts C
  environment : ReactiveEnvironmentWF C.env

-- Assumption bundle for the projected  $\Sigma_{DUT}$  safety theorem. This intentionally
-- omits witnessCompatible : WC C W and replaces it with the weaker

```

-- SigmaDUTSafetyWitnessObligation C W. It is not suitable for the full
 -- C.Sigma theorem, cutpoint correspondence, or Appendix K liveness/deadlock
 -- preservation unless those theorems separately import full WC.

```
structure JSigmaDUTSafetyAssumptions
(C : ComparisonInstance)
(W : WitnessBundle C) where
wellformed : C.WellFormed
bRules : BRules C
rRules : RRules C
eRules : ERules C
issueCommitWF : IssueCommitWF C W
implementation : ImplementationAssumptions C
sigmaDUTSafetyWitness : SigmaDUTSafetyWitnessObligation C W
contracts : ModelingContracts C
environment : ReactiveEnvironmentWF C.env
```

```
structure RTLTimeIdealChain
(C : ComparisonInstance)
(W : WitnessBundle C)
( $\tau\_post$  : Prefix C.RTL_B) where
idealAt : Nat  $\rightarrow$  Finset (ObservableUnit C.Sigma)
monotone :  $\forall n, idealAt\ n \subseteq idealAt\ (n+1)$ 
initial_empty : idealAt 0 =  $\emptyset$ 
terminal_units :  $\exists N, idealAt\ N = ObservableUnitsOf\ C.post\ \tau\_post$ 
rtl_time_prefix_closed :
 $\forall n\ u\ v,$ 
 $v \in idealAt\ n \rightarrow$ 
RequiredJOrder C.post  $\tau\_post\ u\ v \rightarrow$ 
 $u \in idealAt\ n$ 
next_unit_is_rtl_time_next :
 $\forall n\ u,$ 
 $u \in idealAt\ (n+1) \rightarrow$ 
 $u \notin idealAt\ n \rightarrow$ 
RTLTimeNextObservableUnit C W  $\tau\_post\ (idealAt\ n)\ u$ 
```

```
def NextJUnitRealizable
(C : ComparisonInstance)
(W : WitnessBundle C)
( $\tau\_post$  : Prefix C.RTL_B)
( $\tau\_ref\_prefix$  : Prefix C.Sys_ref)
( $u$  : ObservableUnit C.Sigma) : Prop :=
SourceOperationFrontierReached C W  $\tau\_ref\_prefix\ u\ v$ 
AlreadyIssuedPendingInReplayState C W  $\tau\_ref\_prefix\ u$ 
```

-- SelectedJWitness is produced by the Appendix J.1 construction. It is not an
 -- unconstrained hypothesis and it is not inferred later from CompatibleSys.
 -- The evidence records the fixed RTL-time ideal chain and the replay proof that
 -- builds the particular Sys_ref prefix selected for τ_{post} and W.

```
structure SelectedJWitnessEvidence
(C : ComparisonInstance)
(W : WitnessBundle C)
( $\tau_{\text{post}}$  : Prefix C.RTL_B)
( $\tau_{\text{ref}}$  : Prefix C.Sys_ref) where
chain : RTLTimeIdealChain C W  $\tau_{\text{post}}$ 
terminal_replay :
 $\exists N$ ,
chain.idealAt N = ObservableUnitsOf C .post  $\tau_{\text{post}}$   $\wedge$ 
ReplayPrefixForIdeal C W  $\tau_{\text{post}}$   $\tau_{\text{ref}}$  (chain.idealAt N)
step_realizability :
 $\forall n u$ ,
 $u \in \text{chain.idealAt } (n+1) \rightarrow$ 
 $u \notin \text{chain.idealAt } n \rightarrow$ 
 $\exists \tau_{\text{ref\_prefix}}$ ,
ReplayPrefixForIdeal C W  $\tau_{\text{post}}$   $\tau_{\text{ref\_prefix}}$  (chain.idealAt n)  $\wedge$ 
NextJUnitRealizable C W  $\tau_{\text{post}}$   $\tau_{\text{ref\_prefix}}$  u
exec_ref : Exec_ref C  $\tau_{\text{ref}}$ 
compatible : CompatibleSys C  $\tau_{\text{ref}}$   $\tau_{\text{post}}$ 
```

```
def SelectedJWitness
(C : ComparisonInstance)
(W : WitnessBundle C)
( $\tau_{\text{post}}$  : Prefix C.RTL_B)
( $\tau_{\text{ref}}$  : Prefix C.Sys_ref) : Prop :=
Nonempty (SelectedJWitnessEvidence C W  $\tau_{\text{post}}$   $\tau_{\text{ref}}$ )
```

The J.1 induction must follow the fixed RTL-time ideal chain. It must not extend an arbitrary $<_J$ -minimal observable unit, because v32's proof relies on the fact that the next RTL-time unit is realizable in the replay state: its source operation is either frontier-reached or already issued and pending. Acyclicity of RequiredJOrder is still needed to show that each RTL-time prefix is an ideal, but acyclicity alone is not the construction schedule.

```
theorem J1_fixed_RTL_time_selected_witness_construction
(C : ComparisonInstance)
(W : WitnessBundle C)
(hJ : JAssumptions C W)
( $\tau_{\text{post}}$  : Prefix C.RTL_B)
(hExec : Exec_post C  $\tau_{\text{post}}$ ) :
```



```

 $\exists$  chain : RTLTimeIdealChain C W  $\tau_{\text{post}}$ ,
 $\forall n u$ ,
 $u \in \text{chain.idealAt } (n+1) \rightarrow$ 
 $u \notin \text{chain.idealAt } n \rightarrow$ 
 $\exists \tau_{\text{ref\_prefix}}$ ,
ReplayPrefixForIdeal C W  $\tau_{\text{post}} \tau_{\text{ref\_prefix}} (\text{chain.idealAt } n) \wedge$ 
NextJUnitRealizable C W  $\tau_{\text{post}} \tau_{\text{ref\_prefix}} u :=$ 
by
-- Construct the chain by increasing RTL_B commit time / selected unit timestamp,
-- grouping explicitly atomic units as single ObservableUnit objects. Use the
-- v32 frontier-reached-or-already-issued-pending obligation for the next unit.
-- Distinct-interface source lexical order and E2 signal anchoring do not supply
-- extra strict edges, so they cannot create the old rendezvous cycle.
sorry

```

```

theorem J1_post_to_ref
(C : ComparisonInstance)
(W : WitnessBundle C)
(hJ : JAssumptions C W)
( $\tau_{\text{post}}$  : Prefix C.RTL_B)
(hExec : Exec_post C  $\tau_{\text{post}}$ ) :
 $\exists \tau_{\text{ref}}$ ,
SelectedJWitness C W  $\tau_{\text{post}} \tau_{\text{ref}} \wedge$ 
Exec_ref C  $\tau_{\text{ref}} \wedge$ 
CompatibleSys C  $\tau_{\text{ref}} \tau_{\text{post}}$ 
-- Appendix L Note 1 projected safety theorem.
-- This theorem proves only the  $\Sigma_{\text{DUT}}$ -visible safety compatibility fragment.
-- Its proof follows the J.1 construction, but whenever an  $\varepsilon$ -modeled local timing
-- choice would normally require WC only to fix proof-internal timing, the proof
-- may instead use hJ.sigmaDUTSafetyWitness to show that the choice either is
-- covered by ordinary snooping/witness machinery or is certified
--  $\Sigma_{\text{DUT}}$ -safety-inert. Such inert choices can add/remove/relabel no projected
--  $\Sigma_{\text{DUT}}$  unit and can reorder only DUT-causally-independent projected units,
-- which CompatiblePDUT / CompatibleSysDUT already permit to commute.
theorem J1_post_to_ref_sigmaDUT_safety
(C : ComparisonInstance)
(W : WitnessBundle C)
(hJ : JSigmaDUTSafetyAssumptions C W)
( $\tau_{\text{post}}$  : Prefix C.RTL_B)
(hExec : Exec_post C  $\tau_{\text{post}}$ ) :
 $\exists \tau_{\text{ref}}$ ,
Exec_ref C  $\tau_{\text{ref}} \wedge$ 
CompatibleSysDUT C  $\tau_{\text{ref}} \tau_{\text{post}}$ 

```

Do not use `J1_post_to_ref_sigmaDUT_safety` as a substitute for `J1_post_to_ref`.
The full theorem still requires `JAssumptions C W`, including `WC C W`, and concludes `CompatibleSys` over the proof-internal alphabet `C.Sigma`. The projected theorem is only the Appendix L Note 1 safety branch at the outer `C.Sigma_DUT` boundary.

Restricted reverse:

```
theorem J1_ref_to_post_restricted
(C : ComparisonInstance)
(W : WitnessBundle C)
(hJ : JAssumptions C W)
( $\tau_{\text{ref}}$  : Prefix C.Sys_ref)
(hExec : Exec_ref C  $\tau_{\text{ref}}$ )
(hConsistent : RTLConsistentSourcePrefix C W  $\tau_{\text{ref}}$ ) :
 $\exists \tau_{\text{post}}$ ,
Exec_post C  $\tau_{\text{post}}$   $\wedge$ 
CompatibleSys C  $\tau_{\text{ref}}$   $\tau_{\text{post}}$ 
```

Cutpoint abstraction and correspondence:

```
-- J.Abs is an RTL_B cutpoint-to-source-slice abstraction relation, not a
-- universal bit-level projection from arbitrary RTL registers to source states.
-- It is parameterized by the selected Appendix I/L witness and by the chosen
-- Sys_ref abstract boundaries.
```

def JAbs

```
(C : ComparisonInstance)
(W : WitnessBundle C)
( $\rho_{\text{post}}$  : State)
( $\sigma_{\text{ref}}$  : State) : Prop :=
ObservablePrefixAgreement C W  $\rho_{\text{post}}$   $\sigma_{\text{ref}}$   $\wedge$ 
PerProcessSourceFrontierSliceAgreement C W  $\rho_{\text{post}}$   $\sigma_{\text{ref}}$   $\wedge$ 
SourceVisibleValueSliceAgreement C W  $\rho_{\text{post}}$   $\sigma_{\text{ref}}$   $\wedge$ 
AbstractChannelStateSliceAgreement C W  $\rho_{\text{post}}$   $\sigma_{\text{ref}}$   $\wedge$ 
RendezvousEndpointRequestSliceAgreement C W  $\rho_{\text{post}}$   $\sigma_{\text{ref}}$   $\wedge$ 
BlockingRequestAttributionPendingSliceAgreement C W  $\rho_{\text{post}}$   $\sigma_{\text{ref}}$   $\wedge$ 
EnablementSliceAgreement C W  $\rho_{\text{post}}$   $\sigma_{\text{ref}}$ 
```

```
-- J.AbsConf is a compliance obligation for the selected RTL_B implementation,
-- abstract boundary, witness, and normalized cutpoints. It is required whenever
-- Corollary J.1 is used to transfer Pending_P, BoundaryReq, rendezvous endpoint
-- request, ChannelEnabled/ChannelDisabled, Front_P, or WFG facts. The selected
```

```

--  $\tau_{\text{ref}}$  used here is exactly the one marked by  $J1_{\text{post\_to\_ref}}$  through
-- SelectedJWitness; J.AbsConf is not applied to an arbitrary compatible prefix.
structure JAbsConf
(C : ComparisonInstance)
(W : WitnessBundle C) where
holds_for_selected_triple :
 $\forall \tau_{\text{post}} \tau_{\text{ref}} \rho_{\text{post}} \sigma_{\text{ref}},$ 
SelectedJWitness C W  $\tau_{\text{post}} \tau_{\text{ref}} \rightarrow$ 
TerminalCutpoint  $\tau_{\text{post}} \rho_{\text{post}} \rightarrow$ 
TerminalCutpoint  $\tau_{\text{ref}} \sigma_{\text{ref}} \rightarrow$ 
EpsilonNormalizedPair C  $\tau_{\text{ref}} \tau_{\text{post}} \rightarrow$ 
JAbs C W  $\rho_{\text{post}} \sigma_{\text{ref}}$ 
-- "Preserved" here is preservation modulo exactly the changes already
-- accounted for by Issue/Commit linkage, E4 channel-realization semantics, and
-- the explicit boundary / sync-boundary rules. It must not be read as saying
-- that normalization can arbitrarily change request, pending, or attribution
-- facts while still satisfying J.AbsConf.
normalization_preserves_abs_slice :
 $\forall \tau_{\text{post}} \rho_0 \rho_{\text{post}},$ 
EpsilonNormalizationSuffix C .post  $\tau_{\text{post}} \rho_0 \rho_{\text{post}} \rightarrow$ 
SigmaHistoryUnchanged C .post  $\rho_0 \rho_{\text{post}} \wedge$ 
RequestPendingAttributionSlicePreservedModuloIssueCommitE4Boundary
C W  $\rho_0 \rho_{\text{post}}$ 

-- CutpointCorrespondence is the K/J bridge relation between corresponding
-- well-formed  $\varepsilon$ -quiescent cutpoints. The post-side cutpoint is named  $\rho_{\text{post}}$  to
-- emphasize that it is an RTL_B microstate related to  $\sigma_{\text{ref}}$  by J.Abs, not a raw
-- source-state cutpoint. J.Abs is the single source of truth for the transferred
-- source slices. Legacy fields such as NextFront agreement, buffered-channel
-- state agreement, raw rendezvous endpoint request agreement, and pending /
-- enablement agreement should be derived by projection lemmas from hCorr.j_abs,
-- rather than duplicated as independent fields that could drift.
structure CutpointCorrespondence
(C : ComparisonInstance)
(W : WitnessBundle C)
( $\sigma_{\text{ref}}$  : State)
( $\rho_{\text{post}}$  : State) where
j_abs : JAbs C W  $\rho_{\text{post}} \sigma_{\text{ref}}$ 

```

```

ref_quiescent : EpsQuiescent  $\sigma_{\text{ref}}$ 
post_quiescent : EpsQuiescent  $\rho_{\text{post}}$ 
ref_wellformed : WellFormedCutpoint C .ref  $\sigma_{\text{ref}}$ 
post_wellformed : WellFormedCutpoint C .post  $\rho_{\text{post}}$ 
direct_input_anchor_agreement : DirectInputAnchorAgreement C W  $\sigma_{\text{ref}}$   $\rho_{\text{post}}$ 
array_mapping_agreement : ArrayMappingAgreement C W  $\sigma_{\text{ref}}$   $\rho_{\text{post}}$ 
r2c_fixed_point_agreement : R2CFixedPointAgreement C W  $\sigma_{\text{ref}}$   $\rho_{\text{post}}$ 

```

```

theorem cutpoint_nextfront_agreement
(C : ComparisonInstance)
(W : WitnessBundle C)
( $\sigma_{\text{ref}}$   $\rho_{\text{post}}$  : State)
(hCorr : CutpointCorrespondence C W  $\sigma_{\text{ref}}$   $\rho_{\text{post}}$ ) :
NextFrontAgreement C W  $\sigma_{\text{ref}}$   $\rho_{\text{post}}$  :=
by
-- Projection from hCorr.j_abs.PerProcessSourceFrontierSliceAgreement.
sorry

```

```

theorem cutpoint_rendezvous_endpoint_request_agreement
(C : ComparisonInstance)
(W : WitnessBundle C)
( $\sigma_{\text{ref}}$   $\rho_{\text{post}}$  : State)
(hCorr : CutpointCorrespondence C W  $\sigma_{\text{ref}}$   $\rho_{\text{post}}$ ) :
RendezvousEndpointRequestSliceAgreement C W  $\rho_{\text{post}}$   $\sigma_{\text{ref}}$  :=
by
-- Projection from hCorr.j_abs; no separate raw field is maintained.
sorry

```

```

theorem cutpoint_pending_enablement_agreement
(C : ComparisonInstance)
(W : WitnessBundle C)
( $\sigma_{\text{ref}}$   $\rho_{\text{post}}$  : State)
(hCorr : CutpointCorrespondence C W  $\sigma_{\text{ref}}$   $\rho_{\text{post}}$ ) :
BlockingRequestAttributionPendingSliceAgreement C W  $\rho_{\text{post}}$   $\sigma_{\text{ref}}$   $\wedge$ 
EnablementSliceAgreement C W  $\rho_{\text{post}}$   $\sigma_{\text{ref}}$  :=
by
-- Projection from hCorr.j_abs; this is the fact consumed by K0/K2.
sorry

```

```

theorem J1_cutpoint_correspondence
(C : ComparisonInstance)
(W : WitnessBundle C)
(hJ : JAssumptions C W)
(hAbs : JAbsConf C W)
( $\tau_{\text{ref}}$  : Prefix C.Sys_ref)
( $\tau_{\text{post}}$  : Prefix C.RTL_B)
(hCompat : CompatibleSys C  $\tau_{\text{ref}}$   $\tau_{\text{post}}$ )
(hNorm : EpsilonNormalizedPair C  $\tau_{\text{ref}}$   $\tau_{\text{post}}$ )
(hSel : SelectedJWitness C W  $\tau_{\text{post}}$   $\tau_{\text{ref}}$ ) :
 $\exists \sigma_{\text{ref}} \rho_{\text{post}}$ ,
TerminalCutpoint  $\tau_{\text{ref}}$   $\sigma_{\text{ref}}$   $\wedge$ 
TerminalCutpoint  $\tau_{\text{post}}$   $\rho_{\text{post}}$   $\wedge$ 
CutpointCorrespondence C W  $\sigma_{\text{ref}}$   $\rho_{\text{post}}$ 

```

The proof of `J1_cutpoint_correspondence` must populate `CutpointCorrespondence.j_abs` from `hAbs.holds_for_selected_triple` for the same selected $(\tau_{\text{post}}, \tau_{\text{ref}}, \rho_{\text{post}}, \sigma_{\text{ref}}, W)$ produced by `J1_post_to_ref`. It must populate `CutpointCorrespondence.ref_quiescent` and `CutpointCorrespondence.post_quiescent` from `hNorm` / the terminal normalized cutpoint construction, and must populate `CutpointCorrespondence.ref_wellformed` and `CutpointCorrespondence.post_wellformed` from the terminal cutpoint construction and the side-specific execution well-formedness facts supplied by `hJ.wellformed` and the compatible `Sys_ref` / `RTL_B` executions. Thus any later K theorem that receives `hCorr` also receives both the ε -quiescence, `WellFormedCutpoint`, and `J.Abs` source-slice facts needed to apply `K0` and to transfer request/pending/endpoint-request facts. Deterministic replay supplies the source-side replay slice; `J.AbsConf` supplies the `RTL_B`-side request, pending, attribution, endpoint-request, and enablement slice. The latter is not inferred from the P-local Σ -label sequence alone. Legacy agreement facts, when needed, should be obtained through projection lemmas from `hCorr.j_abs` rather than through duplicate `CutpointCorrespondence` fields.

18. Appendix K WFG and liveness

Define WFG over the selected proof-internal `Sys_ref` / `RTL_B` boundaries, not over the outer `Sigma_DUT` projection. In ordinary cases this distinction may collapse to the identity projection. In elaborated cases, however, `Sys_ref` = `Sys_Belab(E)`, and the WFG must see the explicit staged/bundle/join/epoch-gate abstract channels introduced by `E` even when `sigmaDUTProjection` / `$\Pi_{\text{elab}}$` hides

their events from the outer DUT/testbench-visible alphabet.

```
def FrontierItemChannelSide
(C : ComparisonInstance)
(side : Side)
(x : FrontierItem)
(c : Channel) : Prop :=
 $\exists$  q,
MsgOfFrontierItemSide C side x = some q  $\wedge$ 
q.channel = c
```

```
def ComplementOwnerItemSide
(C : ComparisonInstance)
(side : Side)
(x : FrontierItem)
(Q : Process) : Prop :=
 $\exists$  q,
MsgOfFrontierItemSide C side x = some q  $\wedge$ 
ComplementOwner C side q = Q
```

```
def InternalChannelOfFrontierItem
(C : ComparisonInstance)
(side : Side)
(x : FrontierItem) : Prop :=
 $\exists$  q,
MsgOfFrontierItemSide C side x = some q  $\wedge$ 
InternalChannel C side q.channel
```

```
def WFGProofInternalBoundaryItem
(C : ComparisonInstance)
(side : Side)
(x : FrontierItem) : Prop :=
 $\exists$  q,
MsgOfFrontierItemSide C side x = some q  $\wedge$ 
q.channel  $\in$  ProofInternalChannels C side  $\wedge$ 
ChannelRepresentedInSigma C.Sigma q.channel  $\wedge$ 
 $\neg$  ChannelVisibilityDefinedOnlyBySigmaDUT C q.channel
```

```

def WFG
(C : ComparisonInstance)
(side : Side)
( $\sigma$  : State) : Digraph Process :=
{ edge := WFGEdge C side  $\sigma$  }

```

```

def WFGEdge
(C : ComparisonInstance)
(side : Side)
( $\sigma$  : State)
(P Q : Process) : Prop :=
 $\exists x,$ 
 $x \in \text{Front } C \text{ side } P \ \sigma \wedge$ 
BlockingMessageFrontierItem  $x \wedge$ 
BoundaryReqItemSide C side  $x \ \sigma \wedge$ 
ChannelDisabledItemSide C side  $x \ \sigma \wedge$ 
ComplementOwnerItemSide C side  $x \ Q \wedge$ 
InternalChannelOfFrontierItem C side  $x \wedge$ 
WFGProofInternalBoundaryItem C side  $x$ 

```

```

theorem WFG_ignores_sigmaDUTProjection
(C : ComparisonInstance)
(side : Side)
( $\sigma$  : State)
(P Q : Process) :
WFGEdge C side  $\sigma \ P \ Q \leftrightarrow$ 
WFGEdgeComputedOverProofInternalSigma C side  $\sigma \ P \ Q :=$ 
by
-- WFG, Front, BoundaryReqItemSide, ChannelEnabledItemSide, and
-- ChannelDisabledItemSide are interpreted over C.Sigma and the chosen
-- Sys_ref / RTL_B abstract channels through the owning dynamic message
-- instance of each message-operation frontier item. sigmaDUTProjection is used
-- only after the proof-internal comparison when projecting to the outer
-- DUT/testbench-visible observation boundary.
sorry

```

Edges are generated from $\text{Front_P}(\sigma)$, not arbitrary non-frontier asserted requests. This intentionally makes the WFG sparser than a graph over all asserted

boundary requests: only pending blocking frontier items generate wait-for edges. For message-operation frontier items, `BoundaryReqItemSide` and `ChannelDisabledItemSide` recover the owning `DynMsgInstance` and then apply the operation-attributive `BoundaryReqSide` / `ChannelDisabledSide` predicates. Failed non-blocking polls and already-asserted non-frontier requests may affect state or occupancy through other rules, but they do not themselves create WFG dependency edges.

The Lean development must include the Appendix K.2.2 / Appendix R.1 structural classification theorem as an explicit milestone. $\text{Front_P}(\sigma)$ is not an independent primitive for liveness proofs: at ε -quiescent cutpoints it is derived from the blocking message-operation slice of `NextFront_P` together with the operation-attributive `BoundaryReq` predicate.

-- Message-operation frontier items whose owning dynamic message instance lies
 -- in the Q_Ω slice for process P. This is a predicate on `FrontierItem`, not a
 -- direct membership test in Q_Ω . The document's Q_Ω, P is a set of
 -- `DynMsgInstance`, while Ω_msg, P / `NextFront_P` are `FrontierItem`-level objects.
 -- Therefore this predicate relates the two universes through
 -- `MsgInstanceOfFrontierItem` / `MsgOfFrontierItemSide` rather than by literal set
 -- intersection.

```
def MessageFrontierItemInQOmega
(C : ComparisonInstance)
(side : Side)
(P : Process)
(x : FrontierItem)
( $\sigma$  : State) : Prop :=
 $\exists q$ ,
MsgOfFrontierItemSide C side x = some q  $\wedge$ 
q  $\in$  QOmegaOfProcess C side P  $\sigma$ 
```

```
def BlockingMsgNextFront
(C : ComparisonInstance)
(side : Side)
(P : Process)
( $\sigma$  : State) : Set FrontierItem :=
{ x |
x  $\in$  NextFront C side P  $\sigma$   $\wedge$ 
```


$\text{MessageFrontierItemInQ}\Omega \text{C side P } x \sigma \wedge$
 $\text{BlockingMessageFrontierItem } x \wedge$
 $\text{MessageKindOfFrontierItem C side } x \in \{\text{MsgKind.Push, MsgKind.Pop}\}$

This preserves the document's distinction between $\Omega_{\text{msg},P} / \text{NextFront}_P$, whose elements are `FrontierItem` objects, and $Q_{\Omega,P}$, whose elements are `DynMsgInstance` objects. A message frontier item belongs to the blocking `NextFront` slice only when its owning dynamic message instance is defined and lies in $Q_{\Omega,P}$.

```

def FrontFromNext
(C : ComparisonInstance)
(side : Side)
(P : Process)
( $\sigma$  : State) : Set FrontierItem :=
{ x |
x  $\in$  BlockingMsgNextFront C side P  $\sigma$   $\wedge$ 
BoundaryReqItemSide C side x  $\sigma$  }

```

theorem K0_front_nextfront_classification

```

(C : ComparisonInstance)
(W : WitnessBundle C)
(side : Side)
(P : Process)
( $\sigma$  : State)
(hK : KAssumptions C W)
(hQ : EpsQuiescent  $\sigma$ )
(hWF : WellFormedCutpoint C side  $\sigma$ ) :
Front C side P  $\sigma$  =
FrontFromNext C side P  $\sigma$  :=
by

```

```

-- Appendix K.2.2 / Appendix R.1 proof target.
-- Uses the document-numbered Appendix K assumptions through hK.doc, together
-- with Appendix B drain-only / no-withdrawal blocking discipline and the
-- Appendix C Issue/Commit attribution premise hK.issue_commit_wf, to show that
-- the asserted blocking message-operation slice of NextFront_P is exactly the
-- current pending blocking frontier. BoundaryReqItemSide reads each
-- message-operation frontier item through its owning dynamic message instance.

```

sorry

theorem K0_front_correspondence_from_cutpoint

(C : ComparisonInstance)

(W : WitnessBundle C)

(P : Process)

(σ_{ref} ρ_{post} : State)

(hK : KAssumptions C W)

(hCorr : CutpointCorrespondence C W σ_{ref} ρ_{post}) :

Front C .ref P σ_{ref} = Front C .post P ρ_{post} :=

by

-- Apply K0_front_nextfront_classification on both sides using hK, with
-- hCorr.ref_quiescent / hCorr.post_quiescent supplying the ε -quiescence
-- hypotheses and hCorr.ref_wellformed / hCorr.post_wellformed supplying the
-- WellFormedCutpoint hypotheses. Then use projection lemmas from hCorr.j_abs, such as
-- cutpoint_nextfront_agreement and cutpoint_pending_enablement_agreement,
-- for NextFront agreement and operation-attributive BoundaryReqItemSide
-- agreement on the common BlockingMsgNextFront slice. The document-numbered
-- A1–A11 facts are accessed through hK.doc; the Appendix C Issue/Commit
-- attribution premise is accessed through hK.issue_commit_wf.

sorry

This theorem is intentionally stated for BlockingMsgNextFront_P, not for the broader MsgNextFront_P. Successful non-blocking message-operation frontier items may contribute committed Push_c / Pop_c Σ -labels, and failed non-blocking polls are ε -steps, but neither creates a pending blocking WFG cause.

def ProcessStalledAtFront

(C : ComparisonInstance)

(side : Side)

(P : Process)

(σ : State) : Prop :=

Front C side P $\sigma \neq \emptyset \wedge$

$\forall x,$

$x \in \text{Front C side P } \sigma \rightarrow$

BlockingMessageFrontierItem $x \rightarrow$

BoundaryReqItemSide C side $x \sigma \rightarrow$

ChannelDisabledItemSide C side $x \sigma$

```

def WFGClosed
(C : ComparisonInstance)
(side : Side)
(D : Finset Process)
( $\sigma$  : State) : Prop :=
 $\forall P Q,$ 
 $P \in D \rightarrow$ 
WFGEdge C side  $\sigma$  P Q  $\rightarrow$ 
 $Q \in D$ 

```

```

def WFGTerminalSCC
(C : ComparisonInstance)
(side : Side)
(D : Finset Process)
( $\sigma$  : State) : Prop :=
D.Nonempty  $\wedge$ 
StronglyConnectedSubgraph (WFG C side  $\sigma$ ) D  $\wedge$ 
WFGClosed C side D  $\sigma$ 

```

-- A drain escape is not necessarily a WFG edge leaving D. It is an enabled
-- non-frontier blocking transfer/drain that would discharge a currently blocked
-- condition for some process in D. Such a drain may be intra-process or may not
-- appear as a graph edge at all, because WFG edges are generated only from
-- blocking frontier items. DrainClosed therefore rules out enabled
-- non-frontier blocking drains for processes in D, rather than merely ruling out
-- graph steps leaving D.

```

def EnabledNonFrontierBlockingDrainForProcess
(C : ComparisonInstance)
(side : Side)
(P : Process)
( $\sigma$  : State) : Prop :=
 $\exists q,$ 
OwnsMessageEndpoint P q  $\wedge$ 
Blocking q  $\wedge$ 
BoundaryReqPersistentDomainSide C side q  $\sigma$   $\wedge$ 
BoundaryReqSide C side q  $\sigma$   $\wedge$ 
ChannelEnabledSide C side q  $\sigma$   $\wedge$ 
 $q \notin \text{FrontierMsgInstances } C \text{ side } P \sigma$ 

```

```

def NoEnabledNonFrontierBlockingDrain
(C : ComparisonInstance)
(side : Side)
(P : Process)
( $\sigma$  : State) : Prop :=
 $\neg$  EnabledNonFrontierBlockingDrainForProcess C side P  $\sigma$ 

```

```

def DrainClosed
(C : ComparisonInstance)
(side : Side)
(D : Finset Process)
( $\sigma$  : State) : Prop :=
 $\forall$  P,
P  $\in$  D  $\rightarrow$ 
NoEnabledNonFrontierBlockingDrain C side P  $\sigma$ 

```

The K.1 SCC contradiction should use this definition. The closed SCC supplies the internal frontier WFG cycle; DrainClosed separately rules out escape by an enabled non-frontier blocking drain that could discharge a blocked condition for a process in D. This matches the scheduling document's drain-closure condition and avoids the weaker reading that only graph edges leaving D are forbidden.

```

def HasOutgoingWFGEdgeInD
(C : ComparisonInstance)
(side : Side)
(D : Finset Process)
(P : Process)
( $\sigma$  : State) : Prop :=
 $\exists$  Q,
Q  $\in$  D  $\wedge$ 
WFGEdge C side  $\sigma$  P Q

```

```

def ExistsClosedDrainClosedWFGCycle
(C : ComparisonInstance)
(side : Side)
( $\sigma$  : State) : Prop :=
 $\exists$  D,
WFGTerminalSCC C side D  $\sigma$   $\wedge$ 
DrainClosed C side D  $\sigma$   $\wedge$ 
( $\forall$  P,

```

```

P ∈ D →
ProcessStalledAtFront C side P σ) ∧
(∀ P,
P ∈ D →
HasOutgoingWFGEdgeInD C side D P σ)

def InternalMPDeadlockAt
(C : ComparisonInstance)
(side : Side)
(σ : State) : Prop :=
EpsQuiescent σ ∧
ExistsClosedDrainClosedWFGCycle C side σ

```

The K.1 SCC contradiction should use this definition. The closed SCC supplies the cycle of internal message-passing dependencies; DrainClosed rules out escape by downstream draining; ProcessStalledAtFront ensures every process in D is stalled on its current blocking frontier, not merely carrying a non-frontier asserted request. The additional HasOutgoingWFGEdgeInD condition is the non-vacuity / internal-cause condition: every process in the candidate deadlock set must have at least one WFG edge, generated from an internal proof-visible message-passing frontier item, to another process in the same set. This excludes the spurious singleton case where a process is merely waiting on an external environment or testbench channel and therefore has no internal WFG dependency edge. For genuine multi-process closed SCCs this condition is normally automatic, but stating it explicitly prevents a length-zero singleton SCC from being misclassified as an internal message-passing deadlock.

K assumptions should preserve the document's A1–A11 as a bundle, and add Lean-side auxiliary contracts without pretending they are doc-numbered assumptions. The document-numbered DockAssumptions structure below is therefore intentionally aligned one-for-one with Appendix K.2.1 A1–A11 of the scheduling-rules document. Lean-only prerequisites needed to instantiate imported Appendix C/J/Q/R2C lemmas are placed in KAssumptions outside the doc field.

```

def A11_Kepsilon_WFGInert
(C : ComparisonInstance) : Prop :=
∀ side P τ t0 t σ0 σ t,
StateAtCycleInPrefix C side τ t0 σ0 →

```

StateAtCycleInPrefix C side $\tau t \sigma t \rightarrow$
 $t_0 \leq t \rightarrow$
 InternalOrEpsilonOnlyBetween C side $\tau t_0 t \rightarrow$
 FrontierBlocked C side $P \sigma_0 \rightarrow$
 FrontierRemainsBlockedOver C side $P \tau t_0 t \rightarrow$
 WFGInertForProcess C side $P \sigma_0 \sigma t \wedge$
 NoNewBlockingFrontierCause C side $P \sigma_0 \sigma t$

def BarrierWellFormed
 (C : ComparisonInstance)
 (W : WitnessBundle C) : Prop :=
 $\forall b,$
 SyncChannelInstance C b $\rightarrow$
 DesignatedParticipantsReachSameBarrierCount C W b $\wedge$
 NoPermanentBarrierBypass C W b

def SchedulerRobustBlockingRendezvousLiveness
 (C : ComparisonInstance)
 (W : WitnessBundle C) : Prop :=
 $\forall P$ interval,
 SourceIntervalBetweenAdjacentSyncs C W P interval $\rightarrow$
 $\neg$ LivenessDependsOnlyOnParallelIssueOfDistinctInterfaceBlockingRendezvous C W P
 interval

structure DockAssumptions
 (C : ComparisonInstance)
 (W : WitnessBundle C) where
 -- A1. R-rules and B-rules.
 -- This is the document-numbered Appendix K assumption that the selected
 -- Sys_ref / RTL_B comparison satisfies the semantic rule bundles needed by K.
 -- E-rules are still required by the imported Appendix J compatibility theorem,
 -- but they are not renamed as a document-numbered K assumption here.
 A1_R_and_B_rule_conformance :
 RRules C $\wedge$ BRules C

 -- A2. Finite Pipeline Depth (FPD) / B4 finite ε -stutter.
 -- This exposes the main-document D_P-style finite ε -stutter premise.

A2_finite_pipeline_depth_B4 :

FiniteEpsilonDepth C

-- A3. Weak Fairness (WF) / B2.

A3_weak_fairness_B2 :

$\forall$ side τ ,

InfiniteExecutionOfSide C side $\tau \rightarrow$

WeakFairness C side τ

-- A4. Channel Progress / B3.

A4_channel_progress_B3 :

$\forall$ side τ c,

InfiniteExecutionOfSide C side $\tau \rightarrow$

P_push C side τ c $\wedge$ P_pop C side τ c

-- A5. Source-level liveness assumption, including scheduler-robust

-- blocking-rendezvous liveness. The prescribed source reference model is

-- internally message-passing-deadlock-free under A1–A4, and source regions must

-- not rely on parallel issue of multiple blocking operations on distinct

-- rendezvous interfaces merely to avoid an internal WFG deadlock unless an

-- explicit discharge makes that scheduling choice part of the Sys_ref / witness

-- contract.

A5_source_liveness :

InternalMPDeadlockFree C.Sys_ref $\wedge$

SchedulerRobustBlockingRendezvousLiveness C W

-- A6. Point-to-point channels.

A6_point_to_point_channels :

PointToPointChannels C

-- A7. Determinism / witness selection / cutpoint abstraction.

-- RTL_B determinism is the B1 part used by Appendix K; WC records the selected

-- Sys_ref witness supplied by the Appendix I/J/L witness machinery; and J.AbsConf

-- records that the same selected RTL_B cutpoint, Sys_ref cutpoint, and witness

-- discharge the source-slice abstraction used by Corollary J.1 and Appendix K.

A7_determinism_witness_selection_cutpoint_abstraction :

PostDeterministicSigmaTrace C $\wedge$ WC C W $\wedge$ JAbsConf C W

-- A8. Barrier well-formedness (SyncChannels).
 -- Barrier stalls caused by mismatched or conditional participation are outside
 -- Appendix K's internal message-passing deadlock analysis.

A8_barrier_well_formedness :
 BarrierWellFormed C W

-- A9. Single-transfer-per-cycle endpoint constraint.
 A9_single_transfer_per_cycle :
 SingleTransferPerCycleEndpoints C

-- A10. Reset-empty FIFO assumption.
 A10_reset_empty_fifo :
 ResetEmptyFifoAssumption C

-- A11. WFG-inert $\varepsilon / K\varepsilon$.
 A11_Kepsilon_WFG_inert :
 A11_Kepsilon_WFGInert C

def KElaborationPrerequisite
 (C : ComparisonInstance) : Prop :=
 $\forall c,$
 ChannelCanContributeWFGEdge C c $\rightarrow$
 ChosenAbstractBoundaryOfSysRef C c $\wedge$
 NoHiddenSyncBoundaryGatingAtOrdinaryBufferedBoundary C c $\wedge$
 (RequiresSyncBoundaryWithholding C c $\rightarrow$
 C.refChoice.kind = ReferenceKind.elaborated)

Lean-side additions:
 structure KAssumptions
 (C : ComparisonInstance)
 (W : WitnessBundle C) where
 doc : DockKAssumptions C W

-- Imported Appendix J compatibility uses E1–E5. Keep this as a Lean-side
 -- theorem prerequisite rather than relabeling it as one of Appendix K's
 -- document-numbered A1–A11 assumptions.

e_rules_for_imported_J :
 ERules C


```

-- Appendix C Issue/Commit well-formedness is needed by K.0/K.1-style
-- frontier and request-attribution lemmas, but it is not one of the
-- document-numbered Appendix K A1–A11 assumptions. In particular, the current
-- document's A6 is the point-to-point channel assumption, not Issue/Commit WF.
issue_commit_wf :
IssueCommitWF C W

```

```

-- The K-stack invokes Appendix J / Corollary J.1 to obtain corresponding
-- Sys_ref and RTL_B cutpoints from a post-side deadlock cutpoint. Therefore the
-- non-K-numbered prerequisites required by JAssumptions must also be available
-- to the K theorem instance. These are Lean-side import prerequisites, not
-- additional document-numbered Appendix K assumptions.

```

```

wellformed_for_imported_J :
C.WellFormed
implementation_for_imported_J :
ImplementationAssumptions C
environment_for_imported_J :
ReactiveEnvironmentWF C.env

```

```

contracts : ModelingContracts C
r2c? : Option (R2C_WF C)
elaboration_prerequisite :
KElaborationPrerequisite C

```

```

-- Derived constructor used whenever a K proof imports Appendix J's
-- post-to-reference or cutpoint-correspondence theorem.

```

```

def KAssumptions.toJAssumptions
(C : ComparisonInstance)
(W : WitnessBundle C)
(hK : KAssumptions C W) : JAssumptions C W :=
{
wellformed := hK.wellformed_for_imported_J
bRules := hK.doc.A1_R_and_B_rule_conformance.2
rRules := hK.doc.A1_R_and_B_rule_conformance.1
eRules := hK.e_rules_for_imported_J
issueCommitWF := hK.issue_commit_wf
implementation := hK.implementation_for_imported_J
}

```

```

witnessCompatible :=
hK.doc.A7_determinism_witness_selection_cutpoint_abstraction.2.1
contracts := hK.contracts
environment := hK.environment_for_imported_J
}

```

This avoids fictional A12/A13 labels and also avoids silently renumbering the document's A1–A11 assumptions inside Lean. It also makes the Appendix J import path explicit: K proofs use hK.doc for document-numbered A1–A11 facts, and use KAssumptions.toJAssumptions C W hK when they need J1_post_to_ref; when they need J1_cutpoint_correspondence they also pass hK.doc.A7_determinism_witness_selection_cutpoint_abstraction.2.2 as the J.AbsConf discharge for the same selected cutpoint/witness triple.

K lemmas:

```

theorem K0_frontier_blocking_classification
(C : ComparisonInstance)
(W : WitnessBundle C)
(hK : KAssumptions C W)
( $\sigma$  : State)
(hQ : EpsQuiescent  $\sigma$ ) :
...

```

```

theorem K0a_rendezvous_endpoint_request_agreement
(C : ComparisonInstance)
(W : WitnessBundle C)
(hCorr : CutpointCorrespondence C W  $\sigma_{ref}$   $\rho_{post}$ )
(c : Channel)
(hB0 : capacity c = 0) :
Req_prod c  $\sigma_{ref}$  = Req_prod c  $\rho_{post}$   $\wedge$ 
Req_cons c  $\sigma_{ref}$  = Req_cons c  $\rho_{post}$ 

```

-- Definitional unfolding lemma.

-- This is useful in proofs, but it is not the substantive Appendix K.1

-- channel-case characterization.

```

theorem InternalMPDeadlockAt_unfold_at_quiescent
(C : ComparisonInstance)
(W : WitnessBundle C)

```

```

(hK : KAssumptions C W)
( $\sigma$  : State)
(hReach : Reachable C.RTL_B  $\sigma$ )
(hQ : EpsQuiescent  $\sigma$ ) :
InternalMPDeadlockAt C .post  $\sigma \leftrightarrow$ 
ExistsClosedDrainClosedWFGCycle C .post  $\sigma :=$ 
by
-- Unfold InternalMPDeadlockAt and use hQ for the  $\varepsilon$ -quiescence conjunct.
sorry

-- Channel-side cause exposed by Appendix K.1.
-- These cases are derived from ChannelDisabledItemSide plus E4 at the chosen
-- abstract Sys_ref / RTL_B boundary. For buffered channels, disabled Push means
-- no space and disabled Pop means no data. For rendezvous channels, disabled
-- Push/Pop means the unique complementary endpoint request is absent in the
-- same cycle.
inductive K1BlockedChannelCause
(C : ComparisonInstance)
(side : Side)
( $\sigma$  : State)
(x : FrontierItem)
(q : DynMsgInstance)
(c : Channel) : Prop
| buffered_push_full :
q.channel = c  $\rightarrow$ 
IsPushKind q.kind  $\rightarrow$ 
0 < capacity C c  $\rightarrow$ 
occAt c  $\sigma$ .cycle = capacity C c  $\rightarrow$ 
K1BlockedChannelCause C side  $\sigma$  x q c
| buffered_pop_empty :
q.channel = c  $\rightarrow$ 
IsPopKind q.kind  $\rightarrow$ 
0 < capacity C c  $\rightarrow$ 
occAt c  $\sigma$ .cycle = 0  $\rightarrow$ 
K1BlockedChannelCause C side  $\sigma$  x q c
| rendezvous_push_missing_pop :
q.channel = c  $\rightarrow$ 
IsPushKind q.kind  $\rightarrow$ 

```

capacity C c = 0 →
 ¬ ComplementaryPopRequestAt C side c σ →
 K1BlockedChannelCause C side σ x q c
 | rendezvous_pop_missing_push :
 q.channel = c →
 IsPopKind q.kind →
 capacity C c = 0 →
 ¬ ComplementaryPushRequestAt C side c σ →
 K1BlockedChannelCause C side σ x q c

-- Substantive Appendix K.1 characterization.
 -- This is the theorem corresponding to the main document's Lemma K.1:
 -- every process in the deadlocked SCC is blocked at its current blocking
 -- message frontier, and every such disabled blocking channel operation has one
 -- of the E4 channel-side causes below.

theorem K1_deadlock_characterization
 (C : ComparisonInstance)
 (W : WitnessBundle C)
 (hK : KAssumptions C W)
 (σ : State)
 (hReach : Reachable C.RTL_B σ)
 (hDead : InternalMPDeadlockAt C .post σ) :
 ∃ D,
 WFGTerminalSCC C .post D σ ∧
 DrainClosed C .post D σ ∧
 ∀ P,
 P ∈ D →
 ProcessStalledAtFront C .post P σ ∧
 ∀ x q c,
 x ∈ Front C .post P σ →
 BlockingMessageFrontierItem x →
 MsgOfFrontierItemSide C .post x = some q →
 q.channel = c →
 BoundaryReqItemSide C .post x σ →
 ChannelDisabledItemSide C .post x σ →
 K1BlockedChannelCause C .post σ x q c :=
 by

-- Proof outline:

-- 1. Unfold InternalMPDeadlockAt using
 -- InternalMPDeadlockAt_unfold_at_quiescent to obtain an ε -quiescent
 -- closed drain-closed WFG SCC D.
 -- 2. Use ProcessStalledAtFront to show each $P \in D$ is stalled on its current
 -- blocking message frontier, not on an internal ε -step.
 -- 3. Use MsgOfFrontierItemSide to recover the owning dynamic message instance q.
 -- 4. Use ChannelDisabledItemSide, hK.doc.A1_R_and_B_rule_conformance, and
 -- hK.e_rules_for_imported_J / E4 channel semantics at $\sigma.cycle$:
 -- • disabled buffered Push_c implies $occAt\ c\ \sigma.cycle = capacity\ C\ c$;
 -- • disabled buffered Pop_c implies $occAt\ c\ \sigma.cycle = 0$;
 -- • disabled rendezvous Push_c implies the complementary Pop request is
 -- absent in σ ;
 -- • disabled rendezvous Pop_c implies the complementary Push request is
 -- absent in σ .
 -- 5. Use hK.elaboration_prerequisite to ensure that c is the chosen explicit
 -- abstract boundary of the Sys_ref / RTL_B comparison after any required
 -- Sys_B^elab elaboration. Synchronization-boundary ramp-down / epoch-gating
 -- is therefore represented at explicit abstract channels, not as a hidden
 -- exception to E4 on an otherwise ordinary buffered channel.
 sorry

theorem K2_dependency_refinement
 (C : ComparisonInstance)
 (W : WitnessBundle C)
 (hK : KAssumptions C W)
 ($\sigma_{ref}\ \rho_{post}$: State)
 (hCorr : CutpointCorrespondence C W $\sigma_{ref}\ \rho_{post}$) :
 WFG C .ref σ_{ref} = WFG C .post ρ_{post}

theorem K2a_drain_closure_transfer
 (C : ComparisonInstance)
 (W : WitnessBundle C)
 (hK : KAssumptions C W)
 (D : Finset Process)
 ($\sigma_{ref}\ \rho_{post}$: State)
 (hCorr : CutpointCorrespondence C W $\sigma_{ref}\ \rho_{post}$)

(hDrainPost : DrainClosed C .post D ρ_{post}) :
 DrainClosed C .ref D σ_{ref}

K2_dependency_refinement and K2a_drain_closure_transfer intentionally do not take separate hQref / hQpost or hWFref / hWFpost parameters. Their cutpoint quiescence facts are part of hCorr, via hCorr.ref_quiescent and hCorr.post_quiescent, and their cutpoint well-formedness facts are part of hCorr, via hCorr.ref_wellformed and hCorr.post_wellformed. Thus these theorems can invoke K0_front_correspondence_from_cutpoint without any extra side hypotheses.

Exec membership for K.1 should be execution-scoped, not reconstructed from an arbitrary reachable partial-deadlock cutpoint.

For a globally fixed-point cutpoint, B6 idle-stutter may be used to build an infinite execution extension:

```
theorem fixedpoint_cutpoint_in_Exec_post
(C : ComparisonInstance)
(W : WitnessBundle C)
(hK : KAssumptions C W)
( $\rho_{\text{post}}$  : State)
(hReach : Reachable C.RTL_B  $\rho_{\text{post}}$ )
(hFP : FixedPointState C .post  $\rho_{\text{post}}$ )
(hIdle : C.assumptions.B.B6_idleStutterTimeDivergence) :
 $\exists \tau_{\text{post}}$ ,
TerminalCutpoint  $\tau_{\text{post}}$   $\rho_{\text{post}}$   $\wedge$ 
Exec_post C  $\tau_{\text{post}}$ 
```

This theorem is only the B6 fixed-point special case. It must not be used as the bridge for a general internal message-passing deadlock over a proper subset D of processes. A partial internal-MP deadlock does not imply FixedPointState C .post ρ_{post} , because processes outside D may still have enabled observable actions. Freezing those non-D processes by idle stutter may violate weak fairness or channel progress and therefore need not produce an Exec_post execution.

The K.1 liveness theorem should instead quantify over deadlocks that occur at cutpoints already lying on fair/progress-satisfying executions:

def InternalMPDeadlockFreeOnExecRef

(C : ComparisonInstance) : Prop :=

∀ τ_ref σ_ref,

Exec_ref C τ_ref →

TerminalCutpoint τ_ref σ_ref →

¬ InternalMPDeadlockAt C .ref σ_ref

def InternalMPDeadlockFreeOnExecPost

(C : ComparisonInstance) : Prop :=

∀ τ_post ρ_post,

Exec_post C τ_post →

TerminalCutpoint τ_post ρ_post →

¬ InternalMPDeadlockAt C .post ρ_post

Main K theorem:

theorem K1_liveness_preservation

(C : ComparisonInstance)

(W : WitnessBundle C)

(hK : KAssumptions C W) :

InternalMPDeadlockFreeOnExecRef C →

InternalMPDeadlockFreeOnExecPost C

Proof dependency note. Prove the post-side conclusion by contradiction. Assume there are τ_post and ρ_post such that:

Exec_post C τ_post,

TerminalCutpoint τ_post ρ_post, and

InternalMPDeadlockAt C .post ρ_post.

The Exec_post membership is supplied by the counterexample to

InternalMPDeadlockFreeOnExecPost itself; it is not reconstructed from reachability plus B6 idle-stutter. Import Appendix J using

hJ := KAssumptions.toJAssumptions C W hK,

then apply J1_post_to_ref and destruct the result as ⟨τ_ref, hSel, hExecRef, hCompat⟩. The hSel component is the SelectedJWitness marker produced by the fixed RTL-time J.1 construction, so J1_cutpoint_correspondence can be applied to the existing Exec_post execution/prefix ending at ρ_post, passing hSel and the J.AbsConf discharge hK.doc.A7_determinism_witness_selection_cutpoint_abstraction.2.2 for that same selected (τ_post, τ_ref, ρ_post, σ_ref, W) triple. The resulting CutpointCorrespondence C W

σ_{ref} ρ_{post} includes the ε -quiescence facts $\text{hCorr.ref_quiescent}$ and $\text{hCorr.post_quiescent}$, the well-formed cutpoint facts $\text{hCorr.ref_wellformed}$ and $\text{hCorr.post_wellformed}$, and the hCorr.j_abs source-slice relation. It is then used by $\text{K2_dependency_refinement}$, $\text{K2a_drain_closure_transfer}$, and $\text{K0a_rendezvous_endpoint_request_agreement}$ to transfer the closed drain-closed internal WFG deadlock from ρ_{post} to a corresponding σ_{ref} on the selected Exec_ref execution. This contradicts $\text{InternalMPDeadlockFreeOnExecRef C}$.

This formulation matches the scheduling document’s distinction between global fixed-point idle-stutter extensions and ordinary non-fixed-point cutpoints. For non-fixed-point cutpoints, membership in Exec_post / Exec_ref depends on the existence of some fair/progress-satisfying infinite continuation; idle-stutter alone need not suffice. The K theorem therefore ranges over deadlocks occurring on executions already in Exec_post / Exec_ref , rather than trying to prove Exec_post membership from an arbitrary reachable partial-deadlock state.

This is intentionally one-way. Do not state:

$\text{InternalMPDeadlockFreeOnExecRef C} \leftrightarrow \text{InternalMPDeadlockFreeOnExecPost C}$

19. Appendix R facade

Appendix R should be formalized last as aliases/wrappers over earlier theorems.

Use Lean names that avoid the doc’s R.2 collision:

```
theorem R_lemma1_front_nextfront_classification := ...
theorem R_theorem1_prefix_matching := ...
theorem R_corollary1_cutpoint_correspondence := ...
theorem R_corollary1a_rendezvous_endpoint_request_agreement := ...
theorem R_lemma2_dependency_refinement := K2_dependency_refinement
theorem R_theorem2_closed_cycle_and_one_way_drain_transfer := ...
```

Do not call cutpoint correspondence $\text{R1_cutpoint_correspondence}$; in the doc structure, it corresponds to a corollary, not Theorem R.1.

Appendix R cutpoint correspondence should expose the v32 naming: the post-side terminal cutpoint is ρ_{post} , the relation $\sigma_{\text{ref}} \equiv \rho_{\text{post}}$ is the compact notation for the J.Abs/J.AbsConf source-slice correspondence $\rho_{\text{post}} \Downarrow_{\{\text{Abs}, \text{J}, \text{w}\}} \sigma_{\text{ref}}$, and it is not equality of arbitrary RTL microstate.

20. What remains as hypotheses

These remain theorem parameters or design/tool obligations:

1. R-rules R1, R2, R2C, R3, R4, R5.
2. E-rules E1–E5, with the v32 RequiredJOrder restriction made explicit: E2 is alignment only, distinct-interface E3 source order is no-reverse legality rather than a positive strict edge, and atomic multi-endpoint operations are single observable units rather than internal order edges.
3. B-rule semantic obligations B1–B6, with B2/B3 encoded temporally and B5 limited to the genuine quiescence-closure assumptions, including `bounded_system_quiescence`. The max and least-upper-bound facts for `SystemQuiescenceBound C` are not hypotheses; they are Lean lemmas proved from the `Finset.sup` definition.
4. Well-formedness of the selected comparison instance `C.WellFormed`.
5. Implementation assumptions such as `I.A0`.
6. Appendix C Issue/Commit well-formedness and request-attribution discipline `IssueCommitWF C W`.
7. Reactive-environment well-formedness `ReactiveEnvironmentWF C.env`.
8. Witness compatibility `WC`, derived from Lemma L.2 or Corollary L.3 where applicable, for the full proof-internal `C.Sigma` theorem.
 - 8a. For the Appendix L Note 1 Σ _DUT-projected safety theorem only, the weaker `SigmaDUTSafetyWitnessObligation C W` may replace `WC`. This obligation is discharged choice-by-choice: each Σ _DUT-relevant ε -modeled local timing choice is either covered by ordinary snooping/witness machinery or belongs to a certified `SigmaDUTSafetyInertInterface`. This does not discharge full `WC` and does not discharge Appendix K WFG-inertness / $K\varepsilon$ obligations.
 - 8b. `J.AbsConf C W` for the selected `RTL_B` implementation, abstract boundary, witness, and normalized cutpoints. This is a tool/RTL-flow compliance obligation alongside E4 channel-realization conformance and B-faithfulness; it is not proved by deterministic replay alone.
9. Direct-input contracts.
10. Array access mapping rules.
11. R2C fixed-point well-formedness `R2C_WF C` when combinational-process signal IO is in scope.
12. Automatic-flush / drain-only blocked-frontier discipline for pipelined or overlapped implementations: while a minimal blocking frontier remains fully disabled, no new later source work may issue past that frontier; already asserted blocking requests are not withdrawn before commit; and any observable work by the blocked process during the interval is attributable

only to already-issued downstream drainable work.

13. Elaboration package E, when $\text{Sys_ref} = \text{Sys_B}^{\text{elab}}(E)$.

14. K elaboration prerequisite $\text{KElaborationPrerequisite C}$: every WFG-relevant channel is represented at the chosen abstract $\text{Sys_ref} / \text{RTL_B}$ comparison boundary; hidden sync-boundary gating is not allowed at ordinary buffered boundaries; and sync-boundary withholding that affects WFG reasoning is represented through explicit $\text{Sys_B}^{\text{elab}}$ channels.

15. Appendix K structural assumptions not already covered above: point-to-point channels, SyncChannel /barrier well-formedness, single-transfer-per-cycle endpoint constraints, reset-empty FIFO/accounted initial occupancy, and WFG-inert $\varepsilon / \text{K}\varepsilon$.

16. Source-level internal message-passing deadlock freedom for K, strengthened as in v32 to scheduler-robust blocking-rendezvous liveness: the prescribed Sys_ref must not rely on parallel issue of distinct-interface blocking rendezvous operations merely to avoid an internal WFG deadlock unless that scheduling choice has an explicit $\text{Sys_ref} / \text{witness}$ discharge.

21. What should be proved inside Lean

Lean should prove:

- bucketed execution infrastructure;
- temporal lemmas for $\text{AlwaysFrom} / \text{EventuallyFrom}$;
- the elementary Finset.sup facts for $\text{SystemQuiescenceBound C}$: every MainB4Bound C P for $P \in \text{ProcessUniverse C}$ is bounded by $\text{SystemQuiescenceBound C}$, and $\text{SystemQuiescenceBound C}$ is the least such finite upper bound. These are proved from the definition of $\text{SystemQuiescenceBound C}$, not assumed as part of B5.
- channel-capacity lemmas for rendezvous and buffered cases;
- issue existence/uniqueness and derived IssueTime ;
- direct-input late-sampling preservation from primitive environment contracts;
- array sync-boundary commit-order preservation;
- R2C fixed-point observation lemmas from R2C_WF ;
- automatic-flush frontier lemmas;

- Lemma L.2: snooping establishes WC, including the latency-sensitive local-protocol handling premise for cadence-sensitive retry/timeout/poll-arbiter sites;
- Corollary L.3: NB-CF identity witness, with the global/per-boundary contract obligations needed by the updated WC definition;
- Appendix L Note 1 projected-safety branch. These prove only the Σ_{DUT} -visible safety fragment and do not produce WC or Appendix K deadlock/liveness obligations. The global SigmaDUTSafetyWitnessObligation C W remains an explicit projected-safety assumption; certified inert-interface choices are discharged locally by L5_sigmaDUT_safety_inert_interface, while non-inert choices require ordinary snooping/witness coverage:
 - SigmaDUTSafetyInertInterface,
 - SigmaDUTSafetyWitnessObligation,
 - L5_sigmaDUT_safety_inert_interface,
 - CompatiblePDUT,
 - CompatibleSysDUT,
 - J0_pairwise_composition_DUT, and
 - J1_post_to_ref_sigmaDUT_safety.
- IObs_congruence_one_step over concrete ObsSigma;
- IDR_deterministic_replay, proved as an induction over IObs_congruence_one_step;
- Appendix I finite and infinite witness construction;
- Proposition J.0;
- Theorem J.1 post-to-reference;

RequiredJOrder / $\prec_J$ acyclicity over observable units, separately from the informational CausalDependency / happens-before graph;

- restricted reverse theorem for RTL-consistent source prefixes;

Corollary J.1 cutpoint correspondence over J.Abs/J.AbsConf, using $\rho_{\text{post}} \Downarrow_{\{\text{Abs}, J, w\}} \sigma_{\text{ref}}$ rather than an implicit RTL_B-to-source projection;

- K.0/K.0a/K.1/K.2/K.2a;

- `fixedpoint_cutpoint_in_Exec_post` as the B6 idle-stutter special case for globally fixed-point post-side cutpoints;
- execution-scoped deadlock-freedom predicates
`InternalMPDeadlockFreeOnExecRef` and `InternalMPDeadlockFreeOnExecPost`;

Theorem K.1 one-way liveness preservation, stated execution-scoped as
`InternalMPDeadlockFreeOnExecRef C  $\rightarrow$  InternalMPDeadlockFreeOnExecPost C`, with
Appendix K A5 strengthened to scheduler-robust blocking-rendezvous liveness;

- Appendix R aliases.

22. Development milestones

Milestone A — Finite sequential, blocking-only, non-elaborated core

Scope:

- `Sys_ref = Sys_B`;
- sequential processes only;
- blocking Push/Pop only;
- no NB calls;
- no snooping;
- no external arrays;
- no direct-input late sampling;
- no combinational R2C;
- finite bucketed prefixes and finite bucketed execution fragments;
- R1–R5 and E1–E5 infrastructure for the sequential/blocking subset;
- E4 channel-capacity legality for rendezvous and buffered channels;
- Issue/Commit existence, uniqueness, and request-attribution discipline;
- conditional finite extension lemmas stated with explicit enabledness or progress witnesses, not with B2/B3 fairness/progress conclusions;
- finite-prefix observable-unit extraction and blocking-only pairwise composition.

Targets:

`E4_channel_capacity_lemmas_blocking`

`IssueCommitWF_blocking`

`I3_conditional_finite_extension_blocking_given_enabledness`

`J0_pairwise_composition_blocking`

Milestone A deliberately does not target Theorem J.1, Corollary J.1, or Theorem K.1. Those results are execution-level / temporal results: they quantify over `Exec_post` / `Exec_ref`, rely on `FairProgressSatisfying` infinite executions, and use B6 idle-stutter/time-divergence only for globally fixed-point cutpoints. General partial internal-MP deadlock reasoning is execution-scoped: the relevant deadlock cutpoint is already on an `Exec_post` / `Exec_ref` execution. These results therefore belong after the temporal B2/B3/B6 machinery is available.

Milestone B — Temporal B2/B3/B6 blocking proof

Add:

infinite bucketed executions;
`AlwaysFrom`, `EventuallyFrom`;
concrete `FairAction`;
`P_push`, `P_pop`;
`WeakFairness` and side-parametric B2;
side-parametric B3 channel progress;
B6 idle-stutter/time-divergence;
`FairProgressSatisfying`;
`Exec_post` and `Exec_ref`;
Appendix I finite-to-infinite witness construction for the blocking-only case;
`fixedpoint_cutpoint_in_Exec_post` for the globally fixed-point B6 idle-stutter special case;
execution-scoped definitions `InternalMPDeadlockFreeOnExecRef` and
`InternalMPDeadlockFreeOnExecPost`;
K.1 liveness preservation using the execution-scoped formulation, not a reconstructed
`Exec_post` membership theorem for arbitrary reachable partial-deadlock states.

Targets:

`J1_post_to_ref_blocking`
`JAbsConf_blocking`
`J1_cutpoint_correspondence_blocking`
`fixedpoint_cutpoint_in_Exec_post_blocking`
`InternalMPDeadlockFreeOnExecRefPost_blocking`
`K1_liveness_preservation_blocking`

Milestone C — Non-blocking under NB-CF

Add:

Qexec;

failed NB polls as ε ;

successful NB transfers as Σ ;

Corollary L.3.

Target:

J1_post_to_ref_nb_cf

Milestone D — Witness selector, snooping, and Appendix L Note 1 projected safety

Add:

partial-prefix WitnessSelector;

Lemma L.2;

SigmaDUTSafetyInertInterface;

SigmaDUTSafetyWitnessObligation;

CompatiblePDUT and CompatibleSysDUT;

projected pairwise composition J0_pairwise_composition_DUT;

Corollary L.5 / J1_post_to_ref_sigmaDUT_safety for interfaces whose ε -modeled local timing choices cannot add/remove/relabel Σ _DUT-visible units and can only commute DUT-causally-independent projected units.

Targets:

J1_post_to_ref_with_snooping

J1_post_to_ref_sigmaDUT_safety

Milestone E — Direct inputs

Add:

- DirectInputContract;
- derived lateSamplingPreservesLogicalAnchor;
- bucket placement for logical anchor vs physical late sample.

Target:

J1_post_to_ref_direct_inputs

Milestone F — External arrays

Add:

- MemoryEvent;
- ArrayAccessMapping;
- sync-relative array commit rules.

Target:

J1_post_to_ref_external_arrays

Milestone G — R2C

Add:

- combModel?;
- LocalCombNetwork;
- CombNetwork;
- CombComposition;
- R2C_WF;
- per-process combinational component obligations;
- composed fixed-point bucket observation semantics.

Target:

J1_post_to_ref_with_R2C

Milestone H — Elaboration

Add:

- ElaborationPackage Sys_B Chan_outer Σ _DUT;
- Π _elab;
- $\pi_{\Sigma, E}$;
- A_E;
- explicit-channel interpretation of B, occ, BoundaryReq, ChannelEnabled, Front, and WFG.

Targets:

J1_post_to_ref_elab

K1_liveness_preservation_elab

Milestone I — Appendix R facade

Add compact R theorem wrappers after the full proof stack is available.

23. Expected difficulty

The hardest pieces remain:

1. Bucketed execution and ideal induction.
2. Temporal B2/B3 over infinite executions.
3. Concrete ObsSigma and I.DR.
4. Appendix J finite-ideal construction.
5. Direct-input late-sampling contracts.
6. External array access mapping.
7. R2C fixed-point semantics.
8. Appendix Q elaboration obligations.
9. Appendix K execution-scoped liveness/deadlock preservation and fixed-point-only Exec_post extension.

A polished full formalization is plausibly in the 18k–30k Lean line range if direct inputs, arrays, R2C, temporal fairness/progress, non-blocking witness selection, snooping, automatic flush, Issue/Commit attribution, A11/K ϵ , and elaboration are all included. A core sequential/blocking/non-elaborated proof would be substantially smaller, plausibly 6k–10k lines; an intermediate blocking-plus-temporal-WFG proof would likely fall around 10k–16k lines.