

API Reference Documentation

Overview

Complete API documentation for integrating **StudAI Builder** into your applications. This guide covers essential authentication and core endpoints.

Authentication

API Key Authentication

```
# Retrieve your API key from Dashboard → Settings → API Keys
curl -H "Authorization: Bearer your-api-key" \
  -H "Content-Type: application/json" \
  https://api.studai.com/v1/generate
```

Core Endpoints

Generate Code

POST /v1/generate

Request Body:

```
{
  "prompt": "Create a React component for user authentication",
  "language": "javascript",
  "framework": "react"
}
```

Response:

```
{
  "id": "gen_12345",
  "status": "completed",
  "files": [ { "name": "Auth.tsx", "content": "..."} ],
  "usage": { "tokens_used": 1250 }
}
```

Project Management

- **Create Project:** POST /v1/projects
- **List Projects:** GET /v1/projects
- **Get Project:** GET /v1/projects/{project_id}
- **Update Project:** PATCH /v1/projects/{project_id}
- **Delete Project:** DELETE /v1/projects/{project_id}

File Management

- **Upload File:** POST /v1/projects/{project_id}/files
- **Get File:** GET /v1/projects/{project_id}/files/{file_id}
- **Update File:** PUT /v1/projects/{project_id}/files/{file_id}
- **Delete File:** DELETE /v1/projects/{project_id}/files/{file_id}

SDK Usage

JavaScript/TypeScript

```
npm install @studai/sdk
```

```
import { StudAI } from '@studai/sdk';  
const client = new StudAI({ apiKey: process.env.STUDAI_API_KEY });  
const result = await client.generate({ prompt: 'Create a button component' });
```

Python

```
pip install studai-sdk
```

```
from studai import StudAI  
client = StudAI(api_key='your-api-key')  
resp = client.generate(prompt='Create FastAPI endpoint', language='python')
```

Error Handling

Error Format:

```
{  
  "error": {"code": "invalid_request_error", "message": "The 'prompt' field is required"}  
}
```

Handling Example:

```
try {
  await client.generate({});
} catch (err) {
  console.error(err.code, err.message);
}
```

Webhook Support

Register Webhook

POST /v1/webhooks

Payload:

```
{"url": "https://example.com/webhook", "events": ["generation.completed"]}
```

Webhook Verification

```
import crypto from 'crypto';
function verify(payload, sig, secret){
  const expected = crypto.createHmac('sha256', secret).update(payload).digest('hex');
  return crypto.timingSafeEqual(Buffer.from(sig, 'hex'), Buffer.from(expected, 'hex'));
}
```

API Version: v1 | Last Updated: September 9, 2025