




**Newton School
of Technology**

The Ultimate React Course



Lecture 22: Styling with Tailwind CSS

JS


Why Styling Matters in React

Traditional styling problems:

- Large `style.css` files
- Class name conflicts
- Switching between JSX and CSS files



Result: Slower development & messy code



Traditional CSS vs Tailwind

Traditional CSS:

CSS

```
.btn {  
  background: blue;  
  padding: 10px;  
}
```

html

```
<button class="bg-blue-500 p-2 text-white rounded">
```

Tailwind CSS

- ✓ No custom CSS
- ✓ No naming conflicts
- ✓ Faster styling

What is Tailwind CSS?



Tailwind CSS is:


- Utility-first CSS framework
- Style directly inside JSX
- Predefined classes for everything

You build UI by combining utilities

Tailwind Setup

Steps:

1. Create React app (Vite / CRA)
2. Install Tailwind
3. Configure `tailwind.config.js`
4. Add Tailwind directives



Tailwind Syntax Basics

Common Tailwind Utilities



Spacing

m-4, p-2



Colors

bg-blue-500
text-white



Borders

rounded
border



Font

font-bold
text-lg

Common Utilities

- Spacing → **m-4, p-2**
- Colors → **bg-blue-500, text-white**
- Borders → **rounded, border**
- Font → **font-bold, text-lg**

Layout with Flexbox

```
html
```

```
<div class="flex justify-center items-center">
```



Used for:

- Centering
- Navbar layout
- Card alignment

Responsive Design (Important)

html

```
<div class="w-full md:w-1/2 lg:w-1/3">
```

Meaning:

- Mobile → Full width
- Tablet → Half width
- Desktop → One-third width

✓ Mobile-first design

Project Introduction: IMDb Clone

Project Name:

Movie Deck App

Goal:

Display trending movies using real API data




Project Features



- Home Page → Trending movies grid
- Pagination → Next / Prev movies
- Watchlist → Save favorite movies
- Sorting & Searching → Rating / Name

Tech Stack

- React
- Tailwind CSS
- Axios
- TMDB API (The Movie Database)



React



Tailwind CSS



Axios



TMDB API
(The Movie Database)

Component Structure

Create:

- `Navbar.jsx`
- `Banner.jsx`
- `Movies.jsx`

Each component styled using Tailwind CSS


Navbar.jsx
Banner.jsx
Movies.jsx

Navbar UI (Tailwind)

Navbar contains:

- Logo (IMDb)
- Movies link
- Watchlist link

- ✓ Responsive
- ✓ No CSS file

```
html
```

```
flex justify-between items-center
```


Why API Integration?

Why use API?

- Real-time data
- Dynamic applications
- Industry-level practice



Fetch vs Axios



TMDB API Key

Steps:

1. Visit TMDB website
2. Create account
3. Generate API key

API key is required to fetch movies



useEffect for API Calls

```
js  
  
useEffect(() => {  
  // fetch data  
}, []);
```

- Runs once on component mount
- Perfect for API requests

useState for Movies

js

```
const [movies, setMovies] = useState([]);
```

Purpose:

- Store movie list
- Trigger UI updates

Axios API Call (Code)

```
js

axios.get(URL).then(res => {
  setMovies(res.data.results);
});
```

- ✓ Data stored in state
- ✓ UI updates automatically

Rendering Movies

```
jsx  
  
{movies.map(movie => (  
  <div key={movie.id}>  
    {movie.title}  
  </div>  
))}
```



React dynamically renders movie cards

Movie Card Styling

Tailwind used for:

- Width & height
- Background image
- Overlay text
- Spacing

- ✓ Clean
- ✓ Responsive
- ✓ No CSS file




Live Demo Outcome

What students see:

- Movie posters
- Movie titles
- Grid layout
- Real-time API data

IMDb clone begins!



Common Errors

- Invalid API key
- Wrong image URL
- Missing dependency array
- CORS confusion

Solution:

- ✓ Double-check API & console



Recap

Today you learned:

- Why Tailwind is powerful
- How to style without CSS files
- Project structure setup
- API integration using Axios



Next Class

- Pagination
- Watchlist feature
- LocalStorage
- Sorting & filtering movies



**Thanks for
watching!**

Feedback

Now it's time to give your valuable feedback

