

Conversion of Coefficient, Grades, GPA, Marks etc. system(as followed in different countries) to Percentage system for Study in India programme

Instructions:

- I. An indicative equivalence of Coefficient, Grades, GPA, Marks etc. as followed in different countries, to Percentage as recommended for Study in India programme, can be assessed as follow in the reference conversion table
- II. Students can consult their respective Education board for the exact Grade/GPA conversions and in case of non-availability, kindly refer the reference table.
- III. The formula given in the reference conversion table, are only an approximation and not exact.
- IV. The submitted scores in percentage would be first verified by the Indian Authorities and their decision in this regard would be binding on student
- V. The home country as mentioned in the following reference table is the country of the participating student.
- VI. In-case of any help is required, please contact us at toll free helpline at **+91 9899 450 350** or email at **help.studyinindia@gov.in**

Reference Table:

| S. No. | Country | Coefficient, Grades, GPA, Marks (as applicable) for the home country | Percentage conversion as per Study in India Programme | For e.g. | |
|--------|--------------------|--|---|--|--|
| | | | | Score of the student as per home country | Score of the student as per Study in India Programme |
| 1 | Afghanistan | 0 - 100 | 0 - 100 | 85 | 85 |
| 2 | Bangladesh | A+ or (80 - 100) or 5 | 90 | A+ or 5 | 90 |
| | | A or (70 - 79) or (4 - <5) | 74.5 | A or 4.4 | 74.5 |
| | | A- or (60 - 69) or (3.5 - <4) | 64.5 | A- or 3.5 | 64.5 |
| | | B or (50 - 59) or (3 - <3.5) | 54.5 | B or 3.4 | 54.5 |
| | | C or (40 - 49) or (2 - <3) | 44.5 | C or 2.6 | 44.5 |
| | | D or (33 - 39) or (1 - <2) | 36 | D or 1.8 | 36 |
| | | F or (00 - 32) or (0 - <1) | Fail | F or 0.5 | Fail |
| 3 | Bhutan | 0 - 100 | 0 - 100 | 60 | 60 |
| 4 | Egypt | Excellent or (85-100) | 92.5 | Excellent | 92.5 |
| | | very good/distinct or (75-84) | 79.5 | very good/distinct | 79.5 |
| | | good/credit or (65-74) | 69.5 | good/credit | 69.5 |
| | | Acceptable/pass or (50-64) | 57 | Acceptable/pass | 57 |
| | | Weak or (30-49) | 39.5 | Weak | 39.5 |
| | | very weak or (0-29) | Fail | very weak | Fail |

| | | | | | |
|---|-----------|-----------------------------------|------|------------|------|
| | | | | | |
| 5 | Ehtiopia | A or (90 - 100) | 95 | A | 95 |
| | | B or (80 - 89) | 84.5 | B | 84.5 |
| | | C or (60 - 79) | 69.5 | C | 69.5 |
| | | D or (50 - 59) | 54.5 | D | 54.5 |
| | | E or (0 - 49) | 24.5 | E | 24.5 |
| | | | | | |
| 6 | Indonesia | A or (91 - 100) or 4 | 95 | A or 4 | 95 |
| | | A- or (86 - 90) or (3.67 - <4) | 88 | A- or 3.78 | 88 |
| | | B+ or (81 - 85) or (3.33 - <3.67) | 83 | B+ or 3.45 | 83 |
| | | B or (76 - 80) or (3 - <3.33) | 78 | B or 3.1 | 78 |
| | | B- or (71 - 75) or (2.67 - <3) | 73 | B- or 2.78 | 73 |
| | | C+ or (66 - 70) or (2.33 - <2.67) | 68 | C+ or 2.45 | 68 |
| | | C or (61 - 65) or (2 - < 2.33) | 63 | C or 2.32 | 63 |
| | | D or (50 - 60) or (1.67 - <2) | 55 | D or 1.78 | 55 |
| | | E or (<50) or (<1.67) | Fail | E or 0.6 | Fail |
| | | F (Nonattendance) | Fail | | Fail |
| | | | | | |
| 7 | Iran | 18 – 20 | 95 | 19 | 95 |
| | | 16 - 17.99 | 84.5 | 16 | 84.5 |
| | | 14 - 15.99 | 74.5 | 14.5 | 74.5 |
| | | 12 - 13.99 | 64.5 | 12.3 | 64.5 |
| | | 10 - 11.99 | 54.5 | 10.8 | 54.5 |
| | | 0- 9.99 | 49.5 | 4.5 | 49.5 |
| | | | | | |

| | | | | | |
|----|--------|--------------------|---------|----|------|
| 8 | Iraq | 0 - 100 | 0 - 100 | 78 | 78 |
| | | | | | |
| 9 | Jordan | A or (95-100) | 97.5 | A | 97.5 |
| | | A- or (90-94) | 92 | A- | 92 |
| | | B+ or (87-89) | 88 | B+ | 88 |
| | | B or (84-86) | 85 | B | 85 |
| | | B- or (80-83) | 81.5 | B- | 81.5 |
| | | C+ or (75-79) | 77 | C+ | 77 |
| | | C or (70-74) | 72 | C | 72 |
| | | C- or (60-69) | 64.5 | C- | 64.5 |
| | | D+ or (55-59) | 57 | D+ | 57 |
| | | D or (50-54) | 52 | D | 52 |
| | | F or (0-49) | Fail | F | Fail |
| | | | | | |
| 10 | Kenya | A or (80 - 100) | 90 | A | 90 |
| | | A- or (75 – 79.99) | 77.5 | A- | 77.5 |
| | | B+ or (70 – 74.99) | 72.5 | B+ | 72.5 |
| | | B or (65 – 69.99) | 67.5 | B | 67.5 |
| | | B- or (60 – 64.99) | 62.5 | B- | 62.5 |
| | | C+ or (55 – 59.99) | 57.5 | C+ | 57.5 |
| | | C or (50 – 54.99) | 52.5 | C | 52.5 |
| | | C- or (45 – 49.99) | 47.5 | C- | 47.5 |
| | | D+ or (40 – 44.99) | 42.5 | D+ | 42.5 |
| | | D or (35 – 39.99) | 37.5 | D | 37.5 |
| | | D- or (30 – 34.99) | 32.5 | D- | 32.5 |
| | | F- or (0 – 29.99) | Fail | F | Fail |
| | | | | | |

| | | | | | |
|----|----------|----------------------------------|------|-------------|------|
| 11 | Kuwait | A or (94-100) | 97 | A | 97 |
| | | A- or (90-93) | 91.5 | A- | 91.5 |
| | | B+ or (86-89) | 87.5 | B+ | 87.5 |
| | | B or (82-85) | 83.5 | B | 83.5 |
| | | B- or (80-81) | 80.5 | B- | 80.5 |
| | | C+ or (76-79) | 77.5 | C+ | 77.5 |
| | | C or (72-75) | 73.5 | C | 73.5 |
| | | C- or (70-71) | 70.5 | C- | 70.5 |
| | | D+ or (66-69) | 67.5 | D+ | 67.5 |
| | | D or (62-65) | 63.5 | D | 63.5 |
| | | D- or (60-61) | 60.5 | D- | 60.5 |
| | | F or (0-59) | Fail | F | Fail |
| | | | | | |
| 12 | Malaysia | A or (80-100) or 4 | 90 | A or 4 | 90 |
| | | A - or (70-79) or (3.67 - < 4) | 74.5 | A - or 3.85 | 74.5 |
| | | B+ or (60-69) or (3.33 - < 3.67) | 64.5 | B+ or 3.62 | 64.5 |
| | | B or (55-59) or (3 - < 3.33) | 57 | B or 3.2 | 57 |
| | | B- or (50-54) or (2.67 - < 3) | 52 | B- or 2.86 | 52 |
| | | C+ or (45-49) or (2.33-< 2.67) | 47 | C+ or 2.57 | 47 |
| | | C or (40-44) or (2 - < 2.33) | 42 | C or 2.23 | 42 |
| | | C- or (35-39) or (1.67- < 2) | 37 | C- or 1.88 | 37 |
| | | D+ or (30-34) or (1.33 -< 1.67) | 32 | D+ or 1.54 | 32 |
| | | D or (25-29) or (1- < 1.33) | 27 | D or 1.31 | 27 |
| | | F or (0-24) : Fail or 1 | fail | F or 1 | fail |
| | | | | | |

| | | | | | |
|----|---------|---------------------------------|-------|-----------|------|
| 13 | Nepal | A + or (90-100) or 4 | 95 | A + or 4 | 95 |
| | | A or (80-89) or (3.6- <4) | 84.5 | A or 3.6 | 84.5 |
| | | B+ or (70-79) or (3.2- <3.6) | 74.5 | B+ or 3.2 | 74.5 |
| | | B or (60-69) or (2.8- < 3.2) | 64.5 | B or 2.8 | 64.5 |
| | | C+ or (50-59) or (2.4 - <2.8) | 54.5 | C+ or 2.4 | 54.5 |
| | | C or (40-49) or (2.0- < 2.4) | 44.5 | C or 2.0 | 44.5 |
| | | D+ or (30-39) or (1.6- <2) | 34.5 | D+ or 1.6 | 34.5 |
| | | D or (20-29) or (1.2- < 1.6) | 24.5 | D or 1.2 | 24.5 |
| | | E or (Below 20) or (0.8- < 1.2) | Fail | E or 0.8 | Fail |
| | | | | | |
| 14 | Nigeria | A/AB or 70-100 or 5 | 85 | A/AB or 5 | 85 |
| | | B/BC or 60-69 or (4- < 5) | 64.5 | B/BC or 4 | 64.5 |
| | | C/CD or 50-59 or (3- <4) | 54.5 | C/CD or 3 | 54.5 |
| | | D or 45-50 or (2- <3) | 47.5 | D or 2 | 47.5 |
| | | E or 40-44 or (1 - < 2) | 42 | E or 1 | 42 |
| | | F or 00-39 or (0- < 1) | Fail | F | Fail |
| | | | | | |
| 15 | Oman | 0-100 | 0-100 | 65 | 65 |
| | | | | | |
| 16 | Rwanda | A or 75-100 | 87.5 | A | 87.5 |
| | | B or 65-74 | 69.5 | B | 69.5 |
| | | C or 55-64 | 59.5 | C | 59.5 |
| | | D or 45-54 | 49.5 | D | 49.5 |
| | | E or 40-44 | 42 | E | 42 |
| | | S or 25-34 | 29.5 | S | 29.5 |
| | | F or 00-24 | Fail | F | Fail |
| | | | | | |
| 17 | Saudi | 0-100 | 0-100 | 70 | 70 |

| | | | | | |
|----|------------------|----------------|-------|----|------|
| | Arabia | | | | |
| | | | | | |
| 18 | Sri Lanka | A or 100 - 75 | 87.5 | A | 87.5 |
| | | B or 74-65 | 69.5 | B | 69.5 |
| | | C or 64-50 | 57 | C | 57 |
| | | S or 49-35 | 42 | S | 42 |
| | | F or 34-00 | Fail | F | Fail |
| | | | | | |
| 19 | Sudan | 0-100 | 0-100 | 60 | 60 |
| | | | | | |
| 20 | Syria | 90 - 100 | 95 | 96 | 95 |
| | | 80 - 89 | 84.5 | 82 | 84.5 |
| | | 70 - 79 | 74.5 | 73 | 74.5 |
| | | 60 - 69 | 64.5 | 64 | 64.5 |
| | | 50 - 59 | 54.5 | 55 | 54.5 |
| | | 00 - 49 | 24.5 | 20 | 24.5 |
| | | | | | |
| 21 | Tanzania | A or 75-100 | 87.5 | A | 87.5 |
| | | B or 65-74 | 69.5 | B | 69.5 |
| | | C or 55-64 | 59.5 | C | 59.5 |
| | | D or 45-54 | 49.5 | D | 49.5 |
| | | E or 35-44 | . | E | 39.5 |
| | | S or 25-34 | 29.5 | S | 29.5 |
| | | F or 00-24 | Fail | F | Fail |
| | | | | | |
| 22 | Thailand | 80 –100 or 4.0 | 90 | 4 | 90 |

| | | | | | |
|----|--------|---|------|---------|------|
| | | 75–79 or (3.5 - < 4) | 77 | 3.5 | 77 |
| | | 70–74 or (3.0 - <3.5) | 72 | 3 | 72 |
| | | 65–69 or (2.5 - <3) | 67 | 2.5 | 67 |
| | | 60–64 or (2.0 -<2.5) | 62 | 2 | 62 |
| | | 55–59 or (1.5 - < 2) | 57 | 1.5 | 57 |
| | | 50–54 or (1.0 - < 1.5) | 52 | 1 | 52 |
| | | 0–49 or (0- < 1) | fail | 0 | fail |
| | | | | | |
| 23 | Uganda | A or (75-100) or 6 | 87.5 | A or 6 | 87.5 |
| | | B or (70-74) or (5- < 6) | 72 | B or 5 | 72 |
| | | C or (60-69) or (4- < 5) | 64.5 | C or 4 | 64.5 |
| | | D or (50-59) or (3- < 4) | 54.5 | D or 3 | 54.5 |
| | | E or (45-49) or (2- < 3) | 47 | E or 2 | 47 |
| | | O or (35-44) : or (0- < 1) 1- Subsidiary | 39.5 | O or 1 | 39.5 |
| | | F or (0<34) | Fail | F or 33 | Fail |