

Security and Privacy, Blatt 3

Franziska Hutter (3295896)
Felix Truger (3331705)
Felix Bühler (2973410)

6. Juni 2018

Problem 1: Sum of negligible functions

Definition: v is negligible $\implies \exists N \in \mathbb{N}$ such that $\forall n > N$ and for all positive polynomials p : $v(n) < \frac{1}{p(n)}$

v and v' negligible: $\exists N_1, N_2 \in \mathbb{N}$, such that:

$$\forall n > N_1 : v(n) < \frac{1}{p(n)}$$

$$\forall n > N_2 : v'(n) < \frac{1}{p(n)}$$

(by Definition)

Let $w(n) = v(n) + v'(n)$: For w to be negligible, we need an $N_3 \in \mathbb{N}$, such that $\forall n > N_3 : w(n) < \frac{1}{p(n)}$. We conclude from the above, that $\forall n > (N_1 + N_2) : v(n) + v'(n) < \frac{1}{p(n)} + \frac{1}{p(n)}$, Thus $N_3 = N_1 + N_2 \implies \forall n > N_3 : w(n) < \frac{2}{p(n)}$.

Since we're looking at the inverses of *all* positive polynomials, we can easily generate $\frac{1}{p(n)}$ from $\frac{2}{p(n)}$ by multiplying $p(n)$ by 2, at which we are looking anyways. This means, that also $\forall n > N_3 : w(n) < \frac{1}{p(n)}$ holds.

Problem 2: Deterministic verifier in IPS

Problem 3: Anonymous credentials and IPS

Problem 4: Equivalent definition of computational ZK

Problem 5: Reducing the error probability 1

