

# CHAROTAR UNIVERSITY OF SCIENCE & TECHNOLOGY

Faculty of Technology & Engineering

Devang Patel Institute of Advance Technology and Research (DEPSTAR)

Advanced Web Development and Frameworks (ITUE301)

Practical File – ODD Semester 2025–26

Student ID: 24DIT020

Student Name: Gondha Stuti

## PRACTICAL 2: State Management and Routing in React

### Problem Definition:

- Extend the portfolio application from Practical 1 by adding React Router.
- Implement a navigation bar with at least 3 routes: Home, Projects, and Contact.
- Each route must render a distinct component without a full page reload.
- Add at least 2 useState variables used meaningfully one for toggling UI visibility and one for managing a form input on the Contact page.
- The Contact page must include a controlled input that captures and displays user input in real time.


### Solution:

Home.jsx:

```
function Home() {  
  return (  
    <section className="page-card hero-section">  
      <p className="eyebrow">Welcome</p>  
      <h1>Student Portfolio</h1>
```


```
<p className="intro">  
  I am building thoughtful and responsive web experiences with a  
  strong focus on clarity,  
  design, and clean user interfaces.  
</p>  
<div className="pill-row">  
  <span className="pill">HTML</span>  
  <span className="pill">CSS</span>  
  <span className="pill">JavaScript</span>  
  <span className="pill">React</span>  
</div>  
</section>  
</>  
</>
```

```
export default Home;
```



Projects.jsx:

```
function Projects() {  
  return (  
    <section className="page-card">  
      <p className="eyebrow">Projects</p>  
      <h2>Featured work</h2>  
      <div className="project-grid">  
        <article className="project-card">  
          <h3>Portfolio Website</h3>  
          <p>A clean personal site designed to present projects and contact  
information clearly.</p>  
        </article>  
  
      </div>  
    </section>  
  );  
}  
  
export default Projects;
```



Contact.jsx:-

```
import { useState } from 'react';
```

```
function Contact() {
```

```
  const [message, setMessage] = useState("");
```

```
  return (
```

```
    <div>
```

```
      <h2>Contact Me</h2>
```

```
      <input
```

```
        id="message"
```

```
        type="text"
```

```
        value={message}
```

```
        onChange={(e) => setMessage(e.target.value)}
```

```
        placeholder="Type your message..."
```

```
    />  
    <p>{message}</p>  
    <p>character Count={message.length}</p>  
</div>  
);  
}
```

```
export default Contact;
```

