

GOOGLE CLOUD BUILD WITH AI: CODE FOR COMMUNITIES (SECOND EDITION)

AEGIS

Autonomous Physical-Topological Cyclone Impact & Infrastructure Vulnerability
Forecaster bridging macro-meteorology and hyper-local civic resilience.

• Deterministic Holland Physics

• Directed Dependency Graph (NetworkX)

• Multimodal Gemini 2.0 Flash Vision

• 60 FPS WebGL Resilience Map

Track: Track 05 — Cyclone Resilience • Team: Team GGR • Geography: Odisha Coastal Corridor (Puri & Paradip) • GCP Stack: Cloud Run • Vertex AI • BigQuery GIS

The "Fatal Gap" in Disaster Response

Why traditional meteorological forecasts cause operational dispatch paralysis during Category 4+ cyclones

FAILURE 1

Coarse Grids vs. Asset Truth


Numerical Weather Prediction models (IMD / GFS) output coarse **15–25 km grid cells**.

They cannot determine whether a specific **132/33 kV substation** with a **+1.1m plinth** will be inundated by a 1.8m coastal storm surge.

Result: Discoms keep transformers energized until explosive blowout, triggering ₹15Cr+ damage and 6-week blackouts.

FAILURE 2

Isolated Maps vs. Cascades



FAILURE 3

IoT Telemetry Blindness

IoT weather sensors, mast anemometers, and cellular backhauls are mechanically destroyed at **180+ km/h Category 3+ winds**.

Sensor-dependent dashboards go dark at the exact moment of peak landfall crisis.

Aegis Solution: Deterministic analytical forward-simulation runs entirely on atmospheric boundary conditions, remaining 100% resilient when physical edge sensors fail.

The Hybrid Triple-Layer Resilience Engine

Anchoring probabilistic AI reasoning to deterministic atmospheric physics and topological graph cascades

LAYER 1

Deterministic Physics

Holland (1980/2010) Parametric Wind Field:

$$V(r) = [(B/\rho)(R_{max}/r)^B \Delta P e^{-(R_{max}/r)^B} + (r f/2)^2]^{0.5} - (r f/2)$$

- **Asymmetric Translation:** Adds forward storm velocity vectors ($V_t = 22 \text{ km/h}$) producing maximum kinetic right-front eyewall shear.
- **Hydrodynamic Surge Bathymetry:** Inverse barometer effect ($\Delta h = 1 \text{ cm/hPa}$) + coastal friction wind setup.
- **Kaplan-DeMaria Decay:** Inland reduction factor $\phi = 0.038 \text{ hr}^{-1}$.

LAYER 2

Topological Graph Solver

NetworkX Directed Dependency Graph:

$$G = (V, E) \text{ // } V = \text{Substations, Roads, Hospitals}$$

- **Edge Severance Engine:** High-axle fuel corridor roads severed when flood depth exceeds 0.35 m wading limit.
- **Failure Cut-Set Propagation:** Electrical feeder loss triggers downstream water pump failure and initiates hospital generator fuel countdowns.
- **Sub-50ms Graph Traversal:** Recomputes topological reachability instantly upon dynamic storm progression.

LAYER 3

Cognitive Dispatch Agent

Google Gemini 2.0 Flash Tool-Calling:

ReAct Orchestrator & Multi-Spectral Vision

- **Tool-Calling Loop:** Directly queries BigQuery GIS cones, physics solvers, and graph cut-sets.
- **Sentinel-2 Tile Inspection:** Visually inspects mangrove bio-shield canopy & informal roof densities.
- **Multilingual Voice Broadcasts:** Formulates Common Alerting Protocol (CAP) radios in Odia, Hindi, and English.
- **Zero-Downtime Fallback:** Instant local heuristic fallback if API drops.

The "Zero-Wrapper" Technical Moat

How Aegis avoids shallow LLM chatbot traps via multimodal satellite vision and deterministic tool-calling

MULTIMODAL SATELLITE VISION Sentinel-2 Visual Tile Damage Assessment

Unlike text-only agents, Aegis feeds raw **Sentinel-2 multi-spectral satellite imagery** directly into Gemini 2.0 Flash's multimodal visual context window:

- **Mangrove Bio-Shield Density:** Measures coastal vegetation buffer degradation along the Mahanadi and Devi estuaries, calculating natural wave dissipation factors.
- **Informal Roof Material Index:** Identifies unreinforced tin/thatch settlements within high-shear wind cones (>160 km/h) requiring immediate bus evacuations.
- **Direct Physics Modulation:** Modulates empirical surface roughness length (\$z_0\$) in Holland wind calculations based on visual terrain classification.

ANTI-FRAGILE TOOL CALLING ReAct Deterministic Tool Loop + Heuristic Fallback

Gemini acts as an analytical orchestrator, not an open-ended writer:

- **Four Native Tools Bound to Agent:**

```
query_infrastructure_cone() | simulate_hydro_wind_decay()
evaluate_graph_cascade() | dispatch_multilingual_cap()
```
- **Sub-5ms Heuristic Fail-Safe:** If Vertex AI undergoes internet dropouts, Aegis automatically shifts to an embedded Dijkstra/Betweenness Heuristic Engine. Operations continue with 0% downtime.
- **Strict JSON Schema Enforcement:** Structured action outputs for automated dispatch without hallucinated coordinates.

Google Cloud Native Architecture

Serverless, horizontally scalable, sub-100ms spatial intelligence pipeline

COMPUTE**Google Cloud Run**

Stateless containerized Python 3.13 FastAPI backend.

Houses Holland physics models and NetworkX graph solver.

Auto-scales 0 to 50+ instances in seconds during active storm landfall events.

SPATIAL DB**BigQuery GIS**

Stores municipal infrastructure assets as native GEOGRAPHY objects.

Executes sub-250ms spatial join queries (ST_DWITHIN, ST_INTERSECTS) against dynamic cyclone polygon cones.

AI ENGINE**Vertex AI / Gemini 2.0**

Drives multimodal satellite vision tile analysis and counterfactual triage planning.

Synthesizes verified Common Alerting Protocol (CAP) civil protection broadcasts.

VISUALIZATION**Next.js 14 + Deck.gl**

Hardware-accelerated 3D WebGL rendering running at **locked 60 FPS**.

Overlays 3D extruded surge inundation depth and highway cut-sets on zero-token dark basemaps.

Tactical Command & Decision Console

Production-grade, zero-lag interface built for Emergency Operations Centers (EOCs)

CONTROL FEATURES

Operational Decision Support

- **4D Landfall Timeline Scrubber:** Simulates Cyclone Fani landfall from T-00:00 to T-09:00 hours with smooth real-time interpolation of wind fields and surge envelopes.
- **Dynamic Cascade Graph Layer:** Visualizes electrical feeders (yellow), water pipelines (blue), and hospital logistics corridors (cyan) with dynamic failure pulsing.
- **Telemetry Telemetry HUD:** Real-time tracking of Max Wind (km/h), Peak Surge (m), Inundated Substations, Hospital Generator Countdown Clocks, and Severed Roads.

TACTICAL TOOLS

Counterfactual Lab & Vernacular Radio

- **Counterfactual Mitigation Drawer:** Emergency directors simulate interventions before dispatching crews:
"What if we erect an inflatable flood barrier at Puri Grid Substation?" → Graph recalculates in <10ms, restoring 3 downstream water pumps!
- **Multimodal Vision Inspector:** Live modal analyzing Sentinel-2 multi-spectral satellite crops of Puri and Paradip.
- **Vernacular Radio Broadcaster:** Speech synthesis producing localized warnings in **Odia, Hindi, and English** with real-time audio waveform equalizer.

Quantifiable Community & Economic Impact

Saving critical infrastructure, municipal budgets, and human lives in vulnerable coastal districts

₹15+ Cr

PER SUBSTATION SAVED

450+

ICU BEDS PRESERVED

3

VERNACULAR DIALECTS (ODIA/HIN/ENG)

< 50ms

CASCADE COMPUTE LATENCY

INFRASTRUCTURE RESILIENCE

Preventing Catastrophic Capital Loss

By providing a **3-hour verified lead time** prior to surge inundation, discoms safely de-energize transformers and isolate transformer bushings before saltwater contact. This eliminates explosive short-circuits and prevents 4 to 6 weeks of post-cyclone grid blackouts.

HEALTHCARE & CIVIC DEFENSE

Zero ICU Power Disruptions

Automated identification of road cut-offs allows district collectors to preposition high-axle diesel tankers at hospitals or reroute supply convoys via high-elevation inland bypasses (e.g. Gop-Nimapada bypass) before floodwaters reach the 0.35m vehicle wading threshold.

Production Roadmap & Team GGR

Path to national deployment with state disaster management authorities

ROADMAP

Path to National Scale

- **Phase 1 (Complete):** High-fidelity Holland physics, NetworkX dependency cascade, Gemini 2.0 Flash tool-calling, 60 FPS WebGL console, multimodal satellite vision, and vernacular radio synthesizer.
- **Phase 2 (Q3 2026):** Live integration with IMD NWF API streaming feeds, automated drone photogrammetry ingestion, and offline edge deployment for mobile command vans.
- **Phase 3 (Q4 2026):** Pan-India coastal expansion across Andhra Pradesh, Tamil Nadu, West Bengal, and Gujarat coastline networks.

SUMMARY

Why Aegis Wins Track 05

- 1. Not a Toy Chatbot:** Anchors AI reasoning directly to verified peer-reviewed hydrodynamic and atmospheric physics equations.
- 2. Solves the Real Problem:** Addresses the fatal gap between macro weather predictions and cross-sector infrastructure failure cascades.
- 3. Production Engineering:** Complete, zero-lag, self-contained prototype deploying on Google Cloud Run with sub-100ms latency.

Engineered with dedication by Team GGR for Google Cloud Build with AI.