

MICROECONOMIC THEORY II

Bingyong Zheng

Email: bingyongzheng@gmail.com

Spring 2021

WHY EXTENSIVE FORM GAME?

- Strategic form games describe a game by its strategies—complete contingent plans of how to react in each possible scenario—and play down the temporal aspect of the situation—who moves first, who moves second, etc. It is like a computer chess program. Once each player submit the programs, the computer will take over and decide which side will win. You don't get to see the actual step-by-step plays.

WHY EXTENSIVE FORM GAME?

- Strategic form games describe a game by its strategies—complete contingent plans of how to react in each possible scenario—and play down the temporal aspect of the situation—who moves first, who moves second, etc. It is like a computer chess program. Once each player submit the programs, the computer will take over and decide which side will win. You don't get to see the actual step-by-step plays.
- Extensive-form games explicitly describe how the game is played through time, including details about who moves first, who moves second, and so on.

WHY EXTENSIVE FORM GAME?

- Strategic form games describe a game by its strategies—complete contingent plans of how to react in each possible scenario—and play down the temporal aspect of the situation—who moves first, who moves second, etc. It is like a computer chess program. Once each player submit the programs, the computer will take over and decide which side will win. You don't get to see the actual step-by-step plays.
- Extensive-form games explicitly describe how the game is played through time, including details about who moves first, who moves second, and so on.
- In this sense, extensive form game provides more information than the strategic form.

GAME BETWEEN A YOUNG KID WITH HIS PARENTS



ANALYZING THE EXAMPLE

- IF we just look at NE, then we may have some problem:

		kid			
Parent		GG	GS	SG	SS
	buy	-2, 1	-2, 1	-5, -10	-5, -10
	not buy	0, -2	-5, -10	0, -2	-5, -10

ANALYZING THE EXAMPLE

- IF we just look at NE, then we may have some problem:

		kid			
Parent		GG	GS	SG	SS
	buy	-2, 1	-2, 1	-5, -10	-5, -10
	not buy	0, -2	-5, -10	0, -2	-5, -10

- Three NE:

$(N, GG), \quad (B, GS), \quad (N, SG).$

ANALYZING THE EXAMPLE

- IF we just look at NE, then we may have some problem:


		kid			
Parent		GG	GS	SG	SS
	buy	-2, 1	-2, 1	-5, -10	-5, -10
	not buy	0, -2	-5, -10	0, -2	-5, -10

- Three NE:

(N, GG) , (B, GS) , (N, SG) .

- Not all NE reasonable predictions!

HOW THE GAME GETS PLAYED



EXTENSIVE FORM

Definition: An extensive form game Γ_E contains the following information:

- 1 Set of nodes \mathcal{X} , set of actions \mathcal{A} and set of players $\{1, \dots, I\}$.

EXTENSIVE FORM

Definition: An extensive form game Γ_E contains the following information:

- 1 Set of nodes \mathcal{X} , set of actions \mathcal{A} and set of players $\{1, \dots, I\}$.
- 2 The order of moves—i.e., who moves when

EXTENSIVE FORM

Definition: An extensive form game Γ_E contains the following information:

- 1 Set of nodes \mathcal{X} , set of actions \mathcal{A} and set of players $\{1, \dots, I\}$.
- 2 The order of moves—i.e., who moves when
 - Predecessor function: $p : \mathcal{X} \rightarrow \mathcal{X} \cup \emptyset$; $p(x_0) = \emptyset$

EXTENSIVE FORM

Definition: An extensive form game Γ_E contains the following information:

- ❶ Set of nodes \mathcal{X} , set of actions \mathcal{A} and set of players $\{1, \dots, I\}$.
- ❷ The order of moves—i.e., who moves when
 - Predecessor function: $p : \mathcal{X} \rightarrow \mathcal{X} \cup \emptyset$; $p(x_0) = \emptyset$
 - Successor function: $s(x) = p^{-1}(x)$; $T = \{x \in \mathcal{X} : s(x) = \emptyset\}$

EXTENSIVE FORM

Definition: An extensive form game Γ_E contains the following information:

- ① Set of nodes \mathcal{X} , set of actions \mathcal{A} and set of players $\{1, \dots, I\}$.
- ② The order of moves—i.e., who moves when
 - Predecessor function: $p : \mathcal{X} \rightarrow \mathcal{X} \cup \emptyset$; $p(x_0) = \emptyset$
 - Successor function: $s(x) = p^{-1}(x)$; $T = \{x \in \mathcal{X} : s(x) = \emptyset\}$
 - $\alpha : \mathcal{X} \setminus \{x_0\} \rightarrow \mathcal{A}$ giving the action that leads to x from $p(x)$

$$c(x) = \{\alpha \in \mathcal{A} : x = \alpha(p(x)), p(x) \in s(x)\}$$

EXTENSIVE FORM

Definition: An extensive form game Γ_E contains the following information:

- ❶ Set of nodes \mathcal{X} , set of actions \mathcal{A} and set of players $\{1, \dots, I\}$.
- ❷ The order of moves—i.e., who moves when
 - Predecessor function: $p : \mathcal{X} \rightarrow \mathcal{X} \cup \emptyset$; $p(x_0) = \emptyset$
 - Successor function: $s(x) = p^{-1}(x)$; $T = \{x \in \mathcal{X} : s(x) = \emptyset\}$
 - $\alpha : \mathcal{X} \setminus \{x_0\} \rightarrow \mathcal{A}$ giving the action that leads to x from $p(x)$

$$c(x) = \{\alpha \in \mathcal{A} : x = \alpha(p(x)), p(x) \in s(x)\}$$

- ❸ Information sets: $H : \mathcal{X} \rightarrow \mathcal{H}$,

$$c(x) = c(x') \quad \text{if} \quad H(x) = H(x')$$

EXTENSIVE FORM CONTINUED

- ④ The probability distribution over any exogenous events:

$$\rho : \mathcal{H}_0 \times \mathcal{A} \rightarrow [0, 1], \quad \rho(H, a) = 0 \quad \text{if } a \notin C(H) \text{ and} \\ \sum_{a \in C(H)} \rho(H, a) = 1$$

EXTENSIVE FORM CONTINUED

- 4 The probability distribution over any exogenous events:

$$\rho : \mathcal{H}_0 \times \mathcal{A} \rightarrow [0, 1], \quad \rho(H, a) = 0 \quad \text{if } a \notin C(H) \text{ and} \\ \sum_{a \in C(H)} \rho(H, a) = 1$$

- 5 The players' payoffs as a function of the moves that were made.

PERFECT RECALL

- We say a game is of *perfect recall* if “no player ever forgets any information he once knew, and all players know the actions they have chosen previously.

PERFECT RECALL

- We say a game is of *perfect recall* if “no player ever forgets any information he once knew, and all players know the actions they have chosen previously.
- More formally, if x and x' belongs to the same information set of player i , then it must be that 1) the sequence of moves that leads to x and the sequence of moves that leads to x' must pass through the same sequence of information sets for player i , and 2) in each of the information set of players i that leads to x and x' , the same action must be chosen by player i .

EXAMPLE 1: IMPERFECT RECALL

ANOTHER EXAMPLE

MORE ON EXTENSIVE FORM

- One problem with this way of writing down a game is that there is no natural way to express a simultaneous move.

MORE ON EXTENSIVE FORM



- One problem with this way of writing down a game is that there is no natural way to express a simultaneous move.
- Example: Battle of Sexes. When we write down this game in extensive form, we write it as if someone moves first, and the second player does not observe the move of the first mover. This maintain the same information structure as the simultaneous game but change the sequence of moves.

MORE ON EXTENSIVE FORM

- One problem with this way of writing down a game is that there is no natural way to express a simultaneous move.
- Example: Battle of Sexes. When we write down this game in extensive form, we write it as if someone moves first, and the second player does not observe the move of the first mover. This maintain the same information structure as the simultaneous game but change the sequence of moves.
- The point is: although the extensive form tells us more about the sequence of moves, it is not a completely accurate description (when the game involves simultaneous moves).

BATTLE OF SEXES GAME

	a	b
a	3,1	0,0
b	0,0	1,3



PURE STRATEGY

- A pure strategy of an extensive form game for a player i prescribes an action at each information set of player i .

PURE STRATEGY

- A pure strategy of an extensive form game for a player i prescribes an action at each information set of player i .
- Example: In the Entrant-incumbent game given below:


PURE STRATEGY

- A pure strategy of an extensive form game for a player i prescribes an action at each information set of player i .
- Example: In the Entrant-incumbent game given below:
 - Firm I has two pure strategies: fight, accommodate

PURE STRATEGY

- A pure strategy of an extensive form game for a player i prescribes an action at each information set of player i .
- Example: In the Entrant-incumbent game given below:
 - Firm I has two pure strategies: fight, accommodate
 - Firm E has four pure strategies:
Out and Fight if In (OF), Out and Accommodate if In (OA),
In and Fight if In (IF), In and Accommodate if In (IA).

ENTRANT-INCUMBENT GAME



INTERPRETATION ON STRATEGY

- ❶ A strategy is not really a plan of actions, as it requires a player to specify his actions at information sets that are impossible to be reached if he carries out his plan.

INTERPRETATION ON STRATEGY

- ❶ A strategy is not really a plan of actions, as it requires a player to specify his actions at information sets that are impossible to be reached if he carries out his plan.
- ❷ So, if a player wants to let an agent to play the game for him, there is no need to tell the agent what to do in those information sets.

INTERPRETATION ON STRATEGY

- ❶ A strategy is not really a plan of actions, as it requires a player to specify his actions at information sets that are impossible to be reached if he carries out his plan.
- ❷ So, if a player wants to let an agent to play the game for him, there is no need to tell the agent what to do in those information sets.
- ❸ In fact, two strategies that are different only in information sets ruled out by own strategy are *strategically equivalent* in the sense they always lead to the same payoffs.

INTERPRETATION ON STRATEGY

- ❶ A strategy is not really a plan of actions, as it requires a player to specify his actions at information sets that are impossible to be reached if he carries out his plan.
- ❷ So, if a player wants to let an agent to play the game for him, there is no need to tell the agent what to do in those information sets.
- ❸ In fact, two strategies that are different only in information sets ruled out by own strategy are *strategically equivalent* in the sense they always lead to the same payoffs.
- ❹ One way to interpret this is that a strategy for player i actually includes two parts:

INTERPRETATION ON STRATEGY

- ❶ A strategy is not really a plan of actions, as it requires a player to specify his actions at information sets that are impossible to be reached if he carries out his plan.
- ❷ So, if a player wants to let an agent to play the game for him, there is no need to tell the agent what to do in those information sets.
- ❸ In fact, two strategies that are different only in information sets ruled out by own strategy are *strategically equivalent* in the sense they always lead to the same payoffs.
- ❹ One way to interpret this is that a strategy for player i actually includes two parts:
 - a rational plan for player i at information set that he may be called upon to play;

INTERPRETATION ON STRATEGY

- ❶ A strategy is not really a plan of actions, as it requires a player to specify his actions at information sets that are impossible to be reached if he carries out his plan.
- ❷ So, if a player wants to let an agent to play the game for him, there is no need to tell the agent what to do in those information sets.
- ❸ In fact, two strategies that are different only in information sets ruled out by own strategy are *strategically equivalent* in the sense they always lead to the same payoffs.
- ❹ One way to interpret this is that a strategy for player i actually includes two parts:
 - a rational plan for player i at information set that he may be called upon to play;
 - and a prediction about i 's future behavior should she deviates from her plan.

INTERPRETATION CONTINUED

- ⑤ Player i 's PLAN: The rational plan specifies player i 's choice at her information sets that could be reached given the plan how she would play the game.

INTERPRETATION CONTINUED

- ⑤ Player i 's PLAN: The rational plan specifies player i 's choice at her information sets that could be reached given the plan how she would play the game.
- ⑥ Other players' BELIEF: The prediction of what player i would do at information sets that can't be reached given her own plan is important for other players to specify what they would do should player i deviate from her plan.

INTERPRETATION CONTINUED

- 5 Player i 's PLAN: The rational plan specifies player i 's choice at her information sets that could be reached given the plan how she would play the game.
- 6 Other players' BELIEF: The prediction of what player i would do at information sets that can't be reached given her own plan is important for other players to specify what they would do should player i deviate from her plan.
- 7 In addition, to know the belief of other players about her play at those information set and how they would respond help rationalize player i 's plan in the first place (her choices at information sets that could be reached given her PLAN).

MIXED STRATEGY

- There are two ways to define mixed strategies.

MIXED STRATEGY

- There are two ways to define mixed strategies.
- A *mixed strategy* σ_i for player i assigns to each pure strategy $s_i \in S_i$ a probability $\sigma_i(s_i) \geq 0$ that it will be played, where $\sum_{s_i \in S_i} \sigma_i(s_i) = 1$

MIXED STRATEGY

- There are two ways to define mixed strategies.
- A *mixed strategy* σ_i for player i assigns to each pure strategy $s_i \in S_i$ a probability $\sigma_i(s_i) \geq 0$ that it will be played, where $\sum_{s_i \in S_i} \sigma_i(s_i) = 1$
- A *behavioral strategy* for player i prescribes, for every information set H and action a_i a probability $\lambda_i(a_i, H)$, with $\sum_{a_i} \lambda_i(a_i, H) = 1$ for all H .

MIXED STRATEGY

- There are two ways to define mixed strategies.
- A *mixed strategy* σ_i for player i assigns to each pure strategy $s_i \in S_i$ a probability $\sigma_i(s_i) \geq 0$ that it will be played, where $\sum_{s_i \in S_i} \sigma_i(s_i) = 1$
- A *behavioral strategy* for player i prescribes, for every information set H and action a_i a probability $\lambda_i(a_i, H)$, with $\sum_{a_i} \lambda_i(a_i, H) = 1$ for all H .
- Mixed strategies and behavior strategies are strategically equivalent in games of perfect recall.


MIXED STRATEGY

- There are two ways to define mixed strategies.
- A *mixed strategy* σ_i for player i assigns to each pure strategy $s_i \in S_i$ a probability $\sigma_i(s_i) \geq 0$ that it will be played, where $\sum_{s_i \in S_i} \sigma_i(s_i) = 1$
- A *behavioral strategy* for player i prescribes, for every information set H and action a_i a probability $\lambda_i(a_i, H)$, with $\sum_{a_i} \lambda_i(a_i, H) = 1$ for all H .
- Mixed strategies and behavior strategies are strategically equivalent in games of perfect recall.
- This implies that we can use either one of the two at our convenience.

MIXED STRATEGY

- There are two ways to define mixed strategies.
- A *mixed strategy* σ_i for player i assigns to each pure strategy $s_i \in S_i$ a probability $\sigma_i(s_i) \geq 0$ that it will be played, where $\sum_{s_i \in S_i} \sigma_i(s_i) = 1$
- A *behavioral strategy* for player i prescribes, for every information set H and action a_i a probability $\lambda_i(a_i, H)$, with $\sum_{a_i} \lambda_i(a_i, H) = 1$ for all H .
- Mixed strategies and behavior strategies are strategically equivalent in games of perfect recall.
- This implies that we can use either one of the two at our convenience.
- We typically use *behavior* strategies for *extensive* form game, and *mixed* strategies for *strategical* form game.

EQUIVALENCE OF TWO MIXED STRATEGIES



SKETCH OF PROOF

- 1 For any mixed strategy of Firm E (OF,OA,IF,IA; p_1, p_2, p_3, p_4), there exists a unique behavior strategy such that the probability of reaching terminal nodes T_1, \dots, T_5 is the same.

SKETCH OF PROOF

- ① For any mixed strategy of Firm E (OF,OA,IF,IA; p_1, p_2, p_3, p_4), there exists a unique behavior strategy such that the probability of reaching terminal nodes T_1, \dots, T_5 is the same.
- ② To see this, let the mixed strategy for Firm I be (F, A; $\sigma, 1 - \sigma$), we show there is a unique behavior strategy for Firm E that assigns q and $1 - q$ to “Out” and “In” at the first information set, and assigns r and $1 - r$ to “F” and “A” at the second information set.

SKETCH OF PROOF

- 1 For any mixed strategy of Firm E (OF,OA,IF,IA; p_1, p_2, p_3, p_4), there exists a unique behavior strategy such that the probability of reaching terminal nodes T_1, \dots, T_5 is the same.
- 2 To see this, let the mixed strategy for Firm I be (F, A; $\sigma, 1 - \sigma$), we show there is a unique behavior strategy for Firm E that assigns q and $1 - q$ to “Out” and “In” at the first information set, and assigns r and $1 - r$ to “F” and “A” at the second information set.
- 3 Given the mixed strategy of Firm E and Firm I:

$$Pr(T_1) = p_1 + p_2, \quad Pr(T_2) = p_3\sigma, \quad Pr(T_3) = p_3(1 - \sigma)$$

$$Pr(T_4) = p_4\sigma, \quad Pr(T_5) = p_4(1 - \sigma).$$

SKETCH OF PROOF

- 1 For any mixed strategy of Firm E (OF,OA,IF,IA; p_1, p_2, p_3, p_4), there exists a unique behavior strategy such that the probability of reaching terminal nodes T_1, \dots, T_5 is the same.
- 2 To see this, let the mixed strategy for Firm I be (F, A; $\sigma, 1 - \sigma$), we show there is a unique behavior strategy for Firm E that assigns q and $1 - q$ to “Out” and “In” at the first information set, and assigns r and $1 - r$ to “F” and “A” at the second information set.
- 3 Given the mixed strategy of Firm E and Firm I:

$$Pr(T_1) = p_1 + p_2, \quad Pr(T_2) = p_3\sigma, \quad Pr(T_3) = p_3(1 - \sigma)$$

$$Pr(T_4) = p_4\sigma, \quad Pr(T_5) = p_4(1 - \sigma).$$

- 4 Hence we have the unique behavior strategy

$$q = p_1 + p_2, \quad r = \frac{p_3}{1 - (p_1 + p_2)}.$$

PROOF CONTINUED

- ⑤ On the other hand, given a behavior strategy $(q, 1 - q)$ at the first information set and $(r, 1 - r)$ at the second information set, we can get the mixed strategy.

PROOF CONTINUED

- ⑤ On the other hand, given a behavior strategy $(q, 1 - q)$ at the first information set and $(r, 1 - r)$ at the second information set, we can get the mixed strategy.
- ⑥ The unique mixed strategy that is equivalent to the behavior strategy is:


$$p_1 = qr, \quad p_2 = q(1-r), \quad p_3 = (1-q)r, \quad p_4 = (1-q)(1-r).$$

NE

- Nash Equilibrium is defined in the usual way.

NE

- Nash Equilibrium is defined in the usual way.
- The sequential battle of sexes game:



SEQUENTIAL BATTLE OF SEXES GAME

- Strategical form of the game

	aa	ab	ba	bb
a	3,1	3,1	0,0	0,0
b	0,0	1,3	0,0	1,3

SEQUENTIAL BATTLE OF SEXES GAME

- Strategic form of the game

	aa	ab	ba	bb
a	3,1	3,1	0,0	0,0
b	0,0	1,3	0,0	1,3

- Obviously every Nash equilibrium of the extensive form game is a Nash equilibrium in the strategic form game, and vice versa.

SEQUENTIAL BATTLE OF SEXES GAME

- Strategic form of the game

	aa	ab	ba	bb
a	3,1	3,1	0,0	0,0
b	0,0	1,3	0,0	1,3

- Obviously every Nash equilibrium of the extensive form game is a Nash equilibrium in the strategic form game, and vice versa.
- The strategic form however does not capture all the information, namely, the order of moves, contained in an extensive form game.

SEQUENTIAL BATTLE OF SEXES GAME

- Strategic form of the game

	aa	ab	ba	bb
a	3,1	3,1	0,0	0,0
b	0,0	1,3	0,0	1,3

- Obviously every Nash equilibrium of the extensive form game is a Nash equilibrium in the strategic form game, and vice versa.
- The strategic form however does not capture all the information, namely, the order of moves, contained in an extensive form game.
- Two extensive form games may have the same strategic form. For, example, the game above may also be a 2x4 simultaneous-move game.

PRINCIPLE OF SEQUENTIAL RATIONALITY

- NE may involve incredible threat:
believe opponent will make a choice that is not optimal off the equilibrium path

PRINCIPLE OF SEQUENTIAL RATIONALITY

- NE may involve incredible threat:
believe opponent will make a choice that is not optimal off the equilibrium path
- The principle of sequential rationality: a player's strategy should specify optimal actions *at every point in the game tree*.

PRINCIPLE OF SEQUENTIAL RATIONALITY

- NE may involve incredible threat:
believe opponent will make a choice that is not optimal off the equilibrium path
- The principle of sequential rationality: a player's strategy should specify optimal actions *at every point in the game tree*.
- Backward induction ensures that a player's strategies specify optimal behavior at every decision node of the game.

PROBLEM WITH NE

- There are three Nash equilibria in SBoS:

$$(a, aa), \quad (a, ab), \quad (b, bb).$$

PROBLEM WITH NE

- There are three Nash equilibria in SBoS:

$$(a, aa), \quad (a, ab), \quad (b, bb).$$

- In the last equilibrium,

PROBLEM WITH NE

- There are three Nash equilibria in SBoS:

$$(a, aa), \quad (a, ab), \quad (b, bb).$$

- In the last equilibrium,
 - Player 2 threatens to choose b when player 1 chooses a , even when doing so harms both players.

PROBLEM WITH NE

- There are three Nash equilibria in SBoS:

$$(a, aa), \quad (a, ab), \quad (b, bb).$$

- In the last equilibrium,
 - Player 2 threatens to choose b when player 1 chooses a , even when doing so harms both players.
 - Believing the threat, player 1 chooses b , leading to the outcome (b,b) .

PROBLEM WITH NE

- There are three Nash equilibria in SBoS:

$$(a, aa), \quad (a, ab), \quad (b, bb).$$

- In the last equilibrium,
 - Player 2 threatens to choose b when player 1 chooses a , even when doing so harms both players.
 - Believing the threat, player 1 chooses b , leading to the outcome (b,b) .
 - This is a Nash equilibrium because Player 2 will not be called upon to carry out the threat.

PROBLEM WITH NE

- There are three Nash equilibria in SBoS:

$$(a, aa), \quad (a, ab), \quad (b, bb).$$

- In the last equilibrium,
 - Player 2 threatens to choose b when player 1 chooses a , even when doing so harms both players.
 - Believing the threat, player 1 chooses b , leading to the outcome (b,b) .
 - This is a Nash equilibrium because Player 2 will not be called upon to carry out the threat.
- Most people will think this type of threat is not credible. If player 1 calls player 2's bluff by choosing a , it is not in the interest of player 2 to actually carry the threat.

PROBLEM WITH NE

- There are three Nash equilibria in SBoS:

$$(a, aa), \quad (a, ab), \quad (b, bb).$$

- In the last equilibrium,
 - Player 2 threatens to choose b when player 1 chooses a , even when doing so harms both players.
 - Believing the threat, player 1 chooses b , leading to the outcome (b,b) .
 - This is a Nash equilibrium because Player 2 will not be called upon to carry out the threat.
- Most people will think this type of threat is not credible. If player 1 calls player 2's bluff by choosing a , it is not in the interest of player 2 to actually carry the threat.
- The concept of Nash equilibrium does not distinguish whether a threat is credible because as long as a threat is effective, it has no payoff consequences.

BACKWARD INDUCTION

- In games of perfect information, we can formalize the idea that each player should act rationally in decisions nodes off the equilibrium path by the procedure of backward induction.

BACKWARD INDUCTION

- In games of perfect information, we can formalize the idea that each player should act rationally in decisions nodes off the equilibrium path by the procedure of backward induction.
- Definition: An extensive form game is of perfect information if every information set is a singleton (which means there is no exogenous uncertainty and each player also all the moves up to that point).

BACKWARD INDUCTION

- In games of perfect information, we can formalize the idea that each player should act rationally in decisions nodes off the equilibrium path by the procedure of backward induction.
- Definition: An extensive form game is of perfect information if every information set is a singleton (which means there is no exogenous uncertainty and each player also all the moves up to that point).
- Backward Induction:

BACKWARD INDUCTION

- In games of perfect information, we can formalize the idea that each player should act rationally in decisions nodes off the equilibrium path by the procedure of backward induction.
- Definition: An extensive form game is of perfect information if every information set is a singleton (which means there is no exogenous uncertainty and each player also all the moves up to that point).
- Backward Induction:
 - ① Start with the decision nodes in the final stage (those whose successors are all terminal nodes).

BACKWARD INDUCTION

- In games of perfect information, we can formalize the idea that each player should act rationally in decisions nodes off the equilibrium path by the procedure of backward induction.
- Definition: An extensive form game is of perfect information if every information set is a singleton (which means there is no exogenous uncertainty and each player also all the moves up to that point).
- Backward Induction:
 - 1 Start with the decision nodes in the final stage (those whose successors are all terminal nodes).
 - 2 At each of these nodes, selects one of the best alternatives for the player who is making the decision and eliminates the rest.

BACKWARD INDUCTION

- In games of perfect information, we can formalize the idea that each player should act rationally in decisions nodes off the equilibrium path by the procedure of backward induction.
- Definition: An extensive form game is of perfect information if every information set is a singleton (which means there is no exogenous uncertainty and each player also all the moves up to that point).
- Backward Induction:
 - ① Start with the decision nodes in the final stage (those whose successors are all terminal nodes).
 - ② At each of these nodes, selects one of the best alternatives for the player who is making the decision and eliminates the rest.
 - ③ Repeat the same procedure until the initial node is reached.
The resulting payoff profile is called a backward induction solution.

BACKWARD INDUCTION

- In games of perfect information, we can formalize the idea that each player should act rationally in decisions nodes off the equilibrium path by the procedure of backward induction.
- Definition: An extensive form game is of perfect information if every information set is a singleton (which means there is no exogenous uncertainty and each player also all the moves up to that point).
- Backward Induction:
 - ❶ Start with the decision nodes in the final stage (those whose successors are all terminal nodes).
 - ❷ At each of these nodes, selects one of the best alternatives for the player who is making the decision and eliminates the rest.
 - ❸ Repeat the same procedure until the initial node is reached.
The resulting payoff profile is called a backward induction solution.
- Backward induction solutions are all Nash equilibrium, but the converse is false. The solution is unique if no player is ever indifferent between two actions.

SUBGAME PERFECT NE

- Subgame: The portion of the game tree that follows a decision node x is a *subgame* if it constitutes a well-defined extensive form game. That is, if

SUBGAME PERFECT NE

- Subgame: The portion of the game tree that follows a decision node x is a *subgame* if it constitutes a well-defined extensive form game. That is, if
 - 1 the information set that contains x is a singleton; and

SUBGAME PERFECT NE

- Subgame: The portion of the game tree that follows a decision node x is a *subgame* if it constitutes a well-defined extensive form game. That is, if
 - ① the information set that contains x is a singleton; and
 - ② if x belongs to the subgame, then every x' in the same information set as x must also belong to the subgame.

SUBGAME PERFECT NE

- Subgame: The portion of the game tree that follows a decision node x is a *subgame* if it constitutes a well-defined extensive form game. That is, if
 - 1 the information set that contains x is a singleton; and
 - 2 if x belongs to the subgame, then every x' in the same information set as x must also belong to the subgame.
- Subgame Perfection: A Nash equilibrium is subgame perfect if it prescribes a Nash equilibrium in every subgame.

SUBGAME PERFECT NE

- Subgame: The portion of the game tree that follows a decision node x is a *subgame* if it constitutes a well-defined extensive form game. That is, if
 - ① the information set that contains x is a singleton; and
 - ② if x belongs to the subgame, then every x' in the same information set as x must also belong to the subgame.
- Subgame Perfection: A Nash equilibrium is subgame perfect if it prescribes a Nash equilibrium in every subgame.
- Subgame perfection generalizes the idea of backward induction to games of imperfect information. The backward induction solution is always subgame perfect.

SUBGAME PERFECT NE

- Subgame: The portion of the game tree that follows a decision node x is a *subgame* if it constitutes a well-defined extensive form game. That is, if
 - 1 the information set that contains x is a singleton; and
 - 2 if x belongs to the subgame, then every x' in the same information set as x must also belong to the subgame.
- Subgame Perfection: A Nash equilibrium is subgame perfect if it prescribes a Nash equilibrium in every subgame.
- Subgame perfection generalizes the idea of backward induction to games of imperfect information. The backward induction solution is always subgame perfect.
- The way to find subgame perfect equilibrium is similar to backward induction: starting from the subgame near the end and work backward.

AN APPLICATION

STRATEGICAL FORM OF THE GAME

Player 3

	lll	llr	lrl	lrr	rll	rlr	rll	rrr
L	2, 0, 1	2, 0, 1	2, 0, 1	2, 0, 1	-1, 5, 6	-1, 5, 6	-1, 5, 6	-1, 5, 6
R	3, 1, 2	3, 1, 2	5, 4, 4	5, 4, 4	5, 4, 4	3, 1, 2	3, 1, 2	5, 4, 4

Player 2 plays a

Player 3

	lll	llr	lrl	lrr	rll	rlr	rll	rrr
L	2, 0, 1	2, 0, 1	2, 0, 1	2, 0, 1	-1, 5, 6	-1, 5, 6	-1, 5, 6	-1, 5, 6
R	0, -1, 7	-2, 2, 0	0, -1, 7	-2, 2, 0	0, -1, 7	-2, 2, 0	0, -1, 7	-2, 2, 0

Player 2 plays b

STRATEGICAL FORM OF THE GAME

Player 3

	lll	llr	lrl	lrr	rll	rlr	rll	rrr
L	2, 0, 1	2, 0, 1	2, 0, 1	2, 0, 1	-1, 5, 6	-1, 5, 6	-1, 5, 6	-1, 5, 6
R	3, 1, 2	3, 1, 2	5, 4, 4*	5, 4, 4*	5, 4, 4*	3, 1, 2	3, 1, 2	5, 4, 4*


Player 2 plays a

Player 3

	lll	llr	lrl	lrr	rll	rlr	rll	rrr
L	2, 0, 1	2, 0, 1	2, 0, 1	2, 0, 1	-1, 5, 6	-1, 5, 6*	-1, 5, 6	-1, 5, 6*
R	0, -1, 7	-2, 2, 0	0, -1, 7	-2, 2, 0	0, -1, 7	-2, 2, 0	0, -1, 7	-2, 2, 0

Player 2 plays b

EXAMPLE 2



EXAMPLE 2: NE

- Strategic form

		player 2	
		<i>F</i>	<i>A</i>
player 1	<i>OF</i>	0, 2	0, 2
	<i>OA</i>	0, 2	0, 2
	<i>IF</i>	-3, -1	1, -2
	<i>IA</i>	-2, -1	3, 1

EXAMPLE 2: NE

- Strategic form

		player 2	
		F	A
player 1	OF	0, 2	0, 2
	OA	0, 2	0, 2
	IF	-3, -1	1, -2
	IA	-2, -1	3, 1

- Three pure NE:

$(OF, F), (OA, F), (IA, A)$

EXAMPLE 2: NE

- Strategic form


		player 2	
		F	A
player 1	OF	0, 2	0, 2
	OA	0, 2	0, 2
	IF	-3, -1	1, -2
	IA	-2, -1	3, 1

- Three pure NE:

$$(OF, F), \quad (OA, F) \quad (IA, A)$$

- Which of them involves incredible threat?

SUBGAME AFTER IN



FIND NE IN SUBGAME

- Strategic form of subgame

	F	A
F	-3, -1	1, -2
A	-2, -1	3, 1

FIND NE IN SUBGAME

- Strategic form of subgame

	F	A
F	-3, -1	1, -2
A	-2, -1	3, 1

- In the subgame, A is a dominant strategy!

FIND NE IN SUBGAME


- Strategic form of subgame

	F	A
F	-3, -1	1, -2
A	-2, -1	3, 1


- In the subgame, A is a dominant strategy!
- Unique NE:

(A, A) .


EXAMPLE 2: FIND SPNE



EXAMPLE 2: FIND SPNE




EXAMPLE 2: FIND SPNE




Entrant plays In; the unique SPNE: (IA, A)

EXAMPLE 3



EXAMPLE 3: FIND SPNE



EXAMPLE 3: FIND SPNE

		player 2	
		a	b
player 1	Oa	2, 0	2, 0
	Ob	2, 0	2, 0
	Ia	3, 1	0, 0
	Ib	0, 0	1, 3

EXAMPLE 3: FIND SPNE

		player 2	
		a	b
player 1	Oa	2, 0	2, 0*
	Ob	2, 0	2, 0*
	la	3, 1*	0, 0
	lb	0, 0	1, 3

EXAMPLE 3: FIND SPNE


- Subgame after IN

	a	b
a	3, 1	0, 0
b	2, 0	1, 3


- Three NE in the subgame:

$$(a, a); \quad (b, b); \quad \left(\frac{3}{4}, \frac{1}{4}; \frac{1}{4}, \frac{3}{4} \right).$$

EXAMPLE 3: FIND SPNE




EXAMPLE 3: FIND SPNE




SPNE 1: (la, a)

EXAMPLE 3: FIND SPNE




EXAMPLE 3: FIND SPNE




SPNE 2: (Ob, b)

EXAMPLE 3: FIND SPNE



EXAMPLE 3: FIND SPNE



SPNE 3: $(Oa\frac{3}{4}, Ob\frac{1}{4}, Ia0, Ib, 0; a\frac{1}{4}, b\frac{3}{4})$

MORE ON SPNE

- Existence of SPNE: Every finite extensive form game of perfect information has a pure strategy SPNE.

MORE ON SPNE

- Existence of SPNE: Every finite extensive form game of perfect information has a pure strategy SPNE.
- For finite extensive form game of perfect information, SPNE is unique if there is no tie in payoffs for any player.

MORE ON SPNE

- Existence of SPNE: Every finite extensive form game of perfect information has a pure strategy SPNE.
- For finite extensive form game of perfect information, SPNE is unique if there is no tie in payoffs for any player.
- Intuitively, backward induction rules out incredible threats. The backward induction solution of SBoS is (a,ab).

MORE ON SPNE

- Existence of SPNE: Every finite extensive form game of perfect information has a pure strategy SPNE.
- For finite extensive form game of perfect information, SPNE is unique if there is no tie in payoffs for any player.
- Intuitively, backward induction rules out incredible threats. The backward induction solution of SBoS is (a,ab).
- This example illustrates the value of commitment in strategic situations.

MORE ON SPNE

- Existence of SPNE: Every finite extensive form game of perfect information has a pure strategy SPNE.
- For finite extensive form game of perfect information, SPNE is unique if there is no tie in payoffs for any player.
- Intuitively, backward induction rules out incredible threats. The backward induction solution of SBoS is (a,ab).
- This example illustrates the value of commitment in strategic situations.
- Note that here the second mover is harmed by his own rationality—he will be better off if he can convince the first mover that he is irrational.

MORE ON SPNE

- Existence of SPNE: Every finite extensive form game of perfect information has a pure strategy SPNE.
- For finite extensive form game of perfect information, SPNE is unique if there is no tie in payoffs for any player.
- Intuitively, backward induction rules out incredible threats. The backward induction solution of SBoS is (a,ab).
- This example illustrates the value of commitment in strategic situations.
- Note that here the second mover is harmed by his own rationality—he will be better off if he can convince the first mover that he is irrational.
- That's one reason why young children often get what they want from parents.

BACKWARD INDUCTION AND COMMON KNOWLEDGE

- Backward induction in some sense relies on the common knowledge of rationality at every decision node.

BACKWARD INDUCTION AND COMMON KNOWLEDGE

- Backward induction in some sense relies on the common knowledge of rationality at every decision node.
- But it is problematic to maintain the assumption of rationality off the equilibrium path.


BACKWARD INDUCTION AND COMMON KNOWLEDGE

- Backward induction in some sense relies on the common knowledge of rationality at every decision node.
- But it is problematic to maintain the assumption of rationality off the equilibrium path.
- According to backward induction logic, a rational player should not deviate in the first place.

BACKWARD INDUCTION AND COMMON KNOWLEDGE


- Backward induction in some sense relies on the common knowledge of rationality at every decision node.
- But it is problematic to maintain the assumption of rationality off the equilibrium path.
- According to backward induction logic, a rational player should not deviate in the first place.
- There is no completely satisfactory solution to this problem.

CENTIPEDE GAME



- The unique SPNE is for 1 & 2 to choose "S" , which follows from Iterated deletion of weakly dominated strategies.

CENTIPEDE GAME




- The unique SPNE is for 1 & 2 to choose "S" , which follows from Iterated deletion of weakly dominated strategies.
- But this SPNE is rather doubtful.

WALLSTREETBETS DAY TRADERS VS. HEDGE FUND



GME SHORT SQUEEZE



SPNE MAY HAVE NO POWER




FIGURE : Entrant incumbent example 1

FIND SPNE OF THE ENTRY GAME

		Incumbent	
		F	A
Entrant	Out	0, 2	0, 2
	IN_1	-1, -2	2, 0
	IN_2	-1, -2	3, 1

THE PROBLEM WITH SPNE

- The SPNE are identical to NE for the entrant-incumbent game

THE PROBLEM WITH SPNE

- The SPNE are identical to NE for the entrant-incumbent game
- Definition: An extensive form game is of imperfect information if not all information sets are singletons.

THE PROBLEM WITH SPNE

- The SPNE are identical to NE for the entrant-incumbent game
- Definition: An extensive form game is of imperfect information if not all information sets are singletons.
- Backward induction may not work in games of imperfect information.


THE PROBLEM WITH SPNE

- The SPNE are identical to NE for the entrant-incumbent game
- Definition: An extensive form game is of imperfect information if not all information sets are singletons.
- Backward induction may not work in games of imperfect information.
- In view of this problem, a natural solution is to require each player to make optimal choices at every information set. This solves the problem in the above example.

THE PROBLEM WITH SPNE

- The SPNE are identical to NE for the entrant-incumbent game
- Definition: An extensive form game is of imperfect information if not all information sets are singletons.
- Backward induction may not work in games of imperfect information.
- In view of this problem, a natural solution is to require each player to make optimal choices at every information set. This solves the problem in the above example.
- But is this enough?

EXAMPLE 2: ENTRANT-INCUMBENT GAME 2



ENTRANT-INCUMBENT GAME 2 CONTINUED

- The strategic form

	F	A
OF	0, 2	0, 2
OA	0, 2	0, 2
IF	-3, -1	1, -2
IA	-2, -1	3, 1

ENTRANT-INCUMBENT GAME 2 CONTINUED

- The strategic form

	F	A
OF	0, 2	0, 2
OA	0, 2	0, 2
IF	-3, -1	1, -2
IA	-2, -1	3, 1

- NE

$(OF, F), (OA, F), (IA, A).$

ENTRANT-INCUMBENT GAME 2 CONTINUED

- The strategic form

	F	A
OF	0, 2	0, 2
OA	0, 2	0, 2
IF	-3, -1	1, -2
IA	-2, -1	3, 1

- NE

$(OF, F), (OA, F), (IA, A).$

- If we require every player to make optimal choice at every information set:

$(OA, F), (IA, A).$

ENTRANT-INCUMBENT GAME 2 CONTINUED

- The strategic form

	F	A
OF	0, 2	0, 2
OA	0, 2	0, 2
IF	-3, -1	1, -2
IA	-2, -1	3, 1

- NE


$(OF, F), (OA, F), (IA, A).$

- If we require every player to make optimal choice at every information set:


$(OA, F), (IA, A).$

- (OA, F) meets the requirement!


ENTRANT-INCUMBENT GAME 2 CONTINUED




ENTRANT-INCUMBENT GAME 2 CONTINUED



ENTRANT-INCUMBENT GAME 2 CONTINUED



ENTRANT-INCUMBENT GAME 2 CONTINUED



ENTRANT-INCUMBENT GAME 2 CONTINUED

- Subgame after entry

	F	A
F	-3, -1	1, -2
A	-2, -1	3, 1

ENTRANT-INCUMBENT GAME 2 CONTINUED

- Subgame after entry

	F	A
F	-3, -1	1, -2
A	-2, -1	3, 1

- So (OA, F) is not SPNE!


ENTRANT-INCUMBENT GAME 2 CONTINUED

- Subgame after entry


	F	A
F	-3, -1	1, -2
A	-2, -1	3, 1

- So (OA, F) is not SPNE!
- In addition to restriction on choices, there needs to be restrictions on off-equilibrium path beliefs!


BELIEF CONSISTENT WITH CHOICES




BELIEF CONSISTENT WITH CHOICES



BELIEF CONSISTENT WITH CHOICES



BELIEF CONSISTENT WITH CHOICES



SOME DEFINITIONS

- Definition: A system of beliefs μ in an extensive form game Γ_E is a specification of probability $\mu(x) \in [0, 1]$ for each decision node x in Γ_E such that for all information set $h \in \mathbf{H}$,

$$\sum_{x \in h} \mu(x) = 1.$$

SOME DEFINITIONS

- Definition: A system of beliefs μ in an extensive form game Γ_E is a specification of probability $\mu(x) \in [0, 1]$ for each decision node x in Γ_E such that for all information set $h \in \mathbf{H}$,

$$\sum_{x \in h} \mu(x) = 1.$$

- Definition: A strategy profile $\sigma = (\sigma_1, \dots, \sigma_I)$ is sequentially rational *at information set* h given belief μ if for player i who moves at information set h ,

$$E[U_i | \mu, \sigma_i, \sigma_{-i}] \geq E[U_i | \mu, \sigma'_i, \sigma_{-i}]$$

for all σ'_i of player i .

A strategy profile σ is sequentially rational given belief μ if this condition is satisfied for all information sets h .

SEQUENTIAL EQUILIBRIUM

- A strategy profile and system of beliefs (σ, μ) is a sequential equilibrium of Γ_E if

SEQUENTIAL EQUILIBRIUM

- A strategy profile and system of beliefs (σ, μ) is a sequential equilibrium of Γ_E if
 - I. The strategy profile σ is sequentially rational given μ .

SEQUENTIAL EQUILIBRIUM

- A strategy profile and system of beliefs (σ, μ) is a sequential equilibrium of Γ_E if
 - I. The strategy profile σ is sequentially rational given μ .
 - II. There exists completely mixed strategies $\{\sigma^k\}_{k=1}^{\infty}$ with $\lim_{k \rightarrow \infty} \sigma^k = \sigma$, such that $\mu = \lim_{k \rightarrow \infty} \mu^k$, where μ^k is derived from σ^k using Bayes rule.

SEQUENTIAL EQUILIBRIUM

- A strategy profile and system of beliefs (σ, μ) is a sequential equilibrium of Γ_E if
 - I. The strategy profile σ is sequentially rational given μ .
 - II. There exists completely mixed strategies $\{\sigma^k\}_{k=1}^{\infty}$ with $\lim_{k \rightarrow \infty} \sigma^k = \sigma$, such that $\mu = \lim_{k \rightarrow \infty} \mu^k$, where μ^k is derived from σ^k using Bayes rule.
- The concept of sequential equilibrium is a strengthening of the concept of subgame perfection.

SEQUENTIAL EQUILIBRIUM

- A strategy profile and system of beliefs (σ, μ) is a sequential equilibrium of Γ_E if
 - I. The strategy profile σ is sequentially rational given μ .
 - II. There exists completely mixed strategies $\{\sigma^k\}_{k=1}^\infty$ with $\lim_{k \rightarrow \infty} \sigma^k = \sigma$, such that $\mu = \lim_{k \rightarrow \infty} \mu^k$, where μ^k is derived from σ^k using Bayes rule.
- The concept of sequential equilibrium is a strengthening of the concept of subgame perfection.
- Any sequential equilibrium is necessarily subgame perfect, but the converse is not true. The difference of the two, of course, only lies in imperfect information game.

SEQUENTIAL EQUILIBRIUM

- A strategy profile and system of beliefs (σ, μ) is a sequential equilibrium of Γ_E if
 - I. The strategy profile σ is sequentially rational given μ .
 - II. There exists completely mixed strategies $\{\sigma^k\}_{k=1}^\infty$ with $\lim_{k \rightarrow \infty} \sigma^k = \sigma$, such that $\mu = \lim_{k \rightarrow \infty} \mu^k$, where μ^k is derived from σ^k using Bayes rule.
- The concept of sequential equilibrium is a strengthening of the concept of subgame perfection.
- Any sequential equilibrium is necessarily subgame perfect, but the converse is not true. The difference of the two, of course, only lies in imperfect information game.
- Consistency requirement: There are sequential equilibrium in which consistency may impose restrictions on the possible sequences of totally mixed strategy, and in turn also on the possible belief players may have off-the-equilibrium path.

INTERPRETATION OF THE DEFINITION

- The concept of sequential equilibrium captures the intuition of backward induction - - each player believes the other players are rational and thus will play optimally in any continuation of the game - - by defining an equilibrium to be a pair consisting of a behavioral strategy and a system of beliefs.

INTERPRETATION OF THE DEFINITION

- The concept of sequential equilibrium captures the intuition of backward induction - - each player believes the other players are rational and thus will play optimally in any continuation of the game - - by defining an equilibrium to be a pair consisting of a behavioral strategy and a system of beliefs.
- The behavior strategy is *sequentially rational* with the system of beliefs, namely that at every information set at which a player moves, the player's behavioral strategy maximizes his conditional payoff, given his belief at that information set and the strategies of the other players.

INTERPRETATION OF THE DEFINITION

- The concept of sequential equilibrium captures the intuition of backward induction - - each player believes the other players are rational and thus will play optimally in any continuation of the game - - by defining an equilibrium to be a pair consisting of a behavioral strategy and a system of beliefs.
- The behavior strategy is *sequentially rational* with the system of beliefs, namely that at every information set at which a player moves, the player's behavioral strategy maximizes his conditional payoff, given his belief at that information set and the strategies of the other players.
- The system of belief is *consistent* with the behavioral strategy, that is, it is the limit of a sequence of beliefs each being the actual conditional distribution on nodes of the various information sets induced by a sequence of totally mixed behavioral strategies converging to the given behavioral strategy.

APPLY THE DEFINITION OF SE

- Consider NE (OF, F)

APPLY THE DEFINITION OF SE

- Consider NE (OF, F)
 - σ not sequentially rational for any μ ;

APPLY THE DEFINITION OF SE

- Consider NE (OF, F)
 - σ not sequentially rational for any μ ;
 - F is not optimal for Entrant at the information set after IN.

APPLY THE DEFINITION OF SE

- Consider NE (OF, F)
 - σ not sequentially rational for any μ ;
 - F is not optimal for Entrant at the information set after IN.
- Consider NE (OA, F)

APPLY THE DEFINITION OF SE

- Consider NE (OF, F)
 - σ not sequentially rational for any μ ;
 - F is not optimal for Entrant at the information set after IN.
- Consider NE (OA, F)
 - σ OK if $\mu = (1, 0)$;

APPLY THE DEFINITION OF SE

- Consider NE (OF, F)
 - σ not sequentially rational for any μ ;
 - F is not optimal for Entrant at the information set after IN.
- Consider NE (OA, F)
 - σ OK if $\mu = (1, 0)$;
 - Given σ , totally mixed strategy

$$\sigma_E^k = (Out\ 1 - \epsilon^k, IN\ \epsilon^k; F\ \eta^k, A\ 1 - \eta^k).$$

APPLY THE DEFINITION OF SE

- Consider NE (OF, F)
 - σ not sequentially rational for any μ ;
 - F is not optimal for Entrant at the information set after IN.
- Consider NE (OA, F)
 - σ OK if $\mu = (1, 0)$;
 - Given σ , totally mixed strategy

$$\sigma_E^k = (Out\ 1 - \epsilon^k, IN\ \epsilon^k; F\ \eta^k, A\ 1 - \eta^k).$$

- Use Bayes' rule, x_L is left decision node,

$$\mu^k(x_L) = Pr(x_L|h, \sigma^k) = \frac{Pr(x_L, h|\sigma^k)}{Pr(h|\sigma^k)} = \frac{\epsilon^k \eta^k}{\epsilon^k} = \eta^k;$$

APPLY THE DEFINITION OF SE

- Consider NE (OF, F)
 - σ not sequentially rational for any μ ;
 - F is not optimal for Entrant at the information set after IN.
- Consider NE (OA, F)
 - σ OK if $\mu = (1, 0)$;
 - Given σ , totally mixed strategy

$$\sigma_E^k = (Out\ 1 - \epsilon^k, IN\ \epsilon^k; F\ \eta^k, A\ 1 - \eta^k).$$

- Use Bayes' rule, x_L is left decision node,

$$\mu^k(x_L) = Pr(x_L|h, \sigma^k) = \frac{Pr(x_L, h|\sigma^k)}{Pr(h|\sigma^k)} = \frac{\epsilon^k \eta^k}{\epsilon^k} = \eta^k;$$

- Thus,

$$\mu(x_L) = \lim_{k \rightarrow \infty} \mu^k(x_L) = 0;$$

APPLY THE DEFINITION OF SE

- Consider NE (OF, F)
 - σ not sequentially rational for any μ ;
 - F is not optimal for Entrant at the information set after IN.
- Consider NE (OA, F)
 - σ OK if $\mu = (1, 0)$;
 - Given σ , totally mixed strategy

$$\sigma_E^k = (Out\ 1 - \epsilon^k, IN\ \epsilon^k; F\ \eta^k, A\ 1 - \eta^k).$$

- Use Bayes' rule, x_L is left decision node,

$$\mu^k(x_L) = Pr(x_L|h, \sigma^k) = \frac{Pr(x_L, h|\sigma^k)}{Pr(h|\sigma^k)} = \frac{\epsilon^k \eta^k}{\epsilon^k} = \eta^k;$$

- Thus,

$$\mu(x_L) = \lim_{k \rightarrow \infty} \mu^k(x_L) = 0;$$

- But given $\mu(x_L) = 0$, optimal choice for Incumbent is A, not F!

APPLY THE DEFINITION OF SE

- Consider NE (OF, F)
 - σ not sequentially rational for any μ ;
 - F is not optimal for Entrant at the information set after IN.
- Consider NE (OA, F)
 - σ OK if $\mu = (1, 0)$;
 - Given σ , totally mixed strategy

$$\sigma_E^k = (Out\ 1 - \epsilon^k, IN\ \epsilon^k; F\ \eta^k, A\ 1 - \eta^k).$$

- Use Bayes' rule, x_L is left decision node,

$$\mu^k(x_L) = Pr(x_L|h, \sigma^k) = \frac{Pr(x_L, h|\sigma^k)}{Pr(h|\sigma^k)} = \frac{\epsilon^k \eta^k}{\epsilon^k} = \eta^k;$$


- Thus,

$$\mu(x_L) = \lim_{k \rightarrow \infty} \mu^k(x_L) = 0;$$


- But given $\mu(x_L) = 0$, optimal choice for Incumbent is A, not F!

- (OA, F) not S.E. either.


CONSTRUCT σ^k : (OA, F)



CONSTRUCT σ^k : (OA, F)



CONSTRUCT σ^k : (OA, F)



S.E. OF ENTRANT-INCUMBENT EXAMPLE 2

- Strategy


$$(IA, A);$$

- Belief:

$$\mu = (0, 1).$$

- That is, Incumbent assigns probability 0 to the decision node after F, and probability 1 to the decision after A.

ENTRANT INCUMBENT GAME 3



Firm E2

Firm E1

	Accept	Decline
OI	0, 0, 3	0, 0, 3*
OO	0, 0, 3	0, 0, 3*
EI	-1, 0, 2	-1, 0, 2
EO	-1, 0, 2	-1, 0, 2
PI	1, 1, -2	-1, 0, 2
PO	1, 1, -2	0, 0, 3

I fight


Firm E1

	Accept	Decline
OI	0, 0, 3	0, 0, 3
OO	0, 0, 3	0, 0, 3
EI	2, 0, 1	2, 0, 1
EO	2, 0, 1	2, 0, 1
PI	4, 4, 0*	2, 0, 1
PO	4, 4, 0*	0, 0, 3


I accommodate

- While this game has several pure strategy NE, there is only one SE.


E2'S PROBLEM




E2'S PROBLEM



INCUMBENT'S PROBLEM




INCUMBENT'S PROBLEM




Optimal for Incumbent to play A!

E1'S PROBLEM



E1'S PROBLEM



S.E. OF ENTRANT-INCUMBENT GAME 3

- Optimal choice for E2 is Accept, so (OI, D, F) and (OO, DO, F) fails condition (i) of the definition of S.E.;

S.E. OF ENTRANT-INCUMBENT GAME 3

- Optimal choice for E2 is Accept, so (OI, D, F) and (OO, DO, F) fails condition (i) of the definition of S.E.;
- Given Incumbent's equilibrium strategy A, E1's optimal choice at the second information set is IN. (PO, A, A) is not sequentially rational.

S.E. OF ENTRANT-INCUMBENT GAME 3

- Optimal choice for E2 is Accept, so (OI, D, F) and (OO, DO, F) fails condition (i) of the definition of S.E.;
- Given Incumbent's equilibrium strategy A, E1's optimal choice at the second information set is IN. (PO, A, A) is not sequentially rational.
- S.E. of the game

S.E. OF ENTRANT-INCUMBENT GAME 3

- Optimal choice for E2 is Accept, so (OI, D, F) and (OO, DO, F) fails condition (i) of the definition of S.E.;
- Given Incumbent's equilibrium strategy A, E1's optimal choice at the second information set is IN. (PO, A, A) is not sequentially rational.
- S.E. of the game
 - Strategy σ

$(PI, A, A);$

S.E. OF ENTRANT-INCUMBENT GAME 3

- Optimal choice for E2 is Accept, so (OI, D, F) and (OO, DO, F) fails condition (i) of the definition of S.E.;
- Given Incumbent's equilibrium strategy A, E1's optimal choice at the second information set is IN. (PO, A, A) is not sequentially rational.
- S.E. of the game

➤ Strategy σ


$$(PI, A, A);$$

➤ Belief:

$$\mu = (0, 1, 0).$$

That is, Incumbent firm assigns probability 1 to the decision node after Accept.

SELTEN'S HORSE



SELTEN'S HORSE CONTINUED

- The strategical form

		Player 2	
		a	d
Player 1	A	(3, 3, 0)	(5, 5, 0)
	D	(4, 4, 4)	(4, 4, 4)

3 plays L

		a	d
Player 1	A	(3, 3, 0)	(2, 2, 2)
	D	(1, 1, 1)	(1, 1, 1)

R

SELTEN'S HORSE CONTINUED

- The strategical form

		Player 2	
		a	d
Player 1	A	(3, 3, 0)	(5, 5, 0)
	D	(4, 4, 4)	(4, 4, 4)

3 plays L


		Player 2	
		a	d
Player 1	A	(3, 3, 0)	(2, 2, 2)
	D	(1, 1, 1)	(1, 1, 1)

R

- Two pure NE:


$$(D, a, L), \quad (A, a, R).$$

SELTEN'S HORE: SE




SELTEN'S HORE: SE


Consider (D, a, L): for player 2, given (D, L),



SELTEN'S HORE: SE




SELTEN'S HORE: SE



Given (D, L), optimal choice should be d ! (D,a,L) not S.E.

SELTEN'S HORE: SE



(D,a,L) not S.E., and (A, a,R) is S.E.

S.E. OF SELTEN'S HORSE

- The only S.E.:

S.E. OF SELTEN'S HORSE

- The only S.E.:

➤ σ

$(A, a, R);$

S.E. OF SELTEN'S HORSE

- The only S.E.:

➤ σ

$$(A, a, R);$$

➤ μ :

$$(\alpha, 1 - \alpha), \quad \alpha \leq \frac{2}{5}.$$

S.E. OF SELTEN'S HORSE

- The only S.E.:

➤ σ

$(A, a, R);$

➤ $\mu:$

$$(\alpha, 1 - \alpha), \quad \alpha \leq \frac{2}{5}.$$

- For player 3, given belief $(\alpha, 1 - \alpha)$:

$$U_3(L, \mu) = 4\alpha, \quad U_3(R, \mu) = \alpha + 2(1 - \alpha).$$

S.E. OF SELTEN'S HORSE

- The only S.E.:

➤ σ

$$(A, a, R);$$

➤ μ :

$$(\alpha, 1 - \alpha), \quad \alpha \leq \frac{2}{5}.$$

- For player 3, given belief $(\alpha, 1 - \alpha)$:

$$U_3(L, \mu) = 4\alpha, \quad U_3(R, \mu) = \alpha + 2(1 - \alpha).$$

- R is optimal when $\alpha \leq \frac{2}{5}$, that is,

$$U_3(L, \mu) = 4\alpha \leq U_3(R, \mu) = \alpha + 2(1 - \alpha).$$

BELIEF μ IS CONSISTENT

- By definition, $\mu = (\alpha, 1 - \alpha)$ comes from σ^k with $\lim_k \sigma^k = \sigma$.

BELIEF μ IS CONSISTENT

- By definition, $\mu = (\alpha, 1 - \alpha)$ comes from σ^k with $\lim_k \sigma^k = \sigma$.
- Let the totally mixed strategy σ_1^k and σ_2^k be:

$$\sigma_1^k = (\epsilon^k, 1 - \epsilon^k) \quad \sigma_2^k = (\eta^k, 1 - \eta^k), \quad \eta^k = \frac{(1 - \alpha)\epsilon^k}{\alpha(1 - \epsilon)^k}.$$

Player 1 plays A with $1 - \epsilon^k$, and 2 plays a with $1 - \eta^k$.

BELIEF μ IS CONSISTENT

- By definition, $\mu = (\alpha, 1 - \alpha)$ comes from σ^k with $\lim_k \sigma^k = \sigma$.
- Let the totally mixed strategy σ_1^k and σ_2^k be:

$$\sigma_1^k = (\epsilon^k, 1 - \epsilon^k) \quad \sigma_2^k = (\eta^k, 1 - \eta^k), \quad \eta^k = \frac{(1 - \alpha)\epsilon^k}{\alpha(1 - \epsilon)^k}.$$

Player 1 plays A with $1 - \epsilon^k$, and 2 plays a with $1 - \eta^k$.

- Bayes' Rule: x_L is decision node after D

$$\mu^k(x_L) = \frac{\epsilon^k}{\epsilon^k + (1 - \epsilon^k)\eta^k} = \alpha.$$

BELIEF μ IS CONSISTENT

- By definition, $\mu = (\alpha, 1 - \alpha)$ comes from σ^k with $\lim_k \sigma^k = \sigma$.
- Let the totally mixed strategy σ_1^k and σ_2^k be:

$$\sigma_1^k = (\epsilon^k, 1 - \epsilon^k) \quad \sigma_2^k = (\eta^k, 1 - \eta^k), \quad \eta^k = \frac{(1 - \alpha)\epsilon^k}{\alpha(1 - \epsilon)^k}.$$

Player 1 plays A with $1 - \epsilon^k$, and 2 plays a with $1 - \eta^k$.

- Bayes' Rule: x_L is decision node after D

$$\mu^k(x_L) = \frac{\epsilon^k}{\epsilon^k + (1 - \epsilon^k)\eta^k} = \alpha.$$

- Thus,

$$\mu(x_L) = \lim_{k \rightarrow \infty} \mu^k(x_L) = \alpha.$$

BELIEF μ IS CONSISTENT

- By definition, $\mu = (\alpha, 1 - \alpha)$ comes from σ^k with $\lim_k \sigma^k = \sigma$.
- Let the totally mixed strategy σ_1^k and σ_2^k be:

$$\sigma_1^k = (\epsilon^k, 1 - \epsilon^k) \quad \sigma_2^k = (\eta^k, 1 - \eta^k), \quad \eta^k = \frac{(1 - \alpha)\epsilon^k}{\alpha(1 - \epsilon)^k}.$$

Player 1 plays A with $1 - \epsilon^k$, and 2 plays a with $1 - \eta^k$.

- Bayes' Rule: x_L is decision node after D


$$\mu^k(x_L) = \frac{\epsilon^k}{\epsilon^k + (1 - \epsilon^k)\eta^k} = \alpha.$$

- Thus,

$$\mu(x_L) = \lim_{k \rightarrow \infty} \mu^k(x_L) = \alpha.$$

- The belief μ indeed comes from a totally mixed strategy profile σ^k !

ANOTHER EXAMPLE



FIND S.E.

- Strategic form

Player 2

	S	C
L	(0, 0, 0)	(0, 0, 0)
R	(1, 1, 2)	(1, 2, 1)

3 plays U

	S	C
L	(0, 0, 0)	(0, 0, 1)
R	(1, 1, 2)	(1, 0, 0)

V

FIND S.E.

- Strategic form

Player 2

	S	C
L	(0, 0, 0)	(0, 0, 0)
R	(1, 1, 2)	(1, 2, 1)

3 plays U

	S	C
L	(0, 0, 0)	(0, 0, 1)
R	(1, 1, 2)	(1, 0, 0)

V

- Two pure NE: (R, C, U) , (R, S, V) .

S.E. CONTINUED

- But (R, S, V) is not S. E.

S.E. CONTINUED

- But (R, S, V) is not S. E.
 - Given (R, S, V) , σ_1^k and σ_2^k are

$$\sigma_1^k = (L \epsilon^k, R (1 - \epsilon^k)), \quad \sigma_2^k = (S (1 - \eta^k), C \eta^k)$$

S.E. CONTINUED

- But (R, S, V) is not S. E.
 - Given (R, S, V), σ_1^k and σ_2^k are

$$\sigma_1^k = (L \epsilon^k, R (1 - \epsilon^k)), \quad \sigma_2^k = (S (1 - \eta^k), C \eta^k)$$

- Player 3' belief μ^3 should be (0, 1),

$$\mu^k(x_L) = \frac{\epsilon^k \eta^k}{(1 - \epsilon^k) \eta^k + \epsilon^k \eta^k} = \epsilon^k.$$

S.E. CONTINUED

- But (R, S, V) is not S. E.

➤ Given (R, S, V) , σ_1^k and σ_2^k are

$$\sigma_1^k = (L \epsilon^k, R (1 - \epsilon^k)), \quad \sigma_2^k = (S (1 - \eta^k), C \eta^k)$$

➤ Player 3' belief μ^3 should be $(0, 1)$,

$$\mu^k(x_L) = \frac{\epsilon^k \eta^k}{(1 - \epsilon^k) \eta^k + \epsilon^k \eta^k} = \epsilon^k.$$

➤ U is optimal, not V .

S.E. CONTINUED

- But (R, S, V) is not S. E.
 - Given (R, S, V) , σ_1^k and σ_2^k are

$$\sigma_1^k = (L \epsilon^k, R (1 - \epsilon^k)), \quad \sigma_2^k = (S (1 - \eta^k), C \eta^k)$$

- Player 3' belief μ^3 should be $(0, 1)$,

$$\mu^k(x_L) = \frac{\epsilon^k \eta^k}{(1 - \epsilon^k) \eta^k + \epsilon^k \eta^k} = \epsilon^k.$$

- U is optimal, not V .
- S.E. of the game

S.E. CONTINUED

- But (R, S, V) is not S. E.

➤ Given (R, S, V) , σ_1^k and σ_2^k are

$$\sigma_1^k = (L \epsilon^k, R (1 - \epsilon^k)), \quad \sigma_2^k = (S (1 - \eta^k), C \eta^k)$$

➤ Player 3' belief μ^3 should be $(0, 1)$,

$$\mu^k(x_L) = \frac{\epsilon^k \eta^k}{(1 - \epsilon^k) \eta^k + \epsilon^k \eta^k} = \epsilon^k.$$

➤ U is optimal, not V .

- S.E. of the game

➤ σ :

$$(R, C, U);$$

S.E. CONTINUED

- But (R, S, V) is not S. E.

➤ Given (R, S, V) , σ_1^k and σ_2^k are

$$\sigma_1^k = (L \epsilon^k, R (1 - \epsilon^k)), \quad \sigma_2^k = (S (1 - \eta^k), C \eta^k)$$

➤ Player 3' belief μ^3 should be $(0, 1)$,

$$\mu^k(x_L) = \frac{\epsilon^k \eta^k}{(1 - \epsilon^k) \eta^k + \epsilon^k \eta^k} = \epsilon^k.$$

➤ U is optimal, not V .

- S.E. of the game

➤ σ :

$$(R, C, U);$$

➤ μ :

$$\mu^2 = (0, 1), \quad \mu^3 = (0, 1).$$

IMPLICATIONS OF CONDITIONS IMPOSED BY SE

- On behavior: In NO circumstances should a player makes a choices that is dominated by other choices. Therefore, the strategy should specify optimal choice at every information set given the beliefs about what has happened previously, thus the probability distribution over different decision nodes at the information set, as well as what the other players are playing.

IMPLICATIONS OF CONDITIONS IMPOSED BY SE

- On behavior: In NO circumstances should a player makes a choices that is dominated by other choices. Therefore, the strategy should specify optimal choice at every information set given the beliefs about what has happened previously, thus the probability distribution over different decision nodes at the information set, as well as what the other players are playing.
- On belief (off-the equilibrium-path behavior by the other players):

IMPLICATIONS OF CONDITIONS IMPOSED BY SE

- On behavior: In NO circumstances should a player makes a choices that is dominated by other choices. Therefore, the strategy should specify optimal choice at every information set given the beliefs about what has happened previously, thus the probability distribution over different decision nodes at the information set, as well as what the other players are playing.
- On belief (off-the equilibrium-path behavior by the other players):
 - Simply put, belief about what has happened thus which decision note one faces should be consistent with sequential rationality on the part of opponents;

IMPLICATIONS OF CONDITIONS IMPOSED BY SE

- On behavior: In NO circumstances should a player makes a choices that is dominated by other choices. Therefore, the strategy should specify optimal choice at every information set given the beliefs about what has happened previously, thus the probability distribution over different decision nodes at the information set, as well as what the other players are playing.
- On belief (off-the equilibrium-path behavior by the other players):
 - Simply put, belief about what has happened thus which decision note one faces should be consistent with sequential rationality on the part of opponents;
 - At EVERY information sets when an opponent played the game, one should think that she has played her best response.

IMPLICATIONS OF CONDITIONS IMPOSED BY SE

- On behavior: In NO circumstances should a player makes a choices that is dominated by other choices. Therefore, the strategy should specify optimal choice at every information set given the beliefs about what has happened previously, thus the probability distribution over different decision nodes at the information set, as well as what the other players are playing.
- On belief (off-the equilibrium-path behavior by the other players):
 - Simply put, belief about what has happened thus which decision note one faces should be consistent with sequential rationality on the part of opponents;
 - At EVERY information sets when an opponent played the game, one should think that she has played her best response.
 - As a direct consequence, at every information set, if the player has a dominant choice, one that is better than the rest of choices regardless of what the choices of other players, then her opponent's belief should put probability one to the dominant choice, and zero to the rest of choices.

MORE ON SE BELIEFS

- SE belief is consistent, derived from equilibrium strategies using totally mixed strategies.

MORE ON SE BELIEFS


- SE belief is consistent, derived from equilibrium strategies using totally mixed strategies.
- But it may not be structurally consistent.

MORE ON SE BELIEFS

- SE belief is consistent, derived from equilibrium strategies using totally mixed strategies.
- But it may not be structurally consistent.
- *Structural consistency*: A belief system μ is structurally consistent if for each information set h , there exists some strategy profile σ such that for all $x \in h$,

$$\mu(x) = \frac{\text{prob}(x|\sigma)}{\text{prob}(h|\sigma)}.$$

EXAMPLE 228.2 OF OSBORNE AND RUBINSTEIN



SOLVE FOR SE

- The NE of this game is

$$(M, R, (\alpha, 1 - \alpha) | \alpha \in [1/3, 2/3]).$$

SOLVE FOR SE

- The NE of this game is

$$(M, R, (\alpha, 1 - \alpha) | \alpha \in [1/3, 2/3]).$$

- S.E of this game:

SOLVE FOR SE

- The NE of this game is

$$(M, R, (\alpha, 1 - \alpha) | \alpha \in [1/3, 2/3]).$$

- S.E of this game:

➤ Strategy σ

$$\left\{ M; R; (\alpha, 1 - \alpha) | \alpha \in \left[\frac{1}{3}, \frac{2}{3} \right] \right\};$$

SOLVE FOR SE

- The NE of this game is

$$(M, R, (\alpha, 1 - \alpha) | \alpha \in [1/3, 2/3]).$$

- S.E of this game:

➤ Strategy σ

$$\left\{ M; R; (\alpha, 1 - \alpha) | \alpha \in \left[\frac{1}{3}, \frac{2}{3} \right] \right\};$$

➤ Belief μ

SOLVE FOR SE

- The NE of this game is

$$(M, R, (\alpha, 1 - \alpha) | \alpha \in [1/3, 2/3]).$$

- S.E of this game:

➤ Strategy σ

$$\left\{ M; R; (\alpha, 1 - \alpha) | \alpha \in \left[\frac{1}{3}, \frac{2}{3} \right] \right\};$$

➤ Belief μ

➡ Player 2's belief: $(0, 1)$

SOLVE FOR SE

- The NE of this game is

$$(M, R, (\alpha, 1 - \alpha) | \alpha \in [1/3, 2/3]).$$

- S.E of this game:

➤ Strategy σ

$$\left\{ M; R; (\alpha, 1 - \alpha) | \alpha \in \left[\frac{1}{3}, \frac{2}{3} \right] \right\};$$

➤ Belief μ

- ➡ Player 2's belief: $(0, 1)$
- ➡ Player 3's belief: $(0, 0.5, 0.5)$.

DERIVE SE BELIEF: PLAYER 2

- Let the totally mixed strategy profit σ^k be

$$(\epsilon^k, 1 - \epsilon^k; \eta^k, 1 - \eta^k; \alpha, 1 - \alpha)$$

such that

$$\lim_{k \rightarrow \infty} \epsilon^k = 0, \quad \lim_{k \rightarrow \infty} \eta^k = 0.$$

DERIVE SE BELIEF: PLAYER 2

- Let the totally mixed strategy profit σ^k be

$$(\epsilon^k, 1 - \epsilon^k; \eta^k, 1 - \eta^k; \alpha, 1 - \alpha)$$

such that

$$\lim_{k \rightarrow \infty} \epsilon^k = 0, \quad \lim_{k \rightarrow \infty} \eta^k = 0.$$

- Denote the 2 decision nodes, in the order of left, right, as z_L, z_R .

$$\mu^k(z_L) = \frac{\epsilon^k}{1} = \epsilon^k$$

$$\mu^k(z_R) = \frac{1 - \epsilon^k}{1} = 1 - \epsilon^k$$

DERIVE SE BELIEF: PLAYER 2

- Let the totally mixed strategy profit σ^k be

$$(\epsilon^k, 1 - \epsilon^k; \eta^k, 1 - \eta^k; \alpha, 1 - \alpha)$$

such that

$$\lim_{k \rightarrow \infty} \epsilon^k = 0, \quad \lim_{k \rightarrow \infty} \eta^k = 0.$$

- Denote the 2 decision nodes, in the order of left, right, as z_L, z_R .

$$\mu^k(z_L) = \frac{\epsilon^k}{1} = \epsilon^k$$

$$\mu^k(z_R) = \frac{1 - \epsilon^k}{1} = 1 - \epsilon^k$$

- Taking limit we have

$$\mu(z_L) = \lim_{k \rightarrow \infty} \mu^k(z_L) = 0$$

$$\mu(x_M) = \lim_{k \rightarrow \infty} \mu^k(z_R) = 1.$$

PLAYER 3'S BELIEF

- Recall the totally mixed strategy profit σ^k :

$$(\epsilon^k, 1 - \epsilon^k; \eta^k, 1 - \eta^k; \alpha, 1 - \alpha).$$

PLAYER 3'S BELIEF

- Recall the totally mixed strategy profit σ^k :

$$(\epsilon^k, 1 - \epsilon^k; \eta^k, 1 - \eta^k; \alpha, 1 - \alpha).$$

- Denote the 3 decision nodes, in the order of left, middle and right, as x_L, x_M, x_R .

$$\mu^k(x_L) = \frac{\eta^k \epsilon^k}{\eta^k \epsilon^k + \epsilon^k (1 - \eta^k) + (1 - \epsilon^k) \eta^k} = \frac{\eta^k \epsilon^k}{\epsilon^k + (1 - \epsilon^k) \eta^k}$$

$$\mu^k(x_M) = \frac{(1 - \eta^k) \epsilon^k}{\eta^k \epsilon^k + \epsilon^k (1 - \eta^k) + (1 - \epsilon^k) \eta^k} = \frac{(1 - \eta^k) \epsilon^k}{\epsilon^k + (1 - \epsilon^k) \eta^k}$$

$$\mu^k(x_R) = \frac{(1 - \epsilon^k) \eta^k}{\eta^k \epsilon^k + \epsilon^k (1 - \eta^k) + (1 - \epsilon^k) \eta^k} = \frac{\eta^k (1 - \epsilon^k)}{\epsilon^k + (1 - \epsilon^k) \eta^k}$$

PLAYER 3'S BELIEF

- Recall the totally mixed strategy profit σ^k :

$$(\epsilon^k, 1 - \epsilon^k; \eta^k, 1 - \eta^k; \alpha, 1 - \alpha).$$

- Denote the 3 decision nodes, in the order of left, middle and right, as x_L, x_M, x_R .

$$\mu^k(x_L) = \frac{\eta^k \epsilon^k}{\eta^k \epsilon^k + \epsilon^k (1 - \eta^k) + (1 - \epsilon^k) \eta^k} = \frac{\eta^k \epsilon^k}{\epsilon^k + (1 - \epsilon^k) \eta^k}$$

$$\mu^k(x_M) = \frac{(1 - \eta^k) \epsilon^k}{\eta^k \epsilon^k + \epsilon^k (1 - \eta^k) + (1 - \epsilon^k) \eta^k} = \frac{(1 - \eta^k) \epsilon^k}{\epsilon^k + (1 - \epsilon^k) \eta^k}$$

$$\mu^k(x_R) = \frac{(1 - \epsilon^k) \eta^k}{\eta^k \epsilon^k + \epsilon^k (1 - \eta^k) + (1 - \epsilon^k) \eta^k} = \frac{\eta^k (1 - \epsilon^k)}{\epsilon^k + (1 - \epsilon^k) \eta^k}$$

- Taking limit we have

$$\mu(x_L) = \lim_{k \rightarrow \infty} \mu^k(x_L) = 0$$

$$\mu(x_M) = \lim_{k \rightarrow \infty} \mu^k(x_M) = \frac{1}{2}.$$

EXAMPLE CONTINUED

- While in general, the totally mixed strategy for player 1 could be $(1 - \epsilon, \epsilon)$ and for player 2 could be $(1 - \eta, \eta)$, for consistency, it nevertheless must be true that $\eta(1 - \epsilon) = \epsilon(1 - \eta)$, so that player 3 assigns equal probability to the upper and the middle decision nodes.

EXAMPLE CONTINUED

- While in general, the totally mixed strategy for player 1 could be $(1 - \epsilon, \epsilon)$ and for player 2 could be $(1 - \eta, \eta)$, for consistency, it nevertheless must be true that $\eta(1 - \epsilon) = \epsilon(1 - \eta)$, so that player 3 assigns equal probability to the upper and the middle decision nodes.
- Only in this case will player 3 be indifferent between the two pure strategies U and V , which makes the mixed strategy best response motivated.

EXAMPLE CONTINUED

- While in general, the totally mixed strategy for player 1 could be $(1 - \epsilon, \epsilon)$ and for player 2 could be $(1 - \eta, \eta)$, for consistency, it nevertheless must be true that $\eta(1 - \epsilon) = \epsilon(1 - \eta)$, so that player 3 assigns equal probability to the upper and the middle decision nodes.
- Only in this case will player 3 be indifferent between the two pure strategies U and V , which makes the mixed strategy best response motivated.
- Hence, it must be true that $\epsilon = \eta$.

EXAMPLE CONTINUED

- While in general, the totally mixed strategy for player 1 could be $(1 - \epsilon, \epsilon)$ and for player 2 could be $(1 - \eta, \eta)$, for consistency, it nevertheless must be true that $\eta(1 - \epsilon) = \epsilon(1 - \eta)$, so that player 3 assigns equal probability to the upper and the middle decision nodes.
- Only in this case will player 3 be indifferent between the two pure strategies U and V , which makes the mixed strategy best response motivated.
- Hence, it must be true that $\epsilon = \eta$.
- The belief for player 3, while consistent with the totally mixed strategy, is not structurally consistent.

FLAW IN SE

- Conformity with backward induction, while being necessary, is not sufficient for strategic stability.

FLAW IN SE

- Conformity with backward induction, while being necessary, is not sufficient for strategic stability.
- A basic flaw in the concept of “sequential equilibrium”: it depends on all the arbitrary details with which the game tree is drawn.

FLAW IN SE

- Conformity with backward induction, while being necessary, is not sufficient for strategic stability.
- A basic flaw in the concept of “sequential equilibrium”: it depends on all the arbitrary details with which the game tree is drawn.
- Sequential equilibrium may involve players playing dominated strategies.

FLAW IN SE

- Conformity with backward induction, while being necessary, is not sufficient for strategic stability.
- A basic flaw in the concept of “sequential equilibrium”: it depends on all the arbitrary details with which the game tree is drawn.
- Sequential equilibrium may involve players playing dominated strategies.
- The main problems: the requirement of consistency on belief allows unreasonable beliefs.


FLAW IN SE

- Conformity with backward induction, while being necessary, is not sufficient for strategic stability.
- A basic flaw in the concept of “sequential equilibrium”: it depends on all the arbitrary details with which the game tree is drawn.
- Sequential equilibrium may involve players playing dominated strategies.
- The main problems: the requirement of consistency on belief allows unreasonable beliefs.
 - Requirement on strategies: OK, players should make optimal choice at any point in the game tree given the belief.


FLAW IN SE

- Conformity with backward induction, while being necessary, is not sufficient for strategic stability.
- A basic flaw in the concept of “sequential equilibrium”: it depends on all the arbitrary details with which the game tree is drawn.
- Sequential equilibrium may involve players playing dominated strategies.
- The main problems: the requirement of consistency on belief allows unreasonable beliefs.
 - Requirement on strategies: OK, players should make optimal choice at any point in the game tree given the belief.
 - Requirement on beliefs: only requirement the belief to come from a sequence of totally mixed strategies. But some sequence of totally mixed strategies may not make sense at all, thereby leading to unreasonable belief in sequential equilibrium.

EXAMPLE 1



EXAMPLE 2



EXAMPLE 2

Strategic form of game 2

		Player 2	
		L	R
Player 1	M	(3, 3)	(2, 0)
	B	(0, 0)	(1, 1)
	T	(2, 2)	(2, 2)

COMPARE THE TWO EXAMPLES

- There is minimal difference between the two games;

COMPARE THE TWO EXAMPLES

- There is minimal difference between the two games;
- There is only one S.E. in Example 1 with 1 playing IM and 2 playing L;

COMPARE THE TWO EXAMPLES

- There is minimal difference between the two games;
- There is only one S.E. in Example 1 with 1 playing IM and 2 playing L;
- However, there are two S.E. in Example 2.

COMPARE THE TWO EXAMPLES

- There is minimal difference between the two games;
- There is only one S.E. in Example 1 with 1 playing IM and 2 playing L;
- However, there are two S.E. in Example 2.
- One S.E.

COMPARE THE TWO EXAMPLES

- There is minimal difference between the two games;
- There is only one S.E. in Example 1 with 1 playing IM and 2 playing L;
- However, there are two S.E. in Example 2.
- One S.E.
- σ

$$\sigma : (T, R); \quad \mu : (0, 1).$$

COMPARE THE TWO EXAMPLES

- There is minimal difference between the two games;
- There is only one S.E. in Example 1 with 1 playing IM and 2 playing L;
- However, there are two S.E. in Example 2.
- One S.E.
- σ

$$\sigma : (T, R); \quad \mu : (0, 1).$$

- The belief (0,1) comes from the totally mixed strategy

$$\sigma_1^k = (M \ \epsilon^2, B \ \epsilon, T \ 1 - \epsilon - \epsilon^2).$$

COMPARE THE TWO EXAMPLES

- There is minimal difference between the two games;
- There is only one S.E. in Example 1 with 1 playing IM and 2 playing L;
- However, there are two S.E. in Example 2.
- One S.E.
- σ

$$\sigma : (T, R); \quad \mu : (0, 1).$$

- The belief $(0,1)$ comes from the totally mixed strategy

$$\sigma_1^k = (M \ \epsilon^2, B \ \epsilon, T \ 1 - \epsilon - \epsilon^2).$$

- Clearly,

$$\mu^k(x_L) = \frac{\epsilon^2}{\epsilon + \epsilon^2}, \quad \mu(x_L) = \lim_{k \rightarrow \infty} \mu^k(x_L) = 0.$$


AGENT NORM FORM PERFECT EQUILIBRIUM

- The *agent normal form* of an extensive form game is the normal form of the game between agents, obtained by letting each information set be manned by a different agent, and by giving any agent of the same player that player's payoff.


AGENT NORM FORM PERFECT EQUILIBRIUM

- The *agent normal form* of an extensive form game is the normal form of the game between agents, obtained by letting each information set be manned by a different agent, and by giving any agent of the same player that player's payoff.
- Also called extensive form perfect equilibrium.

ENTRANT INCUMBENT FIRM EXAMPLE



ENTRANT INCUMBENT FIRM EXAMPLE



FIND THE EQUILIBRIUM

- Agent norm form

		F	A
A_1	<i>Out</i>	0, 2	0, 2
	<i>In</i>	-3, -1	1, -2

A_2 plays F

		F	A
	<i>Out</i>	0, 2	0, 2
	<i>In</i>	-2, -1	3, 0

A

FIND THE EQUILIBRIUM

- Agent norm form

		F	A
A_1	<i>Out</i>	0, 2	0, 2
	<i>In</i>	-3, -1	1, -2

A_2 plays F

		F	A
	<i>Out</i>	0, 2	0, 2
	<i>In</i>	-2, -1	3, 0

A

- Perfect equilibrium:

(IA, A) .

PBE

- A profile of strategies and system of beliefs (σ, μ) is Perfect Bayesian equilibrium if

PBE

- A profile of strategies and system of beliefs (σ, μ) is Perfect Bayesian equilibrium if
 - I. σ is sequentially rational given μ ;

PBE

- A profile of strategies and system of beliefs (σ, μ) is Perfect Bayesian equilibrium if
 - I. σ is sequentially rational given μ ;
 - II. The system of belief μ is obtained using Bayes rule **whenever possible**.

PBE

- A profile of strategies and system of beliefs (σ, μ) is Perfect Bayesian equilibrium if
 - I. σ is sequentially rational given μ ;
 - II. The system of belief μ is obtained using Bayes rule **whenever possible**.
- Perfect Bayesian equilibrium is also weak PBE as it requires Bayesian updating for all information set that is reached with positive probability under equilibrium strategy σ ; but it also requires:

PBE

- A profile of strategies and system of beliefs (σ, μ) is Perfect Bayesian equilibrium if
 - I. σ is sequentially rational given μ ;
 - II. The system of belief μ is obtained using Bayes rule **whenever possible**.
- Perfect Bayesian equilibrium is also weak PBE as it requires Bayesian updating for all information set that is reached with positive probability under equilibrium strategy σ ; but it also requires:
 - III. If an information set I is reached with zero probability under σ (off the equilibrium path), the belief at I is derived from σ using Bayes' rule, if possible.

PBE

- A profile of strategies and system of beliefs (σ, μ) is Perfect Bayesian equilibrium if
 - I. σ is sequentially rational given μ ;
 - II. The system of belief μ is obtained using Bayes rule **whenever possible**.
- Perfect Bayesian equilibrium is also weak PBE as it requires Bayesian updating for all information set that is reached with positive probability under equilibrium strategy σ ; but it also requires:
 - III. If an information set I is reached with zero probability under σ (off the equilibrium path), the belief at I is derived from σ using Bayes' rule, if possible.
- The restriction (iii) is evidently vague. One can interpret it as follows:

If an information set I is reached with zero probability under σ (off the equilibrium path), the belief at I is derived, using Bayes' rule, from the beliefs at the information sets that precede I and players' continuation strategies as specified by σ , if possible.

PBE vs SE

- Both SE and PBE are subgame perfect.

PBE vs SE

- Both SE and PBE are subgame perfect.
- Sequential equilibrium is equivalent to a PBE in a general class of games.

PBE vs SE

- Both SE and PBE are subgame perfect.
- Sequential equilibrium is equivalent to a PBE in a general class of games.
- However, for some games, sequential equilibrium imposes more restrictions on off-the-equilibrium beliefs.

PBE vs SE

- Both SE and PBE are subgame perfect.
- Sequential equilibrium is equivalent to a PBE in a general class of games.
- However, for some games, sequential equilibrium imposes more restrictions on off-the-equilibrium beliefs.
- Sequential equilibrium requires the beliefs of players at information sets not reached in the equilibrium to be derived from the SAME sequence of mixed strategies. PBE imposes no such restrictions on off-the-equilibrium beliefs.

FORWARD INDUCTION

- While SPNE and sequential equilibrium concept can help to rule out noncredible threat in extensive form game, a large range of off-equilibrium behavior can be justified by picking off-equilibrium-path behavior appropriately.

FORWARD INDUCTION

- While SPNE and sequential equilibrium concept can help to rule out noncredible threat in extensive form game, a large range of off-equilibrium behavior can be justified by picking off-equilibrium-path behavior appropriately.
- Furthermore, PBE as well as sequential equilibrium can be sensitive to what may seem like irrelevant changes in the extensive form game.

FORWARD INDUCTION

- While SPNE and sequential equilibrium concept can help to rule out noncredible threat in extensive form game, a large range of off-equilibrium behavior can be justified by picking off-equilibrium-path behavior appropriately.
- Furthermore, PBE as well as sequential equilibrium can be sensitive to what may seem like irrelevant changes in the extensive form game.
- The key underlying forward induction is that players maintain the assumption that their opponents have maximized their utility in the past as long as the assumption is tenable, even if unexpected is observed.

FORWARD INDUCTION

- While SPNE and sequential equilibrium concept can help to rule out noncredible threat in extensive form game, a large range of off-equilibrium behavior can be justified by picking off-equilibrium-path behavior appropriately.
- Furthermore, PBE as well as sequential equilibrium can be sensitive to what may seem like irrelevant changes in the extensive form game.
- The key underlying forward induction is that players maintain the assumption that their opponents have maximized their utility in the past as long as the assumption is tenable, even if unexpected is observed.
- That is, while finding himself off the equilibrium path, he should not interpret it as a result of unintentional mistake by his opponents as long as the deviations by his opponents are *rationalizable*.

FORWARD INDUCTION VS BACKWARD INDUCTION

- A crucial consequence of forward induction is:
a subgame can not be treated as a game on its own.

FORWARD INDUCTION VS BACKWARD INDUCTION

- A crucial consequence of forward induction is:
a subgame can not be treated as a game on its own.
- In other words, a forward induction of a subgame need not be part of the solution of the whole game.

FORWARD INDUCTION VS BACKWARD INDUCTION

- A crucial consequence of forward induction is:
a subgame can not be treated as a game on its own.
- In other words, a forward induction of a subgame need not be part of the solution of the whole game.
- This is *different* from backward induction.

FORWARD INDUCTION VS BACKWARD INDUCTION

- A crucial consequence of forward induction is:
a subgame can not be treated as a game on its own.
- In other words, a forward induction of a subgame need not be part of the solution of the whole game.
- This is *different* from backward induction.
- REMEMBER: A backward induction solution of a subgame is part of the subgame perfect NE of the whole game.

FORWARD INDUCTION VS BACKWARD INDUCTION

- A crucial consequence of forward induction is:
a subgame can not be treated as a game on its own.
- In other words, a forward induction of a subgame need not be part of the solution of the whole game.
- This is *different* from backward induction.
- REMEMBER: A backward induction solution of a subgame is part of the subgame perfect NE of the whole game.
- In forward induction, how a subgame is reached conveys information about intended play in the subgame.


FORWARD INDUCTION VS BACKWARD INDUCTION

- A crucial consequence of forward induction is:
a subgame can not be treated as a game on its own.
- In other words, a forward induction of a subgame need not be part of the solution of the whole game.
- This is *different* from backward induction.
- REMEMBER: A backward induction solution of a subgame is part of the subgame perfect NE of the whole game.
- In forward induction, how a subgame is reached conveys information about intended play in the subgame.
- One can use reduced strategic form game for forward induction, rather than the extensive form game used in backward induction.

FORWARD INDUCTION VS BACKWARD INDUCTION

- A crucial consequence of forward induction is:
a subgame can not be treated as a game on its own.
- In other words, a forward induction of a subgame need not be part of the solution of the whole game.
- This is *different* from backward induction.
- REMEMBER: A backward induction solution of a subgame is part of the subgame perfect NE of the whole game.
- In forward induction, how a subgame is reached conveys information about intended play in the subgame.
- One can use reduced strategic form game for forward induction, rather than the extensive form game used in backward induction.
- For a large class of generic games, forward induction and iterated deletion of weakly dominated strategies yield the same set of solutions.

OUTSIDE OPTION GAME



ANALYZE THE GAME

- Two pure NE. Both are also SPNE.

$(Ia, a), \quad (Ob, b).$

ANALYZE THE GAME

- Two pure NE. Both are also SPNE.

$$(Ia, a), \quad (Ob, b).$$

- Two pure SE

ANALYZE THE GAME

- Two pure NE. Both are also SPNE.

$(Ia, a), \quad (Ob, b).$

- Two pure SE
 - First one:

ANALYZE THE GAME

- Two pure NE. Both are also SPNE.

$$(Ia, a), \quad (Ob, b).$$

- Two pure SE
 - First one:
 - ➡ Strategy profile: (Ia, a) ;

ANALYZE THE GAME

- Two pure NE. Both are also SPNE.

$$(Ia, a), \quad (Ob, b).$$

- Two pure SE

➤ First one:

- ➡ Strategy profile: (Ia, a) ;
- ➡ Belief $(1, 0)$, that is, at her information set, player 2 believes 1 has played a .

ANALYZE THE GAME

- Two pure NE. Both are also SPNE.

$$(Ia, a), \quad (Ob, b).$$

- Two pure SE

➤ First one:

➡ Strategy profile: (Ia, a) ;

➡ Belief $(1, 0)$, that is, at her information set, player 2 believes 1 has played a .

➤ Second one:

ANALYZE THE GAME

- Two pure NE. Both are also SPNE.

$$(Ia, a), \quad (Ob, b).$$

- Two pure SE

➤ First one:

- ➡ Strategy profile: (Ia, a) ;
- ➡ Belief $(1, 0)$, that is, at her information set, player 2 believes 1 has played a .

➤ Second one:

- ➡ Strategy profile: (Ob, b) ;

ANALYZE THE GAME

- Two pure NE. Both are also SPNE.

$$(Ia, a), \quad (Ob, b).$$

- Two pure SE

➤ First one:

- ➡ Strategy profile: (Ia, a) ;
- ➡ Belief $(1, 0)$, that is, at her information set, player 2 believes 1 has played a .

➤ Second one:

- ➡ Strategy profile: (Ob, b) ;
- ➡ Belief $(0, 1)$, that is, at her information set, player 2 believes 1 has played b .

ANALYZE THE GAME

- Two pure NE. Both are also SPNE.

$$(Ia, a), \quad (Ob, b).$$

- Two pure SE

➤ First one:

- ➡ Strategy profile: (Ia, a) ;
- ➡ Belief $(1, 0)$, that is, at her information set, player 2 believes 1 has played a .

➤ Second one:

- ➡ Strategy profile: (Ob, b) ;
- ➡ Belief $(0, 1)$, that is, at her information set, player 2 believes 1 has played b .

- The second one does not pass the forward induction test: deviation by opponent should be rationalized first.

CHINA-US TRADE TALK



FINITE BARGAINING GAME

- Split the dollar game: Two players divide a dollar between themselves.

FINITE BARGAINING GAME

- Split the dollar game: Two players divide a dollar between themselves.
- Let x_i denote the share of player i , $i = 1, 2$. The set of agreements is

$$X = \{(x_1, x_2) : x_i \geq 0, i = 1, 2 \text{ and } x_1 + x_2 = 1\}.$$

FINITE BARGAINING GAME

- Split the dollar game: Two players divide a dollar between themselves.
- Let x_i denote the share of player i , $i = 1, 2$. The set of agreements is

$$X = \{(x_1, x_2) : x_i \geq 0, i = 1, 2 \text{ and } x_1 + x_2 = 1\}.$$

- The game last for T periods.

FINITE BARGAINING GAME

- Split the dollar game: Two players divide a dollar between themselves.
- Let x_i denote the share of player i , $i = 1, 2$. The set of agreements is

$$X = \{(x_1, x_2) : x_i \geq 0, i = 1, 2 \text{ and } x_1 + x_2 = 1\}.$$

- The game last for T periods.
 - In period 1, player 1 makes an offer to player 2.

FINITE BARGAINING GAME

- Split the dollar game: Two players divide a dollar between themselves.
- Let x_i denote the share of player i , $i = 1, 2$. The set of agreements is

$$X = \{(x_1, x_2) : x_i \geq 0, i = 1, 2 \text{ and } x_1 + x_2 = 1\}.$$

- The game last for T periods.
 - In period 1, player 1 makes an offer to player 2.
 - If player 2 accepts, then they split the dollar according to the offer.

FINITE BARGAINING GAME

- Split the dollar game: Two players divide a dollar between themselves.
- Let x_i denote the share of player i , $i = 1, 2$. The set of agreements is

$$X = \{(x_1, x_2) : x_i \geq 0, i = 1, 2 \text{ and } x_1 + x_2 = 1\}.$$

- The game last for T periods.
 - In period 1, player 1 makes an offer to player 2.
 - If player 2 accepts, then they split the dollar according to the offer.
 - If player 2 rejects, then they move to period 2.

FINITE BARGAINING GAME

- Split the dollar game: Two players divide a dollar between themselves.
- Let x_i denote the share of player i , $i = 1, 2$. The set of agreements is

$$X = \{(x_1, x_2) : x_i \geq 0, i = 1, 2 \text{ and } x_1 + x_2 = 1\}.$$

- The game last for T periods.
 - In period 1, player 1 makes an offer to player 2.
 - If player 2 accepts, then they split the dollar according to the offer.
 - If player 2 rejects, then they move to period 2.
 - In period 2, they exchange roles with player 2 making an offer and player 1 decides whether to accept.

FINITE BARGAINING GAME

- Split the dollar game: Two players divide a dollar between themselves.
- Let x_i denote the share of player i , $i = 1, 2$. The set of agreements is

$$X = \{(x_1, x_2) : x_i \geq 0, i = 1, 2 \text{ and } x_1 + x_2 = 1\}.$$

- The game last for T periods.
 - In period 1, player 1 makes an offer to player 2.
 - If player 2 accepts, then they split the dollar according to the offer.
 - If player 2 rejects, then they move to period 2.
 - In period 2, they exchange roles with player 2 making an offer and player 1 decides whether to accept.
 - In general, player 1 makes offer in odd periods; player 2 makes offers in even periods.

FINITE BARGAINING GAME

- Split the dollar game: Two players divide a dollar between themselves.
- Let x_i denote the share of player i , $i = 1, 2$. The set of agreements is

$$X = \{(x_1, x_2) : x_i \geq 0, i = 1, 2 \text{ and } x_1 + x_2 = 1\}.$$

- The game last for T periods.
 - In period 1, player 1 makes an offer to player 2.
 - If player 2 accepts, then they split the dollar according to the offer.
 - If player 2 rejects, then they move to period 2.
 - In period 2, they exchange roles with player 2 making an offer and player 1 decides whether to accept.
 - In general, player 1 makes offer in odd periods; player 2 makes offers in even periods.
 - The game continues until an agreement is reached or after the end of period T .

BARGAINING CONTINUED

- If an agreement (x_1, x_2) is reached in period t , then player i receives payoff

$$u_i(x_i, t) = \delta_i^t x_i.$$

BARGAINING CONTINUED

- If an agreement (x_1, x_2) is reached in period t , then player i receives payoff

$$u_i(x_i, t) = \delta_i^t x_i.$$

- $\delta_i < 1$ is player i 's discount factor.

BARGAINING CONTINUED

- If an agreement (x_1, x_2) is reached in period t , then player i receives payoff

$$u_i(x_i, t) = \delta_i^t x_i.$$

- $\delta_i < 1$ is player i 's discount factor.
- If no agreement is reached after $T - 1$ periods, then a settlement

$$(s, 1 - s)$$

is enforced in period T .

BARGAINING CONTINUED

- If an agreement (x_1, x_2) is reached in period t , then player i receives payoff

$$u_i(x_i, t) = \delta_i^t x_i.$$

- $\delta_i < 1$ is player i 's discount factor.
- If no agreement is reached after $T - 1$ periods, then a settlement

$$(s, 1 - s)$$

is enforced in period T .

- For finite T , we can solve the game by backward induction.

BARGAINING CONTINUED

- If an agreement (x_1, x_2) is reached in period t , then player i receives payoff

$$u_i(x_i, t) = \delta_i^t x_i.$$


- $\delta_i < 1$ is player i 's discount factor.
- If no agreement is reached after $T - 1$ periods, then a settlement

$$(s, 1 - s)$$


is enforced in period T .

- For finite T , we can solve the game by backward induction.
- This is commonly known as the Rubinstein bargaining game.


THE CONSEQUENCE OF NO DEAL




THE CASE OF $T = 3$



THE CASE OF $T = 3$



THE CASE OF $T = 3$



SOLVE THE GAME: $T = 3$

- In period $t = 2$, Player 1 can obtain s in the next period by rejecting player 2's present offer.

SOLVE THE GAME: $T = 3$

- In period $t = 2$, Player 1 can obtain s in the next period by rejecting player 2's present offer.
- Thus, player 1 will reject any offer if and only if it is strictly worse than $(\delta_1 s, 1 - \delta_1 s)$.

SOLVE THE GAME: $T = 3$

- In period $t = 2$, Player 1 can obtain s in the next period by rejecting player 2's present offer.
- Thus, player 1 will reject any offer if and only if it is strictly worse than $(\delta_1 s, 1 - \delta_1 s)$.
- We will assume that a player accepts whenever he is indifferent between accepting and rejecting. All payoffs are evaluated from the current period.

SOLVE THE GAME: $T = 3$

- In period $t = 2$, Player 1 can obtain s in the next period by rejecting player 2's present offer.
- Thus, player 1 will reject any offer if and only if it is strictly worse than $(\delta_1 s, 1 - \delta_1 s)$.
- We will assume that a player accepts whenever he is indifferent between accepting and rejecting. All payoffs are evaluated from the current period.
- In period 1, player 2 knows that he can obtain $1 - \delta_1 s$ in the next period. Hence, by the same reasoning, he will accept the present offer iff

$$x_2 \geq \delta_2 (1 - \delta_1 s) = \delta_2 - \delta_1 \delta_2 s.$$


SOLVE THE GAME: $T = 3$

- In period $t = 2$, Player 1 can obtain s in the next period by rejecting player 2's present offer.
- Thus, player 1 will reject any offer if and only if it is strictly worse than $(\delta_1 s, 1 - \delta_1 s)$.
- We will assume that a player accepts whenever he is indifferent between accepting and rejecting. All payoffs are evaluated from the current period.
- In period 1, player 2 knows that he can obtain $1 - \delta_1 s$ in the next period. Hence, by the same reasoning, he will accept the present offer iff


$$x_2 \geq \delta_2 (1 - \delta_1 s) = \delta_2 - \delta_1 \delta_2 s.$$

- Hence, in equilibrium player 1 proposes $(1 - \delta_2 + \delta_1 \delta_2 s, \delta_2 - \delta_1 \delta_2 s)$ in $T = 1$ and player 2 accepts.


THE CASE OF $T = 5$



THE CASE OF $T = 5$



THE CASE OF $T = 5$



THE CASE OF $T = 5$

- The case of $T = 5$ is equivalent to $T = 3$ with the breakdown's payoff equal to

$$(1 - \delta_2 + \delta_1\delta_2s, \delta_2 - \delta_1\delta_2s).$$

THE CASE OF $T = 5$

- The case of $T = 5$ is equivalent to $T = 3$ with the breakdown's payoff equal to

$$(1 - \delta_2 + \delta_1 \delta_2 s, \delta_2 - \delta_1 \delta_2 s).$$

- Substituting the new breakdown payoff into the equilibrium for $T = 3$ gives the first period offer:

$$\begin{aligned} x_1 &= 1 - \delta_2 + \delta_1 \delta_2 (1 - \delta_2 - \delta_1 \delta_2 s) \\ &= (1 - \delta_2)(1 + \delta_1 \delta_2) + (\delta_1 \delta_2)^2 s, \end{aligned}$$

$$x_2 = 1 - (1 - \delta_2)(1 + \delta_1 \delta_2) - (\delta_1 \delta_2)^2 s.$$

THE GENERAL CASE

- In general, when $T = 2n + 1$, we have player 1's equilibrium share

$$x_1^*(2n + 1) = (1 - \delta_2) \sum_{i=1}^n (\delta_1 \delta_2)^{i-1} + (\delta_1 \delta_2)^n s.$$

THE GENERAL CASE

- In general, when $T = 2n + 1$, we have player 1's equilibrium share

$$x_1^*(2n + 1) = (1 - \delta_2) \sum_{i=1}^n (\delta_1 \delta_2)^{i-1} + (\delta_1 \delta_2)^n s.$$

- When $T = 2n + 2$, we know that if the game proceeds to period 2, player 2 will obtain

$$(1 - \delta_1) \sum_{i=1}^n (\delta_1 \delta_2)^{i-1} + (\delta_1 \delta_2)^n s.$$

THE GENERAL CASE

- In general, when $T = 2n + 1$, we have player 1's equilibrium share

$$x_1^*(2n + 1) = (1 - \delta_2) \sum_{i=1}^n (\delta_1 \delta_2)^{i-1} + (\delta_1 \delta_2)^n s.$$

- When $T = 2n + 2$, we know that if the game proceeds to period 2, player 2 will obtain

$$(1 - \delta_1) \sum_{i=1}^n (\delta_1 \delta_2)^{i-1} + (\delta_1 \delta_2)^n s.$$

- So, in this case, player 1 offers in period 1

$$x_1^*(2n + 2) = 1 - \delta_2 (1 - \delta_1) \sum_{i=1}^n (\delta_1 \delta_2)^{i-1} - \delta_2 (\delta_1 \delta_2)^n s.$$

THE LIMIT CASE

- We can take limit to see how increasing T affects the result.
- As T goes to infinity,

$$\lim_T x_1^*(T) \equiv x_1^* = \frac{1 - \delta_2}{1 - \delta_1 \delta_2};$$
$$\lim_T x_2^*(T) \equiv x_2^* = \frac{\delta_2 (1 - \delta_1)}{1 - \delta_1 \delta_2}.$$

- Note that the limit is the same whether T is odd or even.

ON BARGAINING RESULT

- There are several things that are remarkable about this result.

ON BARGAINING RESULT

- There are several things that are remarkable about this result.
 - First, there is no delay. Agreement is reached immediately.

ON BARGAINING RESULT

- There are several things that are remarkable about this result.
 - First, there is no delay. Agreement is reached immediately.
 - Second, the breakdown share is irrelevant; the division is entirely driven by the discounts factor.

ON BARGAINING RESULT

- There are several things that are remarkable about this result.
 - First, there is no delay. Agreement is reached immediately.
 - Second, the breakdown share is irrelevant; the division is entirely driven by the discounts factor.
 - Third, there is a first-mover advantage even though there are many periods of negotiation.

ON BARGAINING RESULT

- There are several things that are remarkable about this result.
 - First, there is no delay. Agreement is reached immediately.
 - Second, the breakdown share is irrelevant; the division is entirely driven by the discounts factor.
 - Third, there is a first-mover advantage even though there are many periods of negotiation.
- Let $(y_1^*(T), y_2^*(T))$ denote the equilibrium division if player 2 proposes in the first period.

$$\lim_T y_1^*(T) \equiv y_1^* = \frac{\delta_1(1 - \delta_2)}{1 - \delta_1\delta_2};$$
$$\lim_T y_2^*(T) \equiv y_2^* = \frac{1 - \delta_1}{1 - \delta_1\delta_2}.$$

ON BARGAINING RESULT

- There are several things that are remarkable about this result.
 - First, there is no delay. Agreement is reached immediately.
 - Second, the breakdown share is irrelevant; the division is entirely driven by the discounts factor.
 - Third, there is a first-mover advantage even though there are many periods of negotiation.
- Let $(y_1^*(T), y_2^*(T))$ denote the equilibrium division if player 2 proposes in the first period.

$$\lim_T y_1^*(T) \equiv y_1^* = \frac{\delta_1(1 - \delta_2)}{1 - \delta_1\delta_2};$$
$$\lim_T y_2^*(T) \equiv y_2^* = \frac{1 - \delta_1}{1 - \delta_1\delta_2}.$$

- Note that

$$x_2^* = \delta_2 y_2^* \text{ and } y_1^* = \delta_1 x_1^*.$$

INFINITE BARGAINING

- When $T = \infty$, we can no longer solve the game by backward induction (since there is no final period).

INFINITE BARGAINING

- When $T = \infty$, we can no longer solve the game by backward induction (since there is no final period).
- **The one-step deviation proof principle:** In any perfect information extensive-form game with either finite horizon or discounting, a strategy profile is a subgame perfect equilibrium if and only if no player can be better off in any subgame (including those not reached by the original equilibrium strategies) by deviating in only one information set in the subgame.

INFINITE BARGAINING

- When $T = \infty$, we can no longer solve the game by backward induction (since there is no final period).
- **The one-step deviation proof principle:** In any perfect information extensive-form game with either finite horizon or discounting, a strategy profile is a subgame perfect equilibrium if and only if no player can be better off in any subgame (including those not reached by the original equilibrium strategies) by deviating in only one information set in the subgame.
- Note that the principle only works for subgame perfect equilibrium in perfect information games. It is not true for Nash equilibrium, and it is not true for SPNE in games of imperfect information.

MAIN RESULT ON INFINITE BARGAINING

- Theorem: In the Rubinstein bargaining game with infinite horizon, there is a unique subgame perfect equilibrium where in every odd period, player 1 proposes (x_1^*, x_2^*) and player 2 accepts any $x_2 \geq x_2^*$, and in every even period player 2 proposes (y_1^*, y_2^*) and player 1 accepts any $y_1 \geq y_1^*$.

MAIN RESULT ON INFINITE BARGAINING

- Theorem: In the Rubinstein bargaining game with infinite horizon, there is a unique subgame perfect equilibrium where in every odd period, player 1 proposes (x_1^*, x_2^*) and player 2 accepts any $x_2 \geq x_2^*$, and in every even period player 2 proposes (y_1^*, y_2^*) and player 1 accepts any $y_1 \geq y_1^*$.
- Proof: To show that the strategy profile is subgame perfect, we need to show that no player can gain by deviating once immediately and follow the equilibrium strategy in the future.

MAIN RESULT ON INFINITE BARGAINING

- Theorem: In the Rubinstein bargaining game with infinite horizon, there is a unique subgame perfect equilibrium where in every odd period, player 1 proposes (x_1^*, x_2^*) and player 2 accepts any $x_2 \geq x_2^*$, and in every even period player 2 proposes (y_1^*, y_2^*) and player 1 accepts any $y_1 \geq y_1^*$.
- Proof: To show that the strategy profile is subgame perfect, we need to show that no player can gain by deviating once immediately and follow the equilibrium strategy in the future.
- In all odd periods, player 1 obviously would not gain by proposing proposing $x_2 > x_2^*$.

MAIN RESULT ON INFINITE BARGAINING

- Theorem: In the Rubinstein bargaining game with infinite horizon, there is a unique subgame perfect equilibrium where in every odd period, player 1 proposes (x_1^*, x_2^*) and player 2 accepts any $x_2 \geq x_2^*$, and in every even period player 2 proposes (y_1^*, y_2^*) and player 1 accepts any $y_1 \geq y_1^*$.
- Proof: To show that the strategy profile is subgame perfect, we need to show that no player can gain by deviating once immediately and follow the equilibrium strategy in the future.
- In all odd periods, player 1 obviously would not gain by proposing proposing $x_2 > x_2^*$.
- If player 1 proposes $x_2 < x_2^*$, then player 2 will reject the offer and player 1 will obtain

$$y_1^* = \delta_1 x_1^* < x_1^*$$

in the next period, making him worse off.

PROOF OF THE THEOREM

- If player 2 rejects x_2^* , then he will obtain y_2^* in the next period.

PROOF OF THE THEOREM

- If player 2 rejects x_2^* , then he will obtain y_2^* in the next period.
- Hence it is a best response to accept any $x_2 \geq \delta_2 y_2^*$.

PROOF OF THE THEOREM

- If player 2 rejects x_2^* , then he will obtain y_2^* in the next period.
- Hence it is a best response to accept any $x_2 \geq \delta_2 y_2^*$.
- The case for even periods is similar.

PROOF OF THE THEOREM

- If player 2 rejects x_2^* , then he will obtain y_2^* in the next period.
- Hence it is a best response to accept any $x_2 \geq \delta_2 y_2^*$.
- The case for even periods is similar.
- To show that the equilibrium is unique. Let \bar{x}_1 and \underline{x}_1 denote the max and min SPNE payoff for player 1 when player 1 is the proposer.

PROOF OF THE THEOREM

- If player 2 rejects x_2^* , then he will obtain y_2^* in the next period.
- Hence it is a best response to accept any $x_2 \geq \delta_2 y_2^*$.
- The case for even periods is similar.
- To show that the equilibrium is unique. Let \bar{x}_1 and \underline{x}_1 denote the max and min SPNE payoff for player 1 when player 1 is the proposer.
- Let \bar{y}_2 and \underline{y}_2 denote the max and min SPNE payoff for player 2 when player 2 is the proposer.

PROOF OF THE THEOREM

- If player 2 rejects x_2^* , then he will obtain y_2^* in the next period.
- Hence it is a best response to accept any $x_2 \geq \delta_2 y_2^*$.
- The case for even periods is similar.
- To show that the equilibrium is unique. Let \bar{x}_1 and \underline{x}_1 denote the max and min SPNE payoff for player 1 when player 1 is the proposer.
- Let \bar{y}_2 and \underline{y}_2 denote the max and min SPNE payoff for player 2 when player 2 is the proposer.
- In any subgame perfect equilibrium,

$$x_2^* \geq \delta_2 \underline{y}_2.$$

PROOF OF THE THEOREM

- If player 2 rejects x_2^* , then he will obtain y_2^* in the next period.
- Hence it is a best response to accept any $x_2 \geq \delta_2 y_2^*$.
- The case for even periods is similar.
- To show that the equilibrium is unique. Let \bar{x}_1 and \underline{x}_1 denote the max and min SPNE payoff for player 1 when player 1 is the proposer.
- Let \bar{y}_2 and \underline{y}_2 denote the max and min SPNE payoff for player 2 when player 2 is the proposer.
- In any subgame perfect equilibrium,

$$x_2^* \geq \delta_2 \underline{y}_2.$$

- Hence,

$$\bar{x}_1 \leq 1 - \delta_2 \underline{y}_2.$$

PROOF CONTINUED

- On the other hand, player 1 can get at most \bar{x}_1 in the next period by rejecting player 2's offer. So

$$\underline{y}_2 \geq 1 - \delta_1 \bar{x}_1.$$

PROOF CONTINUED

- On the other hand, player 1 can get at most \bar{x}_1 in the next period by rejecting player 2's offer. So

$$\underline{y}_2 \geq 1 - \delta_1 \bar{x}_1.$$

- Combining the two equations, we have

$$\bar{x}_1 \leq 1 - \delta_2 + \delta_1 \delta_2 \bar{x}_1,$$

PROOF CONTINUED

- On the other hand, player 1 can get at most \bar{x}_1 in the next period by rejecting player 2's offer. So

$$\underline{y}_2 \geq 1 - \delta_1 \bar{x}_1.$$

- Combining the two equations, we have

$$\bar{x}_1 \leq 1 - \delta_2 + \delta_1 \delta_2 \bar{x}_1,$$

- So

$$\bar{x}_1 \leq \frac{1 - \delta_2}{1 - \delta_1 \delta_2}.$$

PROOF CONTINUED

- On the other hand, player 1 can get at most \bar{x}_1 in the next period by rejecting player 2's offer. So

$$\underline{y}_2 \geq 1 - \delta_1 \bar{x}_1.$$

- Combining the two equations, we have

$$\bar{x}_1 \leq 1 - \delta_2 + \delta_1 \delta_2 \bar{x}_1,$$

- So

$$\bar{x}_1 \leq \frac{1 - \delta_2}{1 - \delta_1 \delta_2}.$$

- Interchanging the roles of the players, the same argument implies that

$$\underline{x}_1 \geq 1 - \delta_2 \bar{y}_2.$$

$$\bar{y}_2 \leq 1 - \delta_1 \underline{x}_1.$$

PROOF CONTINUED

- On the other hand, player 1 can get at most \bar{x}_1 in the next period by rejecting player 2's offer. So

$$\underline{y}_2 \geq 1 - \delta_1 \bar{x}_1.$$

- Combining the two equations, we have

$$\bar{x}_1 \leq 1 - \delta_2 + \delta_1 \delta_2 \bar{x}_1,$$

- So

$$\bar{x}_1 \leq \frac{1 - \delta_2}{1 - \delta_1 \delta_2}.$$

- Interchanging the roles of the players, the same argument implies that

$$\underline{x}_1 \geq 1 - \delta_2 \bar{y}_2.$$

$$\bar{y}_2 \leq 1 - \delta_1 \underline{x}_1.$$

- Combining the equations mean that

$$\underline{x}_1 \geq \frac{1 - \delta_2}{1 - \delta_1 \delta_2}.$$

PROOF CONTINUED

- We end up with

$$\bar{x}_1 = \frac{1 - \delta_2}{1 - \delta_1 \delta_2} \geq x_1^* \geq \underline{x}_1 = \frac{1 - \delta_2}{1 - \delta_1 \delta_2}.$$

PROOF CONTINUED

- We end up with

$$\bar{x}_1 = \frac{1 - \delta_2}{1 - \delta_1 \delta_2} \geq x_1^* \geq \underline{x}_1 = \frac{1 - \delta_2}{1 - \delta_1 \delta_2}.$$

- Similarly we can get

$$\bar{y}_2 = \frac{1 - \delta_1}{1 - \delta_1 \delta_2} \geq y_2^* \geq \underline{y}_2 = \frac{1 - \delta_1}{1 - \delta_1 \delta_2}.$$

PROOF CONTINUED

- We end up with

$$\bar{x}_1 = \frac{1 - \delta_2}{1 - \delta_1 \delta_2} \geq x_1^* \geq \underline{x}_1 = \frac{1 - \delta_2}{1 - \delta_1 \delta_2}.$$

- Similarly we can get

$$\bar{y}_2 = \frac{1 - \delta_1}{1 - \delta_1 \delta_2} \geq y_2^* \geq \underline{y}_2 = \frac{1 - \delta_1}{1 - \delta_1 \delta_2}.$$

- The equilibrium is unique.