41)
Among the following identify the one in which dimensionality reduction reduces.
a) Performance
b) statistics
c) Entropy
d) Collinearity
Ans)- d) Collinearity
42)
Which of the following machine learning algorithm is based upon the idea of bagging?
a) Decision Tree
b) Random Forest
c) Classfication
d) SVM
Ans)- b) Random Forest
43)
Choose a disadvantage of decision trees among the following.
a) Decision tree robust to outliers
b) Factor analysis
A Desiriou Transport and the supplier
c) Decision Tree are prone to overfit
d) all of the above
d) all of the above
d) all of the above  Ans)- c) Decision Tree are prone to overfit
d) all of the above  Ans)- c) Decision Tree are prone to overfit  44)  What is the term known as on which the machine learning algorithms build a model based on
d) all of the above  Ans)- c) Decision Tree are prone to overfit  44)  What is the term known as on which the machine learning algorithms build a model based on sample data?

45)

d) None of the above

Ans)- a) Data Training

a) Clustering
b) Classification
c) Anamoly detection
d) All of the above
Ans)- c) Anamoly detection
46)
Identify the incorrect numerical functions in the various function representation of machine learning.
a) Support Vector
b) Regression
c) Case based
d) Classification
Ans)- c) Case based
47)
Analysis of ML algorithm needs
a) Statistical learning theory
b) Computational learning theory
c) None of the above
d) Both a and b
Ans)- d) Both a and b
48)
Identify the difficulties with the k-nearest neighbor algorithm.
a) Curse of dimensionality
b) Calculate the distance of test case for all training cases
c) Both a and b
d) None
Ans)- c) Both a and b
49)
The total types of the layer in radial basis function neural networks is
a) 1

Which of the following machine learning techniques helps in detecting the outliers in data?

- b) 2
- c) 3
- d) 4

## Ans)- b) 2

50)

## Which of the following is not a supervised learning

- a) PCA
- b) Naïve bayes
- c) Linear regression
- d) KMeans

## Ans)- d) KMeans