Study Smart: Focus Only on What's Needed to Pass!

Exam Code | Search

Popular Exams

Microsoft | Cisco® | Amazon | CompTIA | Google

CCSP | SY0-601 | 350-401 | AZ-900 | AZ-104 | 200-301 | CISSP | PMP

Microsoft

SC-100 - Microsoft Cybersecurity Architect
MS-900 - Microsoft 365 Fundamentals
MB-220 - Microsoft Dynamics 365 for Marketing
MB-920 - Microsoft Dynamics 365 Fundamentals Finance and Operations Apps (ERP) (beta)
MB-310 - Microsoft Dynamics 365 Finance Functional Consultant
PL-200 - Microsoft Power Platform Functional Consultant
SC-900 - Microsoft Security, Compliance, and Identity Fundamentals
PL-300 - Microsoft Power BI Data Analyst
AZ-700 - Designing and Implementing Microsoft Azure Networking Solutions
DP-300 - Administering Relational Databases on Microsoft Azure
DP-203 - Data Engineering on Microsoft Azure
AZ-400 - Microsoft Azure DevOps Solutions
MB-910 - Microsoft Dynamics 365 Fundamentals Customer Engagement Apps (CRM)
AZ-305 - Designing Microsoft Azure Infrastructure Solutions
DP-100 - Designing and Implementing a Data Science Solution on Azure (beta)
DP-500 - Designing and Implementing Enterprise-Scale Analytics Solutions Using Microsoft Azure and Microsoft Power BI
AZ-104 - Microsoft Azure Administrator
AZ-500 - Microsoft Azure Security Technologies
DP-420 - Designing and Implementing Cloud-Native Applications Using Microsoft Azure Cosmos DB
AZ-204 - Developing Solutions for Microsoft Azure
MS-721 - Collaboration Communications Systems Engineer
PL-400 - Microsoft Power Platform Developer
DP-600 - Implementing Analytics Solutions Using Microsoft Fabric (beta)
MB-300 - Microsoft Dynamics 365
MB-230 - Microsoft Dynamics 365 Customer Service Functional Consultant
AZ-900 - Microsoft Azure Fundamentals
MD-102 - Endpoint Administrator (beta)
MB-210 - Microsoft Dynamics 365 for Sales
AI-102 - Designing and Implementing a Microsoft Azure AI Solution
DP-900 - Microsoft Azure Data Fundamentals
SC-400 - Microsoft Information Protection Administrator
MS-102 - Microsoft 365 Administrator (beta)
MS-700 - Managing Microsoft Teams
SC-300 - Microsoft Identity and Access Administrator
PL-900 - Microsoft Power Platform Fundamentals
AI-900 - Microsoft Azure AI Fundamentals
MB-800 - Microsoft Dynamics 365 Business Central Functional Consultant
AZ-801 - Configuring Windows Server Hybrid Advanced Services
MB-330 - Microsoft Dynamics 365 Supply Chain Management
PL-100 - Microsoft Power Platform App Maker
MB-700 - Microsoft Dynamics 365
PL-600 - Microsoft Power Platform Solution Architect
PL-500 - Microsoft Power Automate RPA Developer
AZ-800 - Administering Windows Server Hybrid Core Infrastructure
AZ-140 - Configuring and Operating Windows Virtual Desktop on

Amazon

AWS Certified Advanced Networking - Specialty ANS-C01 - AWS Certified Advanced Networking - Specialty ANS-C01
AWS Certified Cloud Practitioner - AWS Certified Cloud Practitioner (CLF-C01)
AWS Certified DevOps Engineer - Professional DOP-C02 - AWS Certified DevOps Engineer - Professional DOP-C02
AWS Certified Machine Learning - Specialty - AWS Certified Machine Learning - Specialty (MLS-C01)
AWS Certified Developer Associate - AWS Certified Developer Associate
AWS Certified Developer - Associate DVA-C02 - AWS Certified Developer - Associate DVA-C02
AWS Certified Solutions Architect - Professional SAP-C02 - AWS Certified Solutions Architect - Professional SAP-C02
AWS Certified Security - Specialty SCS-C02 - AWS Certified Security - Specialty SCS-C02
AWS Certified Solutions Architect - Associate SAA-C03 - AWS Certified Solutions Architect - Associate SAA-C03
AWS Certified SysOps Administrator - Associate - AWS Certified SysOps Administrator - Associate (SOA-C02)
AWS Certified Solutions Architect - Professional - AWS Certified Solutions Architect - Professional
AWS Certified SAP on AWS - Specialty PAS-C01 - AWS Certified SAP on AWS - Specialty PAS-C01
AWS Certified Security - Specialty - AWS Certified Security - Specialty
AWS Certified Data Engineer - Associate DEA-C01 - AWS Certified Data Engineer - Associate DEA-C01
AWS DevOps Engineer Professional - AWS DevOps Engineer - Professional (DOP-C01)
AWS Certified Cloud Practitioner CLF-C02 - AWS Certified Cloud Practitioner CLF-C02
AWS Certified Database - Specialty - AWS Certified Database - Specialty
AWS Certified Data Analytics - Specialty - AWS Certified Data Analytics - Specialty (DAS-C01)

CompTIA

SK0-005 - CompTIA Server+ Certification Exam
CS0-002 - CompTIA CySA+ Certification Exam (CS0-002)
CV0-003 - CompTIA Cloud+
CS0-003 - CompTIA Cybersecurity Analyst (CySA+)
PT0-002 - CompTIA PenTest+ Certification Exam
N10-008 - CompTIA Network+
XK0-005 - CompTIA Linux+
220-1102 - CompTIA A+ Certification Exam
220-1101 - CompTIA A+ Certification Exam
FC0-U61 - CompTIA IT Fundamentals
CAS-004 - CompTIA Advanced Security Practitioner (CASP+) CAS-004
SY0-601 - CompTIA Security+
PK0-005 - CompTIA Project+

VMware

2V0-41.23 - VMware NSX 4.x Professional
3V0-21.21 - Advanced Design VMware vSphere 7.x
2V0-33.22 - VMware Cloud Professional
5V0-22.23 - VMware vSAN Specialist v2
5V0-31.22 - VMware Cloud Foundation Specialist (v2)
2V0-21.20 - Professional VMware vSphere 7.x
2V0-21.23 - VMware vSphere 8.x Professional
1V0-21.20 - Associate VMware Data Center Virtualization

Fortinet

NSE7_EFW-7.0 - NSE 7 - Enterprise Firewall 7.0
NSE7_SDW-7.0 - Fortinet NSE 7 - SD-WAN 7.0
NSE5_FAZ-7.2 - FortiAnalyzer 7.2 Analyst
NSE5_FCT-7.0 - NSE 5 - FortiClient EMS 7.0
NSE5_FMG-7.2 - Fortinet NSE 5 - FortiManager 7.2
NSE4_FGT-7.2 - Fortinet NSE 4 - FortiOS 7.2

Oracle

1z0-082 - Oracle Database Administration I
1z0-808 - Java SE 8 Programmer
1z0-083 - Oracle Database Administration II
1z0-071 - Oracle Datbase 12c SQL
1z0-1072-23 - Oracle Cloud Infrastructure 2023 Architect Associate

Juniper

JN0-104 - Junos, Associate (JNCIA-Junos)
JN0-649 - Enterprise Routing and Switching, Professional (JNCIP-ENT)
JN0-664 - Service Provider Routing and Switching, Professional (JNCIP-SP)
JN0-351 - Enterprise Routing and Switching, Specialist (JNCIS-ENT)
JN0-231 - Security, Associate (JNCIA-SEC)

Splunk®

SPLK-1002 - Splunk Core Certified Power User
SPLK-3001 - Splunk Enterprise Security Certified Admin

Questions List

- Question #1 16
- Question #2 18
- Question #3 20
- Question #4 22
- Question #5 24
- Question #6 27
- Question #7 29
- Question #8 30
- Question #9 33
- Question #10 35
- Question #11 37
- Question #12 38
- Question #13 40
- Question #14 41
- Question #15 42
- Question #16 44
- Question #17 46
- Question #18 48
- Question #19 52
- Question #20 53
- Question #21 55
- Question #22 59
- Question #23 61
- Question #24 62
- Question #25 63
- Question #26 66
- Question #27 68
- Question #28 69

SecExams

- Question #29 71
- Question #30 74
- Question #31 76
- Question #32 78
- Question #33 81
- Question #34 83
- Question #35 84
- Question #36 85
- Question #37 86
- Question #38 87
- Question #39 89
- Question #40 90
- Question #41 92
- Question #42 93
- Question #43 95
- Question #44 97
- Question #45 99
- Question #46 101
- Question #47 103
- Question #48 106
- Question #49 110
- Question #50 111
- Question #51 113
- Question #52 115
- Question #53 118
- Question #54 121
- Question #55 123
- Question #56 125
- Question #57 127
- Question #58 130

SecExams

- Question #59 132
- Question #60 134
- Question #61 137
- Question #62 139
- Question #63 141
- Question #64 142
- Question #65 143
- Question #66 146
- Question #67 150
- Question #68 153
- Question #69 155
- Question #70 158
- Question #71 160
- Question #72 161
- Question #73 163
- Question #74 164
- Question #75 165
- Question #76 167
- Question #77 169
- Question #78 170
- Question #79 172
- Question #80 173
- Question #81 174
- Question #82 176
- Question #83 180
- Question #84 183
- Question #85 184
- Question #86 186
- Question #87 187
- Question #88 193

SecExams

- Question #89 196
- Question #90 198
- Question #91 200
- Question #92 201
- Question #93 203
- Question #94 204
- Question #95 206
- Question #96 208
- Question #97 211
- Question #98 213
- Question #99 215
- Question #100 216
- Question #101 218
- Question #102 224
- Question #103 230
- Question #104 236
- Question #105 241
- Question #106 247
- Question #107 253
- Question #108 258
- Question #109 260
- Question #110 264
- Question #111 265
- Question #112 266
- Question #113 268
- Question #114 270
- Question #115 273
- Question #116 275
- Question #117 276
- Question #118 277

SecExams

- Question #119 278
- Question #120 279
- Question #121 281
- Question #122 284
- Question #123 286
- Question #124 287
- Question #125 289
- Question #126 290
- Question #127 292
- Question #128 293
- Question #129 294
- Question #130 295
- Question #131 296
- Question #132 298
- Question #133 300
- Question #134 302
- Question #135 304
- Question #136 309
- Question #137 310
- Question #138 311
- Question #139 314
- Question #140 319
- Question #141 323
- Question #142 326
- Question #143 328
- Question #144 330
- Question #145 332
- Question #146 333
- Question #147 335
- Question #148 337

SecExams

- Question #149 339
- Question #150 341
- Question #151 344
- Question #152 346
- Question #153 348
- Question #154 352
- Question #155 353
- Question #156 355
- Question #157 357
- Question #158 359
- Question #159 360
- Question #160 362
- Question #161 363
- Question #162 365
- Question #163 366
- Question #164 368
- Question #165 370
- Question #166 374
- Question #167 376
- Question #168 377
- Question #169 379
- Question #170 382
- Question #171 385
- Question #172 388
- Question #173 389
- Question #174 390
- Question #175 391
- Question #176 393
- Question #177 395
- Question #178 398

SecExams

- Question #179 400
- Question #180 404
- Question #181 406
- Question #182 407
- Question #183 408
- Question #184 409
- Question #185 410
- Question #186 412
- Question #187 417
- Question #188 418
- Question #189 420
- Question #190 423
- Question #191 425
- Question #192 430
- Question #193 433
- Question #194 435
- Question #195 437
- Question #196 442
- Question #197 445
- Question #198 450
- Question #199 455
- Question #200 461
- Question #201 466
- Question #202 471
- Question #203 476
- Question #204 482
- Question #205 487
- Question #206 493
- Question #207 498
- Question #208 504

SecExams

- Question #209 509
- Question #210 515
- Question #211 520
- Question #212 526
- Question #213 531
- Question #214 536
- Question #215 541
- Question #216 546
- Question #217 551
- Question #218 556
- Question #219 561
- Question #220 565
- Question #221 567
- Question #222 570
- Question #223 571
- Question #224 572
- Question #225 573
- Question #226 575
- Question #227 577
- Question #228 580
- Question #229 582
- Question #230 584
- Question #231 585
- Question #232 587
- Question #233 589
- Question #234 595
- Question #235 600
- Question #236 605
- Question #237 610
- Question #238 612

SecExams

- Question #239 614
- Question #240 615
- Question #241 617
- Question #242 621
- Question #243 625
- Question #244 629
- Question #245 630
- Question #246 631
- Question #247 633
- Question #248 635
- Question #249 637
- Question #250 639
- Question #251 640
- Question #252 642
- Question #253 643
- Question #254 644
- Question #255 646
- Question #256 650
- Question #257 652
- Question #258 654
- Question #259 655
- Question #260 657
- Question #261 658
- Question #262 659
- Question #263 661
- Question #264 663
- Question #265 668
- Question #266 670
- Question #267 672
- Question #268 673

SecExams

- Question #269 675
- Question #270 676
- Question #271 678
- Question #272 679
- Question #273 681
- Question #274 683
- Question #275 685
- Question #276 688
- Question #277 690
- Question #278 692
- Question #279 695
- Question #280 697
- Question #281 698
- Question #282 700
- Question #283 702
- Question #284 703
- Question #285 704
- Question #286 706
- Question #287 707
- Question #288 708
- Question #289 709
- Question #290 711
- Question #291 712
- Question #292 713
- Question #293 715
- Question #294 718
- Question #295 721
- Question #296 723
- Question #297 725
- Question #298 726

SecExams

- Question #299 730
- Question #300 732
- Question #301 733
- Question #302 734
- Question #303 735
- Question #304 738
- Question #305 739
- Question #306 742
- Question #307 743
- Question #308 744
- Question #309 745
- Question #310 747
- Question #311 748
- Question #312 748
- Question #313 750
- Question #314 752
- Question #315 754
- Question #316 756
- Question #317 759
- Question #318 760
- Question #319 761
- Question #320 762
- Question #321 764
- Question #322 766
- Question #323 768
- Question #324 770
- Question #325 773
- Question #326 776
- Question #327 779
- Question #328 781

SecExams

- Question #329 782
- Question #330 783
- Question #331 784
- Question #332 787
- Question #333 790
- Question #334 792
- Question #335 794
- Question #336 796
- Question #337 800
- Question #338 803
- Question #339 804
- Question #340 805
- Question #341 809
- Question #342 813
- Question #343 816
- Question #344 817
- Question #345 818
- Question #346 820
- Question #347 821
- Question #348 822
- Question #349 823
- Question #350 824
- Question #351 825
- Question #352 826
- Question #353 827
- Question #354 830
- Question #355 831
- Question #356 831
- Question #357 832
- Question #358 833

SecExams

- Question #359 834
- Question #360 834
- Question #361 835
- Question #362 836
- Question #363 837
- Question #364 839
- Question #365 840
- Question #366 840
- Question #367 841
- Question #368 842
- Question #369 845
- Question #370 846
- Question #371 847
- Question #372 848
- Question #373 849
- Question #374 851
- Question #375 854
- Question #376 856
- Question #377 857
- Question #378 858
- Question #379 860
- Question #380 863
- Question #381 864
- Question #382 865
- Question #383 866
- Question #384 868
- Question #385 869
- Question #386 871
- Question #387 872
- Question #388 872

SecExams

- Question #389 874
- Question #390 876
- Question #391 878
- Question #392 881
- Question #393 882
- Question #394 884
- Question #395 885
- Question #396 886
- Question #397 887
- Question #398 888
- Question #399 889
- Question #400 891
- Question #401 892
- Question #402 893
- Question #403 894
- Question #404 895
- Question #405 896
- Question #406 898
- Question #407 902
- Question #408 905
- Question #409 908
- Question #410 909
- Question #411 910
- Question #412 910
- Question #413 912

SecExams

Microsoft - SC-300 Practice Questions - SecExams.com

SecExams - Focus Only on What's Needed to Pass! - [secexams.com]

Question #1

You have an Azure Active Directory (Azure AD) tenant that contains the following objects:

- ✑ A device named Device1
- ✑ Users named User1, User2, User3, User4, and User5
- ✑ Groups named Group1, Group2, Group3, Group4, and Group5

The groups are configured as shown in the following table.

Name	Type	Membership type	Members
Group1	Security	Assigned	User1, User3, Group2, Group3
Group2	Security	Dynamic User	User2
Group3	Security	Dynamic Device	Device1
Group4	Microsoft 365	Assigned	User4
Group5	Microsoft 365	Dynamic User	User5

To which groups can you assign a Microsoft Office 365 Enterprise E5 license directly?

A) Group1 and Group4 only
B) Group1, Group2, Group3, Group4, and Group5
C) Group1 and Group2 only (Correct Answer)
D) Group1 only
E) Group1, Group2, Group4, and Group5 only

Explanation

Correct Answer:
C
Reference:

https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-group-advanced

Community Discussion

There is not enough information in the question to provide a 100% correct answer. You can assign licences to any group created within the Azure AD portal. These can include security groups, Microsoft 365 groups, and either assigned or dynamic groups. You can even create a dynamic device security group and assign E5 licences to it, which doesn't make sense but is true (I've tested it). However, the missing bit of information is whether the Microsoft 365 groups have the "SecurityEnabled" attribute set to True. Only M365 groups that have the "SecurityEnabled" attribute set to True can have licences assigned to them. If the group is created in the M365 Admin Centre, then the "SecurityEnabled" attribute is set to False and you can not assign licences to the group. But if the M365 group is created in the Azure AD portal, then the "SecurityEnabled" attribute is set to True and you can assign licences. For the answer, I would make an assumption that because this is an Identity-related exam testing us on Azure AD topics, that the M365 groups were created in the Azure AD portal and therefore have the "SecurityEnabled" attribute set to True. Which means the correct answer is B - all groups.

No C is the right answer. You can assign licenses only to the Security Group, not Microsoft 365 Group. And Group 3 consists of a Device, not users. Only users can have a license, not a device. Microsoft 365 Group is basically used for shared mailboxes, which will only be possible if you already have a license. So Group 1 and Group 2 only can be assigned licenses.

No C is the right answer. You can assign licenses only to the Security Group, not Microsoft 365 Group. And Group 3 consists of a Device, not users. Only users can have a license, not a device. Microsoft 365 Group is basically used for shared mailboxes, which will only be possible if you already have a license. So Group 1 and Group 2 only can be assigned licenses.

No C is the right answer. You can assign licenses only to the Security Group, not Microsoft 365 Group. And Group 3 consists of a Device, not users. Only users can have a license, not a device. Microsoft 365 Group is basically used for shared mailboxes, which will only be possible if you already have a license. So Group 1 and Group 2 only can be assigned licenses.

No C is the right answer. You can assign licenses only to the Security Group, not Microsoft 365 Group. And Group 3 consists of a Device, not users. Only users can have a license, not

a device. Microsoft 365 Group is basically used for shared mailboxes, which will only be possible if you already have a license. So Group 1 and Group 2 only can be assigned licenses.

Question #2

You have a Microsoft Exchange organization that uses an SMTP address space of contoso.com.
Several users use their contoso.com email address for self-service sign-up to Azure Active Directory (Azure AD).
You gain global administrator privileges to the Azure AD tenant that contains the self-signed users.
You need to prevent the users from creating user accounts in the contoso.com Azure AD tenant for self-service sign-up to Microsoft 365 services.
Which PowerShell cmdlet should you run?

A) Set-MsolCompanySettings (Correct Answer)
B) Set-MsolDomainFederationSettings
C) Update-MsolfederatedDomain
D) Set-MsolDomain

Explanation

Correct Answer:
A
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/directory-self-service-signup

Community Discussion

The correct answer is A As reference, Self-service sign-up: Method by which a user signs up for a cloud service and has an identity automatically created for them in Azure AD based on their email domain. Azure AD cmdlet Set-MsolCompanySettings could help you to prevent creating user accounts with parameters: AllowEmailVerifiedUsers (users can join the tenant by email validation)-->when is TRUE. AllowAdHocSubscriptions (controls

the ability for users to perform self-service sign-up) e.g. Set-MsolCompanySettings -AllowEmailVerifiedUsers $false -AllowAdHocSubscriptions $false

I assume that when the exam gets updates, the answer will be Update-MgPolicyAuthorizationPolicy. Msonline is becoming obsolete.

On the exam - March 28, 2022

A. Set-MsolCompanySettings.

ON EXAM 14/11/2022

SecExams

Question #3

You have a Microsoft 365 tenant that uses the domain named fabrikam.com. The Guest invite settings for Azure Active Directory (Azure AD) are configured as shown in the exhibit. (Click the Exhibit tab.)



A user named shares a Microsoft SharePoint Online document library to the users shown in the following table.

Name	Email	Description
User1	User1@contoso.com	A guest user in fabrikam.com
User2	User2@outlook.com	A user who has never accessed resources in fabrikam.com
User3	User3@fabrkam.com	A user in fabrikam.com

Which users will be emailed a passcode?

A) User2 only (Correct Answer)
B) User1 only
C) User1 and User2 only
D) User1, User2, and User3

Explanation

Correct Answer:
A
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/external-identities/one-time-passcode

Community Discussion

https://docs.microsoft.com/en-us/azure/active-directory/external-identities/one-time-passcode#when-does-a-guest-user-get-a-one-time-passcode "When the email one-time passcode feature is enabled, newly invited users who meet certain conditions will use one-time passcode authentication. Guest users who redeemed an invitation before email one-time passcode was enabled will continue to use their same authentication method." User 1 is already a registered guest user in fabrikan.com so will not receive additional OTP. User 2 has never accessed fabrikam.com so WILL receive OTP each time they login. User 3 (providing email addy is not a typo) will not receive a OTP as they are a domain user. Answer is A.

idk why this has so many upvotes. it cleary states in the link you provided, that the user won't get OTP, if they have a microsoft account. User 2 has the domain "outlook.com". user 3 is a domain user and therefore won't receive an OTP. But User 1 (at least it does not say so anywhere) does not have a microsoft account, an azure ad account or a federation with another IP. he will always use OTP to authenticate not only once. so it has to be B.

idk why this has so many upvotes. it cleary states in the link you provided, that the user won't get OTP, if they have a microsoft account. User 2 has the domain "outlook.com". user 3 is a domain user and therefore won't receive an OTP. But User 1 (at least it does not say so anywhere) does not have a microsoft account, an azure ad account or a federation with another IP. he will always use OTP to authenticate not only once. so it has to be B.

Uh, the conditions are: They do not have an Azure AD account They do not have a Microsoft account The inviting tenant did not set up Google federation for @gmail.com and @googlemail.com users So arguably none? Since User 1 has an AAD account, user 2 has a Microsoft account and User 3 has an AAD account as well.

I agree with you. According to this question the answer should be "none". As someone else mention the answer option has been changed in the exam. The user3 now have a gmail account. In that case user3 will be the only one getting the one-time passcode.

Question #4

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.
From the Groups blade in the Azure Active Directory admin center, you assign Microsoft 365 Enterprise E5 licenses to the users.
You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.
What should you use?

A) the Identity Governance blade in the Azure Active Directory admin center
B) the Set-AzureAdUser cmdlet
C) the Licenses blade in the Azure Active Directory admin center (Correct Answer)
D) the Set-WindowsProductKey cmdlet

Explanation

Correct Answer:
C
You can unassign licenses from users on either the Active users page, or on the Licenses page. The method you use depends on whether you want to unassign product licenses from specific users or unassign users licenses from a specific product.
Note:
There are several versions of this question in the exam. The question has two possible correct answers:
1. the Licenses blade in the Azure Active Directory admin center
2. the Set-MsolUserLicense cmdlet
Other incorrect answer options you may see on the exam include the following:
✑ the Administrative units blade in the Azure Active Directory admin center
✑ the Groups blade in the Azure Active Directory admin center
✑ the Set-AzureAdGroup cmdlet

Reference:
https://docs.microsoft.com/en-us/microsoft-365/admin/manage/remove-licenses-from-users?view=o365-worldwide

Community Discussion

In the exam the cmdlet was Set-MsolUserLicense, the right one!

Correct!

To remove licenses from an existing user account, use the following syntax: Set-MgUserLicense -UserId "<Account>" -RemoveLicenses @("<AccountSkuId1>") -AddLicenses @{} "The Set-MsolUserLicense and New-MsolUser (-LicenseAssignment) cmdlets are scheduled to be retired. Please migrate your scripts to the Microsoft Graph SDK's Set-MgUserLicense cmdlet as described above" https://learn.microsoft.com/en-us/microsoft-365/enterprise/remove-licenses-from-user-accounts-with-microsoft-365-powershell?source=recommendations&view=o365-worldwide

Selected Answer: C

The Set-MsolUserLicense cmdlet updates the license assignment for a user. This can include adding a new license, removing a license, updating the license options, or any combination of these actions. https://docs.microsoft.com/en-us/microsoft-365/enterprise/remove-licenses-from-user-accounts-with-microsoft-365-powershell?view=o365-worldwide

just note it only works with Windows Power shell and not Powershell core..

SecExams

Question #5

SecExams

HOTSPOT -
You have a Microsoft 365 tenant named contoso.com.
Guest user access is enabled.
Users are invited to collaborate with contoso.com as shown in the following table.

User email	User type	Invitation accepted	Shared resource
User1@outlook.com	Guest	No	Enterprise application
User2@fabrikam.com	Guest	Yes	Enterprise application

From the External collaboration settings in the Azure Active Directory admin center, you configure the Collaboration restrictions settings as shown in the following exhibit.



From a Microsoft SharePoint Online site, a user invites to the site.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
User1 can accept the invitation and gain access to the enterprise application.	○	○
User2 can access the enterprise application.	○	○
User3 can accept the invitation and gain access to the SharePoint site.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 can accept the invitation and gain access to the enterprise application.	○	○
User2 can access the enterprise application.	○	○
User3 can accept the invitation and gain access to the SharePoint site.	○	○

Box 1: Yes -
Invitations can only be sent to outlook.com. Therefore, User1 can accept the invitation and access the application.

Box 2. Yes -
Invitations can only be sent to outlook.com. However, User2 has already received and accepted an invitation so User2 can access the application.

Box 3. No -
Invitations can only be sent to outlook.com. Therefore, User3 will not receive an invitation.

Community Discussion

Yes/Yes/No - @Reyrain - I replicated this in my lab as well, but don't have the requirement to have the domain "checked". User1 didn't accept the invitation, but their domain is in the allowed list so once they do, they'll be able to gain access to the Ent App. User2 probably accepted the invitation before the domain restriction was put into place so they should be able to access it as well. User3's domain is not allowed, so the invite will not be sent to them and they won't be able to access SharePoint.

User1: In ideal scenario the box next to outlook.com in collaboration settings should be checked for the invitation to get to the user's mailbox In this case , it says invitation is not accepted as per question ,(that means invitation is sent to user but not accepted.) So I believe the user settings for collaboration was changed after the invitation was sent to user. Therefore User 1 should be able to to accept invitation and access the app User2: In question it says the user2 already accepted invitation hence again the user settings for external collaboration was changed after the invitation was sent. Therefore User2 can access the app User3: The invitation wont even be sent to user 3 mailbox since user settings for collaboration doesn't allow invitation to be sent to adatum.com

User1: In ideal scenario the box next to outlook.com in collaboration settings should be checked for the invitation to get to the user's mailbox In this case , it says invitation is not accepted as per question ,(that means invitation is sent to user but not accepted.) So I believe the user settings for collaboration was changed after the invitation was sent to user. Therefore User 1 should be able to to accept invitation and access the app User2: In question it says the user2 already accepted invitation hence again the user settings for external collaboration was changed after the invitation was sent. Therefore User2 can access the app User3: The invitation wont even be sent to user 3 mailbox since user settings for collaboration doesn't allow invitation to be sent to adatum.com

very straight forward question and answer

very straight forward question and answer

Question #6

You have an Azure Active Directory (Azure AD) tenant named contoso.com.
You plan to bulk invite Azure AD business-to-business (B2B) collaboration users.
Which two parameters must you include when you create the bulk invite? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

A) email address (Correct Answer)

B) redirection URL (Correct Answer)

C) username

D) shared key

E) password

Explanation

Correct Answer:
AB
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite

Community Discussion

correct

Selected Answer: AB

When creating a bulk invite for Azure AD business-to-business (B2B) collaboration users, you must include the following parameters: A. Email address: The email address is required to specify the email of the external user who will be invited to collaborate with your organization. B. Redirection URL: The redirection URL is necessary to specify where the invited user will be redirected to after they accept the invitation. It typically leads to the sign-up or sign-in page for the external user's organization. The other options (C, D, and E) are not typically part of the bulk invite process.

Selected Answer: AB

https://docs.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite#invite-guest-users-in-bulk

A. email address B. redirection URL

A. email address B. redirection URL

SecExams

Question #7

You have an Azure Active Directory (Azure AD) tenant that contains the objects shown in the following table.

Name	Type	Directly assigned license
User1	User	*None*
User2	User	Microsoft Office 365 Enterprise E5
Group1	Security group	Microsoft Office 365 Enterprise E5
Group2	Microsoft 365 group	*None*
Group3	Mail-enabled security group	*None*

Which objects can you add as members to Group3?

A) User2 and Group2 only
B) User2, Group1, and Group2 only
C) User1, User2, Group1 and Group2
D) User1 and User2 only
E) User2 only (Correct Answer)

Explanation

Correct Answer:
E
Reference:
https://bitsizedbytes.wordpress.com/2018/12/10/distribution-security-and-office-365-groups-nesting/

Community Discussion

The answer is Use2 only. I just tested. You can't assign the users with no license. 100%

Selected Answer: E

The answer is E - User2 Only. When you try to add a member to a Mail-enabled Security Group, you won't be able to see unlicensed Users. I had to test this when I saw contradictory comments.

That's right, but only for Azure portal. Using Microsoft 365 admin center, you can add unlicensed users to a Mail-enabled Security Group. So answer is D.

That's right, but only for Azure portal. Using Microsoft 365 admin center, you can add unlicensed users to a Mail-enabled Security Group. So answer is D.

Right. you need to have exchange service included in the icense so E3 and E5 users can only be added

Question #8

DRAG DROP -

You have an on-premises Microsoft Exchange organization that uses an SMTP address space of contoso.com.

You discover that users use their email address for self-service sign-up to Microsoft 365 services.

You need to gain global administrator privileges to the Azure Active Directory (Azure AD) tenant that contains the self-signed users.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:



Explanation

Correct Answer:



Reference:
https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/domains-admin-takeover

Community Discussion

Seems correct judging by the link.

So after doing some research on this, the correct answer is: 1. Create a self signed user account 2. Sign into the admin center 3. Become an Admin 4. Create TXT record This doesn't seem right, but that's how it's spelled out here: https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/domains-admin-takeover

It would appear this this question is getting at the "Internal admin takeover" process described here: https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/domains-admin-takeover That process provides a way to add a TXT record to your domain before registering the domain in the Azure Portal. So I think @slayer78 has the correct sequence.

It would appear this this question is getting at the "Internal admin takeover" process described here: https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/domains-admin-takeover That process provides a way to add a TXT record to your domain before registering the domain in the Azure Portal. So I think @slayer78 has the correct sequence.

It would appear this this question is getting at the "Internal admin takeover" process described here: https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/domains-admin-takeover That process provides a way to add a TXT record to your

domain before registering the domain in the Azure Portal. So I think @slayer78 has the correct sequence.

SecExams

Question #9

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that contains a user named User1 and the groups shown in the following table.

Name	Type	Membership type
Group1	Security	Assigned
Group2	Security	Dynamic User
Group3	Security	Dynamic Device
Group4	Microsoft 365	Assigned

In the tenant, you create the groups shown in the following table.

Name	Type	Membership type
GroupA	Security	Assigned
GroupB	Microsoft 365	Assigned

Which members can you add to GroupA and GroupB? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

GroupA:

- User1 only
- User1 and Group1 only
- User1, Group1, and Group2 only
- User1, Group1, and Group4 only
- User1, Group1, Group2, and Group3 only
- User1, Group1, Group2, Group3, and Group4

GroupB:

- User1 only
- User1 and Group4 only
- User1, Group1, and Group4 only
- User1, Group1, Group2, and Group4 only
- User1, Group1, Group2, Group3, and Group4

SecExams

Explanation

Correct Answer:

Answer Area



Reference:
https://bitsizedbytes.wordpress.com/2018/12/10/distribution-security-and-office-365-groups-nesting/

Community Discussion

Group A - User1, Group1, Group2 and Group3.Group A cannot contain M365 groups. Group B - User1 only; M365 groups cannot contain other groups.

We don't currently support: Adding groups to a group synced with on-premises Active Directory. Adding Security groups to Microsoft 365 groups. Adding Microsoft 365 groups to Security groups or other Microsoft 365 groups. Assigning apps to nested groups. Applying licenses to nested groups. Adding distribution groups in nesting scenarios. Adding security groups as members of mail-enabled security groups

We don't currently support: Adding groups to a group synced with on-premises Active Directory. Adding Security groups to Microsoft 365 groups. Adding Microsoft 365 groups to Security groups or other Microsoft 365 groups. Assigning apps to nested groups. Applying

licenses to nested groups. Adding distribution groups in nesting scenarios. Adding security groups as members of mail-enabled security groups

We don't currently support: Adding groups to a group synced with on-premises Active Directory. Adding Security groups to Microsoft 365 groups. Adding Microsoft 365 groups to Security groups or other Microsoft 365 groups. Assigning apps to nested groups. Applying licenses to nested groups. Adding distribution groups in nesting scenarios. Adding security groups as members of mail-enabled security groups

We don't currently support: Adding groups to a group synced with on-premises Active Directory. Adding Security groups to Microsoft 365 groups. Adding Microsoft 365 groups to Security groups or other Microsoft 365 groups. Assigning apps to nested groups. Applying licenses to nested groups. Adding distribution groups in nesting scenarios. Adding security groups as members of mail-enabled security groups

SecExams

Question #10

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Active Directory forest that syncs to an Azure Active Directory (Azure AD) tenant.
You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.
You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.
Solution: You configure password writeback.
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:

B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn

Community Discussion

Answer NO Password writeback is a feature of Azure AD Connect which ensures that when a password changes in Azure AD (password change, self-service password reset, or an administrative change to a user password) it is written back to the local AD – if they meet the on-premises AD password policy. Technically, a password write-back operation is a password "reset" action. Password writeback removes the need to set up an on-premises solution for users to reset their password. It all happens in real time, and so users are notified immediately if their password could not be reset or changed for any reason.

Passed the exam today 23/09/2021 This question came in the exam.

Objection, your honor: Irrelevant.

Question valid - 06/23

Selected Answer: B

Password reset has nothing to do with what the question is asking.

SecExams

Question #11

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Active Directory forest that syncs to an Azure Active Directory (Azure AD) tenant.
You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.
You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.
Solution: You configure pass-through authentication.
Does this meet the goal?

A) Yes (Correct Answer)
B) No

Explanation

Correct Answer:
A
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn

Community Discussion

YES Azure Active Directory (Azure AD) Pass-through Authentication allows your users to sign in to both on-premises and cloud-based applications by using the same passwords. Pass-through Authentication signs users in by validating their passwords directly against on-premises Active Directory.

Correct Pass-through Authentication enforces the on-premises account policy at the time of sign-in. For example, access is denied when an on-premises user's account state is

disabled, locked out, or their password expires or the logon attempt falls outside the hours when the user is allowed to sign in

Selected Answer: A

Correct Answer: A

correct, answer is yes

Selected Answer: A

https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn#comparing-methods Consideration: What user account states are supported? Password hash synchronization + Seamless SSO: Disabled accounts (up to 30-minute delay) Pass-through Authentication + Seamless SSO: Disabled accounts Federation with AD FS: Disabled accounts

SecExams

Question #12

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest.
You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.
You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.
Solution: You configure conditional access policies.
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn

Community Discussion

Azure Active Directory (Azure AD) Pass-through Authentication allows your users to sign into both on-premises and cloud-based applications using the same passwords It uses a lightweight on-premises agent that listens for and responds to password validation requests. If disabled user can not login

Correct (B - No)

On the exam 1/20/2022

Basically, you can configure a conditional policy for every disabled acc or group of acc (if you're disabling more of them at once). In policy you can block access to all cloud apps for this specific user or users and that will do, but this is not a permanent solution because you will need to do this every time, so thats why answer is B.

Selected Answer: B

Correct (B - No)

SecExams

Question #13

You have an Azure Active Directory (Azure AD) tenant that contains the following objects.

✑ A device named Device1

✑ Users named User1, User2, User3, User4, and User5

Five groups named Group1, Group2, Group3, Group4, and Group5

▪

The groups are configured as shown in the following table.

Name	Type	Membership type	Members
Group1	Security	Assigned	User1, User3, Group2, Group4
Group2	Security	Dynamic User	User2
Group3	Security	Dynamic Device	Device1
Group4	Microsoft 365	Assigned	User4
Group5	Microsoft 365	Assigned	User5

How many licenses are used if you assign the Microsoft 365 Enterprise E5 license to Group1?

A) 0

B) 2 (Correct Answer)

C) 3

D) 4

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-group-advanced

Community Discussion

The answer is simple. Answer is correct. Why? Because nested group do not inherit licenses.

Group 4 cannot be a member of group 1.

https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-group-advanced#limitations-and-known-issues

https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-group-advanced#limitations-and-known-issues

Good catch

Question #14

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains an Azure AD enterprise application named App1.
A contractor uses the credentials of .
You need to ensure that you can provide the contractor with access to App1. The contractor must be able to authenticate as .
What should you do?

A) Run the New-AzADUser cmdlet.
B) Configure the External collaboration settings.
C) Add a WS-Fed identity provider.
D) Create a guest user account in contoso.com. (Correct Answer)

Explanation

Correct Answer:
D
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/external-identities/b2b-quickstart-add-guest-users-portal

Community Discussion

Probably in the exam the cmdlet New-AzureADMSInvitation is proposed and correct

Looks good given external collaboration is allowed/ default settings

Unless noted, all MS questions assume default settings.

Unless noted, all MS questions assume default settings.

Selected Answer: D

D. Create a guest user account in contoso.com.

Question #15

Your network contains an Active Directory forest named contoso.com that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com by using
Azure AD Connect.
You need to prevent the synchronization of users who have the extensionAttribute15 attribute set to NoSync.
What should you do in Azure AD Connect?

A) Create an inbound synchronization rule for the Windows Azure Active Directory connector.
B) Configure a Full Import run profile.
C) Create an inbound synchronization rule for the Active Directory Domain Services connector. (Correct Answer)
D) Configure an Export run profile.

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-change-the-configuration

Community Discussion

Selected Answer: C

Following https://learn.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering#negative-filtering-do-not-sync-these. Answer C is

correct. You create an inbound rule because information is taken from Active Directory to Metaverse object.

Given answer C: is incorrect because it is talking AAD DS connector not AAD connector (sneaky!) It should be A.

Selected Answer: C

C is correct

Selected Answer: C

The connector name is Active Directory Domain Services connector (AD DS connector) Reference Azure AD Connect: Configure AD DS Connector Account Permissions https://learn.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-configure-ad-ds-connector-account

this came out in my test.

SecExams

Question #16

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. The tenant contains the users shown in the following table.

Name	Type	Directory synced
User1	User	No
User2	User	Yes
User3	Guest	No

All the users work remotely.
Azure AD Connect is configured in Azure AD as shown in the following exhibit.



Connectivity from the on-premises domain to the internet is lost.
Which users can sign in to Azure AD?

A) User1 and User3 only (Correct Answer)
B) User1 only
C) User1, User2, and User3
D) User1 and User2 only

SecExams

Explanation

Correct Answer:
A
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-pta-current-limitations

Community Discussion

I think the answer is correct. When the connection to on-premise is lost, PTA will not work anymore. The failover to Password Hash Synchronization is not automatic and needs to be configured manually in AD Connect. If the connection to on-premise is lost, and the AD Connect server runs un-premise, user 2 cannot login. ~~~~~~~ Enabling Password Hash Synchronization gives you the option to failover authentication if your on-premises infrastructure is disrupted. This failover from Pass-through Authentication to Password Hash Synchronization is not automatic. You'll need to switch the sign-in method manually using Azure AD Connect. If the server running Azure AD Connect goes down, you'll require help from Microsoft Support to turn off Pass-through Authentication.

Pass-through authentication is configured, Sync user will try to authenticate on local AD and unable to authenticate due to internet outage only cloud users (User 1 and User 3) can be authenticated Correct Answer : A

Selected Answer: A

Correct Answer : A

ON EXAM 14/11/2022

A. User1 and User3 only correct ans.

Question #17

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Active Directory forest that syncs to an Azure Active Directory (Azure AD) tenant.
You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.
You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.
Solution: You configure Azure AD Password Protection.
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

Answer NO Azure AD Password Protection With this feature, you can use the same checks for passwords in AzureAD on your on-premises Active Directory implementation. You can enforce both the Microsoft Global Banned Passwords and Custom banned-passwords list stored in Azure AD tenant. The DC agent software must be installed on all DCs in a domain.

just a general tip on yes/no questions. If you are not sure, always say no. There are more questions with no as correct answer then yes

Selected Answer: B

PTA is the only thing that'll work

On the exam, 09/07/2023

Selected Answer: B

Answer is No. Correct solution shall be Azure Active Directory (Azure AD) Pass-through Authentication. Azure Active Directory (Azure AD) Pass-through Authentication allows your users to sign in to both on-premises and cloud-based applications by using the same passwords. Pass-through Authentication signs users in by validating their passwords directly against on-premises Active Directory.

SecExams

Question #18

SecExams

HOTSPOT -

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the objects shown in the following table.

Name	Type	In organizational unit (OU)	Description
User1	User	OU1	User1 is a member of Group1.
User2	User	OU1	User2 is not a member of any groups.
Group1	Security group	OU2	User1 and Group2 are members of Group1.
Group2	Security group	OU1	Group2 is a member of Group1.

You install Azure AD Connect. You configure the Domain and OU filtering settings as shown in the Domain and OU Filtering exhibit. (Click the Domain and OU Filtering tab.)



You configure the Filter users and devices settings as shown in the Filter Users and Devices exhibit. (Click the Filter Users and Devices tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
User1 syncs to Azure AD.	○	○
User2 syncs to Azure AD.	○	○
Group2 syncs to Azure AD.	○	○

SecExams

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 syncs to Azure AD.	○	○
User2 syncs to Azure AD.	○	○
Group2 syncs to Azure AD.	○	○

Only direct members of Group1 are synced. Group2 will sync as it is a direct member of Group1 but the members of Group2 will not sync.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom

SecExams

Community Discussion

Correct: https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom#:~:text=When%20you%20add%20a%20group%20as%20a%20member%2C%20only%20the%20group%20Its%20members%20aren%27t%20added.

This is a dumb question that only some dude at MSFT would write. Tested in lab because you'll never do something this dumb in real life. The answer is correct even though the wizard specifically states "Nested groups are not supported and will be ignored." They are not ignored. User1, Group1 and Group2 were created in Azure AD. User2 was not.

ON EXAM 15/11/2022

The given answer is correct. Group 2 is a member of Group 1, so only Group 2 will sync, its members won't sync. https://docs.microsoft.com/en-us/azure/active-directory/hybrid/

how-to-connect-install-custom#sync-filtering-based-on-groups "All objects that you want to synchronize must be direct members of the group. Users, groups, contacts, and computers or devices must all be direct members. Nested group membership isn't resolved. **When you add a group as a member, only the group itself is added. Its members aren't added.**"

ON EXAM 14/11/2022

Question #19

You have an Azure Active Directory (Azure AD) tenant named contoso.com.
You need to ensure that Azure AD External Identities pricing is based on monthly active users (MAU).
What should you configure?

A) a user flow
B) the terms of use
C) a linked subscription (Correct Answer)
D) an access review

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/external-identities/external-identities-pricing

Community Discussion

Correct. To take advantage of MAU billing, your Azure AD tenant must be linked to an Azure subscription. https://docs.microsoft.com/en-us/azure/active-directory/external-identities/external-identities-pricing#what-do-i-need-to-do

Selected Answer: C

https://docs.microsoft.com/en-us/azure/active-directory/external-identities/external-identities-pricing#what-do-i-need-to-do

This question was in the exam 28/April/2022

On the exam - March 28, 2022

On the exam today - March 4, 2022

Question #20

DRAG DROP -

You have a new Microsoft 365 tenant that uses a domain name of contoso.onmicrosoft.com.

You register the name contoso.com with a domain registrar.

You need to use contoso.com as the default domain name for new Microsoft 365 users.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Delete the contoso.ommicrosoft.com domain.	
Add a custom domain name of contoso.com.	
Set the domain to primary.	
Create a new TXT record in DNS.	
Successfully verify the domain name.	

Explanation

Correct Answer:

Actions	Answer Area
Delete the contoso.ommicrosoft.com domain.	Add a custom domain name of contoso.com.
	Create a new TXT record in DNS.
	Successfully verify the domain name.
	Set the domain to primary.

Reference:
https://practical365.com/configure-a-custom-domain-in-office-365/

Community Discussion

Correct!!!

1. Add a custom domain name of contoso.com 2. Create a new TXT record in DNS 3. Successfully verify the domain name 4. Set the domain to primary

1. Add a custom domain name of contoso.com 2. Create a new TXT record in DNS 3. Successfully verify the domain name 4. Set the domain to primary

1. Add a custom domain name of contoso.com 2. Create a new TXT record in DNS 3. Successfully verify the domain name 4. Set the domain to primary

On exam few days ago.

SecExams

Question #21

SecExams

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that has an Azure Active Directory Premium Plan 2 license. The tenant contains the users shown in the following table.

Name	Role
Admin1	Cloud device administrator
Admin2	Device administrator
User1	**None**

You have the Device Settings shown in the following exhibit.



User1 has the devices shown in the following table.

Name	Operating system	Device identity
Device1	Windows 10	Azure AD joined
Device2	iOS	Azure AD registered
Device3	Windows 10	Azure AD registered
Device4	Android	Azure AD registered

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
User1 can join four additional Windows 10 devices to Azure AD.	○	○
Admin1 can set Devices to be Azure AD joined or Azure AD registered require Multi-Factor Authentication to **Yes**.	○	○
Admin2 is a local administrator on Device3.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 can join four additional Windows 10 devices to Azure AD.	○	○
Admin1 can set Devices to be Azure AD joined or Azure AD registered require Multi-Factor Authentication to **Yes**.	○	○
Admin2 is a local administrator on Device3.	○	○

Box 1: Yes -
Users may join 5 devices to Azure AD.

Box 2: No -
Cloud device administrator an enable, disable, and delete devices in Azure AD and read Windows 10 BitLocker keys in the Azure portal. The role does not grant permissions to manage any other properties on the device.

Box 3: No -
An additional local device administrator has not been applied
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/devices/device-management-azure-portal

Community Discussion

Looks like the max devices applies to registered and joined (just not hybrid), so I'm thinking 1) No 2) Yes 3) No https://docs.microsoft.com/en-us/azure/active-directory/devices/device-management-azure-portal#:~:text=Maximum%20number%20of%20devices%20setting%20applies%20to%20devices%20that%20

https://docs.microsoft.com/en-gb/azure/active-directory/devices/device-management-azure-portal#configure-device-settings 1. No Maximum number of devices: This setting

enables you to select the maximum number of Azure AD joined or Azure AD registered devices that a user can have in Azure AD 2. Yes You must be assigned one of the following roles to view or manage device settings in the Azure portal: Global Administrator Cloud Device Administrator Global Reader Directory Reader 3.No Only Azure AD joined devices

100% agreed and tested, these answer are correct: 1) No 2) Yes 3) No

100% agreed and tested, these answer are correct: 1) No 2) Yes 3) No

but 3) it is NO because the device is AD Registered, not AD Joined.

SecExams

Question #22

DRAG DROP -

You have a Microsoft 365 E5 subscription that contains three users named User1, User2, and User3.

You need to configure the users as shown in the following table.

User	Configuration
User1	• User administrator role • Device Administrators role • Identity Governance Administrator role
User2	• Records Management role • Quarantine Administrator role group
User3	• Endpoint Security Manager role • Intune Role Administrator role

Which portal should you use to configure each user? To answer, drag the appropriate portals to the correct users. Each portal may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:



Explanation

Correct Answer:



Community Discussion

Answer: User 1: Azure AD Admin center User 2: Microsoft Purview admin center (legacy Microsoft Compliance Admin center), these roles came from Exchange, Microsoft is not enforcing the roles permission from Exchange, Microsoft is recommending using Microsoft Purview Admin center. I believe this answer is too old. it could be true years ago, however, Microsoft today is with MS purview to assign these roles. Record management and Quarantine role are known as SCC (security and compliance center) SCC roles have evolved from Exchange role groups design to MS Purview. User 3: Endpoint Manager/Tenant administration/Roles/ you will see these two roles in the endpoint admin center.

The second user is ambiguous, as you can do it both from Exchange and Compliance center.

I agree with sergioandreslq The correct answer is: User 1: Azure AD Admin Center User 2: Microsoft Compliance Admin Center User 3: Microsoft Endpoint Manager Admin Center

I agree with sergioandreslq The correct answer is: User 1: Azure AD Admin Center User 2: Microsoft Compliance Admin Center User 3: Microsoft Endpoint Manager Admin Center

New names: User 1: Entra ID Admin center User 2: Microsoft Purview admin center User 3: Intune admin center

SecExams

Question #23

You have an Active Directory forest that syncs to an Azure Active Directory (Azure AD) tenant. The tenant uses pass-through authentication.

A corporate security policy states the following:

✑ Domain controllers must never communicate directly to the internet.

✑ Only required software must be installed on servers.

The Active Directory domain contains the on-premises servers shown in the following table.

Name	Description
Server1	Domain controller (PDC emulator)
Server2	Domain controller (infrastructure master)
Server3	Azure AD Connect server
Server4	Unassigned member server

You need to ensure that users can authenticate to Azure AD if a server fails.

On which server should you install an additional pass-through authentication agent?

A) Server4 (Correct Answer)

B) Server2

C) Server1

D) Server3

Explanation

Correct Answer:

A

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-pta-quick-start

Community Discussion

Selected Answer: A

Server 4 The standalone Authentication Agents can be installed on any Windows Server 2016 or later, with TLS 1.2 enabled. The server needs to be on the same Active Directory forest as the users whose passwords you need to validate.

Gotta be A. Server 3 has it already and if it goes down they won't be able to authenticate.

Server 4 since DCs cannot talk to the internet and server 3 already has it presumably

server 4 is correct, tested and worked

Agree. A. Server 4. Although it got me confused a bit because I didn't check the answer properly. I always imagine, A. Server 1, B. Server 2, etc. So, be careful during the exam.

Question #24

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains an Azure AD enterprise application named App1.
A contractor uses the credentials of .
You need to ensure that you can provide the contractor with access to App1. The contractor must be able to authenticate as .
What should you do?

A) Run the New-AzureADMSInvitation cmdlet. (Correct Answer)
B) Configure the External collaboration settings.
C) Add a WS-Fed identity provider.
D) Implement Azure AD Connect.

Explanation

Correct Answer:
A
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/external-identities/b2b-quickstart-add-guest-users-portal https://docs.microsoft.com/en-us/powershell/module/azuread/new-azureadmsinvitation?view=azureadps-2.0

Community Discussion

Selected Answer: A

A is the answers, they are looking for you to invite the user to azure ad. Assume that unless stated otherwise, default config in Azure AD is set, so collaboration settings are already on. "By default, all users in your organization, including B2B collaboration guest users, can invite external users to B2B collaboration. If you want to limit the ability to send invitations, you can turn invitations on or off for everyone, or limit invitations to certain roles." https://docs.microsoft.com/en-us/azure/active-directory/external-identities/external-collaboration-settings-configure

Selected Answer: A

This is the same question as 14. There you answer that "create a guest account" but here you all are saying "you need to configure collaboration settings". Think about it, if that would be the correct answer you shouldn't have it as an option on question number 14 but you have it there... It is A

Selected Answer: A

A is correct

Selected Answer: B

Question is asking the prerequisition of A, so I'll go for B.

B: By default all users can invite guest users. Too access to App1. Add applications to the self-service sign-up user flow under configure external collaboration settings.

Question #25

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.
From the Groups blade in the Azure Active Directory admin center, you assign Microsoft 365 Enterprise E5 licenses to the users.
You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.
What should you use?

A) the Administrative units blade in the Azure Active Directory admin center

B) the Set-AzureAdUser cmdlet
C) the Groups blade in the Azure Active Directory admin center
D) the Set-MsolUserLicense cmdlet (Correct Answer)

Explanation

Correct Answer:
D
The Set-MsolUserLicense cmdlet updates the license assignment for a user. This can include adding a new license, removing a license, updating the license options, or any combination of these actions.
Note:
There are several versions of this question in the exam. The question has two possible correct answers:
1. the Licenses blade in the Azure Active Directory admin center
2. the Set-MsolUserLicense cmdlet
Other incorrect answer options you may see on the exam include the following:
✑ the Identity Governance blade in the Azure Active Directory admin center
✑ the Set-WindowsProductKey cmdlet
✑ the Set-AzureAdGroup cmdlet
Reference:
https://docs.microsoft.com/en-us/powershell/module/msonline/set-msoluserlicense?view=azureadps-1.0

Community Discussion

The Set-MsolUserLicense cmdlet is deprecated. You'd use Set-MgUserLicense now.

Not yet deprectated The Set-MsolUserLicense and New-MsolUser (-LicenseAssignment) cmdlets are scheduled to be retired. Please migrate your scripts to the Microsoft Graph SDK's Set-MgUserLicense cmdlet as described above

Not yet deprectated The Set-MsolUserLicense and New-MsolUser (-LicenseAssignment) cmdlets are scheduled to be retired. Please migrate your scripts to the Microsoft Graph SDK's Set-MgUserLicense cmdlet as described above

Selected Answer: D

Although Set-MsolUserLicense is set to be retired, it is still valid at the time of writing this comment. https://docs.microsoft.com/en-us/microsoft-365/enterprise/remove-licenses-from-user-accounts-with-microsoft-365-powershell?view=o365-worldwide

But isn't it true thatو The Set-MsolUserLicense cmdlet is a valid PowerShell cmdlet used for managing license assignments for individual users in Microsoft 365. It allows you to add, remove, or modify licenses for a specific user.

SecExams

Question #26

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant and an Azure web app named App1.

You need to provide guest users with self-service sign-up for App1. The solution must meet the following requirements:

✑ Guest users must be able to sign up by using a one-time password.

✑ The users must provide their first name, last name, city, and email address during the sign-up process.

What should you configure in the Azure Active Directory admin center for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

One-time password:

- A linked subscription
- An identity provider
- Azure AD Privileged Identity Management (PIM)
- The External collaboration settings

User details:

- A user flow
- Access reviews
- An access package
- The tenant properties

Explanation

Correct Answer:

Answer Area

One-time password:

- A linked subscription
- An identity provider
- Azure AD Privileged Identity Management (PIM)
- The External collaboration settings

User details:

- A user flow
- Access reviews
- An access package
- The tenant properties

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/external-identities/identity-providers https://docs.microsoft.com/en-us/azure/active-directory/external-identities/self-service-sign-up-overview

Community Discussion

IMO it's more of a tricky wording and manipulative question, but the answer is correct. In simple word: 1. is about OTP setting: which comes under "External Identities" > All identity providers, Select Email one-time passcode. Link: https://learn.microsoft.com/en-us/azure/active-directory/external-identities/external-collaboration-settings-configure#configure-settings-in-the-portal 2. Question is about self service sign in setting: which comes under External Identities > External collaboration settings---Under Enable guest self-service sign up via user flows, select Yes. Link: https://learn.microsoft.com/en-us/azure/active-directory/external-identities/external-collaboration-settings-configure#configure-settings-in-the-portal Honestly with more than 27 years in the field, I don't get why some vendors put such memory-specific questions rather than testing concepts and engineers ability to find the required detail when from documentations

The given answer is correct. The Email one-time passcode is now moved to All Identity Providers: Box 1 -> Identity Provider Box 2 -> User Flow

One-Time Password: an Identity Provider User Details: a user flow

One-Time Password: an Identity Provider User Details: a user flow

1) One-time passcode will be configured as one of the IDP which is under "All Identity Providers" blade and 2) User Flow

Question #27

You have an Azure Active Directory (Azure AD) Azure AD tenant.
You need to bulk create 25 new user accounts by uploading a template file.
Which properties are required in the template file?

A) displayName, identityIssuer, usageLocation, and userType
B) accountEnabled, givenName, surname, and userPrincipalName
C) accountEnabled, displayName, userPrincipalName, and passwordProfile (Correct Answer)
D) accountEnabled, passwordProfile, usageLocation, and userPrincipalName

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/users-bulk-add

Community Discussion

Selected Answer: C

Correct Answer is: C Name [displayName] -> Required User name [userPrincipalName] -> Required Initial password [passwordProfile] -> Required, Block sign in (Yes/No) [accountEnabled] -> Required

Open the CSV file and add a line for each user you want to create. The only required values are Name, User principal name, Initial password and Block sign in (Yes/No). Then save the file. https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/users-bulk-add#to-create-users-in-bulk

Selected Answer: C

You can see it in the Template

That last part sounds aggressive upon reread, apologies. Didn't mean for it to come off like that

That last part sounds aggressive upon reread, apologies. Didn't mean for it to come off like that

Question #28

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant.
Users sign in to computers that run Windows 10 and are joined to the domain.
You plan to implement Azure AD Seamless Single Sign-On (Azure AD Seamless SSO).
You need to configure the Windows 10 computers to support Azure AD Seamless SSO.
What should you do?

A) Configure Sign-in options from the Settings app.
B) Enable Enterprise State Roaming.
C) Modify the Intranet Zone settings. (Correct Answer)
D) Install the Azure AD Connect Authentication Agent.

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start

Community Discussion

Answer is C. You can gradually roll out Seamless SSO to your users using the instructions provided below. You start by adding the following Azure AD URL to all or selected users' Intranet zone settings by using Group Policy in Active Directory: https://

autologon.microsoftazuread-sso.com In addition, you need to enable an Intranet zone policy setting called Allow updates to status bar via script through Group Policy. more information in: https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start

20% of the questions coming from this dump, the rest of the questions are new even the case study. Please read through the discussions and understand how it works so you can still answer even if the question is new.

Hi all, I completed the exam on 31/03/2022. Keep in mind that if you don't have a background in Azure Identity Access management and you rely entirely on the questions presented here you will be disappointed. There are several questions in the exam from this. However, they are new business cases as well as other questions and even answers are different. You may want to consult other training material if this is your only reference to study or learn the questions here but also study the Microsoft material which is offered for free.

On the exam, 7/23/2022.

On the exam - June 12, 2022

SecExams

Question #29

DRAG DROP -

You need to resolve the recent security incident issues.

What should you configure for each incident? To answer, drag the appropriate policy types to the correct issues. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:



Explanation

Correct Answer:



Box 1: A user risk policy -

User-linked detections include:

Leaked credentials: This risk detection type indicates that the user's valid credentials have been leaked. When cybercriminals compromise valid passwords of legitimate users, they often share those credentials.

User risk policy.

Identity Protection can calculate what it believes is normal for a user's behavior and use that to base decisions for their risk. User risk is a calculation of probability that an identity has been compromised. Administrators can make a decision based on this risk score signal to enforce organizational requirements. Administrators can choose to block access, allow access, or allow access but require a password change using Azure AD self-service password reset.

Box 2: A sign-in risk policy -
Suspicious browser: Suspicious browser detection indicates anomalous behavior based on suspicious sign-in activity across multiple tenants from different countries in the same browser.

Box 3: A sign-in risk policy -
A sign-in risks include activity from anonymous IP address: This detection is discovered by Microsoft Defender for Cloud Apps. This detection identifies that users were active from an IP address that has been identified as an anonymous proxy IP address.
Note: The following three policies are available in Azure AD Identity Protection to protect users and respond to suspicious activity. You can choose to turn the policy enforcement on or off, select users or groups for the policy to apply to, and decide if you want to block access at sign-in or prompt for additional action.
* User risk policy
Identifies and responds to user accounts that may have compromised credentials. Can prompt the user to create a new password.
* Sign in risk policy
Identifies and responds to suspicious sign-in attempts. Can prompt the user to provide additional forms of verification using Azure AD Multi-Factor Authentication.
* MFA registration policy
Makes sure users are registered for Azure AD Multi-Factor Authentication. If a sign-in risk policy prompts for MFA, the user must already be registered for Azure
AD Multi-Factor Authentication.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-policies

Community Discussion

The given answer is correct. Currently supported risk detections are Sign-in risk detections: Activity from anonymous IP address Additional risk detected Admin confirmed user compromised Anomalous Token Anonymous IP address Atypical travel Azure AD threat intelligence Impossible travel Malicious IP address Malware linked IP address Mass Access to Sensitive Files New country Password spray Suspicious browser

Suspicious inbox forwarding Suspicious inbox manipulation rules Token Issuer Anomaly Unfamiliar sign-in properties User risk detections: Additional risk detected Anomalous user activity Azure AD threat intelligence Leaked credentials Possible attempt to access Primary Refresh Token (PRT) https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks

Today I would solve all over Conditional Access.

1. A user risk policy 2. A sign-in risk policy 3. A sign-in risk policy

ON EXAM 14/11/2022

1. A user risk policy 2. A sign-in risk policy 3. A sign-in risk policy

SecExams

Question #30

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	User type	Directory synced
User1	Member	Yes
User2	Member	No
User3	Guest	No

For which users can you configure the Job title property and the Usage location property in Azure AD? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Explanation

Correct Answer:



Box 1: User1 and User2 only.
You can add or update a user's profile information using Azure Active Directory.
Add user profile information, including a profile picture, job-specific information, and some settings using Azure Active Directory (Azure AD).
The user profile includes:
Job info. Add any job-related information, such as the user's job title, department, or manager.

Box 2: User1, User2, and User3 -
Invite users with Azure Active Directory B2B collaboration, Update user's name and usage location.
To assign a license, the invited user's Usage location must be specified. Admins can update the invited user's profile on the Azure portal.
1. Go to Azure Active Directory > Users and groups > All users. If you don't see the newly created user, refresh the page.
2. Click on the invited user, and then click Profile.
3. Update First name, Last name, and Usage location.
4. Click Save, and then close the Profile blade.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/active-directory-users-profile-azure-portal https://docs.microsoft.com/en-us/power-platform/admin/invite-users-azure-active-directory-b2b-collaboration#update-users-name-and-usage-location

Community Discussion

Option to edit job title appears greyed out for on-premise synced users, usage location can be modified I would go for the following answers 1. User2 and User3 only 2. User1, User2 and user3

Tested this in my lab. Job title property for directory synched users cannot be updated from Azure AD. So correct answer for the same is user 2 and user 3.

I agree. The correct answer is: 1. User2 and User3 only 2. User1, User2 and User3 I tested it in our environment. The option to edit the job title for an on-premise synced user is greyed out. You will have to change the job title for an on-premise synced user from on-prem AD. Usage location is available for all types of users.

I agree. The correct answer is: 1. User2 and User3 only 2. User1, User2 and User3 I tested it in our environment. The option to edit the job title for an on-premise synced user is greyed out. You will have to change the job title for an on-premise synced user from on-prem AD. Usage location is available for all types of users.

If they are directory synced, sure you can change usage location in AAD portal, but it will change back after a directory sync if it differs from what is in AD users and computers. I have personally run into this in our tenant at work where the telecom guys needed to change a usage to the US from another country in order to assign a license to allow for teams calling. They would change it in AAD and then find it had reverted within 30 min. So that said I don't know where this answer actually falls in Microsoft's perspective because sure you can manipulate the setting in AAD, but it won't stick past the next directory sync.

SecExams

Question #31

You have an Azure Active Directory (Azure AD) tenant that: contains a user named User1.

You need to ensure that User1 can create new catalogs and add1 resources to the catalogs they own.

What should you do?

A) From the Roles and administrators blade, modify the Groups administrator role.

B) From the Roles and administrators blade, modify the Service support administrator role.

C) From the Identity Governance blade, modify the Entitlement management settings. (Correct Answer)

D) From the Identity Governance blade, modify the roles and administrators for the General catalog.

Explanation

Correct Answer:
C
Create and manage a catalog of resources in Azure AD entitlement management.
Create a catalog.
A catalog is a container of resources and access packages. You create a catalog when you want to group related resources and access packages. A user who has been delegated the catalog creator role can create a catalog for resources that they own. Whoever creates the catalog becomes the first catalog owner. A catalog owner can add more users, groups of users, or application service principals as catalog owners.
Prerequisite roles: Global administrator, Identity Governance administrator, User administrator, or Catalog creator.
Incorrect:
* Groups Administrator - Members of this role can create/manage groups, create/manage groups settings like naming and expiration policies, and view groups activity and audit reports.
* Service Support Administrator
Users with this role can create and manage support requests with Microsoft for Azure and Microsoft 365 services, and view the service dashboard and message center in the Azure portal and Microsoft 365 admin center.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-catalog-create https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference

SecExams

Community Discussion

Selected Answer: C

Delegate entitlement management By default, only Global Administrators and User Administrators can create and manage catalogs, and can manage all catalogs. Users added to entitlement management as Catalog creators can also create catalogs and will become the owner of any catalogs they create.

Correct link with reasoning: https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-delegate-catalog#as-an-it-administrator-delegate-to-a-catalog-creator

on the exam 09222022, i answered the same. Passed the exam, btw.

test it and then come back and tell us what was the result :)

test it and then come back and tell us what was the result :)

Question #32

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant.
Users sign in to computers that run Windows 10 and are joined to the domain.
You plan to implement Azure AD Seamless Single Sign-On (Azure AD Seamless SSO).
You need to configure the Windows 10 computers to support Azure AD Seamless SSO.
What should you do?

A) Configure Sign-in options from the Settings app.
B) Enable Enterprise State Roaming.
C) Modify the Local intranet Zone settings. (Correct Answer)
D) Install the Azure AD Connect Authentication Agent.

Explanation

Correct Answer:
C
Enable Seamless SSO through Azure AD Connect.
At the User sign-in page, select the Enable single sign on option.



Note:
The option will be available for selection only if the Sign On method is Password Hash Synchronization or Pass-through Authentication.
Seamless SSO can be combined with either the Password Hash Synchronization or Pass-through Authentication sign-in methods.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start

Community Discussion

The question states: You need to configure the Windows 10 computers to support Azure AD Seamless SSO. The catch is, "configure the Windows 10 computers. The answer is C. This is also a repeated question on the previous page.

I agree, the correct answer is C.

I agree, the correct answer is C.

Question is same, but possible answers are different. Here is LOCAL zone, and it is different than Intranet zone settings. So set answer si right I think.

OK, back. I found If your organization is planning to use Seamless SSO, then the following URLs need to be reachable from the computers inside your organization and they must also be added to the user's local intranet zone: https://autologon.microsoftazuread-sso.com (enable with GPO) https://aadg.windows.net.nsatc.net (enable with GPO) Also, the following setting should be enabled in the user's intranet zone: "Allow status bar updates via script." Use GPO for this operation.

SecExams

Question #33

Your company has two divisions named Contoso East and Contoso West. The Microsoft 365 identity architecture for both divisions is shown in the following exhibit.



You need to assign users from the Contoso East division access to Microsoft SharePoint Online sites in the Contoso West tenant. The solution must not require additional Microsoft 365 licenses.
What should you do?

A) Configure Azure AD Application Proxy in the Contoso West tenant.
B) Invite the Contoso East users as guests in the Contoso West tenant. (Correct Answer)
C) Deploy a second Azure AD Connect server to Contoso East and configure the server to sync the Contoso East Active Directory forest to the Contoso West tenant.
D) Configure the existing Azure AD Connect server in Contoso East to sync the Contoso East Active Directory forest to the Contoso West tenant.

Explanation

Correct Answer:
B
Before any of your users can grant SharePoint Online team site access to external guests, you will have to enable guest sharing from within Azure Active
Directory.
Reference:
https://redmondmag.com/articles/2020/03/11/guest-access-sharepoint-online-team-sites.aspx https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/multi-tenant-common-considerations

Community Discussion

it should be stated as answer: configure cross-tenant access settings

Selected Answer: B

Correct Answer: B

Selected Answer: B

B is the correct answer. No further licensing is required here. As LHADUK suggested though, cross-tenant access should be configured.

This. Cross-tenant access settings is built specifically for this. https://learn.microsoft.com/en-us/azure/active-directory/external-identities/cross-tenant-access-overview

This. Cross-tenant access settings is built specifically for this. https://learn.microsoft.com/en-us/azure/active-directory/external-identities/cross-tenant-access-overview

SecExams

Question #34

You configure a new Microsoft 365 tenant to use a default domain name of contoso.com.
You need to ensure that you can control access to Microsoft 365 resources by using conditional access policies.
What should you do first?

A) Disable the User consent settings.
B) Disable Security defaults. (Correct Answer)
C) Configure a multi-factor authentication (MFA) registration policy.
D) Configure password protection for Windows Server Active Directory.

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/concept-fundamentals-security-defaults

Community Discussion

Taken from article in answer: “If your tenant was created on or after October 22, 2019, it is possible security defaults are already enabled in your tenant. To protect all of our users, security defaults are being rolled out to all new tenants created.” To enable CAP you have to disable Security defaults - Answer is correct.

Selected Answer: B

You need to disable Security defaults to enable Conditional access policies, si the answer is correctt

Selected Answer: B

Disable the security defaults to enable Conditional Access policies

Selected Answer: B

As per the Microsoft documentation, Microsoft recommend to disable security defaults if conditional access policies are used.

On exam- 10/28/22

Question #35

Your company has a Microsoft 365 tenant.
The company has a call center that contains 300 users. In the call center, the users share desktop computers and might use a different computer every day.
The call center computers are NOT configured for biometric identification.
The users are prohibited from having a mobile phone in the call center.
You need to require multi-factor authentication (MFA) for the call center users when they access Microsoft 365 services.
What should you include in the solution?

A) a named network location
B) the Microsoft Authenticator app
C) Windows Hello for Business authentication
D) FIDO2 tokens (Correct Answer)

Explanation

Correct Answer:
D
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-passwordless

Community Discussion

ignoring the terrible working conditions, terribly configured network (or you would just set MFA and CA to ignore that network segment), and obviously micromanaging bosses - the given answer is correct.

The only logical option.

A. a named network location - not an MFA option B. the Microsoft Authenticator app - no mobile phones allowed C. Windows Hello for Business authentication - no biometrical options in the office and the data is stored in the local device - they switch PCs every day so D. FIDO2 key

D. This one is clever. Windows hello for Business would require each user to scan their faces for each computer. It wouldn't be a viable solution. it'd have to be Fido2 instead.

Selected Answer: D

D. Fichas FIDO2

Question #36

You have an Azure Active Directory (Azure AD) tenant named contoso.com.
All users who run applications registered in Azure AD are subject to conditional access policies.
You need to prevent the users from using legacy authentication.
What should you include in the conditional access policies to filter out legacy authentication attempts?

A) a cloud apps or actions condition
B) a user risk condition
C) a client apps condition (Correct Answer)
D) a sign-in risk condition

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication

Community Discussion

Client apps condition is the correct answer

Directly blocking legacy authentication The easiest way to block legacy authentication across your entire organization is by configuring a Conditional Access policy that applies specifically to legacy authentication clients and blocks access. Conditional Access policies apply to all client apps by default Client apps By default, all newly created Conditional Access policies will apply to all client app types even if the client apps condition is not configured. Reference: https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication

On the exam, 09/07/2023

Question valid - 06/23

Estoy deacuerdo contigo, en este caso para mi la respuesta no esta o no es clara o esta confuza. la informacion que brinda una solucion esta en el link https://learn.microsoft.com/es-es/azure/active-directory/conditional-access/block-legacy-authentication#directly-blocking-legacy-authentication

SecExams

Question #37

You have an Azure Active Directory (Azure AD) tenant.
You open the risk detections report.
Which risk detection type is classified as a user risk?

A) impossible travel
B) anonymous IP address
C) atypical travel
D) leaked credentials (Correct Answer)

Explanation

Correct Answer:
D
Leaked credentials indicates that the user's valid credentials have been leaked.
Note:
There are several versions of this question in the exam. The question can have other incorrect answer options, including the following:
✑ password spray
✑ malicious IP address
✑ unfamiliar sign-in properties
Reference:

https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks

Community Discussion

Correct - leaked credentials. Rest belongs to sign-in risk

Selected Answer: D

D. leaked credentials

Selected Answer: D

D. leaked credentials Leaked credentials refer to instances where a user's username and password have been compromised and exposed externally. This is considered a user risk because it involves potential unauthorized access to a user's account due to the compromise of their login credentials.

Selected Answer: D

Correct Answer: D

The risk detection type that is classified as a user risk in Azure Active Directory (Azure AD) tenant is leaked credentials

SecExams

Question #38

You have a Microsoft 365 tenant.
All users have computers that run Windows 10. Most computers are company-owned and joined to Azure Active Directory (Azure AD). Some computers are user- owned and are only registered in Azure AD.
You need to prevent users who connect to Microsoft SharePoint Online on their user-owned computer from downloading or syncing files. Other users must NOT be restricted.
Which policy type should you create?

A) a Microsoft Cloud App Security activity policy that has Microsoft Office 365 governance actions configured
B) an Azure AD conditional access policy that has session controls configured (Correct

Answer)

C) an Azure AD conditional access policy that has client apps conditions configured
D) a Microsoft Cloud App Security app discovery policy that has governance actions configured

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/cloud-app-security/proxy-intro-aad

Community Discussion

B is the correct answer imo - https://docs.microsoft.com/en-us/sharepoint/control-access-from-unmanaged-devices - You need to use "Use app enforced restrictions" from the "Session" control of the CA

So, first step is to create a Conditional Access Policy with Session configured in Azure AD, then create a Session Policy in Cloud App Security: https://techcommunity.microsoft.com/t5/itops-talk-blog/step-by-step-blocking-data-downloads-via-microsoft-cloud-app/ba-p/326357 So I'd say that since the first step is the Azure one the correct answer is B, since none of the other options for Cloud App Security make sense.

IMHO After review this on a real tenant first you need to select SPO in Cloud apps or actions that action will enable in session settings App enforced restrictions might require additional admin configurations within the cloud apps. The restrictions will only take effect for new sessions. So because first action is configure the application that will be affected by sessions settings, choosing C, instead B can the option to select as demoxyl told 2 months, 1 week ago C is the answer

IMHO After review this on a real tenant first you need to select SPO in Cloud apps or actions that action will enable in session settings App enforced restrictions might require additional admin configurations within the cloud apps. The restrictions will only take effect for new sessions. So because first action is configure the application that will be affected by sessions settings, choosing C, instead B can the option to select as demoxyl told 2 months, 1 week ago C is the answer

SecExams

IMHO After review this on a real tenant first you need to select SPO in Cloud apps or actions that action will enable in session settings App enforced restrictions might require additional admin configurations within the cloud apps. The restrictions will only take effect for new sessions. So because first action is configure the application that will be affected by sessions settings, choosing C, instead B can the option to select as demoxyl told 2 months, 1 week ago C is the answer

Question #39

You have an Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant.
The on-premises network contains a VPN server that authenticates to the on-premises Active Directory domain. The VPN server does NOT support Azure Multi-
Factor Authentication (MFA).
You need to recommend a solution to provide Azure MFA for VPN connections.
What should you include in the recommendation?

A) Azure AD Application Proxy
B) an Azure AD Password Protection proxy
C) Network Policy Server (NPS) (Correct Answer)
D) a pass-through authentication proxy

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-nps-extension-vpn

Community Discussion

Yes! C is indeed the correct answer. NPS (Network Policy and Access Service) is like a middle man between the VPN client and Azure MFA. The NPS role is installed on a domain-joined server or the domain controller and is configured to authenticate and authorize RADIUS requests from the VPN client. The VPN should be configured to use RADIUS authentication and point to the NPS server. The MFA NPS extension is installed

anywhere but the VPN server. When a user/VPN client attempts to authenticate, it sends a RADIUS request to the NPS server through the VPN which performs the primary authentication and then triggers the NPS Extension for secondary authentication.

Upvote for additional knowledge! thank you

Upvote for additional knowledge! thank you

https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-nps-extension

To provide Azure MFA for VPN connections, you can integrate Azure MFA with existing on-premises network policy server (NPS) servers. You can also use Azure Multi-Factor Authentication Server (Azure MFA Server) to connect with various third-party VPN solutions Based on this information, the solution that should be recommended is C. Network Policy Server (NPS). This is because it allows you to secure RADIUS client authentication by deploying either an on-premises based MFA solution or a cloud-based MFA solution

SecExams

Question #40

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant is configured to sync with an on-premises Active Directory domain. The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2019	Domain controller
Server2	Windows Server 2016	Domain controller
Server3	Windows Server 2019	Azure AD Connect

The domain controllers are prevented from communicating to the internet.

You implement Azure AD Password Protection on Server1 and Server2.

You deploy a new server named Server4 that runs Windows Server 2019.

You need to ensure that Azure AD Password Protection will continue to work if a single server fails.

What should you implement on Server4?

A) Azure AD Connect
B) Azure AD Application Proxy
C) Password Change Notification Service (PCNS)

D) the Azure AD Password Protection proxy service (Correct Answer)

Explanation

Correct Answer:
D
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-deploy

Community Discussion

The AzureAD Password Protection proxy service initiates an outbound connection (Port 443) to Azure to pull the banned password list. The downloaded banned password list is pulled by the agent installed on DCs. Given answer is correct.

ON EXAM 14/11/2022

Selected Answer: D

D. el servicio de proxy de protección con contraseña de Azure AD

Selected Answer: D

The answer given is a correct answer. Azure AD Password Protection proxy service.

There is only one server functioning as the AZ AD Connect which is Server 3. What if Server 3 goes down? This is a single point of failure which I think should Server 4 be configured to be doing. So I would have A as an answer.

SecExams

Question #41

DRAG DROP -

You have a Microsoft 365 E5 tenant.

You purchase a cloud app named App1.

You need to enable real-time session-level monitoring of App1 by using Microsoft Cloud App Security.

In which order should you perform the actions? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Explanation

Correct Answer:



Reference:

https://docs.microsoft.com/en-us/cloud-app-security/proxy-deployment-any-app

https://docs.microsoft.com/en-us/cloud-app-security/session-policy-aad

Community Discussion

1. Publish App1. 2. Create a conditional access policy that has session controls configured. 3. From MCAS modify the Connected apps settings 4. From MCAS create a session policy Reference - https://techcommunity.microsoft.com/t5/itops-talk-blog/step-by-step-blocking-data-downloads-via-microsoft-cloud-app/ba-p/326357

The given answer is wrong and I differ slightly from Jason below. 1) publish app 2) create a conditional access policy that has session controls - this begins the process for 3) From MCAS create a session policy 4) from MCAS modify the connected apps settings.

JasonYin order is the right one, if you go top down the menu of conditional policy,
Publish App1 Create a conditional access policy that has session controls configured
From Microsoft Cloud Application Security modify the connected apps settings for App1
From Microsoft Cloud Application Security create a session policy

JasonYin order is the right one, if you go top down the menu of conditional policy,
Publish App1 Create a conditional access policy that has session controls configured
From Microsoft Cloud Application Security modify the connected apps settings for App1
From Microsoft Cloud Application Security create a session policy

JasonYin order is the right one, if you go top down the menu of conditional policy,
Publish App1 Create a conditional access policy that has session controls configured
From Microsoft Cloud Application Security modify the connected apps settings for App1
From Microsoft Cloud Application Security create a session policy

SecExams

Question #42

You have a Microsoft 365 tenant.
All users have mobile phones and laptops.
The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.
You plan to implement multi-factor authentication (MFA).
Which MFA authentication method can the users use from the remote location?

A) a notification through the Microsoft Authenticator app

B) an app password

C) Windows Hello for Business (Correct Answer)

D) SMS

Explanation

Correct Answer:
C
In Windows 10, Windows Hello for Business replaces passwords with strong two-factor authentication on PCs and mobile devices. This authentication consists of a new type of user credential that is tied to a device and uses a biometric or PIN.
After an initial two-step verification of the user during enrollment, Windows Hello is set up on the user's device and Windows asks the user to set a gesture, which can be a biometric, such as a fingerprint, or a PIN. The user provides the gesture to verify their identity. Windows then uses Windows Hello to authenticate users.
Incorrect Answers:
A: A notification through the Microsoft Authenticator app requires connectivity to send the verification code to the device requesting the logon
B: An app password can be used to open an application but it cannot be used to sign in to a computer.

D: SMS requires a mobile phone -
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods https://docs.microsoft.com/en-us/windows/security/identity-protection/hello-for-business/hello-overview

Community Discussion

Selected Answer: C

If you think it's anything other than C, maybe you need to consider a career change.

Answer C in correct. Why everyone thinking that answer A is correct ?

Selected Answer: C

The answer C is correct . The question states " The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity ". so there is no way a user would get a notification through Microsoft Authenticator App. Windows Hello

for business is also considered an MFA authentication method for Azure AD registered and Joined devices

Microsoft Authenticator Approve sign-ins from a mobile app using push notifications, biometrics, or one-time passcodes. Windows Hello for Business Replace your passwords with strong two-factor authentication (2FA) on Windows 10 devices. Use a credential tied to your device along with a PIN, a fingerprint, or facial recognition to protect your accounts.

yeah, it's never too late..

Question #43

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Microsoft 365 tenant.
All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.
Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.
You need to block the users automatically when they report an MFA request that they did not initiate.
Solution: From the Azure portal, you configure the Notifications settings for multi-factor authentication (MFA).
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B
You need to configure the fraud alert settings.

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings

Community Discussion

No indeed | Refferenced to https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#block-and-unblock-users with Fraud alert

Selected Answer: B

You need to configure the fraud alert settings.

No. to block user Browse to Azure Active Directory > Security > MFA > Block/unblock users.

To enable the alert function. Azure Entre -> security -> MFA -> Fraud Alert

You can configure fraud alert notifications in Azure Active Directory > Security > Multi-Factor Authentication > Notifications1. You can enter the email address to send the notification to and remove an existing email address by selecting "..." next to the email address and then selecting Delete. You can also configure multi-factor authentication during a sign-in event to the Azure portal by selecting Conditional Access from the left navigation blade, then selecting Named location, and clicking on "Configure MFA trusted IPs" in the bar across the top of the Conditional Access | Named Locations window

SecExams

Question #44

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Microsoft 365 tenant.
All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.
Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.
You need to block the users automatically when they report an MFA request that they did not initiate.
Solution: From the Azure portal, you configure the Account lockout settings for multi-factor authentication (MFA).
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B
You need to configure the fraud alert settings.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings

Community Discussion

This is incorrect, should be B. Fraud alert setting literally has an option to configure it to automatically block - https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#fraud-alert o enable and configure fraud alerts, complete the following steps: 1. Go to Azure Active Directory > Security > MFA > Fraud

alert. 2. Set Allow users to submit fraud alerts to On. 3. Configure the Automatically block users who report fraud or Code to report fraud during initial greeting setting as needed. 4. Select Save.

This is incorrect, should be B. Fraud alert setting literally has an option to configure it to automatically block - https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#fraud-alert o enable and configure fraud alerts, complete the following steps: 1. Go to Azure Active Directory > Security > MFA > Fraud alert. 2. Set Allow users to submit fraud alerts to On. 3. Configure the Automatically block users who report fraud or Code to report fraud during initial greeting setting as needed. 4. Select Save.

A: Fraud alert only enables the user to report fraud by pressing 0# (default), in account lockout you can configure automatic user lockout after # of MFA denials.

No indeed | Refferenced to https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#block-and-unblock-users with Fraud alert

The answer is correct - NO. The account lockout settings are applied only when a PIN code is entered for the MFA prompt. Fraud Alert: The fraud alert feature lets users report fraudulent attempts to access their resources. When an unknown and suspicious MFA prompt is received, users can report the fraud attempt by using the Microsoft Authenticator app or through their phone. The following fraud alert configuration options are available: Automatically block users who report fraud. If a user reports fraud, the Azure AD Multi-Factor Authentication attempts for the user account are blocked for 90 days or until an administrator unblocks the account. https://learn.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings

SecExams

Question #45

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Microsoft 365 tenant.
All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.
Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.
You need to block the users automatically when they report an MFA request that they did not initiate.
Solution: From the Azure portal, you configure the Block/unblock users settings for multi-factor authentication (MFA).
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B
You need to configure the fraud alert settings.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings

Community Discussion

go to MFA>settings>Fraud Alert>allow>autoblock>on>save

Selected Answer: B

B - No It should be Azure Active Directory > Security > Multifactor authentication > Fraud alert -> Allow users to submit fraud alerts to On Pay attention to the words - you need to block the users AUTOMATICALLY Explanation from MS docs: FRAUD ALERT The fraud alert feature lets users report fraudulent attempts to access their resources. When an unknown and suspicious MFA prompt is received, users can report the fraud attempt by using the Microsoft Authenticator app or through their phone. The following fraud alert configuration options are available: - Automatically block users who report fraud. - Code to report fraud during initial greeting. BLOCK AND UNBLOCK USERS If a user's device is lost or stolen, you can block Azure AD Multi-Factor Authentication attempts for the associated account. Any Azure AD Multi-Factor Authentication attempts for blocked users are automatically denied. Users remain blocked for 90 days from the time that they're blocked.

On exam few days ago.

Sorry my fault, answer is right

Sorry my fault, answer is right

SecExams

Question #46

HOTSPOT -

You have a Microsoft 365 tenant.

You need to identify users who have leaked credentials. The solution must meet the following requirements:

✑ Identify sign-ins by users who are suspected of having leaked credentials.

✑ Flag the sign-ins as a high-risk event.

✑ Immediately enforce a control to mitigate the risk, while still allowing the user to access applications.

What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area



Explanation

Correct Answer:

Answer Area



Reference:
https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks

Community Discussion

It's correct

Passed the exam today 23/09/2021 This question came in the exam.

this should be user risk not sign in risk. Leaked creds is user. https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks

On the exam, 09/07/2023

On the exam, 7/23/2022.

Question #47

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Role
User1	Conditional Access administrator
User2	Authentication administrator
User3	Security administrator
User4	Security operator

You plan to implement Azure AD Identity Protection.

Which users can configure the user risk policy, and which users can view the risky users report? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Configure the user risk policy:

- User3 only
- User3 and User4 only
- User1, User2, and User3 only
- User1, User3, and User4 only
- User1, User2, User3, and User4

View the risky users report:

- User3 only
- User3 and User4 only
- User1, User2, and User3 only
- User1, User3, and User4 only
- User1, User2, User3, and User4

Explanation

Correct Answer:

Answer Area

Configure the user risk policy:

- User3 only
- User3 and User4 only
- User1, User2, and User3 only
- User1, User3, and User4 only
- User1, User2, User3, and User4

View the risky users report:

- User3 only
- User3 and User4 only
- User1, User2, and User3 only
- User1, User3, and User4 only
- User1, User2, User3, and User4

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/overview-identity-protection

Community Discussion

Given answers are not right. Users who can set up policies have the security or global admin role. According to given Link https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/overview-identity-protection, security operator can view all Identity Protection reports and Overview blade, Dismiss user risk, confirm safe sign-in and confirm compromise but can't Configure or change policies, and Configure alerts So the first box should be User3 only because he is security admin and the second one User3 and User4.

Configure user risk policy: User3 (Security Administrator) View the Risky Users Report: User3 and User4 (Security Administrator and Security Operator) Conditional Access Administrator - Does not have access to Identity Protection | User risk policy - Does not have "Grants access to Risky Users Report" Authentication Administrator - Does not have access to Identity Protection | User risk policy - Does not have "Grants access to Risky Users Report" Security Administrator - Has update access to Identity Protection | User risk policy microsoft.directory/identityProtection/allProperties/update = Update all resources in Azure AD Identity Protection - Grants access to Risky Users Report Security Operator - Has only read access to Identity Protection | User risk policy microsoft.directory/identityProtection/allProperties/allTasks = Create and delete all

resources, and read and update standard properties in Azure AD Identity Protection - Grants access to Risky Users Report

Answers are right, it's already User3 for box 1 and User3 and User4 for Box 2... you must have seen an older version of this questions... (2 years ago I guess)

Answers are right, it's already User3 for box 1 and User3 and User4 for Box 2... you must have seen an older version of this questions... (2 years ago I guess)

Tested to confirm: Configure: User 3 only Read report: Users 3 and 4

SecExams

Question #48

SecExams

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that contains a group named Group3 and an administrative unit named Department1.

Department1 has the users shown in the Users exhibit. (Click the Users tab.)



Department1 has the groups shown in the Groups exhibit. (Click the Groups tab.)



Department1 has the user administrator assignments shown in the Assignments exhibit. (Click the Assignments tab.)



The members of Group2 are shown in the Group2 exhibit. (Click the Group2 tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
Admin1 can reset the passwords of User3 and User4.	○	○
Admin1 can add User1 to Group 2	○	○
Admin 2 can reset the password of User1.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
Admin1 can reset the passwords of User3 and User4.	○	○
Admin1 can add User1 to Group 2	○	○
Admin 2 can reset the password of User1.	○	○

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/roles/administrative-units

Community Discussion

So the correct answer is No, Yes, Yes

Tested in my own lab. No, Yes, Yes is correct.

Tested in lab on Mar.06, 2022, the answer is NO, YES, YES

Tested in lab on Mar.06, 2022, the answer is NO, YES, YES

I agree with Beitran. The correct answer is No, Yes, Yes. Here are some of the constraints for administrative units: Administrative units can't be nested. https://learn.microsoft.com/en-gb/azure/active-directory/roles/administrative-units

SecExams

Question #49

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Microsoft 365 tenant.
All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.
Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.
You need to block the users automatically when they report an MFA request that they did not initiate.
Solution: From the Azure portal, you configure the Fraud alert settings for multi-factor authentication (MFA).
Does this meet the goal?

A) Yes (Correct Answer)
B) No

Explanation

Correct Answer:
A
The fraud alert feature lets users report fraudulent attempts to access their resources. When an unknown and suspicious MFA prompt is received, users can report the fraud attempt using the Microsoft Authenticator app or through their phone.
The following fraud alert configuration options are available:
✑ Automatically block users who report fraud.
✑ Code to report fraud during initial greeting.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings

Community Discussion

Correct Answer A

These are the settings in the console Allow users to submit fraud alerts On Off Automatically block users who report fraud On Off

You're wrong, just check in the portal.

These are the settings in the console Allow users to submit fraud alerts On Off Automatically block users who report fraud On Off

You're wrong, just check in the portal.

Question #50

You have a Microsoft 365 tenant.
All users have mobile phones and laptops.
The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.
You plan to implement multi-factor authentication (MFA).
Which MFA authentication method can the users use from the remote location?

A) a notification through the Microsoft Authenticator app
B) email
C) security questions
D) a verification code from the Microsoft Authenticator app (Correct Answer)

Explanation

Correct Answer:
D
The Authenticator app can be used as a software token to generate an OATH verification code. After entering your username and password, you enter the code provided by the Authenticator app into the sign-in interface.
Incorrect Answers:
A: A notification through the Microsoft Authenticator app requires connectivity to send the verification code to the device requesting the logon.
B: An email requires network connectivity.
C: Security questions are not used as an authentication method but can be used during

the self-service password reset (SSPR) process.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-authenticator-app#verification-code-from-mobile-app

Community Discussion

Selected Answer: D

This question was in the exam 28/April/2022 (and yes, I passed). I chose Option D - A verification code from the Microsoft Authenticator app

Selected Answer: D

B,C Aren't valid, neither is push notification due to no external access, so only valid choice is D. However this is assuming they've already had previously downloaded, added, scanned the QR code and set MFA from a location the has WIFI/external access. This question has cropped up repeatedly with different answers, and many discussions....

Selected Answer: D

6 digit verification code is useable offline

Selected Answer: D

Hope this will illustrate better if somone is confused: https://www.strath.ac.uk/professionalservices/is/cybersecurity/mfa/whatifidonthaveasignalorwi-ficonnectiononmyphone/

after test effectively you do not need any connections from your phone (no wifi or data) to get a code and validate it it works https://support.microsoft.com/en-us/account-billing/common-questions-about-the-microsoft-authenticator-app-12d283d1-bcef-4875-9ae5-ac360e2945dd So answer D is correct

SecExams

Question #51

HOTSPOT -

You have a Microsoft 365 tenant.

You create a named location named HighRiskCountries that contains a list of high-risk countries.

You need to limit the amount of time a user can stay authenticated when connecting from a high-risk country.

What should you configure in a conditional access policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area



Explanation

Correct Answer:

Answer Area

Configure HighRiskCountries by using:

- A cloud app or action
- **A condition**
- A grant control
- A session control

Configure Sign-in frequency by using:

- A cloud app or action
- A condition
- A grant control
- **A session control**

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-session

SecExams

Community Discussion

This is correct. CONDITION-->named LOCATION. SESSION-->SIGN-IN FREQUENCY

Given answer correct

Question valid - 06/23

Correct answers!

High Risk Countires : A condition Sign in frequency : A session control

Question #52

HOTSPOT -

A user named User1 attempts to sign in to the tenant by entering the following incorrect passwords:

- Pa55w0rd12
- Pa55w0rd12
- Pa55w0rd12
- Pa55w.rd12
- Pa55w.rd123
- Pa55w.rd123
- Pa55w.rd123
- Pa55word12
- Pa55word12
- Pa55word12
- Pa55w.rd12

You need to identify how many sign-in attempts were tracked for User1, and how User1 can unlock her account before the 300-second lockout duration expires.

What should identify? To answer, select the appropriate

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area



Explanation

Correct Answer:

Answer Area



Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-sspr-deployment

Community Discussion

I tested this, if you stick to the question about Track Sig-In Attempts and the information provided in the question, Azure AD logs will log 11 attempts!!! You are assuming Smart lockout tracks, but there is nothing in the question related to this. If I have the same question in the exam, I will go with 11 as I tested it

Your answer is wrong with the tracked sign ins: I tested this in my tenant with User1 & User2; I tried to login with all the passwords in the order thats described in the question. Then i went to Portal.azure > AAD > Users > User 1 & User 2 > Sign-In Logs: I got on both users exact 11 sign-in loggings. Every wrong or correct authentication is logged into Azure. Final answers: Tracked sign-in: 11 Unlock by: SSPR

Your answer is wrong with the tracked sign ins: I tested this in my tenant with User1 & User2; I tried to login with all the passwords in the order thats described in the question. Then i went to Portal.azure > AAD > Users > User 1 & User 2 > Sign-In Logs: I got on both users exact 11 sign-in loggings. Every wrong or correct authentication is logged into Azure. Final answers: Tracked sign-in: 11 Unlock by: SSPR

SecExams

I'm almost certain that 5 sign-in attempts were tracked, and the user got locked out because of that! For the same 3 passwords in a row, MS counts only 1! "Smart lockout tracks the last three bad password hashes to avoid incrementing the lockout counter for the same password." - https://learn.microsoft.com/en-us/azure/active-directory/authentication/howto-password-smart-lockout

The key here is the 300s lockout value. This is the default value when Smart Lockout is turned on. It's a trick question to fool you into assuming it isn't turned on and give 11 as tracked count. The correct answer is 5 count, and SSPR. ?

SecExams

Question #53

SecExams

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that has Security defaults disabled.

You are creating a conditional access policy as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To ensure that User1 is prompted for multi-factor authentication (MFA) when accessing Cloud apps, you must configure the **[answer choice]**.

- Conditions settings
- Enable policy setting
- Grant settings
- Sessions settings
- Users and groups setting

To ensure that User1 is prompted for authentication every eight hours, you must configure the **[answer choice]**.

- Conditions settings
- Enable policy setting
- Grant settings
- Sessions settings
- Users and groups setting

Explanation

Correct Answer:

Answer Area

To ensure that User1 is prompted for multi-factor authentication (MFA) when accessing Cloud apps, you must configure the **[answer choice]**.

- Conditions settings
- Enable policy setting
- **Grant settings**
- Sessions settings
- Users and groups setting

To ensure that User1 is prompted for authentication every eight hours, you must configure the **[answer choice]**.

- Conditions settings
- Enable policy setting
- Grant settings
- **Sessions settings**
- Users and groups setting

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-all-users-mfa

Community Discussion

Reference: https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-conditions https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-session https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-session#sign-in-frequency Create a Conditional Access policy 1. Under Access controls > Grant, select Grant access, Require multi-factor authentication, and select Select. 2. Confirm your settings and set Enable policy to On. 3. Select Create to create to enable your policy. Sign-in frequency Sign-in frequency defines the time period before a user is asked to sign in again when attempting to access a resource.

Correct

Prompted for MFA: Grant settings Prompted for authentication every 8 hours: Session settings

on the exam 09222022, i answered the same. Passed the exam, btw.

Perfect answer and very well explained.

SecExams

Question #54

You have an Azure Active Directory (Azure AD) tenant that contains a user named SecAdmin1. SecAdmin1 is assigned the Security administrator role. SecAdmin1 reports that she cannot reset passwords from the Azure AD Identity Protection portal.
You need to ensure that SecAdmin1 can manage passwords and invalidate sessions on behalf of non-administrative users. The solution must use the principle of least privilege.
Which role should you assign to SecAdmin1?

A) Authentication administrator
B) Helpdesk administrator (Correct Answer)
C) Privileged authentication administrator
D) Security operator

Explanation

Correct Answer:
B

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference

Community Discussion

Answer must be B - Helpdesk Administrators. From the docs: Authentication administrator: can reset passwords for non-admins but can't invalidate sessions. https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#authentication-administrator Helpdesk administrator: Users with this role can change passwords, invalidate refresh tokens, manage service requests, and monitor service health. Invalidating a refresh token forces the user to sign in again. https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#helpdesk-administrator Privileged Authentication Administrator: can reset all passwords (admins & non-admins) but can't invalidate any sessions. https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#privileged-authentication-administrator Security Operator: can't reset any passwords. https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#security-operator

Tl;dr: A In details: Privileged Auth Admin can reset passwords of non admins and admin accounts Helpdesk Admins can reset non admins and Helpdesk Admins password Authentication Administrator can only reset non admin accounts password To follow the least privilege requirement, Authentication Administrator should be the answer

not sure why this answer is top voted - auth admin can manage MFA settings which high prev - help desk admin can just manage passwords and invalided them (invalided refresh token)

not sure why this answer is top voted - auth admin can manage MFA settings which high prev - help desk admin can just manage passwords and invalided them (invalided refresh token)

Authenication Administrator Role Permmissions includes: microsoft.directory/users/invalidateAllRefreshTokens Force sign-out by invalidating user refresh tokens.

SecExams

Question #55

You configure Azure Active Directory (Azure AD) Password Protection as shown in the exhibit. (Click the Exhibit tab.)



You are evaluating the following passwords:

- Pr0jectlitw@re
- T@ilw1nd
- C0nt0s0

Which passwords will be blocked?

A) Pr0jectlitw@re and T@ilw1nd only
B) C0nt0s0 only
C) C0nt0s0, Pr0jectlitw@re, and T@ilw1nd (Correct Answer)
D) C0nt0s0 and T@ilw1nd only
E) C0nt0s0 and Pr0jectlitw@re only

Explanation

Correct Answer:
C

Reference:
https://blog.enablingtechcorp.com/azure-ad-password-protection-password-evaluation

Community Discussion

Test on tenant, all three are blocked. Answer is C

After normalization we have : ☞ Pr0jectlitw@re - > projectlitware = 2 points ☞ T@ilw1nd -> tailwind =1 point ☞ C0nt0s0 -> contoso = 1 point You need 5 points therefore everything is blocked.

After theoretical testing, I tried the following: Tailw%nd! - Password Accepted Tailwlnd! - Password Rejected Tailwgnd! - Password Accepted This means that L must be nominalized to L = i = 1... God this would've saved me a lot of time had Microsoft just included this in their docs. so "Tailw111nd" = "Tailwi + i + i + n + d = 5 points. "Tailw1ndadcb" = "Tailwind + a + d + c + b" = 5 points "Tailw%nd!" = "Tailw + % + n + d + !" = 5 points "Tailwlnd!" = "Tailwind + !" = 2 points (This was rejected) "Tailwgnd!" = "Tailw + g + n + d + !" = 5 points I can only assume it works off of substrings like this, as it's the only way that makes sense. Last thing to test was to knock off the start of the substring character to see if it holds true: "Tgilwind!" Password Accepted. "Failwind!" Password Accepted. Use this as reference as you will...

After theoretical testing, I tried the following: Tailw%nd! - Password Accepted Tailwlnd! - Password Rejected Tailwgnd! - Password Accepted This means that L must be nominalized to L = i = 1... God this would've saved me a lot of time had Microsoft just included this in their docs. so "Tailw111nd" = "Tailwi + i + i + n + d = 5 points. "Tailw1ndadcb" = "Tailwind + a + d + c + b" = 5 points "Tailw%nd!" = "Tailw + % + n + d + !" = 5 points "Tailwlnd!" = "Tailwind + !" = 2 points (This was rejected) "Tailwgnd!" = "Tailw + g + n + d + !" = 5 points I can only assume it works off of substrings like this, as it's the only way that makes sense. Last thing to test was to knock off the start of the substring character to see if it holds true: "Tgilwind!" Password Accepted. "Failwind!" Password Accepted. Use this as reference as you will...

After theoretical testing, I tried the following: Tailw%nd! - Password Accepted Tailwlnd! - Password Rejected Tailwgnd! - Password Accepted This means that L must be nominalized to L = i = 1... God this would've saved me a lot of time had Microsoft just included this in their docs. so "Tailw111nd" = "Tailwi + i + i + n + d = 5 points. "Tailw1ndadcb" = "Tailwind + a + d + c + b" = 5 points "Tailw%nd!" = "Tailw + % + n + d + !" = 5 points "Tailwlnd!" = "Tailwind + !" = 2 points (This was rejected) "Tailwgnd!" = "Tailw + g + n + d + !" = 5 points I can only assume it works off of substrings like this, as it's the only

way that makes sense. Last thing to test was to knock off the start of the substring character to see if it holds true: "Tgilwind!" Password Accepted. "Failwind!" Password Accepted. Use this as reference as you will...

Question #56

You have a Microsoft 365 tenant.
All users have mobile phones and laptops.
The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.
You plan to implement multi-factor authentication (MFA).
Which MFA authentication method can the users use from the remote location?

A) a verification code from the Microsoft Authenticator app (Correct Answer)
B) security questions
C) voice
D) SMS

Explanation

Correct Answer:
A
The Authenticator app can be used as a software token to generate an OATH verification code. After entering your username and password, you enter the code provided by the Authenticator app into the sign-in interface.
Incorrect Answers:
B: Security questions are not used as an authentication method but can be used during the self-service password reset (SSPR) process.
C, D: An automated voice call and an SMS requires mobile connectivity.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods

Community Discussion

Security questions is not an option for MFA. Using the Authenticator app does not need network connectivity, thus the correct value

The default behaviour of the Authenticator app is to send a notification to your phone, which does require mobile connectivity. However, the user can choose "Sign in another way" and then "Use a verification code from my mobile app" - this method does not require mobile connectivity. So yes, the correct answer is A "a verification code from the Microsoft Authenticator app"

The default behaviour of the Authenticator app is to send a notification to your phone, which does require mobile connectivity. However, the user can choose "Sign in another way" and then "Use a verification code from my mobile app" - this method does not require mobile connectivity. So yes, the correct answer is A "a verification code from the Microsoft Authenticator app"

Yes, it Authenticator app don't need phone connectivty. https://support.microsoft.com/en-us/account-billing/common-problems-with-the-microsoft-authenticator-app-12d283d1-bcef-4875-9ae5-ac360e2945dd

Yes, it Authenticator app don't need phone connectivty. https://support.microsoft.com/en-us/account-billing/common-problems-with-the-microsoft-authenticator-app-12d283d1-bcef-4875-9ae5-ac360e2945dd

SecExams

Question #57

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Role
User1	Security administrator
User2	Privileged authentication administrator
User3	Service support administrator

User2 reports that he can only configure multi-factor authentication (MFA) to use the Microsoft Authenticator app.

You need to ensure that User2 can configure alternate MFA methods.

Which configuration is required, and which user should perform the configuration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Configuration:

- Enable access reviews.
- Enable Azure AD Privileged Identity Management (PIM).
- Modify security defaults.

User:

- User1 only
- User2 only
- User3 only
- User1 and User2 only
- User1 and User3 only
- User2 and User3 only

SecExams

Explanation

Correct Answer:

Answer Area



Box 1: Modify security defaults.

Privileged Authentication Administrator

Users with this role can set or reset any authentication method (including passwords) for any user, including Global Administrators. Privileged Authentication Administrators can force users to re-register against existing non-password credential (such as MFA or FIDO) and revoke 'remember MFA on the device', prompting for MFA on the next sign-in of all users.

The Authentication Administrator role has permission to force re-registration and multifactor authentication for standard users and users with some admin roles.

SecExams

Role	Manage user's auth methods	Manage per-user MFA	Manage MFA settings	Manage auth method policy	Manage password protection policy
Authentication Administrator	Yes for some users (see above)	Yes for some users (see above)	No	No	No
Privileged Authentication Administrator	Yes for all users	Yes for all users	No	No	No
Authentication Policy Administrator	No	No	Yes	Yes	Yes

Box 2: User1 only.
Security Administrator.
Users with this role have permissions to manage security-related features in the Microsoft 365 Defender portal, Azure Active Directory Identity Protection, Azure Active Directory Authentication, Azure Information Protection, and Office 365 Security & Compliance Center.
Incorrect:
Not User3. Service Support Administrator.
Users with this role can create and manage support requests with Microsoft for Azure and Microsoft 365 services, and view the service dashboard and message center in the Azure portal and Microsoft 365 admin center.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference

Community Discussion

The correct answer really is security defaults. PIM has nothing to do with it. When you disable security defaults, you can modify MFA settings.

Checked in SC300 MOC book. The answer is correct

Correct. Security Defaults requires "Require all users to register for Azure AD Multi-Factor Authentication" Users have 14 days to register for Azure AD Multi-Factor Authentication

by using the Microsoft Authenticator app or any app supporting OATH TOTP. https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/concept-fundamentals-security-defaults#require-all-users-to-register-for-azure-ad-multi-factor-authentication

Modify security defaults User1 only

Agree. Security Defaults is the only correct answer I can see. I haven't tested it but it makes sense and here is the statement from MS that I believe supports it . It suggests that the Authenticator App is the only enabled MFA option in Sec Defaults. "Requiring all users and admins to register for MFA using the Microsoft Authenticator app or any third-party application using OATH TOTP." https://learn.microsoft.com/en-us/microsoft-365/business-premium/m365bp-turn-on-mfa?view=o365-worldwide&tabs=secdefaults

Question #58

You have an Azure Active Directory (Azure AD) tenant.

You configure self-service password reset (SSPR) by using the following settings:

- ✑ Require users to register when signing in: Yes
- ✑ Number of methods required to reset: 1

What is a valid authentication method available to users?

A) a Microsoft Teams chat
B) a mobile app notification
C) a mobile app code (Correct Answer)
D) an FIDO2 security token

Explanation

Correct Answer:
C
When administrators require one method be used to reset a password, verification code is the only option available.
Note: When administrators require two methods be used to reset a password, users are able to use notification OR verification code in addition to any other enabled methods.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-howitworks

Community Discussion

Selected Answer: C

C. a mobile app code In this configuration, users are required to register for SSPR and have at least one authentication method. A mobile app code is one of the available methods, which typically involves receiving a code on a mobile app that the user must enter to reset their password. Options A and B (Microsoft Teams chat and mobile app notification) might be used for multi-factor authentication, but they are not typically used as standalone methods for password reset. Option D (FIDO2 security token) is a strong authentication method but is not typically used for password reset; it's more commonly used for sign-in or multi-factor authentication.

Selected Answer: C

confirmed. while there are other methods, if you set to 1 method, mobile app notification is greyed out and you can only choose app code

The following authentication methods are available for SSPR: • Mobile app notification • Mobile app code • Email • Mobile phone • Office phone (available only for tenants with paid subscriptions) • Security questions From <https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-howitworks>

Answer is C: When administrators require one method be used to reset a password, verification code is the only option available. When administrators require two methods be used to reset a password, users are able to use notification OR verification code in addition to any other enabled methods. https://learn.microsoft.com/en-us/entra/identity/authentication/concept-sspr-howitworks

Whilst what you are saying is correct if the Number of Methods required is set to 2. The methods available, when set to 1, is only the follow: Mobile App Code Email Mobile Phone (SMS Only) Security Questions So, to confirm that the Question is answered Correct by choosing C. You need to deep dive into the settings when choosing 1 method or 2.

SecExams

Question #59

You have an Azure Active Directory (Azure AD) tenant that uses Azure AD Identity Protection and contains the resources shown in the following table.

Name	Type	Configuration
Risk1	User risk policy	Users that have a high severity risk must reset their password upon next sign-in.
User1	User	*Not applicable*

Azure Multi-factor Authentication (MFA) is enabled for all users.
User1 triggers a medium severity alert that requires additional investigation.
You need to force User1 to reset his password the next time he signs in. The solution must minimize administrative effort.
What should you do?

A) Reconfigure the user risk, policy to trigger on medium or low severity.
B) Mark User1 as compromised. (Correct Answer)
C) Reset the Azure MIFA registration for User1.
D) Configure a sign-in risk policy.

Explanation

Correct Answer:
B
Scenario: User compromised (True positive)
'Risky users' report shows an at-risk user [Risk state = At risk] with low risk [Risk level = Low] and that user was indeed compromised.
Feedback: Select the user and click on 'Confirm user compromised'.
What happens under the hood? Azure AD will move the user risk to High [Risk state = Confirmed compromised; Risk level = High] and will add a new detection 'Admin confirmed user compromised'.
Notes: Currently, the 'Confirm user compromised' option is only available in 'Risky users' report.
The detection 'Admin confirmed user compromised' is shown in the tab 'Risk detections not linked to a sign-in' in the 'Risky users' report.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-risk-feedback

SecExams

Community Discussion

Selected Answer: B

The questions assists with the answer: "The solution must minimize administrative effort." So by selecting "user is compromised" in the alert will automatically prompt the user for a password reset on next logon. Less effort than reconfiguring a user risk policy.

Selected Answer: B

B. Mark User1 as compromised

Selected Answer: B

B is correct

Selected Answer: B

Correct and less effort than A which will impact all users

Selected Answer: B

Teniendo en cuenta que hay que minimizar los esfuerzos administrativos la respuesta es: B. Marcar Usuario1 como comprometido.

SecExams

Question #60

SecExams

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant: that contains the users shown in the following table.

Name	Member of	Multi-factor authentication (MFA)
User1	Group1	Enabled but never used
User2	Group2	Disabled
User3	Group1, Group2	Enforced and used

In Azure. AD Identity Protection, you configure a user risk policy that has the following settings:

✑ Assignments:

- Users: Group1
- User risk: Low and above

✑ Controls:

- Access: Block access

✑ Enforce policy: On

In Azure AD Identify Protection, you configure a sign-in risk policy that has the following settings:

✑ Assignments:

- Users: Group2
- Sign-in risk: Low and above

✑ Controls:

- Access: Require multi-factor authentication

✑ Enforce policy: On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Statements	Yes	No
User1 can sign in from an anonymous IP address.	○	○
User2 can sign in from an anonymous IP address.	○	○
User3 can sign in from an anonymous IP address.	○	○

Explanation

Correct Answer:

Box 1: Yes -
Note: Azure AD Identity Protection can review user sign-in attempts and take additional action if there's suspicious behavior:
Some of the following actions may trigger Azure AD Identity Protection risk detection:
Users with leaked credentials.
* -> Sign-ins from anonymous IP addresses.
Impossible travel to atypical locations.
Sign-ins from infected devices.
Sign-ins from IP addresses with suspicious activity.
Sign-ins from unfamiliar locations.

Box 2: No -

Box 3: No -
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-risk-based-sspr-mfa

Community Discussion

Anonymous IP triggers sign-in risk policy (not user risk policy) So user1 gets only user risk policy —> not affected, can login YES User2 affected by the sign-in risk policy, and has no MFA so cannot login NO User 3 gets both policies, but only policy 2 is used for the anonymous IP, and he has MFA, so can login YES Ref: https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks

SecExams

On the exam today, I answered Yes No Yes

On the exam today, I answered Yes No Yes

Sign-in from an anonymous IP address falls into Sign-in risk. This means only members of Group 2 will be affected by Identity Protection. User1 can log in from any IP as user's IP is not scrutinized. The user is not in scope of Sign-In policy. User2 cannot login. This user is in scope of the Sign-In policy and will be challenged to perform MFA. Since MFA is disabled, MFA challenge will be unsuccessful – login fails. User3 can log in. This is user is also in scope of the Sign-In policy, but since user's MFA is working (hence assuming a successful MFA challenge) the user will be granted access. I'd say: Y-N-Y

Perfectly explained - I agree it's Y,N,Y

SecExams

Question #61

You have an Azure Active Directory (Azure AD) tenant.

You configure self-service password reset (SSPR) by using the following settings:

✑ Require users to register when signing in: Yes

✑ Number of methods required to reset: 1

What is a valid authentication method available to users?

A) an email to an address outside your organization (Correct Answer)

B) a smartcard

C) an FID02 security token

D) a Microsoft Teams chat

Explanation

Correct Answer:

A

A one-gate policy requires one piece of authentication data, such as an email address or phone number.

A one-gate policy applies in the following circumstances:

It's within the first 30 days of a trial subscription; or

A custom domain hasn't been configured for your Azure AD tenant so is using the default *.onmicrosoft.com. The default *.onmicrosoft.com domain isn't recommended for production use; and Azure AD Connect isn't synchronizing identities.

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-policy#administrator-reset-policy-differences

Community Discussion

Selected Answer: A

A - Email Explanation: The following authentication methods are available for SSPR (self-service password reset) - app notification - Mobile app code - Email - Mobile phone - Office phone (available only for tenants with paid subscriptions) - Security questions

Selected Answer: A

A. an email to an address outside your organization

Selected Answer: A

A is correct

Selected Answer: A

Is the correct answer

The given answer is correct!

SecExams

Question #62

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

The tenant has the authentication methods shown in the following table.

Method	Target	Enabled
FIDO2	Group2	Yes
Microsoft Authenticator app	Group1	Yes
SMS	Group3	Yes

Which users will sign in to cloud apps by matching a number shown in the app with a number shown on their phone?

A) User1 only (Correct Answer)
B) User2 only
C) User3 only
D) User1 and User2 only
E) User2 and User3 only

Explanation

Correct Answer:
A
Microsoft Authenticator -
You can also allow your employee's phone to become a passwordless authentication method. You may already be using the Authenticator app as a convenient multi-factor authentication option in addition to a password. You can also use the Authenticator App as a passwordless option.
The Authenticator App turns any iOS or Android phone into a strong, passwordless credential. Users can sign in to any platform or browser by getting a notification to their phone, matching a number displayed on the screen to the one on their phone, and then using their biometric (touch or face) or PIN to confirm.
Incorrect:
* Not User2

FIDO2 security keys -
The FIDO (Fast IDentity Online) Alliance helps to promote open authentication standards and reduce the use of passwords as a form of authentication. FIDO2 is the latest standard that incorporates the web authentication (WebAuthn) standard.
FIDO2 security keys are an unphishable standards-based passwordless authentication method that can come in any form factor. Fast Identity Online (FIDO) is an open standard for passwordless authentication. FIDO allows users and organizations to leverage the standard to sign in to their resources without a username or password using an external security key or a platform key built into a device.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-passwordless

Community Discussion

The answer makes sense it is the only possible answer. But the question doesn't make sense.

The Code doesn't come to your phone in the form of SMS FIDO doesn't display no code Microsoft Authenticator is the only answer

Number matching will be enabled by default in february 2023! How to use number matching in multifactor authentication (MFA) notifications - Authentication methods policy - https://learn.microsoft.com/en-us/azure/active-directory/authentication/how-to-mfa-number-match

Selected Answer: A

Answer is A

Selected Answer: A

A. User1 only (MA App)

Question #63

You have an Azure Active Directory (Azure AD) tenant that contains a user named User1 and the conditional access policies shown in the following table.

Name	Status	Conditional access requirement
CAPolicy1	On	Users connect from a trusted IP address.
CAPolicy2	On	Users' devices are marked as compliant.
CAPolicy3	Report-only	The sign-in risk of users is low.

You need to evaluate which policies will be applied to User1 when User1 attempts to sign-in from various IP addresses.
Which feature should you use?

A) Access reviews
B) Identity Secure Score
C) The What If tool (Correct Answer)
D) the Microsoft 365 network connectivity test tool

Explanation

Correct Answer:
C
The Azure AD conditional access What if tool allows you to understand the impact of your conditional access policies on your environment. Instead of test driving your policies by performing multiple sign-ins manually, this tool enables you to evaluate a simulated sign-in of a user. The simulation estimates the impact this sign-in has on your policies and generates a simulation report. The report does not only list the applied conditional access policies but also classic policies if they exist.
Reference:
https://azure.microsoft.com/en-us/updates/azure-ad-conditional-access-what-if-tool-is-now-available

Community Discussion

Correct.

Selected Answer: C

C - The what if tool "The What If tool provides a way to quickly determine the policies that apply to a specific user" Source: https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/what-if-tool

Selected Answer: C

Correct Answer: C

Selected Answer: C

C. The What If tool

Selected Answer: C

C is correct

SecExams

Question #64

You have a Microsoft 365 tenant.
All users have mobile phones and Windows 10 laptops.
The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptops to a wired network that has internet access.
You plan to implement multi-factor authentication (MFA).
Which MFA authentication method can the users use from the remote location?

A) an app password
B) voice
C) Windows Hello for Business (Correct Answer)
D) security questions

Explanation

Correct Answer:
C
The Microsoft Authenticator app provides an additional level of security to your Azure AD work or school account or your Microsoft account and is available for
Android and iOS. With the Microsoft Authenticator app, users can authenticate in a passwordless way during sign-in, or as an additional verification option during self-service password reset (SSPR) or multifactor authentication events.
Reference:

https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-authenticator-app#verification-code-from-mobile-app

Community Discussion

Selected Answer: C

App Passwords are a legacy feature for old Office versions. Windows Hello is the way to go.

Selected Answer: C

C should be the answer.

Selected Answer: C

App Passwords are legacy

Selected Answer: C

Windows Hello for Business is the correct answer.

It says "You plan to implement multi-factor authentication (MFA)." that doesnt mean either they have the a option to implement an App... but you are assuming that

Question #65

You create a conditional access policy that blocks access when a user triggers a high-severity sign-in alert.

You need to test the policy under the following conditions:

✑ A user signs in from another country.

✑ A user triggers a sign-in risk.

What should you use to complete the test?

A) the Conditional Access What If tool (Correct Answer)

B) sign-ins logs in Azure Active Directory (Azure AD)

C) the activity logs in Microsoft Defender for Cloud Apps

D) access reviews in Azure Active Directory (Azure AD)

Explanation

Correct Answer:
A
The Azure AD conditional access What if tool allows you to understand the impact of your conditional access policies on your environment. Instead of test driving your policies by performing multiple sign-ins manually, this tool enables you to evaluate a simulated sign-in of a user. The simulation estimates the impact this sign-in has on your policies and generates a simulation report. The report does not only list the applied conditional access policies but also classic policies if they exist.
Reference:
https://azure.microsoft.com/en-us/updates/azure-ad-conditional-access-what-if-tool-is-now-available

Community Discussion

Selected Answer: A

So easy it feels like a trick

Selected Answer: A

A. the Conditional Access What If tool The Conditional Access What If tool allows you to simulate the effects of conditional access policies on users and identify the potential impact of policy changes without affecting real user sessions. This tool will help you test the policy for the given scenarios. Option B (sign-ins logs in Azure Active Directory) is used to view historical sign-in logs but doesn't allow you to simulate policy changes. Option C (the activity logs in Microsoft Defender for Cloud Apps) is not directly related to conditional access policy testing. Option D (access reviews in Azure Active Directory) is used for managing and reviewing access to resources and is not suitable for testing conditional access policies.

Selected Answer: A

Correct Answer: A

Selected Answer: A

A. the Conditional Access What If tool

Selected Answer: A

Agreed

SecExams

Question #66

SecExams

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Member of	Multi-factor authentication (MFA)
User1	Group1	Disabled
User2	Group2	Enforced

You have the locations shown in the following table.

Name	Private address space	Public NAT address space
Location1	10.10.0.0/16	20.93.15.0/24
Location2	192.168.0.0/16	193.17.17.0/24

The tenant contains a named location that has the following configurations:

✑ Name: Location1

✑ Mark as trusted location: Enabled

IPv4 range: 10.10.0.0/16 -

▪

MFA has a trusted IP address range of 193.17.17.0/24.

✑ Name: CAPolicy1

✑ Assignments

- Users or workload identities: Group1
- Cloud apps or actions: All cloud apps

✑ Conditions

- Locations: All trusted locations

✑ Access controls

- Grant
- Grant access: Require multi-factor authentication
- Session: 0 controls selected

✑ Enable policy: On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

SecExams

Hot Area:

Statements	Yes	No
If User1 connects to the tenant from IP address 10.10.0.150, the user will be prompted for MFA.	○	○
If User2 connects to the tenant from IP address 10.10.1.160, the user will be prompted for MFA.	○	○
If User2 connects to the tenant from IP address 192.168.1.20, the user will be prompted for MFA.	○	○

Explanation

Correct Answer:

Statements	Yes	No
If User1 connects to the tenant from IP address 10.10.0.150, the user will be prompted for MFA.	○	○
If User2 connects to the tenant from IP address 10.10.1.160, the user will be prompted for MFA.	○	○
If User2 connects to the tenant from IP address 192.168.1.20, the user will be prompted for MFA.	○	○

Box 1: No -
10.10.0.150 is from a trusted location.
Note: The trusted IPs feature of Azure AD Multi-Factor Authentication bypasses multi-factor authentication prompts for users who sign in from a defined IP address range. You can set trusted IP ranges for your on-premises environments. When users are in one of these locations, there's no Azure AD Multi-Factor
Authentication prompt. The trusted IPs feature requires Azure AD Premium P1 edition.

Box 2: No -
10.10.1.160 is from a trusted location

Box 3: Yes -
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings

Community Discussion

I think (feel free to discuss): 1) No 2) Yes (although the request is from a trusted location, that doesn't mean the MFA prompt will be bypassed! If there was CA policy configured to require MFA with the trusted locations EXCLUDED, then the user would not get the MFA

prompt) 3) No (request is coming from the IP that is added to the MFA trusted IPs list in the legacy MFA portal https://account.activedirectory.windowsazure.com/UserManagement/MfaSettings.aspx)

This is what I think: 1 - No. Although 10.10.0.0/16 is a named trusted location, it's a private IP range and won't function correctly, so user 1 won't match the condition of CA policy 1. In addition, user 1 has per-user MFA disabled, it won't be prompted for MFA. 2 - Yes. User2's source IP is 10.10.1.160, the public IP of which is in the range of 20.93.15.0/24, which isn't a trusted MFA range. Besides, User2 is a per-user MFA-enforced user. Therefore, User2 will be prompted for MFA. 3 - No. The public IP address of 192.168.1.20 is in the space of 193.17.17.0/24, which is an MFA-trusted IP range. Although user2 is a per-user MFA-enforced user, it won't be prompted for MFA.

N - User1/Group1 is in CA Policy. IPv4 Range is a trusted location in the CA Policy so no MFA required. Y - User 2 is not in CA Policy. MFA is Enforced. IP address is not the Public IP for MFA trusted range so not trusted. https://learn.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#trusted-ips Y - Same as above

N - User1/Group1 is in CA Policy. IPv4 Range is a trusted location in the CA Policy so no MFA required. Y - User 2 is not in CA Policy. MFA is Enforced. IP address is not the Public IP for MFA trusted range so not trusted. https://learn.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#trusted-ips Y - Same as above

I agree with the answers, but in 2) it is YES just because the MFA is enforced. The trusted location does not have the public IPs, Azure AD does not see the private IPs of the clients, just the public internet IP. So User2 does not sign in from a trusted location, thus the CA policy does not apply. But just because he has MFA Enforced, he will be prompted for MFA, so YES

SecExams

Question #67

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant named contoso.com that has Email one-time passcode for guests set to Yes.

You invite the guest users shown in the following table.

Name	Email domain	Account type
Guest1	adatum.com	Azure AD account
Guest2	outlook.com	Microsoft account
Guest3	gmail.com	Personal Google account

Which users will receive a one-time passcode, and how long will the passcode be valid? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Explanation

Correct Answer:



Box 1: Guest3 only -
When does a guest user get a one-time passcode?
When a guest user redeems an invitation or uses a link to a resource that has been shared with them, they'll receive a one-time passcode if:
They don't have an Azure AD account
They don't have a Microsoft account
The inviting tenant didn't set up federation with social (like Google) or other identity providers.

Box 2: 30 minutes -
One-time passcodes are valid for 30 minutes. After 30 minutes, that specific one-time passcode is no longer valid, and the user must request a new one. User sessions expire after 24 hours. After that time, the guest user receives a new passcode when they access the resource. Session expiration provides added security, especially when a guest user leaves their company or no longer needs access.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/external-identities/one-time-passcode

Community Discussion

correct, in the exam today

Correct, and was on exam today.

Users:Guest 3 Only Valid: 30 minutes

Guest 3 and 30 minutes

Guest 3 Only, 30 minutes: https://docs.microsoft.com/en-us/azure/active-directory/external-identities/one-time-passcode#when-does-a-guest-user-get-a-one-time-passcode

SecExams

Question #68

DRAG DROP

-

You have a Microsoft 365 E5 subscription that contains two users named User1 and User2.

You need to ensure that User1 can create access reviews for groups, and that User2 can review the history report for all the completed access reviews. The solution must use the principle of least privilege.

Which role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



SecExams

Explanation

Correct Answer:



Community Discussion

User 1 : User Administrator User 2 : Security Reader

User Admin Security Reader Ref: https://learn.microsoft.com/en-us/azure/active-directory/roles/delegate-by-task

Correct

Correct

Correct, that's a nice article, I'll bookmark it

SecExams

Question #69

SecExams

HOTSPOT
-

You have an Azure subscription.

You need to create two custom roles named Role1 and Role2. The solution must meet the following requirements:

• Users that are assigned Role1 can create or delete instances of Azure Container Apps.
• Users that are assigned Role2 can enforce adaptive network hardening rules.

Which resource provider permissions are required for each role? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



SecExams

Explanation

Correct Answer:

Community Discussion

I think it's: Role1: Microsoft.App https://learn.microsoft.com/en-us/azure/container-apps/quickstart-portal#prerequisites Role2: Microsoft.Security https://learn.microsoft.com/en-ie/rest/api/defenderforcloud/adaptive-network-hardenings/enforce?tabs=HTTP

Role1: Microsoft.App (for containers) Role2: Microsoft.Security Microsoft.Security controls the Security Center (renamed Defender for Cloud) (https://learn.microsoft.com/en-us/azure/azure-resource-manager/management/azure-services-resource-providers), which handles Adaptive Network Hardening (https://learn.microsoft.com/en-us/azure/defender-for-cloud/adaptive-network-hardening#what-is-adaptive-network-hardening)

Correct: 1. Microsoft.Apps 2. Microsoft.Security

Role 1: Microsoft.App microsoft.app/containerapps/delete microsoft.app/containerapps/write Role 2: Microsoft.Secuirty Microsoft.Security/adaptiveNetworkHardenings/enforce/action

- Role 1: Microsoft.App - Role 2: Microsoft.Security. Deploy container app using the Azure portal: Make sure to have the Resource Provider "Microsoft.App" registered. https://learn.microsoft.com/en-us/azure/container-apps/quickstart-portal#prerequisites. Adaptive Network Hardening --> Microsoft.Security/adaptiveNetworkHardenings/read resource provider is Microsoft.Security: https://learn.microsoft.com/en-us/azure/role-based-access-control/resource-provider-operations#microsoftsecurity

SecExams

Question #70

HOTSPOT

-

You have a Microsoft 365 tenant that has 5,000 users. One hundred of the users are executives. The executives have a dedicated support team.

You need to ensure that the support team can reset passwords and manage multi-factor authentication (MFA) settings for only the executives. The solution must use the principle of least privilege.

Which object type and Azure Active Directory (Azure AD) role should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



SecExams

Explanation

Correct Answer:

Community Discussion

Correct Answer: Object Type: Administrative Unit Role: Authentication administrator

Sheesh this site has a lot of wrong answers, what's the point even ..

As well regarding the Authentication administrator or Helpdesk administrator options pay attention to "executives" in our case and Helpdesk administrator -Can reset passwords for non-administrators and Helpdesk Administrators. So Authentication administrator is our choice

You are right regarding the difference between helpdesk and authentication Admin.... Therefore the answer is: Administrative unit Authentication Admin The Support Team shall only reset MFA and Passworts and regarding least privileg this IS the best role

You are right regarding the difference between helpdesk and authentication Admin.... Therefore the answer is: Administrative unit Authentication Admin The Support Team shall only reset MFA and Passworts and regarding least privileg this IS the best role

SecExams

Question #71

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Group
User1	Group1
User2	Group1
User3	Group2
User4	Group2
User5	*None*

You have an administrative unit named Au1. Group1, User2, and User3 are members of Au1.

User5 is assigned the User administrator role for Au1.

For which users can User5 reset passwords?

A) User1, User2, and User3
B) User1 and User2 only
C) User3 and User4 only
D) User2 and User3 only (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

Adding a group to an administrative unit brings the group itself into the management scope of the administrative unit, but not the members of the group. In other words, an administrator scoped to the administrative unit can manage properties of the group,

such as group name or membership, but they cannot manage properties of the users or devices within that group (unless those users and devices are separately added as members of the administrative unit). https://learn.microsoft.com/en-us/azure/active-directory/roles/administrative-units

D. Is the correct answer. The User administrative role assigned, will only grant permission to reset passwords for Directly assigned members to the AU. Members of Groups, which is assigned to the AU, is not affected by this. Tested this in Own Environment just to be sure :)

Selected Answer: D

D is the correct answer: the admin role only works on directly added members to the AU.

Why is User1 not included?

Obvious, you cant change password of a group only users, duuuuh!

SecExams

Question #72

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Usage location	Department	Job title
User1	United States	Sales	Associate
User2	Finland	Sales	SalesRep
User3	Australia	Sales	Manager

You create a dynamic user group and configure the following rule syntax.

user.usageLocation -in ["US","AU"] -and (user.department -eq "Sales") -and -not (user.jobTitle -eq "Manager") –or (user. jobTitle -eq "SalesRep")

Which users will be added to the group?

A) User1 only
B) User2 only
C) User3 only

D) User1 and User2 only (Correct Answer)

E) User1 and User3 only

F) User1, User2, and User3

Explanation

Correct Answer:
D

Community Discussion

user.usageLocation -in ["US","AU"] == User 1 & User 3 -and (user.department -eq "Sales") == User 1 & User 3 -and -not (user.jobTitle -eq "Manager") == User 1 –or (user. jobTitle -eq "SalesRep")

Selected Answer: D

D is correct always resolve acording to precedence, first all the -and operators, only after that the -or operators. https://learn.microsoft.com/en-us/azure/active-directory/enterprise-users/groups-dynamic-membership#operator-precedence

Just to further explain this... 1. Think of everything up to the OR as 1 big 'if, and if, and if' statement (statement 1). In this case, that'd leave only User 1 to be selected. 2. Think of everything after the OR as a separate statement (statement 2), meaning 'statement 1 OR statement 2', now including user2 who is a salesrep.

Just to further explain this... 1. Think of everything up to the OR as 1 big 'if, and if, and if' statement (statement 1). In this case, that'd leave only User 1 to be selected. 2. Think of everything after the OR as a separate statement (statement 2), meaning 'statement 1 OR statement 2', now including user2 who is a salesrep.

D is wrong because User 2 is located in Finland and cannot be added to the dynamic group. I tested this and im 100% sure ONLY user 1 gets added. I tested this dynamic rule and got the result by validating an user that has an usage location set on Finland: RED CROSS: user.usagelocation -in ["US","AU"] [UsageLocation = "FI"] So again, only User 1 gets added to this group 100%

Question #73

You have an Azure AD tenant that contains a user named User1.

User1 needs to manage license assignments and reset user passwords.

Which role should you assign to User1?

A) Helpdesk administrator
B) Billing administrator
C) License administrator
D) User administrator (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

I work on a least privilege when it comes to roles. User Administrator has much more access than this user seems to need. I would assign both the Help Desk Administrator role and the License Administrator role to the user. This allows them to do exactly what they need to and nothing more.

Selected Answer: D

User Administrator

D. Is Correct - Neither of the other Roles have permissions to handle all of the statements.

Personally, this would be a custom role or what you were suggesting. No way would we be granting User Administrator for a role that only needs these permissions. This looks like a slightly higher-privileged helpdesk administrator requirement.

Personally, this would be a custom role or what you were suggesting. No way would we be granting User Administrator for a role that only needs these permissions. This looks like a slightly higher-privileged helpdesk administrator requirement.

Question #74

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Azure Active Directory admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Set-MsolUserLicense cmdlet (Correct Answer)
B) the Set-AzureADGroup cmdlet
C) the Set-WindowsProductKey cmdlet
D) the Administrative units blade in the Azure Active Directory admin center

Explanation

Correct Answer:
A

Community Discussion

You can unassign licenses from users on either the Active users page, or on the Licenses page. The method you use depends on whether you want to unassign product licenses from specific users or unassign users licenses from a specific product. Note: There are several versions of this question in the exam. The question has two possible correct answers: 1. the Licenses blade in the Azure Active Directory admin center 2. the Set-MsolUserLicense cmdlet Other incorrect answer options you may see on the exam include the following: ✑ the Administrative units blade in the Azure Active Directory

admin center ☞ the Groups blade in the Azure Active Directory admin center ☞ the Set-AzureAdGroup cmdlet

I don't understand why some of these answers are highlighted as correct when they are plainly and obviously incorrect. The correct answer is A. The answer indicated as correct is D, but it is not correct. The reason? There is no such 'Administrative Units' blade in Azure AD.

so reading the question again it says the group is used to assign E5 licenses, the question asks how to remove the individually assigned E3 licenses... so Answer A

so reading the question again it says the group is used to assign E5 licenses, the question asks how to remove the individually assigned E3 licenses... so Answer A

Selected Answer: A

Set-MsolUserLicense

SecExams

Question #75

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Azure Active Directory admin center, you assign Microsoft 365 Enterprise E5 licenses to a group that includes all the users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Set-AzureADGroup cmdlet
B) the Identity Governance blade in the Azure Active Directory admin center
C) the Set-WindowsProductKey cmdlet
D) the Set-MsolUserLicense cmdlet (Correct Answer)

Explanation

Correct Answer:

D

Community Discussion

Selected Answer: D

Set-MsolUserLicense cmdlet

Selected Answer: D

D. the Set-MsolUserLicense cmdlet The Set-MsolUserLicense cmdlet allows you to manage license assignments for Microsoft 365 users. In this scenario, you want to remove the Office 365 Enterprise E3 licenses from users who are part of the group that now has the Microsoft 365 Enterprise E5 licenses assigned. Here's how you can do it using PowerShell: # Connect to Azure AD Connect-MsolService # Get the users in the group $groupMembers = Get-MsolGroupMember -GroupObjectId <GroupObjectID> # Loop through and remove the E3 licenses foreach ($user in $groupMembers) { Set-MsolUserLicense -UserPrincipalName $user.UserPrincipalName -RemoveLicenses "<E3 License SkuId>" }

Selected Answer: D

D. the Set-MsolUserLicense cmdlet

Selected Answer: D

D is correct

Well but when is: The Set-MsolUserLicense cmdlet is deprecated. Learn how to assign licenses with Microsoft Graph PowerShell. For more info, see the Assign License Microsoft Graph API. deprecated. Is possible that this powershell command is not right answer :(.

SecExams

Question #76

HOTSPOT

-

Your on-premises network contains an Active Directory domain that uses Azure AD Connect to sync with an Azure AD tenant.

You need to configure Azure AD Connect to meet the following requirements:

• User sign-ins to Azure AD must be authenticated by an Active Directory domain controller.
• Active Directory domain users must be able to use Azure AD self-service password reset (SSPR).

What should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Authentication by the domain controller:

- Federation with Active Directory Federation Services (AD FS)
- Pass-through authentication
- Password hash synchronization

SSPR:

- Device writeback
- Group writeback
- Password hash synchronization
- Password writeback

Explanation

Correct Answer:

Answer Area

Authentication by the domain controller:

- Federation with Active Directory Federation Services (AD FS)
- Pass-through authentication
- Password hash synchronization

SSPR:

- Device writeback
- Group writeback
- Password hash synchronization
- Password writeback

Community Discussion

pass- through auth password write back

How does PHS help with SSPR for On-premises AD accounts? It's password write back for the second question.

How does PHS help with SSPR for On-premises AD accounts? It's password write back for the second question.

pass- through auth password write back

Question valid - 06/23

SecExams

Question #77

You have a Microsoft 365 tenant.

You currently allow email clients that use Basic authentication to connect to Microsoft Exchange Online.

You need to ensure that users can connect to Exchange only from email clients that use Modern authentication protocols.

What should you implement?

A) an OAuth policy in Microsoft Defender for Cloud Apps
B) a conditional access policy in Azure Active Directory (Azure AD) (Correct Answer)
C) a compliance policy in Microsoft Endpoint Manager
D) an application control profile in Microsoft Endpoint Manager

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

B. a conditional access policy in Azure Active Directory (Azure AD) Conditional access policies in Azure AD allow you to control access to resources based on conditions such as user location, device compliance, and client application type. By creating a conditional access policy that enforces Modern authentication protocols and blocks Basic authentication, you can achieve the desired security outcome. This will ensure that only email clients supporting Modern authentication are allowed to connect to Exchange Online. Options A, C, and D are not directly related to enforcing the use of Modern authentication protocols for Exchange Online and would not achieve the goal of blocking Basic authentication.

Selected Answer: B

B. a conditional access policy in Azure Active Directory (Azure AD)

Sorry I think I'm incorrect... just realised D doesn't line up to the guidance in the MS article

Sorry I think I'm incorrect... just realised D doesn't line up to the guidance in the MS article

Selected Answer: B

Hahaha, Examtopics must be kidding. B for sure. D is impossible, because: there's no such thing as "application control profile in Microsoft Endpoint Manager" the nearest is "application control policy", but this is "designed to protect devices against malware and other untrusted software".

Question #78

You have an Azure subscription that contains an Azure SQL database named db1.

You deploy an Azure App Service web app named App1 that provides product information to users that connect to App1 anonymously.

You need to provide App1 with access to db1. The solution must meet the following requirements:

- Credentials must only be available to App1.
- Administrative effort must be minimized.

Which type of credentials should you use?

A) a system-assigned managed identity (Correct Answer)
B) an Azure Active Directory (Azure AD) user account
C) a SQL Server account
D) a user-assigned managed identity

Explanation

Correct Answer:
A

Community Discussion

To provide App1 with access to db1 while minimizing administrative effort and ensuring that credentials are only available to App1, you should use a system-assigned managed identity. A system-assigned managed identity is enabled directly on an Azure service instance. When the identity is enabled, Azure creates an identity for the instance in the Azure AD tenant that's trusted by the subscription of the instance This way, you don't need to create or manage any secrets or credentials for your application. The identity is automatically managed by Azure and enables you to authenticate to any service that supports Azure AD authentication without having any credentials in your code

Selected Answer: A

A is correct

Selected Answer: A

Anser is correct

Selected Answer: A

The best answer is A. a system-assigned managed identity. A system-assigned managed identity is a type of managed identity that is automatically created and assigned to an Azure resource when it is created. System-assigned managed identities are easy to use and manage, and they can be used to access resources in Azure, including Azure SQL databases. D. a user-assigned managed identity: A user-assigned managed identity is a type of managed identity that is created and managed by the user. User-assigned managed identities can be used to access resources in Azure, but they are more complex to use and manage than system-assigned managed identities.

Selected Answer: A

Correct Answer: A

SecExams

Question #79

You have an Azure subscription that contains the custom roles shown in the following table.

Name	Type
Role1	Azure Active Directory (Azure AD) role
Role2	Azure subscription role

You need to create a custom Azure subscription role named Role3 by using the Azure portal. Role3 will use the baseline permissions of an existing role.

Which roles can you clone to create Role3?

A) Role2 only
B) built-in Azure subscription roles only
C) built-in Azure subscription roles and Role2 only (Correct Answer)
D) built-in Azure subscription roles and built-in Azure AD roles only
E) Role1, Role2, built-in Azure subscription roles, and built-in Azure AD roles

Explanation

Correct Answer:
C

Community Discussion

I have cleared 3 certifications and can confirm the answer is F

thanks for confirming that you cleared 2 certs, otherwise your statement wouldn't have been as valuable.

thanks for confirming that you cleared 2 certs, otherwise your statement wouldn't have been as valuable.

I have cleared 19 certifications, it is definitely C

Selected Answer: C

I have passed AZ-104 & AZ-305, I would go for Option C too.

Question #80

You have a Microsoft 365 tenant.

All users have mobile phones and Windows 10 laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptops to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

A) Windows Hello for Business (Correct Answer)
B) an app password
C) security questions
D) email

Explanation

Correct Answer:
A

Community Discussion

I swear if I see this question again with the selected answer being "An App Password" im gonna scream

Should be A. Windows Hello for businnes > app pasword. This question comes up several times and many users indicate that Windows hello for business is what should be the answer.

Windows Hello for Business IS considered an MFA take a look to official FAQ https://learn.microsoft.com/en-us/windows/security/identity-protection/hello-for-business/hello-faq#is-windows-hello-for-business-considered-multi-factor-authentication

That told Nacho.

That told Nacho.

Question #81

You have a Microsoft 365 tenant.

All users have mobile phones and Windows 10 laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptops to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

A) voice
B) Windows Hello for Business (Correct Answer)
C) email
D) security questions

Explanation

Correct Answer:
B

Community Discussion

WFHB *internal screaming*

Selected Answer: B

Given response is not correct. The right response is B

Who the fuck is answering this questions?

The answer is A = Voice - you can let the call go to a landline number (because there is no mobile phone connection NO B: Windows Hello is NO MFA, it is only the first step and needs a second factor afterwards https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods NO D: it is only a method for SSPR not for Sign-in No B: it is no secure method in Microsoft MFA

Selected Answer: B

Windows Hello for Business

SecExams

Question #82

SecExams

HOTSPOT
-

You have an Azure subscription that contains the following virtual machine:

• Name: V1
• Azure region: East US
• System-assigned managed identity: Disabled

You create the managed identities shown in the following table.

Name	Location
Managed1	East US
Managed2	East US
Managed3	West US

You perform the following actions:

• Assign Managed1 to V1.
• Create a resource group named RG1 in the West US region.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

Statements	Yes	No
You can assign Managed2 to V1.	○	○
You can assign Managed3 to V1.	○	○
You can assign VM1 the Owner role for RG1.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
You can assign Managed2 to V1.	○	○
You can assign Managed3 to V1.	○	○
You can assign VM1 the Owner role for RG1.	○	○

Community Discussion

YYN. You can use user assigned managed identities in more than one Azure region.

Correct regarding managed identities and regions: https://learn.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/managed-identities-faq#can-the-same-managed-identity-be-used-across-multiple-regions

Correct regarding managed identities and regions: https://learn.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/managed-identities-faq#can-the-same-managed-identity-be-used-across-multiple-regions

YYN Ref first two questions - both are Y because you can assign managed identity to a VM regardless of which region the identity or VM is located - I tested it. Ref the third one - I think N. The catch here is that you cannot assign a role directly to a VM but only to an identity, system or user managed.

Just tested this in my lab - the answer is YYY: vm1 created with system assigned identity off (vm1 is in North Europe) useridentity1 created in NorthEurope can be assigned to the VM useridentity2 created in EastUS can be assigned to the VM Adding useridentity1 as an owner to a resource group in Brazil worked fine

SecExams

Question #83

SecExams

HOTSPOT
-

You have an Azure subscription that contains the key vaults shown in the following table.

Name	In resource group	Number of days to retain deleted key vaults	Purge protection
KeyVault1	RG1	15	Enabled
KeyVault2	RG1	10	Disabled

The subscription contains the users shown in the following table.

Name	Role
Admin1	Key Vault Administrator
Admin2	Key Vault Contributor
Admin3	Key Vault Certificates Officer
Admin4	Owner

On June 1, Admin4 performs the following actions:

• Deletes a certificate named Certificate1 from KeyVault1
• Deletes a secret named Secret1 from KeyVault2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Admin1 can recover Secret1 on June 7.	○	○
Admin2 can purge Certificate1 on June 12.	○	○
Admin3 can purge Certificate1 on June 14.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
Admin1 can recover Secret1 on June 7.	●	○
Admin2 can purge Certificate1 on June 12.	○	●
Admin3 can purge Certificate1 on June 14.	○	●

Community Discussion

Yes - Key Vault Administrator can perform all data plane operations on a key vault. and purge protection is disabled for KeyVault2. NB: Purge protection is an optional Key Vault behavior and is not enabled by default. Do not mismatch with soft-delete No - We are still in the Purge protection remaining period. NB: Also the Key Vault contributor role doesn't allow to get access to certificate No - We are still in the Purge protection remaining period. Even if the Certificate Officer role allow to get access to certificate

Correct. When purge protection is on, a vault or an object in the deleted state cannot be purged until the retention period has passed.

Forgive me, I am blind. There are dates quite literally listed in the question. Still the same.

Forgive me, I am blind. There are dates quite literally listed in the question. Still the same.

Forgive me, I am blind. There are dates quite literally listed in the question. Still the same.

Question #84

You have an Azure AD tenant.

You open the risk detections report.

Which risk detection type is classified as a user risk?

A) password spray
B) anonymous IP address
C) unfamiliar sign-in properties
D) Azure AD threat intelligence (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

Sign-in Risk policies cover: - Anonymous IP address - Additional Risk detected - Admin confirmed user compromised - Anomalous token - Atypical travel - Azure AD threat intelligence - Impossible travel - Malicious IP - Malware linked IP - Mass Access to sensitive files - New country - Password spray - Suspicious browser - Suspicious inbox

forwarding - Suspicious inbox manipulation rules - token issuer anomaly - Unfamiliar sign-in properties **User risk policies cover:** - Additional risk detected - Anomalous user activity - Azure AD threat intelligence - Leaked credentials - Possible attempt to access Primary Refresh Token (PRT)

Selected Answer: D

Correct https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks

Selected Answer: D

Correct

User Risk - D https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks

Selected Answer: D

D. Azure AD threat intelligence

SecExams

Question #85

You have an Azure Active Directory (Azure AD) tenant.

You configure self-service password reset (SSPR) by using the following settings:

- Require users to register when signing in: Yes
- Number of methods required to reset: 1

What is a valid authentication method available to users?

A) a smartcard
B) a mobile app code (Correct Answer)
C) a mobile app notification
D) an email to an address outside your organization

Explanation

Correct Answer:

B

Community Discussion

There should be an option for multiple answers. When configuring SSPR for a single method to reset there are two options - Mobile app code AND Email

If require registration was set to No, I believe you'd be correct. As we have registration required, and only a single authentication method defined, the App Code registered becomes the default. Answer should be B in this case due to the "require registration" requirement.

If require registration was set to No, I believe you'd be correct. As we have registration required, and only a single authentication method defined, the App Code registered becomes the default. Answer should be B in this case due to the "require registration" requirement.

It is only if 2 authentication methods are required. https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-howitworks#mobile-app-and-sspr When using a mobile app as a method for password reset, like the Microsoft Authenticator app, the following considerations apply: - When administrators require one method be used to reset a password, verification code is the only option available. - When administrators require two methods be used to reset a password, users are able to use notification OR verification code in addition to any other enabled methods.

It is only if 2 authentication methods are required. https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-howitworks#mobile-app-and-sspr When using a mobile app as a method for password reset, like the Microsoft Authenticator app, the following considerations apply: - When administrators require one method be used to reset a password, verification code is the only option available. - When administrators require two methods be used to reset a password, users are able to use notification OR verification code in addition to any other enabled methods.

SecExams

Question #86

You create a new Microsoft 365 E5 tenant.

You need to ensure that when users connect to the Microsoft 365 portal from an anonymous IP address, they are prompted to use multi-factor authentication (MFA).

What should you configure?

A) a sign-in risk policy (Correct Answer)
B) a user risk policy
C) an MFA registration policy

Explanation

Correct Answer:
A

Community Discussion

Sign-in risk is correct. Examples for Sign-In Risk: Anonymous IP address Atypical travel Malware linked IP address Unfamiliar sign-in properties Leaked credentials Password spray

sign-in risk policy seems to be correct

sign-in risk is correct, but isn't 'leaked credentials' (included in your list of examples) the poster child for user risk, not sign-in risk?

sign-in risk is correct, but isn't 'leaked credentials' (included in your list of examples) the poster child for user risk, not sign-in risk?

Selected Answer: A

A. a sign-in risk policy

Question #87

SecExams

HOTSPOT

-

You have a Microsoft 365 tenant.

You configure a conditional access policy as shown in the Conditional Access policy exhibit. (Click the Conditional Access policy tab.)

SecExams



You view the User administrator role settings as shown in the Role setting details exhibit. (Click the Role setting details tab.)



··· > Privileged Identity Management > ContosoAzureAD > User Administrator >

Role setting details - User Administrator

Privileged Identity Management | Azure AD roles

Edit

Activation

Setting	State
Activation maximum duration (hours)	8 hour(s)
Require justification on activation	Yes
Require ticket information on activation	No
On activation, require Azure MFA	Yes
Require approval to activate	Yes
Approvers	1 Member(s), 0 Group

Assignment

Setting	State
Allow permanent eligible assignment	No
Expire eligible assignments after	15 day(s)
Allow permanent active assignment	No
Expire active assignments after	1 month(s)
Require Azure Multi-Factor Authentication on active assignment	No
Require justification on active assignment	No

SecExams

You view the User administrator role assignments as shown in the Role assignments exhibit. (Click the Role assignments tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Before Admin1 can perform a task that requires the User administrator role, an approver must approve the activation request.	○	○
Admin2 can request activation of the User administrator role for a period of two hours.	○	○
If Admin3 connects to the Azure Active Directory admin center, and then activates the User administrator role, Admin3 will be prompted to authenticate by using multi-factor authentication (MFA) twice.	○	○

Explanation

Correct Answer:



Statements	Yes	No
Before Admin1 can perform a task that requires the User administrator role, an approver must approve the activation request.	○	○
Admin2 can request activation of the User administrator role for a period of two hours.	○	○
If Admin3 connects to the Azure Active Directory admin center, and then activates the User administrator role, Admin3 will be prompted to authenticate by using multi-factor authentication (MFA) twice.	○	○

Community Discussion

Correct

i think it should be YYY cuz if admin 3 signs-in first, conditional access policy is applied first- which enforces MFA later, during role activation, MFA is required to activate the role so MFA authentication is done TWICE

Tested in my own tenant. Settings replicated to match the User Administrator MFA requirements and Conditional Access Policy MFA requirements. User did not need to authenticate using MFA twice. This is part of Microsoft's approach to reduce MFA exhaustion, the Primary Refresh Token (PRT) for the user will still contain the MFA information.

Tested in my own tenant. Settings replicated to match the User Administrator MFA requirements and Conditional Access Policy MFA requirements. User did not need to authenticate using MFA twice. This is part of Microsoft's approach to reduce MFA exhaustion, the Primary Refresh Token (PRT) for the user will still contain the MFA information.

It is YYN. The first conditional access screen shows that every user MUST provide MFA. This is stored in the token. If the same user is asked for MFA it will be provided by the token non-interactively.

SecExams

Question #88

SecExams

HOTSPOT

-

You have an Azure AD tenant that contains the users shown in the following table.

Name	User risk level
User1	Low
User2	Medium
User3	High

You have the Azure AD Identity Protection policies shown in the following table.

Type	Users	User risk	Sign-in risk	Controls
User risk policy	All users	Low and above	Unconfigured	Block access
Sign-in risk policy	All users	Unconfigured	High	Block access

You review the Risky users report and the Risky sign-ins report and perform actions for each user as shown in the following table.

User	Action
User1	Confirm user compromised
User2	Confirm sign-in safe
User3	Dismiss user risk
User2	Confirm user compromised

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

SecExams

Statements	Yes	No
User1 can sign in by using multi-factor authentication (MFA).	○	○
User2 can sign in by using multi-factor authentication (MFA).	○	○
User3 can sign in from an anonymous IP address.	○	○

Explanation

Correct Answer:

Statements	Yes	No
User1 can sign in by using multi-factor authentication (MFA).	○	○
User2 can sign in by using multi-factor authentication (MFA).	○	○
User3 can sign in from an anonymous IP address.	○	○

Community Discussion

N N N User 1 No The User Risk = Low. Then User risk policy blocked access. User 2 No The Sign-in Risk = Unknown. But it is Confirm Safe so we can ignore this. The User risk = Medium. The user risk policy block access. User 3 No User 3 User Risk is dismissed, but anonymous IP address risk (this is Sign-in Risk) is still at High level. Hence the sign-in risk policy blocked the access. https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks#nonpremium-sign-in-risk-detections

User1 can sign in by using multi-factor authentication (MFA): No - Blocked access prevents self-remediation through password resets & Azure AD MFA User2 can sign in by using multi-factor authentication (MFA): No - Blocked access prevents self-remediation through password resets & Azure AD MFA User3 can sign in from an anonymous IP address: Yes - Anonymous IP address sign-in risk is Medium

1. User1 can sign in by using multi-factor authentication (MFA). - No: User1's status is "Confirm user compromised," so access is blocked. 2. User2 can sign in by using multi-

factor authentication (MFA). - No: User2's status is "Confirm sign-in safe," which means their access is allowed without MFA. 3. User3 can sign in from an anonymous IP address. - Yes: User3's status is "Dismiss user risk," and there's no mention of IP restrictions, so they can sign in from an anonymous IP address.

NO - User1 is now at High risk level after confirming user is compromised. Then User risk policy blocked access. NO - Sign-in of User 2 is safe. So we can bypass Sign-in risk policy Risk level of User2 is High due to the last action, so User risk policy block the access YES - User3 has "Dismiss risk User" so User Risk policy is bypassed. anonymous IP address is a risk, but context is missing to know if it's considered as an high risk. Maybe it's an outdated question when there were fix values defined by Microsoft for risk type. Anonymous IP was ranked as medium. Now we don't know how Microsoft calculates the risk level. https://www.rebeladmin.com/2020/11/step-by-step-guide-how-to-configure-sign-in-risk-based-azure-conditional-access-policies/

My thoughts User 1 - No User Risk Action is "Confirm user compromised" User 2 - Yes User risk action is "Confirmed sign-in safe" Upon receiving Confirm Safe dfeedback Identity Pritection sets Risk Level to None - https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/troubleshooting-identity-protection-faq#how-do-the-feedback-mechanisms-in-identity-protection-work User 3 - Yes User Risk action is "Dismiss user risk" so this is good. What level of Sign-in risk is assigned to Anonymous IP is not known, but I'm guessing that this should not be High "Microsoft doesn't provide specific details about how risk is calculated." https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/overview-identity-protection#risk-levels

SecExams

Question #89

You have an Azure subscription that contains a user named User1.

You need to meet the following requirements:

- Prevent User1 from being added as an owner of newly registered apps.
- Ensure that User1 can manage the application proxy settings.
- Ensure that User1 can register apps.
- Use the principle of least privilege.

Which role should you assign to User1?

A) Application developer
B) Cloud application administrator

C) Service support administrator

D) Application administrator (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

From the doch's link : Application Administrator Users in this role can create and manage all aspects of enterprise applications, application registrations, and application proxy settings. Note that users assigned to this role are not added as owners when creating new application registrations or enterprise applications. Application Developer Users in this role can create application registrations when the "Users can register applications" setting is set to No. This role also grants permission to consent on one's own behalf when the "Users can consent to apps accessing company data on their behalf" setting is set to No. Users assigned to this role are added as owners when creating new application registrations. D is the right one.

From the doch's link : Application Administrator Users in this role can create and manage all aspects of enterprise applications, application registrations, and application proxy settings. Note that users assigned to this role are not added as owners when creating new application registrations or enterprise applications. Application Developer Users in this role can create application registrations when the "Users can register applications" setting is set to No. This role also grants permission to consent on one's own behalf when the "Users can consent to apps accessing company data on their behalf" setting is set to No. Users assigned to this role are added as owners when creating new application registrations. D is the right one.

Selected Answer: D

Application Administrator is correct. Application Administrator = Can create and manage all aspects of app registrations and enterprise apps. Cloud Application Administrator = Can create and manage all aspects of app registrations and enterprise apps ***except App Proxy***. Service Support Administrator = Can read service health information and manage support tickets. Application Developer = Can create application registrations independent of the 'Users can register applications' setting. https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference

Selected Answer: D

Correct Answer given

How can you prevent User1 from being added as the owner of newly created applications if you grant him the application administrator role? As User1 should be able to register applications, when he does that, he will automatically be assigned the owner role of those apps.

Question #90

DRAG DROP

-

You have a Microsoft 365 E5 subscription and an Azure subscription.

You need to meet the following requirements:

• Ensure that users can sign in to Azure virtual machines by using their Microsoft 365 credentials.
• Delegate the ability to create new virtual machines.

What should you use for each requirement? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Explanation

Correct Answer:



Community Discussion

There is no Azure AD built in role, which can create virtual machine. Only some Azure built in roles can do it. So I vote for both Azure RBAC.

My mistake, both of them is Azure Role-based access control https://learn.microsoft.com/en-us/azure/active-directory/devices/howto-vm-sign-in-azure-ad-windows#configure-role-assignments-for-the-vm

My mistake, both of them is Azure Role-based access control https://learn.microsoft.com/en-us/azure/active-directory/devices/howto-vm-sign-in-azure-ad-windows#configure-role-assignments-for-the-vm

1. Azure RBAC https://learn.microsoft.com/en-us/azure/active-directory/devices/howto-vm-sign-in-azure-ad-windows#configure-role-assignments-for-the-vm 2. Azure Built in Roles https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles#classic-virtual-machine-contributor

Delegation is handled via using the built-in roles in the Azure Virtual Desktop RBAC, very confusing but that means it's not built-in AD roles, so I'd say they're both Azure RBAC

SecExams

Question #91

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Azure Active Directory admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You needed to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Groups blade in the Azure Active Directory admin center
B) the Set-AzureADGroup cmdlet
C) the Identity Governance blade in the Azure Active Directory admin center
D) the Set-MsolUserLicense cmdlet (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

At least they got it right on the 4th try lol

How many times are they going to repeat the same question? This is not going to stop me from answering D all the time

:) good one

:) good one

same as question before

Question #92

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Active Directory forest that syncs to an Azure AD tenant.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure conditional access policies.

Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

B) https://learn.microsoft.com/en-us/azure/active-directory/enterprise-users/users-revoke-access

same as question before

Selected Answer: B

B. No is correct answer

o ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD, you can configure Pass-through Authentication (PTA). PTA validates user credentials against your on-premises Active Directory environment without the need for complex network infrastructure or for managing a separate set of credentials in the cloud. You can find more information on how to configure PTA in the Microsoft documentation 1. Alternatively, you can configure Azure AD provisioning to deprovision or deactivate disabled users in applications. For applications that don't use Azure AD SaaS App Provisioning, you can use Identity Manager (MIM) or a 3rd party solution to automate the deprovisioning of users. You should also identify and develop a process for applications that require manual deprovisioning

Selected Answer: B

B. No is correct answer

SecExams

Question #93

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create a user named User1.

You need to ensure that User1 can update the status of Identity Secure Score improvement actions.

Solution: You assign the Exchange Administrator role to User1.

Does this meet the goal?

A) Yes (Correct Answer)

B) No

Explanation

Correct Answer:
A

Community Discussion

answer looks correct according to this https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/identity-secure-score#read-and-write-roles

Yes, that meets the goal. According to Microsoft documentation, to access Identity Secure Score, you must be assigned one of the following roles in Azure Active Directory: Global administrator; Security administrator; Exchange administrator; SharePoint administrator.

So assigning the Exchange Administrator role to User1 will allow them to update the status of Identity Secure Score improvement actions

Thanks for the link.

Thanks for the link.

Selected Answer: A

https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/identity-secure-score#read-and-write-roles With read and write access, you can make changes and directly interact with identity secure score. * Global Administrator * Security Administrator * Exchange Administrator * SharePoint Administrator (Redundant. Just tipping the vote scale a little because ShoaibPKDXB managed to answer both A and B ;))

SecExams

Question #94

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create a user named User1.

You need to ensure that User1 can update the status of Identity Secure Score improvement actions.

Solution: You assign the User Administrator role to User1.

Does this meet the goal?

A) Yes

B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

With read and write access, you can make changes and directly interact with identity secure score. Global administrator Security administrator Exchange administrator SharePoint administrator

Selected Answer: B

https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/identity-secure-score#read-and-write-roles

Selected Answer: B

B. NO is the correct answer

Selected Answer: B

Correct B

https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/identity-secure-score#read-and-write-roles

SecExams

Question #95

You have a Microsoft 365 tenant.

All users have mobile phones and Windows 10 laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptops to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

A) a notification through the Microsoft Authenticator app
B) SMS
C) email
D) Windows Hello for Business (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

why is this question repeated so many times - this is the 5th or 6th time im seeing this.

Selected Answer: D

D. Windows Hello for Business

Hello? Is it this question youre looking for?

I don't think we can use Windows Hello for Business' in mobile phones (unless the phones are using windows OS?). Question is vague. If for Windows laptop, then WHFB

No mobile service or WiFi is available. The only Internet connectivity mentioned is wired. So, the question is not concerned with methods available to authenticate the mobile device only that you cannot use auth methods that require the mobile device to have an Internet connection.

SecExams

Question #96

SecExams

HOTSPOT

-

Your network contains an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure AD tenant. The AD DS domain contains the organizational units (OUs) shown in the following table.

Name	Description
OU1	Syncs with Azure AD
OU2	Does **NOT** sync with Azure AD

You need to create a break-glass account named BreakGlass.

Where should you create BreakGlass, and which role should you assign to BreakGlass? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Location:

- Azure AD
- OU1
- OU2

Role:

- Billing Administrator
- Global Administrator
- Owner
- Privileged Role Administrator

SecExams

Explanation

Correct Answer:

Answer Area



Community Discussion

AzureAD and Global Admin https://learn.microsoft.com/en-us/azure/active-directory/roles/security-emergency-access#how-to-create-an-emergency-access-account

break-glass account = emergency access account

https://learn.microsoft.com/en-us/azure/active-directory/roles/security-emergency-access Create emergency access accounts Create two or more emergency access accounts. These accounts should be cloud-only accounts that use the *.onmicrosoft.com domain and that are not federated or synchronized from an on-premises environment.

break-glass account = emergency access account

What is a break-glass account in azure? A "break-glass" account, in the context of Azure and security, refers to a special or emergency account with elevated permissions that is used as a last resort to access and troubleshoot Azure resources in situations where normal access methods or credentials are unavailable or compromised. The term "break-

glass" implies that this account is only to be used in emergency situations, just like breaking the glass to access a fire alarm or emergency tool.

Question #97

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1.

You need to ensure that users can request access to Site1. The solution must meet the following requirements:

• Automatically approve requests from users based on their group membership.
• Automatically remove the access after 30 days.

What should you do?

A) Create a Conditional Access policy.
B) Create an access package. (Correct Answer)
C) Configure Role settings in Azure AD Privileged Identity Management.
D) Create a Microsoft Defender for Cloud Apps access policy.

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

B (Access Packages) is the correct answer - https://learn.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-create

Selected Answer: B

B. Create an access package.

Selected Answer: B

B. Create an access package.

SecExams

Question #98

HOTSPOT

-

You have an Azure subscription.

You need to create two custom roles named Role1 and Role2. The solution must meet the following requirements:

• Users that are assigned Role1 can manage application security groups.
• Users that are assigned Role2 can manage Azure Firewall.

Which resource provider permissions are required for each role? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Role1:

- Microsoft.App
- Microsoft.Computer
- Microsoft.Network
- Microsoft.Security

Role2:

- Microsoft.App
- Microsoft.Management
- Microsoft.Network
- Microsoft.Security

SecExams

Explanation

Correct Answer:

Answer Area

Community Discussion

Correct https://learn.microsoft.com/en-us/azure/role-based-access-control/resource-provider-operations#microsoftnetwork

Thanks for providing the link.

Thanks for providing the link.

Role1: Microsoft.Network Role2: Microsoft.Network

Role1: Microsoft.Network Role2: Microsoft.Network

SecExams

Question #99

You have a Microsoft 365 tenant.

All users have mobile phones and Windows 10 laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

A) voice
B) an app password
C) security questions
D) a verification code from the Microsoft Authenticator app (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

The Microsoft Authenticator app can generate verification codes offline, without needing a Wi-Fi or mobile data connection.

wiithout internet ... D? We answer to 10 question with app password. Then B

Selected Answer: B

how do you receive verification code without internet...? i would answer B

Selected Answer: D

D. a verification code from the Microsoft Authenticator app

Selected Answer: D

D. a verification code from the Microsoft Authenticator app

Question #100

DRAG DROP

-

You have a Microsoft 365 E5 tenant.

You purchase a cloud app named App1.

You need to enable real-time session-level monitoring of App1 by using Microsoft Defender for Cloud Apps.

In which order should you perform the actions? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Explanation

Correct Answer:

Answer Area

Publish App1 in Azure AD.

From Microsoft Defender for Cloud Apps, modify the Connected apps settings for App1.

From Microsoft Defender for Cloud Apps, create a session policy.

Create a conditional access policy that has session controls configured.

Community Discussion

1. Publish App1. 2. Create a conditional access policy that has session controls configured. 3. From MCAS modify the Connected apps settings 4. From MCAS create a session policy Reference - https://techcommunity.microsoft.com/t5/itops-talk-blog/step-by-step-blocking-data-downloads-via-microsoft-cloud-app/ba-p/326357

1. Publish App1. 2. Create a conditional access policy that has session controls configured. 3. From MCAS modify the Connected apps settings 4. From MCAS create a session policy Reference - https://techcommunity.microsoft.com/t5/itops-talk-blog/step-by-step-blocking-data-downloads-via-microsoft-cloud-app/ba-p/326357

1. Publish App1 in Azure AD. 2. Create a conditional access policy that has session controls configured. 3. From Microsoft Defender for Cloud Apps modify the Connected apps settings for app1 4. From Microsoft Defender for Cloud Apps create a session policy

SecExams

Question #101

SecExams

HOTSPOT
-

Case Study
-

Overview
-

Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.

Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.

Existing Environment. Existing Environment

The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.

The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.

Existing Environment. Microsoft 365/Azure Environment

Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:

• Microsoft Office 365 Enterprise E5
• Enterprise Mobility + Security E5
• Windows 10 Enterprise E3
• Project Plan 3

Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.

Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:

• The users in the London office have the Microsoft 365 Phone System license unassigned.
• The users in the Seattle office have the Yammer Enterprise license unassigned.

Security defaults are disabled for contoso.com.

Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.

Existing Environment. Problem Statements

Contoso identifies the following issues:

• Currently, all the helpdesk administrators can manage user licenses

throughout the entire Microsoft 365 tenant.
• The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
• The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
• Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
• When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes
-

Contoso plans to implement the following changes:

• Implement self-service password reset (SSPR).
• Analyze Azure audit activity logs by using Azure Monitor.
• Simplify license allocation for new users added to the tenant.
• Collaborate with the users at Fabrikam on a joint marketing campaign.
• Configure the User administrator role to require justification and approval to activate.
• Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
• For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.

Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The users will be located in London and Seattle.

Requirements. Technical Requirements

Contoso identifies the following technical requirements:

• All users must be synced from AD DS to the contoso.com Azure AD tenant.

SecExams

• App1 must have a redirect URI pointed to https://contoso.com/auth-response.
• License allocation for new users must be assigned automatically based on the location of the user.
• Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
• Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
• The helpdesk administrators must be able to manage licenses for only the users in their respective office.
• Users must be forced to change their password if there is a probability that the users' identity was compromised.

You need to meet the technical requirements for license management by the help desk administrators.

What should you create first, and which tool should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Object to create for each branch office:

- An administrative unit
- A custom role
- A Dynamic User security group
- An OU

Tool to use:

- Azure Active Directory admin center
- Active Directory Administrative Center
- Active Directory module for Windows PowerShell
- Microsoft Purview Compliance porta

Explanation

Correct Answer:

Answer Area



Community Discussion

correct

Trick question. You might think Dynamic group because of "License allocation for new users must be assigned automatically based on the location of the user". But there is also this line: "The helpdesk administrators must be able to manage licenses for only the users in their respective office." This one makes Administrative Unit correct instead of dynamic group. Very tricky

Sorry scratch that: "The helpdesk administrators must be able to manage licenses for only the users in their respective office." answer is correct

Sorry scratch that: "The helpdesk administrators must be able to manage licenses for only the users in their respective office." answer is correct

you cannot apply a role to a dynamic security group - tested

Question #102

SecExams

Case Study -

Overview -

ADatum Corporation is a consulting company in Montreal.

ADatum recently acquired a Vancouver-based company named Litware, Inc.

Existing Environment. ADatum Environment

The on-premises network of ADatum contains an Active Directory Domain Services (AD DS) forest named adatum.com.

ADatum has a Microsoft 365 E5 subscription. The subscription contains a verified domain that syncs with the adatum.com AD DS domain by using Azure AD Connect.

ADatum has an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant has Security defaults disabled.

The tenant contains the users shown in the following table.

Name	Role
User1	*None*
User2	*None*
User3	User administrator
User4	Privileged role administrator
User5	Identity Governance Administrator

The tenant contains the groups shown in the following table.

SecExams

Name	Type	Membership type	Owner	Members
IT_Group1	Security	Assigned	*None*	All users in the IT department
AdatumUsers	Security	Assigned	*None*	User1, User2

Existing Environment. Litware Environment

Litware has an AD DS forest named litware.com

Existing Environment. Problem Statements

ADatum identifies the following issues:

• Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit.
• A recent security incident reveals that several users leaked their credentials, a suspicious browser was used for a sign-in, and resources were accessed from an anonymous IP address.
• When you attempt to assign the Device Administrators role to IT_Group1, the group does NOT appear in the selection list.
• Anyone in the organization can invite guest users, including other guests and non-administrators.
• The helpdesk spends too much time resetting user passwords.
• Users currently use only passwords for authentication.

Requirements. Planned Changes -

ADatum plans to implement the following changes:

• Configure self-service password reset (SSPR).
• Configure multi-factor authentication (MFA) for all users.

SecExams

• Configure an access review for an access package named Package1.
• Require admin approval for application access to organizational data.
• Sync the AD DS users and groups of litware.com with the Azure AD tenant.
• Ensure that only users that are assigned specific admin roles can invite guest users.
• Increase the maximum number of devices that can be joined or registered to Azure AD to 10.

Requirements. Technical Requirements

ADatum identifies the following technical requirements:

• Users assigned the User administrator role must be able to request permission to use the role when needed for up to one year.
• Users must be prompted to register for MFA and provided with an option to bypass the registration for a grace period.
• Users must provide one authentication method to reset their password by using SSPR. Available methods must include:
- Email
- Phone
- Security questions
- The Microsoft Authenticator app
• Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.
• The principle of least privilege must be used.

SecExams

You need to resolve the issue of the sales department users.

What should you configure for the Azure AD tenant?

A) the Device settings (Correct Answer)
B) the User settings
C) the Access reviews settings
D) Security defaults

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

Azure Portal > Azure AD> Device > Device Settings> in the "Azure AD join and registration settings" section, change the maximum number of devices a user can have in Azure AD.

Selected Answer: A

Correct. Issue is: "Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit." Within Device settings, you can increase maximum number of devices a user can join/register to Azure AD.

Selected Answer: A

Adatum identifies the following issues: "Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit." Requirements. Planned Changes: Increase the maximum number of devices that can be joined or registered to Azure AD to 10. Within Device settings, you can increase maximum number of devices a user can join/register to Azure AD. Azure Portal / Azure AD / Device / Device Settings -> in the "Azure AD join and registration settings" section, change the maximum number of devices a user can have in Azure AD.

Maximum number of devices: This setting enables you to select the maximum number of Azure AD joined or Azure AD registered devices that a user can have in Azure AD. If users reach this limit, they can't add more devices until one or more of the existing devices are removed. The default value is 50. You can increase the value up to 100. If you enter a value above 100, Azure AD will set it to 100. You can also use Unlimited to enforce no limit other than existing quota limits. Note! The Maximum number of devices setting applies to devices that are either Azure AD joined or Azure AD registered. This setting doesn't apply to hybrid Azure AD joined devices. https://learn.microsoft.com/en-us/azure/active-directory/devices/manage-device-identities#configure-device-settings

SecExams

Maximum number of devices: This setting enables you to select the maximum number of Azure AD joined or Azure AD registered devices that a user can have in Azure AD. If users reach this limit, they can't add more devices until one or more of the existing devices are removed. The default value is 50. You can increase the value up to 100. If you enter a value above 100, Azure AD will set it to 100. You can also use Unlimited to enforce no limit other than existing quota limits. Note! The Maximum number of devices setting applies to devices that are either Azure AD joined or Azure AD registered. This setting doesn't apply to hybrid Azure AD joined devices. https://learn.microsoft.com/en-us/azure/active-directory/devices/manage-device-identities#configure-device-settings

SecExams

Question #103

SecExams

Case Study -

Overview -

ADatum Corporation is a consulting company in Montreal.

ADatum recently acquired a Vancouver-based company named Litware, Inc.

Existing Environment. ADatum Environment

The on-premises network of ADatum contains an Active Directory Domain Services (AD DS) forest named adatum.com.

ADatum has a Microsoft 365 E5 subscription. The subscription contains a verified domain that syncs with the adatum.com AD DS domain by using Azure AD Connect.

ADatum has an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant has Security defaults disabled.

The tenant contains the users shown in the following table.

Name	Role
User1	*None*
User2	*None*
User3	User administrator
User4	Privileged role administrator
User5	Identity Governance Administrator

The tenant contains the groups shown in the following table.

SecExams

Name	Type	Membership type	Owner	Members
IT_Group1	Security	Assigned	*None*	All users in the IT department
AdatumUsers	Security	Assigned	*None*	User1, User2

Existing Environment. Litware Environment

Litware has an AD DS forest named litware.com

Existing Environment. Problem Statements

ADatum identifies the following issues:

• Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit.
• A recent security incident reveals that several users leaked their credentials, a suspicious browser was used for a sign-in, and resources were accessed from an anonymous IP address.
• When you attempt to assign the Device Administrators role to IT_Group1, the group does NOT appear in the selection list.
• Anyone in the organization can invite guest users, including other guests and non-administrators.
• The helpdesk spends too much time resetting user passwords.
• Users currently use only passwords for authentication.

Requirements. Planned Changes -

ADatum plans to implement the following changes:

• Configure self-service password reset (SSPR).
• Configure multi-factor authentication (MFA) for all users.

SecExams

• Configure an access review for an access package named Package1.
• Require admin approval for application access to organizational data.
• Sync the AD DS users and groups of litware.com with the Azure AD tenant.
• Ensure that only users that are assigned specific admin roles can invite guest users.
• Increase the maximum number of devices that can be joined or registered to Azure AD to 10.

Requirements. Technical Requirements

ADatum identifies the following technical requirements:

• Users assigned the User administrator role must be able to request permission to use the role when needed for up to one year.
• Users must be prompted to register for MFA and provided with an option to bypass the registration for a grace period.
• Users must provide one authentication method to reset their password by using SSPR. Available methods must include:
- Email
- Phone
- Security questions
- The Microsoft Authenticator app
• Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.
• The principle of least privilege must be used.

SecExams

You need to resolve the issue of IT_Group1.

What should you do first?

A) Change Membership type of IT_Group1 to Dynamic User.
B) Recreate the IT_Group1 group. (Correct Answer)
C) Change Membership type of IT Group1 to Dynamic Device.
D) Add an owner to IT_Group1.

Explanation

Correct Answer:
B

Community Discussion

And when recreating, set isAssignableToRole. https://learn.microsoft.com/en-us/azure/active-directory/roles/groups-concept

The only answer possible is: recreate the group and toggle is-assignable-to-role to true. Adding owners to this group only allows the "Owner" to add members. See: https://learn.microsoft.com/en-us/entra/identity/role-based-access-control/groups-concept

Read these segments: *Only groups that have the isAssignableToRole property set to true at creation time can be assigned a role. *By default, only Global Administrators and Privileged Role Administrators can manage the membership of a role-assignable group, but you can delegate the management of role-assignable groups by adding group owners. *For example, assume that a group named Contoso_User_Administrators is assigned the User Administrator role. An Exchange administrator who can modify group membership could add themselves to the Contoso_User_Administrators group and in that way become a User Administrator. As you can see, an administrator could elevate their privilege in a way you didn't intend. This stops a person with lower admin authority further elevating their admin access.

Read these segments: *Only groups that have the isAssignableToRole property set to true at creation time can be assigned a role. *By default, only Global Administrators and Privileged Role Administrators can manage the membership of a role-assignable group, but you can delegate the management of role-assignable groups by adding group owners. *For example, assume that a group named Contoso_User_Administrators is assigned the User Administrator role. An Exchange administrator who can modify group membership could add themselves to the Contoso_User_Administrators group and in that way become a User Administrator. As you can see, an administrator could elevate their privilege in a way you didn't intend. This stops a person with lower admin authority further elevating their admin access.

Selected Answer: B

For the ones who missed the logic: you need a role-assignable security group. Unfortunately this cannot be modified on existing ones. Search for: "cannot be changed

later" here: https://learn.microsoft.com/en-us/entra/identity/role-based-access-control/groups-create-eligible?tabs=ms-powershell

SecExams

Question #104

SecExams

Case Study -

Overview -

ADatum Corporation is a consulting company in Montreal.

ADatum recently acquired a Vancouver-based company named Litware, Inc.

Existing Environment. ADatum Environment

The on-premises network of ADatum contains an Active Directory Domain Services (AD DS) forest named adatum.com.

ADatum has a Microsoft 365 E5 subscription. The subscription contains a verified domain that syncs with the adatum.com AD DS domain by using Azure AD Connect.

ADatum has an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant has Security defaults disabled.

The tenant contains the users shown in the following table.

Name	Role
User1	*None*
User2	*None*
User3	User administrator
User4	Privileged role administrator
User5	Identity Governance Administrator

The tenant contains the groups shown in the following table.

SecExams

Name	Type	Membership type	Owner	Members
IT_Group1	Security	Assigned	*None*	All users in the IT department
AdatumUsers	Security	Assigned	*None*	User1, User2

Existing Environment. Litware Environment

Litware has an AD DS forest named litware.com

Existing Environment. Problem Statements

ADatum identifies the following issues:

• Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit.
• A recent security incident reveals that several users leaked their credentials, a suspicious browser was used for a sign-in, and resources were accessed from an anonymous IP address.
• When you attempt to assign the Device Administrators role to IT_Group1, the group does NOT appear in the selection list.
• Anyone in the organization can invite guest users, including other guests and non-administrators.
• The helpdesk spends too much time resetting user passwords.
• Users currently use only passwords for authentication.

Requirements. Planned Changes -

ADatum plans to implement the following changes:

• Configure self-service password reset (SSPR).
• Configure multi-factor authentication (MFA) for all users.

SecExams

• Configure an access review for an access package named Package1.
• Require admin approval for application access to organizational data.
• Sync the AD DS users and groups of litware.com with the Azure AD tenant.
• Ensure that only users that are assigned specific admin roles can invite guest users.
• Increase the maximum number of devices that can be joined or registered to Azure AD to 10.

Requirements. Technical Requirements

ADatum identifies the following technical requirements:

• Users assigned the User administrator role must be able to request permission to use the role when needed for up to one year.
• Users must be prompted to register for MFA and provided with an option to bypass the registration for a grace period.
• Users must provide one authentication method to reset their password by using SSPR. Available methods must include:
- Email
- Phone
- Security questions
- The Microsoft Authenticator app
• Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.
• The principle of least privilege must be used.

SecExams

You need to implement the planned changes for litware.com.

What should you configure?

A) Azure AD Connect cloud sync between the Azure AD tenant and litware.com (Correct Answer)

B) Azure AD Connect to include the litware.com domain

C) staging mode in Azure AD Connect for the litware.com domain

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

Existing Environment. Litware Environment: "Litware has an AD DS forest named litware.com." Planned Changes: “Sync the AD DS users and groups of litware.com with the Azure AD tenant.” Technical Requirements: “Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.” You need a Azure AD Connect Cloud Sync to connect to multiple disconnected on-premises AD forests. See the video from 7:42 https://learn.microsoft.com/en-us/azure/active-directory/hybrid/cloud-sync/what-is-cloud-sync You can also use evaluate your options using the Wizard to evaluate sync options: https://setup.microsoft.com/azure/add-or-sync-users-to-azure-ad

Selected Answer: A

Even though Azure Connect Sync (Azure AD Connect) supports syncing objects from multiple AD forests, it does not support syncing from more than one on-prem server (https://learn.microsoft.com/en-us/azure/active-directory/hybrid/connect/plan-connect-topologies#multiple-forests-multiple-sync-servers-to-one-microsoft-entra-tenant). For this to work, AD trust would be required and we cannot do it. Cloud Sync does support multi-forest natively: https://learn.microsoft.com/en-us/azure/active-directory/hybrid/cloud-sync/plan-cloud-sync-topologies#multi-forest-single-microsoft-entra-tenant

Selected Answer: A

No trust = Cloud sync

Why not A for cloud sync? "Support for synchronizing to an Azure AD tenant from a multi-forest disconnected Active Directory forest environment: The common scenarios include merger & acquisition (where the acquired company's AD forests are isolated from the parent company's AD forests), and companies that have historically had multiple AD forests." Ref: https://learn.microsoft.com/en-us/azure/active-directory/hybrid/cloud-sync/what-is-cloud-sync

B is correct, litware.com should be included in AADC.

Question #105

SecExams

HOTSPOT
-

Case Study
-

Overview
-

ADatum Corporation is a consulting company in Montreal.

ADatum recently acquired a Vancouver-based company named Litware, Inc.

Existing Environment. ADatum Environment

The on-premises network of ADatum contains an Active Directory Domain Services (AD DS) forest named adatum.com.

ADatum has a Microsoft 365 E5 subscription. The subscription contains a verified domain that syncs with the adatum.com AD DS domain by using Azure AD Connect.

ADatum has an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant has Security defaults disabled.

The tenant contains the users shown in the following table.

Name	Role
User1	*None*
User2	*None*
User3	User administrator
User4	Privileged role administrator
User5	Identity Governance Administrator

The tenant contains the groups shown in the following table.

Name	Type	Membership type	Owner	Members
IT_Group1	Security	Assigned	*None*	All users in the IT department
AdatumUsers	Security	Assigned	*None*	User1, User2

Existing Environment. Litware Environment

Litware has an AD DS forest named litware.com

Existing Environment. Problem Statements

ADatum identifies the following issues:

• Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit.
• A recent security incident reveals that several users leaked their credentials, a suspicious browser was used for a sign-in, and resources were accessed from an anonymous IP address.
• When you attempt to assign the Device Administrators role to IT_Group1, the group does NOT appear in the selection list.
• Anyone in the organization can invite guest users, including other guests and non-administrators.
• The helpdesk spends too much time resetting user passwords.
• Users currently use only passwords for authentication.

Requirements. Planned Changes
-

ADatum plans to implement the following changes:

• Configure self-service password reset (SSPR).
• Configure multi-factor authentication (MFA) for all users.
• Configure an access review for an access package named Package1.
• Require admin approval for application access to organizational data.
• Sync the AD DS users and groups of litware.com with the Azure AD tenant.
• Ensure that only users that are assigned specific admin roles can invite guest users.
• Increase the maximum number of devices that can be joined or registered to Azure AD to 10.

Requirements. Technical Requirements

ADatum identifies the following technical requirements:

• Users assigned the User administrator role must be able to request permission to use the role when needed for up to one year.
• Users must be prompted to register for MFA and provided with an option to bypass the registration for a grace period.
• Users must provide one authentication method to reset their password by using SSPR. Available methods must include:
- Email
- Phone
- Security questions
- The Microsoft Authenticator app
• Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.
• The principle of least privilege must be used.

You implement the planned changes for SSPR.

What occurs when User3 attempts to use SSPR? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Explanation

Correct Answer:

Answer Area



Community Discussion

User 3 is a User Admin. So, Box 1: 2 Why: By default, administrator accounts are enabled for self-service password reset, and a strong default two-gate password reset policy is enforced. Box 2: Email, phone and Microsoft Authenticator only Why: The two-gate policy requires two pieces of authentication data, such as an email address, authenticator app, or a phone number, and it prohibits security questions. A two-gate policy applies in the following circumstances: ..... Security administrator Service support administrator SharePoint administrator Skype for Business administrator User administrator Source:https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-policy#administrator-reset-policy-differences

I tested and set Auth method as '1' and checked email, phone, MS App Code & security questions as available options for users. However, SSPR presented only one option i.e MS Auth App code for pwd reset. I tested both with a normal user and with 'User Admin' role and the result was same i.e no two gate thing as mentioned in some of the comments. Therefore, based on my testing and the results I got the answers are '1' & MS App only'. Please test it out yourself before blindly following others. If you ask why 1 and not 2 auth methods, then please note that the requirement is that: Users must provide ONE authentication method to reset their password by using SSPR. If MS Auth is selected as one of the authentication options, then it appears that Azure prefers it over all other possible options.

You are contradicting yourself :)

You are contradicting yourself :)

I would go for: Number of authentication methods required : 1 Authentication methods that can be used: Email, phone and MS authenticator I picked this option because admins are prohibited from using the "security questions option" Source: https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-policy#administrator-reset-policy-differences Read this part: Administrator reset policy differences By default, administrator accounts are enabled for self-service password reset, and a strong default two-gate password reset policy is enforced. This policy may be different from the one you have defined for your users, and this policy can't be changed. You should always test password reset functionality as a user without any Azure administrator roles assigned. The two-gate policy requires two pieces of authentication data, such as an email address, authenticator app, or a phone number, and it prohibits security questions.

SecExams

Question #106

SecExams

HOTSPOT
-

Case Study
-

Overview
-

ADatum Corporation is a consulting company in Montreal.

ADatum recently acquired a Vancouver-based company named Litware, Inc.

Existing Environment. ADatum Environment

The on-premises network of ADatum contains an Active Directory Domain Services (AD DS) forest named adatum.com.

ADatum has a Microsoft 365 E5 subscription. The subscription contains a verified domain that syncs with the adatum.com AD DS domain by using Azure AD Connect.

ADatum has an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant has Security defaults disabled.

The tenant contains the users shown in the following table.

Name	Role
User1	*None*
User2	*None*
User3	User administrator
User4	Privileged role administrator
User5	Identity Governance Administrator

The tenant contains the groups shown in the following table.

Name	Type	Membership type	Owner	Members
IT_Group1	Security	Assigned	*None*	All users in the IT department
AdatumUsers	Security	Assigned	*None*	User1, User2

Existing Environment. Litware Environment

Litware has an AD DS forest named litware.com

Existing Environment. Problem Statements

ADatum identifies the following issues:

• Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit.
• A recent security incident reveals that several users leaked their credentials, a suspicious browser was used for a sign-in, and resources were accessed from an anonymous IP address.
• When you attempt to assign the Device Administrators role to IT_Group1, the group does NOT appear in the selection list.
• Anyone in the organization can invite guest users, including other guests and non-administrators.
• The helpdesk spends too much time resetting user passwords.
• Users currently use only passwords for authentication.

Requirements. Planned Changes
-

ADatum plans to implement the following changes:

• Configure self-service password reset (SSPR).
• Configure multi-factor authentication (MFA) for all users.
• Configure an access review for an access package named Package1.
• Require admin approval for application access to organizational data.
• Sync the AD DS users and groups of litware.com with the Azure AD tenant.
• Ensure that only users that are assigned specific admin roles can invite guest users.
• Increase the maximum number of devices that can be joined or registered to Azure AD to 10.

Requirements. Technical Requirements

ADatum identifies the following technical requirements:

• Users assigned the User administrator role must be able to request permission to use the role when needed for up to one year.
• Users must be prompted to register for MFA and provided with an option to bypass the registration for a grace period.
• Users must provide one authentication method to reset their password by using SSPR. Available methods must include:
- Email
- Phone
- Security questions
- The Microsoft Authenticator app
• Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.
• The principle of least privilege must be used.

You need to support the planned changes and meet the technical requirements for MFA.

Which feature should you use, and how long before the users must complete the registration? To answer, select the appropriate options in the answer area.

SecExams

NOTE: Each correct selection is worth one point.

Answer Area



Explanation

Correct Answer:

Answer Area



Community Discussion

agree Box1: MFA registration policy Box2: 14 days Azure AD Identity Protection will prompt your users to register the next time they sign in interactively and they'll have 14 days to complete registration. During this 14-day period, they can bypass registration if MFA isn't required as a condition, but at the end of the period they'll be required to register before they can complete the sign-in process. Source: https://learn.microsoft.com/en-us/azure/

active-directory/identity-protection/howto-identity-protection-configure-mfa-policy#user-experience

Answer is Correct !

SecExams

Question #107

SecExams

DRAG DROP
-

Case Study
-

Overview
-

ADatum Corporation is a consulting company in Montreal.

ADatum recently acquired a Vancouver-based company named Litware, Inc.

Existing Environment. ADatum Environment

The on-premises network of ADatum contains an Active Directory Domain Services (AD DS) forest named adatum.com.

ADatum has a Microsoft 365 E5 subscription. The subscription contains a verified domain that syncs with the adatum.com AD DS domain by using Azure AD Connect.

ADatum has an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant has Security defaults disabled.

The tenant contains the users shown in the following table.

Name	Role
User1	*None*
User2	*None*
User3	User administrator
User4	Privileged role administrator
User5	Identity Governance Administrator

The tenant contains the groups shown in the following table.

Name	Type	Membership type	Owner	Members
IT_Group1	Security	Assigned	*None*	All users in the IT department
AdatumUsers	Security	Assigned	*None*	User1, User2

Existing Environment. Litware Environment

Litware has an AD DS forest named litware.com

Existing Environment. Problem Statements

ADatum identifies the following issues:

• Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit.
• A recent security incident reveals that several users leaked their credentials, a suspicious browser was used for a sign-in, and resources were accessed from an anonymous IP address.
• When you attempt to assign the Device Administrators role to IT_Group1, the group does NOT appear in the selection list.
• Anyone in the organization can invite guest users, including other guests and non-administrators.
• The helpdesk spends too much time resetting user passwords.
• Users currently use only passwords for authentication.

Requirements. Planned Changes
-

ADatum plans to implement the following changes:

• Configure self-service password reset (SSPR).
• Configure multi-factor authentication (MFA) for all users.
• Configure an access review for an access package named Package1.
• Require admin approval for application access to organizational data.
• Sync the AD DS users and groups of litware.com with the Azure AD tenant.
• Ensure that only users that are assigned specific admin roles can invite guest users.
• Increase the maximum number of devices that can be joined or registered to Azure AD to 10.

Requirements. Technical Requirements

ADatum identifies the following technical requirements:

• Users assigned the User administrator role must be able to request permission to use the role when needed for up to one year.
• Users must be prompted to register for MFA and provided with an option to bypass the registration for a grace period.
• Users must provide one authentication method to reset their password by using SSPR. Available methods must include:
- Email
- Phone
- Security questions
- The Microsoft Authenticator app
• Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.
• The principle of least privilege must be used.

You need to resolve the recent security incident issues.

What should you configure for each incident? To answer, drag the appropriate policy types to the correct issues. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Explanation

Correct Answer:



Community Discussion

Box 1: User risk policy Box 2: Sign-in risk policy Box 3: Sign-in risk policy https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks#sign-in-risk-detections

It could be all conditional access policy. Microsoft is recommending to migrate user and sign in risk policies to conditional access. https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure-risk-policies#migrate-risk-policies-from-identity-protection-to-conditional-access

Get SC 300 free exam questions: https://www.dumpsgeek.com/SC-300-pdf-dumps.html

i think user risk, sign in risk & conditional Access for anonymous IP

Actually you can read on the SC-300 web page that this exam will be updated on Oct 30th 2023. So if you pass this exam after this point, it's safe to asume it's Conditional Access Policy. Exam page: https://learn.microsoft.com/en-us/credentials/certifications/exams/sc-300/ The important notice states: "The English language version of this exam will be updated on October 30, 2023."

Question #108

You have the Azure resources shown in the following table.

Name	Description
User1	User account
Group1	Security group that uses the Dynamic user membership type
VM1	Virtual machine with a system-assigned managed identity
App1	Enterprise application
RG1	Resource group

To which identities can you assign the Contributor role for RG1?

A) User1 only
B) User1 and Group1 only
C) User1 and VM1 only
D) User1, VM1, and App1 only
E) User1, Group1, VM1, and App1 (Correct Answer)

Explanation

Correct Answer:
E

Community Discussion

Selected Answer: D

https://learn.microsoft.com/en-us/entra/identity/role-based-access-control/groups-concept#how-are-role-assignable-groups-protected The membership type for role-assignable groups must be Assigned and can't be a Microsoft Entra dynamic group.

Automated population of dynamic groups could lead to an unwanted account being added to the group and thus assigned to the role. Group1 is dynamic an to those groups you can't assign role. So answer is: User1, VM1, App1

Selected Answer: E

You can assign RBAC roles to any of the options, user, group, MI and apps.

Selected Answer: E

Tested in-lab, fyi user-assigned managed identity works also

Selected Answer: B

https://learn.microsoft.com/en-us/azure/role-based-access-control/role-assignments-steps I think the scope is RG1 here, so you can only assign the role to a User, Group, Service principal or Managed Identity. So I feel like this should be B

I would say answer is A. A group cannot be added as a member of role assignable group. You cannot add a Dynamic user membership type. https://learn.microsoft.com/en-us/azure/active-directory/roles/groups-concept

SecExams

Question #109

SecExams

HOTSPOT
-

You have an Azure AD tenant that contains a user named User1. User1 is assigned the User Administrator role.

You need to configure External collaboration settings for the tenant to meet the following requirements:

• Guest users must be prevented from querying staff email addresses.
• Guest users must be able to access the tenant only if they are invited by User1.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

Guest user access restrictions:

- Guest users have the same access as members (most inclusive)
- Guest users have limited access to properties and memberships of directory objects
- Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)

Guest invite restrictions:

- Anyone in the organization can invite guest users including guests and non-admins (most inclusive)
- Member users and users assigned to specific admin roles can invite guest users including guests with member
- Only users assigned to specific admin roles can invite guest users
- No one in the organization can invite quest users including admins (most restrictive)

Enable guest self-service sign up via user flows:

- No
- Yes

SecExams

Explanation

Correct Answer:

Answer Area



Community Discussion

tested in lab the answer is correct

100% correct

Correct

'only if they are invited by User1' > This is impossible. But I guess this is the best answer given the options... https://learn.microsoft.com/en-us/microsoft-365/solutions/limit-who-can-invite-guests?view=o365-worldwide "Note that global administrators can always invite guests regardless of this setting." You have at least one global admin and All global admins, User admins & Guest Inviter Role can send guest invites or nobody at all.

Correct

Question #110

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Azure Active Directory admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You needed to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Groups blade in the Azure Active Directory admin center
B) the Set-AzureAdUser cmdlet
C) the Identity Governance blade in the Azure Active Directory admin center
D) the Licenses blade in the Azure Active Directory admin center (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

D is correct. B is used to configure properties for user accounts, which is not what the question is about

With my free P2 license, I can remove license from Group blade or from License blade in Microsoft Entra ID. I don't have Microsoft 365 Enterprise license.

https://learn.microsoft.com/en-us/powershell/module/azuread/set-azureaduserlicense?view=azureadps-2.0 The Set-AzureADUserLicense cmdlet is deprecated. Learn how to assign licenses with Microsoft Graph PowerShell. For more info, see the Assign License Microsoft Graph API.

https://learn.microsoft.com/en-us/powershell/module/azuread/set-azureaduserlicense?view=azureadps-2.0 The Set-AzureADUserLicense cmdlet is deprecated. Learn how to assign licenses with Microsoft Graph PowerShell. For more info, see the Assign License Microsoft Graph API.

B is not correct here, it should be Set-AzureADUserLicense or Set-MsolUserLicense. https://learn.microsoft.com/en-us/microsoft-365/enterprise/remove-licenses-from-user-accounts-with-microsoft-365-powershell?view=o365-worldwide

Question #111

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create a user named User1.

You need to ensure that User1 can update the status of Identity Secure Score improvement actions.

Solution: You assign the Security Operator role to User1.

Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

B With read and write access, you can make changes and directly interact with identity secure score. Global administrator Security administrator Exchange administrator SharePoint administrator Security Operator has only read access, so he can not update anything https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/identity-secure-score#who-can-use-the-identity-secure-score

Selected Answer: B

The answer is no

SecExams

Question #112

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create a user named User1.

You need to ensure that User1 can update the status of Identity Secure Score improvement actions.

Solution: You assign the SharePoint Administrator role to User1.

Does this meet the goal?

A) Yes (Correct Answer)

B) No

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

From Microsoft: With read and write access, you can make changes and directly interact with identity secure score. Global administrator Security administrator Exchange administrator SharePoint administrator https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/identity-secure-score#who-can-use-the-identity-secure-score

You need read and write permissions: (https://learn.microsoft.com/en-us/microsoft-365/security/defender/microsoft-secure-score?view=o365-worldwide#read-and-write-roles) Global administrator Security administrator Exchange administrator SharePoint administrator

Selected Answer: A

A. Yes

SecExams

Question #113

You have an Azure AD tenant that contains a user named Admin1.

You need to ensure that Admin1 can perform only the following tasks:

- From the Microsoft 365 admin center, create and manage service requests.
- From the Microsoft 365 admin center, read and configure service health.
- From the Azure portal, create and manage support tickets.

The solution must minimize administrative effort.

What should you do?

A) Create an administrative unit and add Admin1.
B) Enable Azure AD Privileged Identity Management (PIM) for Admin1.
C) Assign Admin1 the Helpdesk Administrator role.
D) Create a custom role and assign the role to Admin1. (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: C

Role explained here: https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#helpdesk-administrator

Selected Answer: D

ONLY the following tasks. Indeed Helpdesk Admin can fulfill the three requirements, but has other permissions, which are labeled PRIVILEGED in https://learn.microsoft.com/en-us/entra/identity/role-based-access-control/permissions-reference#helpdesk-administrator

Selected Answer: D

Key word here is "ONLY", implying they can't perform any task outside of the three listed. D is the correct answer

You need to ensure that Admin1 can perform only the following tasks... Sounds pretty clear that the user should not be able to to more than this 3 things. With Helpdesk Admin you can do more. Really supid MS Question again.... D should be the answer.

You need to ensure that Admin1 can perform only the following tasks... Sounds pretty clear that the user should not be able to to more than this 3 things. With Helpdesk Admin you can do more. Really supid MS Question again.... D should be the answer.

SecExams

Question #114

HOTSPOT

-

Your network contains an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure AD tenant.

You need to ensure that user authentication always occurs by validating passwords against the AD DS domain.

What should you configure, and what should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Explanation

Correct Answer:

Answer Area



SecExams

Community Discussion

Correct. PTA using AD Connect

PTA and Azure AD Connect. PTA: When PTA is deployed, the user provides a password on the Azure AD login page, and Azure AD validates the password with on-premises Active Directory with the help of the PTA agent deployed on-premises. Password hash sync is wrong, cause it only syncs the on-premise passwords to Azure in every too minutes. The authentication happens in Azure AD. Azure AD Connect: You can enable Pass-through Authentication through Azure AD Connect. If you're installing Azure AD Connect for the first time, choose the custom installation path. At the User sign-in page, choose Pass-through Authentication as the Sign On method. On successful completion, a Pass-through Authentication Agent is installed on the same server as Azure AD Connect. In addition, the Pass-through Authentication feature is enabled on your tenant. If you have already installed Azure AD Connect by using the express installation or the custom installation path, select the Change user sign-in task on Azure AD Connect, and then select Next. Then select Pass-through Authentication as the sign-in method. On successful completion, a Pass-through Authentication Agent is installed on the same server as Azure AD Connect and the feature is enabled on your tenant.

MS: https://learn.microsoft.com/en-us/azure/active-directory-domain-services/synchronization#password-hash-synchronization-and-security-considerations First one should be definitely Password Hash

password hash synchronization: https://learn.microsoft.com/en-us/azure/active-directory-domain-services/synchronization#password-hash-synchronization-and-security-considerations

Correct Answer

SecExams

Question #115

You have a Microsoft 365 tenant that uses the domain named fabrikam.com. The Guest invite settings for Azure Active Directory (Azure AD) are configured as shown in the exhibit. (Click the Exhibit tab.)



A user named shares a Microsoft SharePoint Online document library to the users shown in the following table.

Name	Email	Description
User1	User1@contoso.com	A guest user in fabrikam.com
User2	User2@outlook.com	A user who has never accessed resources in fabrikam.com
User3	User3@fabrkam.com	A user in fabrikam.com

Which users will be emailed a passcode?

A) User2 only (Correct Answer)
B) User1 only
C) User1 and User2 only
D) User1, User2, and User3

Explanation

Correct Answer:
A

Community Discussion

None of the answers is correct! Got this question in the exam and the user 3 was gmail account.

None of the answers is correct! Got this question in the exam and the user 3 was gmail account.

Selected Answer: A

I think "A". https://learn.microsoft.com/en-us/azure/active-directory/external-identities/one-time-passcode (At the end of page) --Frequently asked questions-- What happens to my existing guest users if I enable email one-time passcode? Your existing guest users won't be affected if you enable email one-time passcode, as your existing users are already past the point of redemption. Enabling email one-time passcode will only affect future redemption process activities where new guest users are redeeming into the tenant. Say: Your existing guest users won't be affected... User1 is already inside. So it doesn't affect him.

B A is wrong because is @ outlook.com and that is a microsoft account and authenticated by microsoft

Selected Answer: A

I think the answer is A. User2 only

Question #116

A user named User1 receives an error message when attempting to access the Microsoft Defender for Cloud Apps portal.

You need to identify the cause of the error. The solution must minimize administrative effort.

What should you use?

A) Log Analytics
B) sign-in logs (Correct Answer)
C) audit logs
D) provisioning logs

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

Correct

absolutely correct

Sign-in logs

Selected Answer: B

The correct answer is B. sign-in logs. Sign-in logs provide information about all sign-in attempts to Microsoft Defender for Cloud Apps, including successful and unsuccessful sign-in attempts. By reviewing the sign-in logs, you can identify the cause of the error message that User1 is receiving.

Correct , Sign-in Logs for Msft Defender for Cloud Apps

Question #117

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps and Yammer.

You need prevent users from signing in to Yammer from high-risk locations.

What should you do in the Microsoft Defender for Cloud Apps portal?

A) Create an access policy. (Correct Answer)
B) Create an activity policy.
C) Unsanction Yammer.
D) Create an anomaly detection policy.

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

A - Access Policy

Access Policy

OK, it sounds a bit heretical, but: I can configure named locations for high-risk countries and create a CAP for Yammer cloud app specifically. Where is this setting in Defender Cloud Apps? I can confifure Cloud Apps access policy and specify Location, but I cannot specify Yammer as the only target app in scope.

Selected Answer: D

Anomaly detection as per: https://learn.microsoft.com/en-us/defender-cloud-apps/anomaly-detection-policy

disregard my comment. Given answer is CORRECT. Not anomaly detection between that does not prevent users from signing-in! '

Question #118

You have a Microsoft 365 tenant.

All users have mobile phones and Windows 10 laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

A) SMS
B) email
C) security questions
D) a verification code from the Microsoft Authenticator app (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

i think this is appearing for the 5th time.

Verification Code - In Exam

Answer is D

Selected Answer: A

The correct answer is A

Question #119

You have an Azure Active Directory (Azure AD) tenant.

You open the risk detections report.

Which risk detection type is classified as a user risk?

A) impossible travel
B) anonymous IP address
C) malicious IP address
D) Azure AD threat intelligence (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

D - in Exam

Selected Answer: D

corrcet

Selected Answer: D

https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks

Selected Answer: D

Correct Answer: D

Question #120

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Azure Active Directory admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Administrative units blade in the Azure Active Directory admin center
B) the Set-MsolUserLicense cmdlet (Correct Answer)
C) the Groups blade in the Azure Active Directory admin center
D) the Set-WindowsProductKey cmdlet

Explanation

Correct Answer:
B

Community Discussion

I really don't mind repeated questions but it seems like everyone of these reviews has at least one that gets repeated more than others. For this test, I am getting to the point that I am just going to assume Set-MsolUserLicense is the right answer whenever I see it on the test no matter the question. :)

I really don't mind repeated questions but it seems like everyone of these reviews has at least one that gets repeated more than others. For this test, I am getting to the point that I am just going to assume Set-MsolUserLicense is the right answer whenever I see it on the test no matter the question. :)

The Set-MsolUserLicense and New-MsolUser (-LicenseAssignment) cmdlets are scheduled to be retired. Please migrate your scripts to the Microsoft Graph SDK's Set-MgUserLicense cmdlet as described above. For more information, see Migrate your apps

to access the license managements APIs from Microsoft Graph. For the test before January 31st us mgsol command.

Selected Answer: B

AU does not manage licenses regardless what it says on Microsoft site. https://www.cloudpartner.fi/?p=6193 I have tested and i do not see an option to manage licenses.

Selected Answer: B

B as per the other questions

SecExams

Question #121

SecExams

HOTSPOT

-

Your network contains an on-premises Active Directory Domain Services (AD DS) domain that syncs with Azure AD and contains the users shown in the following table.

Name	Organizational unit (OU)
User1	OU1
User2	OU2

In Azure AD Connect, Domain/OU Filtering is configured as shown in the following exhibit.



Azure AD Connect is configured as shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can use self-service password reset (SSPR) to reset his password.	○	○
If User1 accesses Microsoft Exchange Online, he will be authenticated by an on-premises domain controller.	○	○
User2 can be added to a Microsoft SharePoint Online site as a member.	○	○

Explanation

Correct Answer:



Community Discussion

YES YES NO- User 2 is not synced to 365

NO YES NO By default SSPR is enabled, but not configured. You have to configure SSPR for users to be able to use it.

Password write-backup are enabled in the last screenshoot.

Password write-backup are enabled in the last screenshoot.

YES - Pass writeback is enabled (and SSPR works with PTA, PHS and ADFS federated environments) YES - Because auth is PTA NO - User2 not synced

SecExams

Question #122

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Azure Active Directory admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Update-MgGroup cmdlet

B) the Licenses blade in the Azure Active Directory admin center (Correct Answer)

C) the Set-WindowsProductKey cmdlet
D) the Administrative units blade in the Azure Active Directory admin center

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

There are several versions of this question in the exam. The question has two possible correct answers: 1. the Licenses blade in the Azure Active Directory admin center 2. the Set-MsolUserLicense cmdlet Other incorrect answer options you may see on the exam include the following: ☞ the Administrative units blade in the Azure Active Directory admin center ☞ the Groups blade in the Azure Active Directory admin center ☞ the Set-AzureAdGroup cmdlet

the other right answer.

I ated the purple berries. And this question is starting to make as much sense.

SecExams

Question #123

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
Admin1	User Administrator
Admin2	Password Administrator
Admin3	Application Administrator

You need to compare the role permissions of each user. The solution must minimize administrative effort.

What should you use?

A) the Microsoft 365 Defender portal
B) the Microsoft 365 admin center (Correct Answer)
C) the Microsoft Entra admin center
D) the Microsoft Purview compliance portal

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

https://learn.microsoft.com/en-us/microsoft-365/admin/add-users/admin-roles-page#compare-roles

When you look at that site and the available roles, you WILL NOT see the Application Administrator listed. You do see all three when you look at Entra roles. So it must be C.

When you look at that site and the available roles, you WILL NOT see the Application Administrator listed. You do see all three when you look at Entra roles. So it must be C.

B. Testing we can see all role in both admin centers but 0365 admin has the option to "compare" roles.

Selected Answer: C

Looking at the current state (03.01.24) we have the roles available in both B and C! MS 365 Admin center - Application Administrator: Create and manage enterprise application, registrations, and proxy settings, excluding Microsoft Graph and Azure AD Graph Consent to delegated permissions and application permissions MS Entra Admin Center - Application Adminstrator: Users in this role can add, manage, and configure enterprise applications, app registrations and manage on-premises like app proxy. There's also no difference in the remaining roles, however thinking in the MS world, I still would go for C!

SecExams

Question #124

You have a Microsoft Exchange organization that uses an SMTP address space of contoso.com.

Several users use their contoso.com email address for self-service sign-up to Azure AD.

You gain global administrator privileges to the Azure AD tenant that contains the self-signed users.

You need to prevent the users from creating user accounts in the contoso.com Azure AD tenant for self-service sign-up to Microsoft 365 services.

Which PowerShell cmdlet should you run?

A) Update-MgOrganization
B) Update-MgPolicyPermissionGrantPolicyExclude (Correct Answer)
C) Update-MgDomain
D) Update-MgDomainFederationConfiguration

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

The correct answer is B. Update-MgPolicyPermissionGrantPolicyExclude. The Update-MgPolicyPermissionGrantPolicyExclude cmdlet is used to exclude a policy from being applied to a specific set of users. In this case, you can use the cmdlet to exclude the self-service sign-up policy from being applied to users with the contoso.com SMTP address space.

Selected Answer: B

https://learn.microsoft.com/en-us/microsoft-365/admin/misc/self-service-sign-up?view=o365-worldwide#:~:text=To%20control%20whether%20users%20can%20sign%20up%20for%20self%2Dservice%20 however when you go to MG documentation for that CMDlet this parameter is not even listed. Most likely is changed to these allowedToSignUpEmailBasedSubscriptions=$true allowEmailVerifiedUsersToJoinOrganization=$false

B You use the Update-MgPolicyAuthorizationPolicy cmdlet with the AllowAdHocSubscriptions parameter to control whether users can sign up for self-service sign-up subscriptions.

Selected Answer: B

I stand for B

I think the answer is B. The given answer seems to be related to the organizational data not setting what can and cannot be done within the organization. B does provide mechanisms to prevent user actions. C - doesn't seem to apply at all.

Question #125

You have an Azure AD Tenant.

You configure self-service password reset (SSPR) by using the following settings:

- Require users to register when signing in: Yes
- Number of methods required to reset: 1

What is a valid authentication method available to users?

A) an FIDO2 security token
B) a mobile app code (Correct Answer)
C) a Microsoft Teams chat
D) a Windows Hello PIN

Explanation

Correct Answer:
B

Community Discussion

Correct https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-howitworks#authentication-methods

Correct Answer is: B It is actually the only valid answer in the choices.

Question #126

HOTSPOT

-

You have an Azure subscription.

From Entitlement management, you plan to create a catalog named Catalog1 that will contain a custom extension.

What should you create first, and what should you use to distribute Catalog1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

First create:
- A managed account
- An Azure Automation account
- An Azure logic app

Distribute Catalog1 by using:
- A playbook
- A workflow
- An access package

Explanation

Correct Answer:

Answer Area



SecExams

Community Discussion

Seems to be correct: https://learn.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-logic-apps-integration

Demo video on YouTube: Creating Azure AD Entitlement Management Custom Extensions for Access Packages https://www.youtube.com/watch?v=tl1GZ_JGMBk&ab_channel=CloudIdentity%7CJefTek

Demo video on YouTube: Creating Azure AD Entitlement Management Custom Extensions for Access Packages https://www.youtube.com/watch?v=tl1GZ_JGMBk&ab_channel=CloudIdentity%7CJefTek

Correct answers

Question #127

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	User Administrator
User2	Password Administrator
User3	Security Reader
User4	User

You enable self-service password reset (SSPR) for all the users and configure SSPR to require security questions as the only authentication method.

Which users must use security questions when resetting their password?

A) User4 only
B) User3 and User4 only (Correct Answer)
C) User1 and User4 only
D) User1, User3, and User4 only
E) User1, User2, User3, and User4

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

Correct answer. Basically, some administrative roles, by design can only use strong, two-gate password reset policy, regardles of SSPR settings. User Administrator and Password Administrator will be always forced to use two methods and cannot use security questions. Securiry Reader and User will use whatever is set under SSPR, so security

questions in this case. https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-policy#administrator-reset-policy-differences

Administrator accounts can't use security questions as verification method with SSPR. Answer is B. https://learn.microsoft.com/en-us/entra/identity/authentication/concept-authentication-security-questions

Selected Answer: B

Security reader not listed in 2 gate admin accounts https://learn.microsoft.com/en-us/entra/identity/authentication/concept-sspr-policy#administrator-reset-policy-differences

Selected Answer: A

Shouldn't it be A since Security Reader is an Admin and Admins can't use security questions? https://learn.microsoft.com/en-us/entra/identity/authentication/concept-authentication-security-questions

Selected Answer: B

I agree with 0byteThe answer is b

SecExams

Question #128

You have an Azure AD tenant.

You need to implement smart lockout with a lockout threshold of 10 failed sign-ins.

What should you configure in the Azure AD admin center?

A) Authentication strengths
B) Password protection (Correct Answer)
C) User risk policy
D) Sign-in risk policy

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

Correct answer. https://learn.microsoft.com/en-us/azure/active-directory/authentication/howto-password-smart-lockout#manage-microsoft-entra-smart-lockout-values

Correct Answer is B

Selected Answer: B

Correct

SecExams

Question #129

You configure a new Microsoft 365 tenant to use a default domain name of contoso.com.

You need to ensure that you can control access to Microsoft 365 resources by using conditional access policies.

What should you do first?

A) Disable Security defaults. (Correct Answer)
B) Configure password protection for the Azure AD tenant.
C) Configure a multi-factor authentication (MFA) registration policy.
D) Disable the User consent settings.

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

Correct as the tenant is new and security defaults will be on by default.

Answer is A

Question #130

You have a Microsoft 365 tenant.

An on-premises Active Directory domain is configured to sync with the Azure AD tenant. The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2019	Domain controller
Server2	Windows Server 2016	Domain controller
Server3	Windows Server 2019	Azure AD Connect

The domain controllers are prevented from communicating to the internet.

You implement Azure AD Password Protection on Server1 and Server2.

You deploy a new server named Server4 that runs Windows Server 2022.

You need to ensure that Azure AD Password Protection will continue to work if a single server fails.

What should you implement on Server4?

A) Azure AD Connect
B) Azure AD Application Proxy
C) Password Change Notification Service (PCNS)
D) the Azure AD Password Protection proxy service (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

Answer is correct.

Selected Answer: D

Correct answer https://learn.microsoft.com/en-us/entra/identity/authentication/concept-password-ban-bad-on-premises#how-microsoft-entra-password-protection-works

Selected Answer: D

To ensure that Azure AD Password Protection continues to work even if a single server fails, you should implement the Azure AD Password Protection proxy service on Server4. This service is responsible for relaying password validation requests from on-premises Active Directory to Azure AD, which is essential for the Azure AD Password Protection feature to work correctly, especially since your domain controllers do not have internet access. By setting up the proxy service on an additional server, you provide redundancy for this functionality.

SecExams

Question #131

You have a Microsoft 365 tenant.

All users have mobile phones and Windows 10 laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptops to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

A) voice
B) email

C) security questions

D) a verification code from the Microsoft Authenticator app (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

Correct Answer, since there is no internet on mobile devices the only method available is the authenticator code.

SecExams

Question #132

HOTSPOT

-

You have an Azure subscription that contains the resources shown in the following table.

Name	Type
User1	User
User2	User
Vault1	Azure Key Vault

SecExams

You need to configure access to Vault1. The solution must meet the following requirements:

- Ensure that User1 can manage and create keys in Vault1.
- Ensure that User2 can access a certificate stored in Vault1.
- Use the principle of least privilege.

Which role should you assign to each user? To answer select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1:
- Key Vault Certificates Officer
- Key Vault Crypto Officer
- Key Vault Secrets Officer

User2:
- Key Vault Certificates Officer
- Key Vault Crypto Officer
- Key Vault Secrets Officer

Explanation

Correct Answer:



Community Discussion

Looks good according to docs: https://learn.microsoft.com/en-us/azure/key-vault/general/rbac-guide#azure-built-in-roles-for-key-vault-data-plane-operations User1: manage and create keys in Vault1 - Key Vault Crypto Officer User2: access a certificate stored in Vault1 - Key Vault Certificates Officer

- Key Vault Crypto Officer - Key Vault Certificates Officer Key Vault Crypto Officer: Perform any action on the keys of a key vault, except manage permissions. Key Vault Certificates Officer: Perform any action on the certificates of a key vault, except manage permissions. Key Vault Secrets Officer: Perform any action on the secrets of a key vault, except manage permissions. Ref: https://learn.microsoft.com/en-us/azure/key-vault/general/rbac-guide?tabs=azure-cli.

Correct. Key Vault Certificates Officer DataActions: - Microsoft.KeyVault/vaults/certificates/* - Microsoft.KeyVault/vaults/certificates/* - Microsoft.KeyVault/vaults/certificatecontacts/write Key Vault Crypto Officer DataActions: - Microsoft.KeyVault/vaults/keys/* - Microsoft.KeyVault/vaults/keyrotationpolicies/* Key Vault Secrets Officer

DataActions: - Microsoft.KeyVault/vaults/secrets/* https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles#key-vault-certificates-officer https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles#key-vault-crypto-officer https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles#key-vault-secrets-officer

Correct

- Key Vault Crypto Officer - Key Vault Certificates Officer

Question #133

You have an Azure AD tenant that has multi-factor authentication (MFA) enforced and self-service password reset (SSPR) enabled.

You enable combined registration in interrupt mode.

You create a new user named User1.

Which two authentication methods can User1 use to complete the combined registration process? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A) a FIDO2 security key
B) a hardware token
C) a one-time passcode email (Correct Answer)
D) Windows Hello for Business
E) the Microsoft Authenticator app (Correct Answer)

Explanation

Correct Answer:
CE

Community Discussion

Selected Answer: CE

A. FIDO2 security keys, can only be added in Manage mode. Question says "You enable combined registration in interrupt mode." B. Hardware token – You cannot register with hardware token. C. Email is supported. D. Windows Hello for Business is not supported. E. Microsoft Authenticator app is supported.

AE is NOT correct. CE is the only possibility. Why? A. FIDO2 security keys, can only be added in Manage mode B. Hardware tokens cannot be used in combined registration. D. Windows Hello for business cannot be used in combined registration. In fact, this is a passwordless authentication platform (with PIN and biometric methods) Read the table and the Notes sections here: https://learn.microsoft.com/en-us/entra/identity/authentication/concept-registration-mfa-sspr-combined#methods-available-in-combined-registration

I think the answer C & E is correct. On the link page, it goes like this. FIDO2 security keys, can only be added in Manage mode on https://aka.ms/mysecurityinfo. https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-registration-mfa-sspr-combined Meaning I think through the combined registration process the user cannot choose FIDO2 but only on their own 365 security page.

As per the official documentation: https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-registration-mfa-sspr-combined - Hardware token is not an option to register. - a one-time passcode email is not even listed. - Windows Hello for Bussines is not even listed. Correct responses: - A. a FIDO2 security key - E. the Microsoft Authenticator app

Selected Answer: AE

A. a FIDO2 security key: Users can use a FIDO2 security key, which is a hardware device that provides strong authentication, typically in the form of a USB key or a biometric-enabled key. E. the Microsoft Authenticator app: Users can use the Microsoft Authenticator app, which supports multi-factor authentication (MFA) and can generate one-time passcodes or be used for push notifications for MFA approval. So, User1 can use these two methods to complete the combined registration process.

SecExams

Question #134

DRAG DROP

-

You have an Azure AD tenant that contains a user named Admin1.

Admin1 uses the Require password change for high-risk users policy template to create a new Conditional Access policy.

Who is included and excluded by default in the policy assignment? To answer, drag the appropriate options to the correct target. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point



Explanation

Correct Answer:
Answer Area

Include: All users

Exclude: None

Community Discussion

Include: All users Exclude: Admin1 These are the settings for the Require Password Change for High-Risk Users template: Users: All Users are Included – The current user creating the policy will be excluded Apps:All apps User Risk: Risk levels: High Access Control: Grant access – Require multifactor authentication AND Require password change Conditional Access template policies will exclude only the user creating the policy from the template. If your organization needs to exclude other accounts, you will be able to modify the policy once they are created. You can find these policies in the Microsoft Entra admin center > Protection > Conditional Access > Policies. Select a policy to open the editor and modify the excluded users and groups to select accounts you want to exclude. https://sccmentor.com/2023/03/26/just-dropped-in-to-see-what-condition-my-conditional-access-rule-was-in-part-6-require-password-change-for-high-risk-users/ https://learn.microsoft.com/en-us/entra/identity/conditional-access/concept-conditional-access-policy-common?tabs=zero-trust#template-categories

Wrong answer. Include: All Users Exclude: Current User (Admin1 in this case) Tested in lab. https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-risk-user

The correct is: Include: All Users Exclude: Current User (Admin1 in this example)

This is correct. Viewing the template shows Included: All users, Excluded: Current user (which is Admin1)

This is correct. Viewing the template shows Included: All users, Excluded: Current user (which is Admin1)

SecExams

Question #135

SecExams

HOTSPOT
-

You have an Azure AD tenant.

You need to configure the following External Identities features:

• B2B collaboration
• Monthly active users (MAU)-based pricing

Which two settings should you configure? To answer, select the settings in the answer area.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area



Explanation

Correct Answer:

Answer Area



Community Discussion

I think the answer is correct External Collabration settings And Linked Subscriptions

The second one is Linked Subscriptions. For the first one, we don't have enough info to be sure. What B2B setting are we configuring? I assume that the answer is external collaboration settings, since there's no mention about collaborating with another

Microsoft Entra organization. Microsoft says: B2B collaboration is enabled by default, but comprehensive admin settings let you control your inbound and outbound B2B collaboration with external partners and organizations: For B2B collaboration with other Microsoft Entra organizations, use cross-tenant access settings. Manage inbound and outbound B2B collaboration, and scope access to specific users, groups, and applications. Set a default configuration that applies to all external organizations, and then create individual, organization-specific settings as needed. Using cross-tenant access settings, you can also trust multi-factor (MFA) and device claims (compliant claims and Microsoft Entra hybrid joined claims) from other Microsoft Entra organizations.

Use external collaboration settings to define who can invite external users, allow or block B2B specific domains, and set restrictions on guest user access to your directory. Use Microsoft cloud settings to establish mutual B2B collaboration between the Microsoft Azure global cloud and Microsoft Azure Government or Microsoft Azure operated by 21Vianet. https://learn.microsoft.com/en-us/entra/external-id/what-is-b2b#manage-collaboration-with-other-organizations-and-clouds

In Entra ID's Cross-tenant access settings it actually says this: "Use cross-tenant access settings to manage collaboration with external Microsoft Entra tenants. For non-Microsoft Entra tenants, use collaboration settings."

In Entra ID's Cross-tenant access settings it actually says this: "Use cross-tenant access settings to manage collaboration with external Microsoft Entra tenants. For non-Microsoft Entra tenants, use collaboration settings."

SecExams

Question #136

You have an Azure AD tenant that contains the external user shown in the following exhibit.



You update the email address of the user.

You need to ensure that the user can authenticate by using the updated email address.

What should you do for the user?

A) Modify the Authentication methods settings.
B) Reset the password.
C) Revoke the active sessions.
D) Reset the redemption status. (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Cool, I didnt know this one, I would have recreated the guest user

Selected Answer: D

https://learn.microsoft.com/en-us/entra/external-id/reset-redemption-status update the guest user's sign-in information after they've redeemed your invitation for B2B collaboration. There might be times when you'll need to update their sign-in information, for example when: • The user wants to sign in using a different email and identity provider • etc To manage these scenarios previously, you had to manually delete the guest user's account from your directory and reinvite the user. Now you can use the Microsoft Entra admin center, PowerShell or the Microsoft Graph invitation API to reset the user's redemption status and reinvite the user while keeping the user's object ID, group memberships, and app assignments.

answer is D btw

answer is D btw

SecExams

Question #137

You have an Azure AD tenant.

You need to ensure that only users from specific external domains can be invited as guests to the tenant.

Which settings should you configure?

A) External collaboration settings (Correct Answer)
B) All identity providers
C) Cross-tenant access settings

D) Linked subscriptions

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

The correct answer is A. External collaboration settings. External collaboration settings allow you to control who can collaborate with your Azure AD tenant. You can use external collaboration settings to specify which external domains are allowed to be invited as guests to your tenant.

Correct. External collaboration settings > collaboration restrictions

Question #138

You have an Azure AD tenant that contains a user named User1 and a Microsoft 365 group named Group1. User1 is the owner of Group1.

You need to ensure that User1 is notified every three months to validate the guest membership of Group1.

What should you do?

A) Configure the External collaboration settings.
B) Create an access review. (Correct Answer)
C) Configure an access package.
D) Create a group expiration policy.

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

The answer is B. Create an access review. An access review is a process that allows you to review and manage the access of users and groups to resources. You can use access reviews to validate the guest membership of Group1 every three months.

C. An access package is a bundle of resources that a team or project needs and is governed with policies. Access packages are defined in containers called catalogs. To reduce the risk of stale access, you should enable periodic reviews of users who have active assignments to an access package in entitlement management. You can enable reviews when you create a new access package or edit an existing access package assignment policy. D. Group expiration policy can help remove inactive groups from the system and make things cleaner. It only removes inactive groups, it will NOT validate guest membership of group. https://learn.microsoft.com/en-us/entra/id-governance/access-reviews-overview https://learn.microsoft.com/en-us/entra/external-id/external-collaboration-settings-configure https://learn.microsoft.com/en-us/entra/id-governance/entitlement-management-access-reviews-create https://learn.microsoft.com/en-us/microsoft-365/solutions/microsoft-365-groups-expiration-policy?view=o365-worldwide

C. An access package is a bundle of resources that a team or project needs and is governed with policies. Access packages are defined in containers called catalogs. To reduce the risk of stale access, you should enable periodic reviews of users who have active assignments to an access package in entitlement management. You can enable reviews when you create a new access package or edit an existing access package assignment policy. D. Group expiration policy can help remove inactive groups from the system and make things cleaner. It only removes inactive groups, it will NOT validate guest membership of group. https://learn.microsoft.com/en-us/entra/id-governance/access-reviews-overview https://learn.microsoft.com/en-us/entra/external-id/external-collaboration-settings-configure https://learn.microsoft.com/en-us/entra/id-governance/entitlement-management-access-reviews-create https://learn.microsoft.com/en-us/microsoft-365/solutions/microsoft-365-groups-expiration-policy?view=o365-worldwide

Selected Answer: B

Validatating a membership is access review, in my opinion.

Selected Answer: B

A. External collaboration settings let you specify what roles in your organization can invite external users for B2B collaboration. These settings also include options for allowing or blocking specific domains, and options for restricting what external guest users can see in your Microsoft Entra directory. B. Access reviews in Microsoft Entra ID, part of Microsoft Entra, enable organizations to efficiently manage group memberships, access to enterprise applications, and role assignments. User's access can be reviewed regularly to make sure only the right people have continued access.

SecExams

Question #139

SecExams

HOTSPOT

-

You have a Microsoft Entra tenant that contains a group named Group3 and an administrative unit named Department1.

Department1 has the users shown in the Users exhibit. (Click the Users tab.)



Department1 has the groups shown in the Groups exhibit. (Click the Groups tab.)



The User Administrator role assignments are shown in the Assignments exhibit (Click the Assignments tab.)



The members of Group2 are shown in the Group2 exhibit. (Click the Group2 tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Admin1 can reset the passwords of User3 and User4.	○	○
Admin1 can add User1 to Group3.	○	○
Admin3 can reset the password of User1.	○	○

Explanation

Correct Answer:

Answer Area



Community Discussion

No, No, Yes

No, No, Yes Admin1 has a only the permissions on Department1 administrative unit. User3 and User4 are not assigned to Department1, so Admin1 has no permissions to reset passwords. Group3 is not assigned to Department1. Admin3 has permissions for the entire Directory.

No No Yes Adding a group to an administrative unit brings the group itself into the management scope of the administrative unit, but not the members of the group. In other words, an administrator scoped to the administrative unit can manage properties of the group, such as group name or membership, but they cannot manage properties of the users or devices within that group (unless those users and devices are separately added as members of the administrative unit).

Isn't the given answer correct? User3 and User4 are both assigned to group2 which is assigned to the Department1 AU (second screenshot), so that would be YNY for the answer? Open to learning if that's correct or not...

I thought it the same way. But here nesting users in groups does not work. "Adding a group to an administrative unit brings the group itself into the management scope of the

administrative unit, but not the members of the group" https://learn.microsoft.com/en-us/entra/identity/role-based-access-control/administrative-units#groups

SecExams

Question #140

SecExams

HOTSPOT

-

Your network contains an on-premises Active Directory Domain Services (AD DS) domain named fabrikam.com. The domain contains an Active Directory Federation Services (AD FS) instance and a member server named Server1 that runs Windows Server. The domain contains the users shown in the following table.

Name	Description
User1	The user account has a six-character password and is enabled.
User2	The user account has a 12-character password and is enabled.
User3	The user account has an eight-character password and is disabled.

You have a Microsoft Entra tenant named contoso.com that is linked to a Microsoft 365 subscription.

You establish federation between fabrikam.com and contoso.com by using a Microsoft Entra Connect instance that is configured as shown in the following exhibit.

SecExams



You perform the following tasks in contoso.com:

- Create a group named Group1.
- Disable User2.
- Enable User3.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
You can add User1 to Group1.	○	○
User2 can sign in to Server1.	○	○
User3 can sign in to Microsoft 365.	○	○

Explanation

Correct Answer:

Answer Area



Statements	Yes	No
You can add User1 to Group1.	○	◉
User2 can sign in to Server1.	○	◉
User3 can sign in to Microsoft 365.	◉	○

Community Discussion

I would say: Yes: Group1 is created in the entra ID tenant, and the user is synced, so this is possible. It doesn't state that the group should be visible on-prem Yes: The user is a directory-synced user, so authority lies on-prem. Disabling it from the Entra ID portal will have no effect. The server is also an on-prem server. Disabling should be done in on-prem adds No: for the same reason as above, you enable the account in the entra id tenant, but the account is directory synced, so authority lies with the on-prem AD, enabling from the portal is not possible...

I am confused. If you have a synced user, you can not enable or disable the user in Azure AD. You do this in the AD DS.

It says we have write-back turned on and I haven't tested it, but Entra ID now has a disable option on the User. I also see it on a synched user.

This seems to imply that disabling in Azure will only cause Entra ID connect to re-enable it in the tenant. https://learn.microsoft.com/en-us/answers/questions/1072787/how-do-i-get-actions-such-as-disabling-an-account

This seems to imply that disabling in Azure will only cause Entra ID connect to re-enable it in the tenant. https://learn.microsoft.com/en-us/answers/questions/1072787/how-do-i-get-actions-such-as-disabling-an-account

Question #141

SecExams

HOTSPOT

-

You have a Microsoft Entra tenant that has a Microsoft Entra ID P2 service plan. The tenant contains the users shown in the following table.

Name	Role
Admin1	Cloud Device Administrator
Admin2	Microsoft Entra Joined Device Local Administrator
User1	None

You have the Device settings shown in the following exhibit.



User1 has the devices shown in the following table.

Name	Operating system	Device identity
Device1	Windows 10	Microsoft Entra joined
Device2	iOS	Microsoft Entra registered
Device3	Windows 10	Microsoft Entra registered
Device4	Android	Microsoft Entra registered

For each of the following statements, select Yes if the statement is true. Otherwise. select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can join four additional Windows 10 devices to Microsoft Entra ID.	○	○
Admin1 can set Devices to be Microsoft Entra joined or Microsoft Entra registered require Multi-Factor Authentication to **Yes**.	○	○
Admin2 is a local administrator on Device3.	○	○

SecExams

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 can join four additional Windows 10 devices to Microsoft Entra ID.	○	■
Admin1 can set Devices to be Microsoft Entra joined or Microsoft Entra registered require Multi-Factor Authentication to **Yes**.	○	■
Admin2 is a local administrator on Device3.	○	■

Community Discussion

No Yes No

No Yes No

no yes no

1) NO Maximum number of devices: This setting enables you to select the maximum number of Microsoft Entra joined or Microsoft Entra registered devices that a user can have in Microsoft Entra ID. If users reach this limit, they can't add more devices until one or more of the existing devices are removed. The default value is 50. You can increase the value up to 100. If you enter a value above 100, Microsoft Entra ID sets it to 100. You can also use Unlimited to enforce no limit other than existing quota limits. Note! The Maximum number of devices setting applies to devices that are either Microsoft Entra joined or Microsoft Entra registered. This setting doesn't apply to Microsoft Entra hybrid joined devices. https://learn.microsoft.com/en-us/azure/active-directory/devices/device-management-azure-portal#configure-device-settings

2) YES Admin1 is a Cloud Device Administrator. You must be assigned one of the following roles to manage device settings: • Global Administrator • Cloud Device Administrator https://learn.microsoft.com/en-us/azure/active-directory/devices/device-management-azure-portal#configure-device-settings 3) NO This only applies to Win 10/11 Entra JOINED devices. This device is only registered.

SecExams

Question #142

You have an Azure subscription named Sub1 that contains a user named User1.

You need to ensure that User1 can purchase a Microsoft Entra Permissions Management license for Sub1. The solution must follow the principle of least privilege.

Which role should you assign to User1?

A) Global Administrator
B) Billing Administrator (Correct Answer)
C) Permissions Management Administrator
D) User Access Administrator

Explanation

Correct Answer:

B

Community Discussion

Selected Answer: B

Correct

Billing administrator

Selected Answer: A

I would say A. Global Administrator. "To activate a trial or purchase a license, you must have Global Administrator permissions." https://learn.microsoft.com/en-us/entra/permissions-management/product-roles-permissions#enabling-permissions-management "There are two ways to activate a trial or a full product license. The first way is to go to the Microsoft 365 admin center. • Sign in as a Global Administrator for your tenant. • Go to Setup and sign up for a Microsoft Entra Permissions Management trial. • For self-service, Go to the Microsoft 365 portal to sign up for a 45-day free trial or to purchase licenses. The second way is through Volume Licensing or Enterprise agreements. • If your organization falls under a volume license or enterprise agreement scenario, contact your Microsoft representative." https://learn.microsoft.com/en-us/entra/permissions-management/onboard-enable-tenant#activate-a-free-trial-or-paid-license

To complete this task, you must have at least Billing Administrator permissions. You can't enable Permissions Management as a user from another tenant who has signed in via B2B or via Azure Lighthouse. Prerequisites To enable Permissions Management in your organization: You must be eligible for or have an active assignment to the Permissions Management Administrator role as a user in that tenant. Therefore, I think that Permissions Management Administrator might be the best role. C. https://learn.microsoft.com/en-us/entra/permissions-management/onboard-enable-tenant

Wrong Answers: B. Billing Administrator makes purchases, manages subscriptions, manages support tickets, and monitors service health. Can’t add role assignments so cannot activate Permissions Management Administrator role. C. Permissions Management Administrator Assign the Permissions Management Administrator role to users who need to do the following tasks: • Manage all aspects of Microsoft Entra Permissions Management, when the service is present. D. User Access Administrator is an Azure RBAC role, that lets you manage user access to Azure resources. Nothing to do with Permission Management.

Question #143

You have an Azure subscription that contains a user named User1 and two resource groups named RG1 and RG2.

You need to ensure that User1 can perform the following tasks:

- View all resources.
- Restart virtual machines.
- Create virtual machines in RG1 only.
- Create storage accounts in RG1 only.

What is the minimum number of role-based access control (RBAC) role assignments required?

A) 1
B) 2 (Correct Answer)
C) 3
D) 4

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: C

3 roles Assign User1 the "Reader" role at the subscription level to view all resources. Assign User1 the "Virtual Machine Contributor" role at the RG1 level to restart virtual machines and create virtual machines in RG1 only. Assign User1 the "Storage Account Contributor" role at the RG1 level to create storage accounts in RG1 only.

It's 2 (B), by adding custom role/s.

Selected Answer: C

If least privilege is not a concern then you just need one role - Contributor for both R1 and R2 However, I believe we will always want least privileges and in that case you will need three RBAC roles: Reader - to view all resources in r1 and r2 as there are other resources besides VMs and SAs in the RGs. VM Contributor - To create & restart VMs Storage Account Contributor - To create storage accounts

Selected Answer: B

You need two role assignments, one for RG1 and other for RG2. If you make just one assignment for both of the Resource groups, User1 will have Virtual machine & Storage account creating rights in both resource groups. If you put the scope on Subscription or Management group that has these Resource groups, the resource groups will inherit the role assignment from higher level (parent) resource. You can make a custom role for RG1 with permissions shown below: */read - View all resources Microsoft.Compute/virtualMachines/restart/action - Restart virtual machines. Microsoft.Compute/virtualMachines/write - Creates a new virtual machine or updates an existing virtual machine. Microsoft.Storage/storageAccounts/write - Creates a storage account with the specified parameters or update the properties or tags or adds custom domain for the specified storage account. For RG2 you should make custom role with these permissions: */read - View all resources Microsoft.Compute/virtualMachines/restart/action - Restart virtual machines.

Selected Answer: B

2 roles are sufficient: - Reader on the subscription level. It fulfills the 1st requirement. - Contributor or Owner on RG1, which fulfills the 2nd requirement - There is nothing to do with RG2 because it's empty (I assume). So, no role should be assigned.

SecExams

Question #144

You work for a company named Contoso, Ltd. that has a Microsoft Entra tenant named contoso.com.

Contoso is working on a project with the following two partner companies:

• A company named A. Datum Corporation that has a Microsoft Entra tenant named adatum.com.
• A company named Fabrikam, Inc. that has a Microsoft Entra tenant named fabrikam.com.

When you attempt to invite a new guest user from adatum.com to contoso.com, you receive an error message.

You can successfully invite a new guest user from fabnkam.com to contoso.com.

You need to be able to invite new guest users from adatum.com to contoso.com.

What should you configure?

A) Guest invite settings
B) Verifiable credentials
C) Named locations
D) Collaboration restrictions (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

You need to add adatum.com to the list of domains on External Identities >> External Collab Settings >> Collaboration Restrictions >> Allow invitations only to the specified domains.

Selected Answer: D

Correct

Selected Answer: D

You can select “Allow invitations to be sent to any domain (most inclusive)” to allow guest invites to be sent to any domain. You can also select “Allow invitations only to the specified domains (most restrictive)”, and add adatum.com to it. OR you can check if “Deny invitations to the specified domains” is selected, and contoso.com is in there. However, you can find all of the above in Microsoft Entra admin centre | External Identities | External collaboration settings | Collaboration restrictions.

You can use an allowlist or a blocklist to allow or block invitations to B2B collaboration users from specific organizations. For example, if you want to block personal email address domains, you can set up a blocklist that contains domains like Gmail.com and Outlook.com. Or, if your business has a partnership with other businesses like Contoso.com, Fabrikam.com, and Litware.com, and you want to restrict invitations to only these organizations, you can add Contoso.com, Fabrikam.com, and Litware.com to your allowlist. You can create either an allowlist or a blocklist. You can't set up both types of lists. By default, whatever domains aren't in the allowlist are on the blocklist, and vice versa. https://learn.microsoft.com/en-us/entra/external-id/external-collaboration-settings-configure https://learn.microsoft.com/en-us/entra/external-id/allow-deny-list

You can use an allowlist or a blocklist to allow or block invitations to B2B collaboration users from specific organizations. For example, if you want to block personal email address domains, you can set up a blocklist that contains domains like Gmail.com and Outlook.com. Or, if your business has a partnership with other businesses like Contoso.com, Fabrikam.com, and Litware.com, and you want to restrict invitations to only these organizations, you can add Contoso.com, Fabrikam.com, and Litware.com to your allowlist. You can create either an allowlist or a blocklist. You can't set up both types of lists. By default, whatever domains aren't in the allowlist are on the blocklist, and vice versa. https://learn.microsoft.com/en-us/entra/external-id/external-collaboration-settings-configure https://learn.microsoft.com/en-us/entra/external-id/allow-deny-list

SecExams

Question #145

You have a Microsoft Entra tenant.

You need to query risky user activity for the tenant.

How long will the logs of risky user activity be retained?

A) 30 days (Correct Answer)
B) 60 days
C) 90 days
D) 180 days

Explanation

Correct Answer:
A

Community Discussion

https://learn.microsoft.com/en-us/entra/identity/monitoring-health/reference-reports-data-retention Risky users No limit No limit No limit Risky sign-ins 7 days 30 days 90 days Note Risky users and workload identities are not deleted until the risk has been remediated.

A. The risky sign-ins report contains filterable data for up to the past 30 days (one month) https://learn.microsoft.com/en-us/entra/id-protection/howto-identity-protection-investigate-risk#risky-users-report

This question is trash. No license specified and even if it did Risky User 'Activity' is retained until the end of time/resolved.

A - in Exam

Selected Answer: A

The retention period for logs of risky user activity in Microsoft Entra varies by report type and license type. For instance, the risky sign-ins report contains filterable data for up to the past 30 days. However, you can retain the audit and sign-in activity data for longer

than the default retention period by routing it to an Azure storage account using Azure Monitor.

Question #146

HOTSPOT -

You have a Microsoft 365 tenant and an Active Directory domain named adatum.com.

You deploy Azure AD Connect by using the Express Settings.

You need to configure self-service password reset (SSPR) to meet the following requirements:

✑ When users reset their password, they must be prompted to respond to a mobile app notification or answer three predefined security questions.

✑ Passwords must be synced between the tenant and the domain regardless of where the password was reset.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

From the Password reset blade in the Azure Active Directory admin center, configure:

- Authentication methods
- Notifications
- Properties
- Registration

From Azure AD Connect, enable:

- Federation with Active Directory Federation Services (AD FS)
- Pass-through authentication
- Password hash synchronization
- Password writeback

Explanation

Correct Answer:

Answer Area

From the Password reset blade in the Azure Active Directory admin center, configure:

- Authentication methods
- Notifications
- Properties
- Registration

From Azure AD Connect, enable:

- Federation with Active Directory Federation Services (AD FS)
- Pass-through authentication
- Password hash synchronization
- Password writeback

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-sspr-deployment https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-security-questions

Community Discussion

No, it's not, I would like to know if the question showed up on the exam, that means it's not outdated and still relevant. Also, this shows the person made an affort AFTER the exam and shared it with us, not many people are doing that, I'm not, after the exam I'm not even looking here, so I appreciate someone else's efforts.

No, it's not, I would like to know if the question showed up on the exam, that means it's not outdated and still relevant. Also, this shows the person made an affort AFTER the exam and shared it with us, not many people are doing that, I'm not, after the exam I'm not even looking here, so I appreciate someone else's efforts.

No, it's not, I would like to know if the question showed up on the exam, that means it's not outdated and still relevant. Also, this shows the person made an affort AFTER the exam and shared it with us, not many people are doing that, I'm not, after the exam I'm not even looking here, so I appreciate someone else's efforts.

No, it's not, I would like to know if the question showed up on the exam, that means it's not outdated and still relevant. Also, this shows the person made an affort AFTER the exam and shared it with us, not many people are doing that, I'm not, after the exam I'm not even looking here, so I appreciate someone else's efforts.

useless comment

Question #147

You have a Microsoft 365 tenant.
The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain.
Users connect to the internet by using a hardware firewall at your company. The users authenticate to the firewall by using their Active Directory credentials.
You plan to manage access to external applications by using Azure AD.
You need to use the firewall logs to create a list of unmanaged external applications and the users who access them.
What should you use to gather the information?

A) Application Insights in Azure Monitor
B) access reviews in Azure AD
C) Cloud App Discovery in Microsoft Cloud App Security (Correct Answer)
D) enterprise applications in Azure AD

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/cloud-app-security/create-snapshot-cloud-discovery-reports#using-traffic-logs-for-cloud-discovery

Community Discussion

C is correct according to the link provided.

A question to the wider community, why did you all thought of MCAS when teh questions says " need to use the firewall logs" referring to the on-prem FW appliance! The question didn't open teh door/option to use external FW service. In MPOV, it's teh Azure monitor that can used to collect logs from teh existing FW and anlysed to acheive teh requesed outcome. Have a look at this link: Can Azure Monitor also monitor on-premises resources? Yes. In addition to collecting monitoring data from Azure resources, Azure Monitor can collect data from virtual machines and applications in other clouds and on-premises. See Sources of monitoring data for Azure Monitor. https://learn.microsoft.com/en-us/azure/azure-monitor/faq My suggested answer is" Azure Monitor"

On the exam today - March 4, 2022

On the exam today... MCAS option was renamed to "Microsoft Defender for Cloud Apps"

Correct, https://docs.microsoft.com/en-us/cloud-app-security/discovered-apps

SecExams

Question #148

HOTSPOT -

You have an on-premises datacenter that contains the hosts shown in the following table.

Name	Description
Server1	Domain controller that runs Windows Server 2019
Server2	Server that runs Windows Server 2019 and has Azure AD Connect deployed
Server3	Server that runs Windows Server 2019 and has a Microsoft ASP.NET application named App1 installed
Server4	Unassigned server that runs Windows Server 2019
Firewall1	Hardware firewall connected to the internet that blocks all traffic unless explicitly allowed

The Active Directory forest syncs to an Azure Active Directory (Azure AD) tenant.

Multi-factor authentication (MFA) is enforced for Azure AD.

You need to ensure that you can publish App1 to Azure AD users.

What should you configure on Server4 and Firewall1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Service to install on Server4:

- Azure AD Application Proxy
- The Azure AD Password Protection DC agent
- The Azure AD Password Protection proxy service
- Web Application Proxy in Windows Server

Rule to configure on Firewall1:

- Allow incoming HTTPS connections from Azure AD to Server4.
- Allow incoming IPsec connections from Azure AD to Server4.
- Allow outbound HTTPS connections from Server4 to Azure AD.
- Allow outbound IPsec connections from Server4 to Azure AD.

Explanation

Correct Answer:

Answer Area

Service to install on Server4:

- Azure AD Application Proxy
- The Azure AD Password Protection DC agent
- The Azure AD Password Protection proxy service
- Web Application Proxy in Windows Server

Rule to configure on Firewall1:

- Allow incoming HTTPS connections from Azure AD to Server4.
- Allow incoming IPsec connections from Azure AD to Server4.
- Allow outbound HTTPS connections from Server4 to Azure AD.
- Allow outbound IPsec connections from Server4 to Azure AD.

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy

SecExams

Community Discussion

you don't install an Application Proxy on the on-prem server. you install a connector The connector is a lightweight agent that runs on a Windows Server inside your network. The connector manages communication between the Application Proxy service in the cloud and the on-premises application. https://learn.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy#how-application-proxy-works

Azure AD Application Proxy Allow outbound HTTPS connections from Server4 to Azure AD

Correct

Correct

Correct.

Question #149

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that has the default App registrations settings. The tenant contains the users shown in the following table.

Name	Role
Admin1	Application administrator
Admin2	Application developer
Admin3	Cloud application administrator
User1	User

You purchase two cloud apps named App1 and App2. The global administrator registers App1 in Azure AD.

You need to identify who can assign users to App1, and who can register App2 in Azure AD.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Can assign users to App1:

- Admin1 only
- Admin3 only
- Admin1 and Admin3 only
- Admin1, Admin2, and Admin3 only
- Admin1, Admin2, Admin3, and User1

Can register App2 in Azure AD:

- Admin1 only
- Admin3 only
- Admin1 and Admin3 only
- Admin1, Admin2, and Admin3 only
- Admin1, Admin2, Admin3, and User1

SecExams

Explanation

Correct Answer:

Answer Area

Can assign users to App1:

- Admin1 only
- Admin3 only
- **Admin1 and Admin3 only**
- Admin1, Admin2, and Admin3 only
- Admin1, Admin2, Admin3, and User1

Can register App2 in Azure AD:

- Admin1 only
- Admin3 only
- Admin1 and Admin3 only
- Admin1, Admin2, and Admin3 only
- **Admin1, Admin2, Admin3, and User1**

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/add-application-portal-assign-users https://docs.microsoft.com/en-us/azure/active-directory/develop/active-directory-how-applications-are-added

Community Discussion

Yup, App Registration by any Users is enabled by default on a new directory. Question itself states default app registration, which means user in that directory including guest users can register applications. Answer is correct!

Passed the exam today 23/09/2021 This question came in the exam.

on the exam 09222022, i answered the same. Passed the exam, btw.

Correct answers. App Registration in User Settings is enabled by default.

Can assign users to App1: Admin1 and Admin3 Can register App2 in Azure AD: Admin1, admin2, Admin3 and User1

Question #150

SecExams

HOTSPOT -

You have a custom cloud app named App1 that is registered in Azure Active Directory (Azure AD).

App1 is configured as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

SecExams

Hot Area:

Answer Area

[answer choice] can access App1 from the homepage URL.

- All users
- No one
- Only users listed on the Owners blade
- Only users listed on the Users and groups blade

App1 will appear in the Microsoft Office 365 app launcher for **[answer choice]**.

- all users
- no one
- only users listed on the Owners blade
- only users listed on the Users and groups blade

Explanation

Correct Answer:

Answer Area

[answer choice] can access App1 from the homepage URL.

- All users
- No one
- Only users listed on the Owners blade
- Only users listed on the Users and groups blade

App1 will appear in the Microsoft Office 365 app launcher for **[answer choice]**.

- all users
- no one
- only users listed on the Owners blade
- only users listed on the Users and groups blade

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal

Community Discussion

Actually I think correct answers are: All users Assigned user in users and groups blade https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/add-application-portal-configure

the answers are all users all users

Tested in my lab, this is the correct answer.

Tested in my lab, this is the correct answer.

Wrong. https://docs.microsoft.com/en-us/learn/modules/plan-design-integration-of-enterprise-apps-for-sso/6-configure-pre-integrated-gallery-saas-apps Yes no Yes -> Assigned users can see the app and sign in.Unassigned users cannot see the app but can sign in. So only assigned user can see but unassigned users cannot see. According to the portal.

SecExams

Question #151

You have an Azure Active Directory (Azure AD) tenant.
You create an enterprise application collection named HR Apps that has the following settings:
✑ Applications: App1, App2, App3
✑ Owners: Admin1
✑ Users and groups: HRUsers
All three apps have the following Properties settings:
✑ Enabled for users to sign in: Yes
✑ User assignment required: Yes

Visible to users: Yes -
▪
Users report that when they go to the My Apps portal, they only see App1 and App2.
You need to ensure that the users can also see App3.
What should you do from App3?

A) From Users and groups, add HRUsers. (Correct Answer)
B) From Single sign-on, configure a sign-on method.
C) From Properties, change User assignment required to No.

D) From Permissions, review the User consent permissions.

Explanation

Correct Answer:
A
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal https://docs.microsoft.com/en-us/azure/active-directory/user-help/my-applications-portal-workspaces

Community Discussion

Correct Answer. I just tried this in my company's tenancy. User assignment and Visible to Users goes hand in hand for this. If Visible to Users is set to Yes then this is the explanation from the 'i' next to it: If this option is set to yes, then assigned users will see the application on My Apps and O365 app launcher. If this option is set to no, then no users will see this application on their My Apps and O365 launcher. Assigned User is the key here. Unless the users are assigned to the app, then No one will see the application on their MyApps or O365 Launcher. Provided Answer is Correct!

This question has no sense for me... It sais that HRUsers are already in "users and groups" and the users have access to App1 and App2, so they should have access to App3 too. Someone can explain me?

https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/access-panel-collections "A collection essentially applies a filter to the applications a user can already access, so the user sees only those applications in the collection that have been assigned to them." App collections are just visual filters, they do not dictate access privileges to the app itself.

https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/access-panel-collections "A collection essentially applies a filter to the applications a user can already access, so the user sees only those applications in the collection that have been assigned to them." App collections are just visual filters, they do not dictate access privileges to the app itself.

Selected Answer: A

Question/Answer doesn't make sense because it literally already says "Users and groups: HRUsers". You won't be able to add the same group that is already in there. The fact that they can see App1 and App2 make me think the correct answer is "Call MSFT".

Question #152

You have an Azure Active Directory (Azure AD) tenant.
For the tenant, Users can register applications is set to No.
A user named Admin1 must deploy a new cloud app named App1.
You need to ensure that Admin1 can register App1 in Azure AD. The solution must use the principle of least privilege.
Which role should you assign to Admin1?

A) Managed Application Contributor for Subscription1.
B) Application developer in Azure AD. (Correct Answer)
C) Cloud application administrator in Azure AD.
D) App Configuration Data Owner for Subscription1.

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/roles/delegate-app-roles

Community Discussion

Correct and this provides the least access to register the app

Name: Application developer Description: Users in this role will continue to be able to register app registrations even if the Global Admin has turned off the tenant level switch for "Users can register apps".

Name: Application developer Description: Users in this role will continue to be able to register app registrations even if the Global Admin has turned off the tenant level switch for "Users can register apps".

Application Developer Can create application registrations independent of the 'Users can register applications' setting. https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference

Selected Answer: B

Only answer B and C could be right And answer B uses least privileg

SecExams

Question #153

SecExams

HOTSPOT -

You have a Microsoft 365 tenant that contains a group named Group1 as shown in the Group1 exhibit. (Click the Group1 tab.)

```
PS C:\> Get-AzureADGroup -searchstring "group1" | Get-AzureADGroupowner

ObjectId                             DisplayName    UserPrincipalName                 UserType
------------                         -------------  ------------------                --------
a7f7d405-636f-4493-b971-5c2b7a131b1c Admin          admin@M365x629615.onmicrosoft.com Member

PS C:\> Get-AzureADGroup -searchstring "group1" | GetAzureADGroupMember | ft displayname

DisplayName
------------------
User1
User4
Group3
```

You create an enterprise application named App1 as shown in the App1 Properties exhibit. (Click the App1 Properties tab.)



You configure self-service for App1 as shown in the App1 Self-service exhibit. (Click the App1 Self-service tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The members of Group3 can access App1 without first being approved by User1.	○	○
After you configure self-service for App1, the owner of Group1 is User1.	○	○
App1 appears in the Microsoft Office 365 app launcher of User4.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
The members of Group3 can access App1 without first being approved by User1.	○	○
After you configure self-service for App1, the owner of Group1 is User1.	○	○
App1 appears in the Microsoft Office 365 app launcher of User4.	○	○

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/add-application-portal-assign-users

Community Discussion

Just sharing my thoughts. 1. NO - Only direct members will have access. Approved users will be added to Group 1. 2. Yes - The approver will automatically become owner of the Group 1 after self service is configured. 3. NO - Visible to users is NO. So no one will be able to see the app.

Just sharing my thoughts. 1. NO - Only direct members will have access. Approved users will be added to Group 1. 2. Yes - The approver will automatically become owner of the Group 1 after self service is configured. 3. NO - Visible to users is NO. So no one will be able to see the app.

As the app is not visible for the users, I think the correct answer might be No,No,No. For reference: https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/add-application-portal-configure

Tested in tenant answer is NO, YES, YES 1) No : because Nesting is not supported 2)Yes : because approver user will automatically assigned as owner 3) Yes : because assigned user will always have app on myapplication.microsoft.com portal

On the exam today, NYN

Question #154

You have an Azure Active Directory (Azure AD) tenant named contoso.com that has Azure AD Identity Protection enabled.
You need to implement a sign-in risk remediation policy without blocking user access.
What should you do first?

A) Configure access reviews in Azure AD.
B) Enforce Azure AD Password Protection.
C) Configure self-service password reset (SSPR) for all users.
D) Implement multi-factor authentication (MFA) for all users. (Correct Answer)

Explanation

Correct Answer:
D
MFA and SSPR are both required. However, MFA is required first.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-remediate-unblock https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-sspr-deployment

Community Discussion

to implement a sign-in risk remediation policy When a sign in risk policy triggers: Azure AD MFA can be triggered, allowing to user to prove it's them by using one of their registered authentication methods, resetting the sign in risk. https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure-risk-policies

MFA for sign-in risk, SSPR for user risk

Selected Answer: D

D is right.

Correct

Correct

Question #155

HOTSPOT -

Your company has a Microsoft 365 tenant.

All users have computers that run Windows 10 and are joined to the Azure Active Directory (Azure AD) tenant.

The company subscribes to a third-party cloud service named Service1. Service1 supports Azure AD authentication and authorization based on OAuth. Service1 is published to the Azure AD gallery.

You need to recommend a solution to ensure that the users can connect to Service1 without being prompted for authentication. The solution must ensure that the users can access Service1 only from Azure AD-joined computers. The solution must minimize administrative effort.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Ensure that the users can connect to Service1 without being prompted for authentication:

- An app registration in Azure AD
- Azure AD Application Proxy
- An enterprise application in Azure AD
- A managed identity in Azure AD

Ensure that the users can access Service1 only from the Azure AD-joined computers:

- Azure AD Application Proxy
- A compliance policy
- A conditional access policy
- An OAuth policy

Explanation

Correct Answer:

Answer Area

Ensure that the users can connect to Service1 without being prompted for authentication:

- An app registration in Azure AD
- Azure AD Application Proxy
- An enterprise application in Azure AD
- A managed identity in Azure AD

Ensure that the users can access Service1 only from the Azure AD-joined computers:

- Azure AD Application Proxy
- A compliance policy
- A conditional access policy
- An OAuth policy

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/develop/active-directory-how-applications-are-added https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/require-managed-devices

SecExams

Community Discussion

Correct Answer. Service1 support OAuth for Authentication & authorization, however service1 is published in Azure AD gallery, hence we will use An enterprise application in Azure AD blade to register for SSO. for second point, we can use conditional Access policy to restrict.

Correct: Enterprise App has option for SSO, App registration does not. Conditional access policy - to ensure users access from Azure AD joined computers.

I think this is correct - App Registration is for first party or internal apps that required more configuration and Enterprise Apps is for 3rd party apps such as in this scenario.

As they say gallery app it has to be enterprise app as gallery is not available from app registration blade. If doing a custom non gallery app using OAuth then you would use app registration blade, it's they gallery app part that is the trick as this is only in enterprise app blade

I am confused about the AzureAD joined devices. You cant use ad join as a requirement in conditional access.

Question #156

Your company requires that users request access before they can access corporate applications.
You register a new enterprise application named MyApp1 in Azure Active Directory (Azure AD) and configure single sign-on (SSO) for MyApp1.
Which settings should you configure next for MyApp1?

A) Self-service (Correct Answer)
B) Provisioning
C) Application proxy
D) Roles and administrators

Explanation

Correct Answer:
A
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/manage-self-service-access

Community Discussion

Correct

Selected Answer: A

Después de configurar el inicio de sesión único (SSO) para MyApp1, debe configurar la opción A, Autoservicio, para permitir que los usuarios soliciten acceso a la aplicación. La opción Autoservicio permite que los usuarios soliciten acceso a la aplicación desde el portal de Azure AD, y los administradores pueden revisar y aprobar las solicitudes de acceso. La opción B, Aprovisionamiento, se refiere a la sincronización de usuarios y grupos desde el directorio local o desde otros proveedores de identidad a Azure AD. No está relacionado con la configuración de acceso a la aplicación. La opción C, Proxy de aplicación, se refiere a la publicación de aplicaciones detrás de una puerta de enlace de aplicaciones. No está relacionado con la configuración de acceso a la aplicación. La opción D, Funciones y administradores, se refiere a la asignación de roles y permisos a los administradores y usuarios. No está relacionado con la configuración de acceso a la aplicación.

Selected Answer: A

To enable users to request access to corporate applications, you need to configure the self-service settings for the enterprise application. This allows users to initiate the access request process for MyApp1. By configuring self-service settings, you empower users to request access and reduce the administrative burden of managing access requests manually.

The correct answer is A. Self-service. To enable users to request access to corporate applications, you need to configure the self-service settings for the enterprise application. You can specify the users or groups who can request access, the approvers who can grant or deny access, and the access duration and expiration1. Provisioning is used to automate the creation, maintenance, and removal of user identities and roles in an application2. Application proxy is used to publish on-premises applications to external users3. Roles and administrators are used to assign permissions to users or groups to manage Azure AD resources4. None of these settings are related to the access request scenario.

Selected Answer: A

A. Self-service

SecExams

Question #157

DRAG DROP -

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com.

The company is developing a web service named App1.

You need to ensure that App1 can use Microsoft Graph to read directory data in contoso.com.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange then in the correct order.

Select and Place:



Explanation

Correct Answer:



1. Create an app registration:
Your app must be registered with the Microsoft identity platform and be authorized by either a user or an administrator for access to the Microsoft Graph resources it needs.
2. Grant admin consent:
Higher-privileged permissions require administrator consent.
3. Add app permissions:
After the consents to permissions for your app, your app can acquire access tokens that represent the app's permission to access a resource in some capacity.
Encoded inside the access token is every permission that your app has been granted for that resource.
Reference:
https://docs.microsoft.com/en-us/graph/auth/auth-concepts

SecExams

Community Discussion

you add app permission first and next admin consent

Answer should be :- 1) Create app registration 2)App Permission 3) Admin Consent

100% First, we need to register a new application Then we need to add application permissions And then we need to grant admin consent

100% First, we need to register a new application Then we need to add application permissions And then we need to grant admin consent

I agree. Video on this link is the proof. https://docs.microsoft.com/en-us/graph/permissions-reference

Question #158

You have an Azure Active Directory (Azure AD) tenant that contains cloud-based enterprise apps.
You need to group related apps into categories in the My Apps portal.
What should you create?

A) tags
B) collections (Correct Answer)
C) naming policies
D) dynamic groups

Explanation

Correct Answer:
B
Reference:
https://support.microsoft.com/en-us/account-billing/customize-app-collections-in-the-my-apps-portal-2dae6b8a-d8b0-4a16-9a5d-71ed4d6a6c1d

Community Discussion

Selected Answer: B

Is the correct answer

Selected Answer: B

n the My Apps portal, applications appear in default collections and your custom app collections. The Apps collection in My Apps is a default collection that contains all the applications that have been assigned to you, sorted alphabetically. B is the correct answer based on the link provided.

Selected Answer: B

The correct answer is B. collections. According to the Microsoft Entra documentation, collections are a way to group related applications on the My Apps portal1. You can create collections and assign them to users or groups, and they will see a separate tab for each collection on the portal. Collections help you organize the applications for your users based on their job role, task, project, or any other criteria you choose.

Selected Answer: B

Correct Answer: B

Selected Answer: B

Your users can use the My Apps portal to view and start the cloud-based applications they have access to. By default, all the applications a user can access are listed together on a single page. To better organize this page for your users, if you have an Azure AD Premium P1 or P2 license you can set up collections. With a collection, you can group together applications that are related (for example, by job role, task, or project) and display them on a separate tab. A collection essentially applies a filter to the applications a user can already access, so the user sees only those applications in the collection that have been assigned to them. https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/access-panel-collections

SecExams

Question #159

The Azure Active Directory (Azure AD) tenant contains the groups shown in the following table.

Name	Type
Group1	Security
Group2	Distribution
Group3	Microsoft 365
Group4	Mail-enabled security

In Azure AD, you add a new enterprise application named App1.
Which groups can you assign to App1?

A) Group1 only
B) Group2 only
C) Group3 only
D) Group1 and Group4

E) Group1 and Group3 (Correct Answer)

Explanation

Correct Answer:
E
Using Azure Active Directory (Azure AD) with an Azure AD Premium license plan, you can use groups to assign access to a SaaS application that's integrated with Azure AD. For example, if you want to assign access for the marketing department to use five different SaaS applications, you can create an Office 365 or security group that contains the users in the marketing department, and then assign that group to these five SaaS applications that are needed by the marketing department.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/groups-saasapps

Community Discussion

MS documentation is not up to date! Just tested in my tenant, all the below groups are supported 1- Security 2- Microsoft 365 3- Mail-Enabled security Group

Answer: E Group-based assignment requires Microsoft Entra ID P1 or P2 edition. Group-based assignment is supported for Security groups and Microsoft 365 groups whose SecurityEnabled setting is set to True only. Nested group memberships aren't currently supported. https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal?pivots=portal

Selected Answer: E

As of today, 9/6/2023: "Group-based assignment requires Azure Active Directory Premium P1 or P2 edition. Group-based assignment is supported for Security groups and Microsoft 365 groups whose SecurityEnabled setting is set to True only." Answer is correct.

Selected Answer: E

E according tohttps://learn.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal?pivots=portal

Source: https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal?pivots=portal

Question #160

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in, the following table.

Name	Role
User1	None
User2	None
Admin1	Application administrator
Admin2	Authentication administrator

The User settings for enterprise applications have the following configurations:
✑ Users can consent to apps accessing company data on their behalf: No
✑ Users can consent to apps accessing company data for the groups they own: No
✑ Users can request admin consent to apps they are unable to consent to: Yes
Who can review admin consent requests: Admin2, User2
▪
User1 attempts, to add an app that requires consent to access company data.
Which user can provide consent?

A) User1
B) User2
C) Admin1 (Correct Answer)
D) Admin2

Explanation

Correct Answer:
C
To approve requests, a reviewer must be a global administrator, cloud application administrator, or application administrator.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/configure-admin-consent-workflow

Community Discussion

Selected Answer: C

The answer is correct - C. Admin1 Application Administrator To approve requests, a reviewer must be a global administrator, cloud application administrator, or application administrator. https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/configure-admin-consent-workflow

Stand corrected. Link I posted is missing vital information that is only shown in the portal when you try to assign reviewers. "The selected reviewers can act on (review, block, deny) new admin consent requests. All users can block and deny admin consent requests, but only users with the Global, Application, or Cloud application administrator role can grant admin consent.

Stand corrected. Link I posted is missing vital information that is only shown in the portal when you try to assign reviewers. "The selected reviewers can act on (review, block, deny) new admin consent requests. All users can block and deny admin consent requests, but only users with the Global, Application, or Cloud application administrator role can grant admin consent.

Selected Answer: C

As of 9/6/2023: The selected reviewers can act on (review, block, deny) new admin consent requests. All users can block and deny admin consent requests, but only users with the Global, Application, or Cloud application administrator role can grant admin consent.

Selected Answer: C

Correct Answer: C

Question #161

You have a Microsoft 365 subscription. The subscription contains users that use Microsoft Outlook 2016 and Outlook 2013 clients.
You need to implement tenant restrictions. The solution must minimize administrative effort.
What should you do first?

A) Configure the Outlook 2013 clients to use modern authentication.

B) Upgrade the Outlook 2013 clients to Outlook 2016. (Correct Answer)

C) From the Exchange admin center, configure Organization Sharing.

D) Upgrade all the Outlook clients to Outlook 2019.

Explanation

Correct Answer:

B

From October 13, 2020 onward, only these versions of Office are supported for connecting to Microsoft 365 (and Office 365) services:

Microsoft 365 Apps for enterprise (previously named Office 365 ProPlus)

Microsoft 365 Apps for business (previously named Office 365 Business)

Office LTSC 2021, such as Office LTSC Professional Plus 2021

Office 2019, such as Office Professional Plus 2019

Office 2016, such as Office Standard 2016

Note:

Office 2019 and Office 2016 will be supported for connecting to Microsoft 365 (and Office 365) services until October 2023.

Note: Client software: To support tenant restrictions, client software must request tokens directly from Azure AD, so that the proxy infrastructure can intercept traffic. Browser-based Microsoft 365 applications currently support tenant restrictions, as do Office clients that use modern authentication (like OAuth 2.0).

Reference:

https://docs.microsoft.com/en-us/deployoffice/endofsupport/microsoft-365-services-connectivity https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/tenant-restrictions

Community Discussion

Selected Answer: A

Microsoft Office 2013 on Microsoft Windows computers supports Modern authentication. But, to turn it on, you need to configure the following registry keys https://learn.microsoft.com/en-us/microsoft-365/admin/security-and-compliance/enable-modern-authentication?view=o365-worldwide

This is a very Microsoft question. Vague. Taking into consideration options and the fact that Office 2013 will reach the end of support on April 11, 2023, still supported, I'd go B as well. Office clients that use modern authentication (like OAuth 2.0) support tenant restrictions. O2013 natively does not. Easiest, least admin workload would be to upgrade. You could also https://learn.microsoft.com/en-us/microsoft-365/admin/security-and-

compliance/enable-modern-authentication?view=o365-worldwide. But more workload than upgrade.

Selected Answer: B

Vote B because Office 2013 is not supported, if you try maybe you can achieve the goal but is not supported so is not right for Microsoft. https://learn.microsoft.com/en-us/deployoffice/endofsupport/microsoft-365-services-connectivity

Selected Answer: B

Upgrade to the next Outlook Version ist definetly less administrative effort than changing registry keys

Selected Answer: A

A. Configure the Outlook 2013 clients to use modern authentication.

SecExams

Question #162

You have a Microsoft 365 tenant.
In Azure Active Directory (Azure AD), you configure the terms of use.
You need to ensure that only users who accept the terms of use can access the resources in the tenant. Other users must be denied access.
What should you configure?

A) an access policy in Microsoft Cloud App Security.
B) Terms and conditions in Microsoft Endpoint Manager.
C) a conditional access policy in Azure AD (Correct Answer)
D) a compliance policy in Microsoft Endpoint Manager

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use

Community Discussion

correct

"only users who accept the terms of use can access the resources in the tenant. Other users must be denied access." So it's "C" because it's a condition.

absolutely correct to the best of my knowledge

Selected Answer: C

Conditional access is correct. See the link "How to deploy terms of use policy in AZAD" referenced in the MS article; https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use

Selected Answer: B

'Terms of Use' is one of the parts that can be configured in a conditional access policy.

SecExams

Question #163

You have an Azure Active Directory (Azure AD) tenant that contains the groups shown in the following table.

Name	Type	Membership type
Group1	Security	Assigned
Group2	Security	Dynamic User
Group3	Security	Dynamic Device
Group4	Microsoft 365	Assigned
Group5	Microsoft 365	Dynamic User

For which groups can you create an access review?

A) Group1 only
B) Group1 and Group4 only
C) Group1 and Group2 only
D) Group1, Group2, Group4, and Group5 only (Correct Answer)
E) Group1, Group2, Group3, Group4 and Group5

Explanation

Correct Answer:

D
You cannot create access reviews for device groups.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review

Community Discussion

Tested: Technically you can create access review for Dynamic Device group (no errors/ warnings during the creation), however it doesn't work and you will see a hitch "Warning - No access to review" for that access review in the list.

Correct. Dynamic user groups are also supported for Access Reviews

Selected Answer: B

Reading through the below documentations I think suggested answers are wrong. Right answer should be : B: Group 1 & 4 only (which are assigned roles) Global administrators and Privileged Role administrators can create reviews on role-assignable groups. For more information, see Use Azure AD groups to manage role assignments. https://learn.microsoft.com/en-us/azure/active-directory/governance/create-access-review The membership type for role-assignable groups must be Assigned and can't be an Azure AD dynamic group. Automated population of dynamic groups could lead to an unwanted account being added to the group and thus assigned to the role. https://learn.microsoft.com/en-us/azure/active-directory/roles/groups-concept

Most useful response here,

Most useful response here,

SecExams

Question #164

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Type	Member of
User1	Member	Group1
User2	Member	Group1
User3	Guest	Group1

User1 is the owner of Group1.

You create an access review that has the following settings:

- ✑ Users to review: Members of a group
- ✑ Scope: Everyone
- ✑ Group: Group1
- ✑ Reviewers: Members (self)

Which users can perform access reviews for User3?

A) User1, User2, and User3

B) User3 only (Correct Answer)

C) User1 only

D) User1 and User2 only

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-how-to-start-security-review

Community Discussion

Correct (B - User3 only)

Members (self) got it.

Members (self) got it.

User 3 it is because the Reviewers are obviously 'self', meaning that the users can review their own role based assignments

User 3 it is because the Reviewers are obviously 'self', meaning that the users can review their own role based assignments

SecExams

Question #165

SecExams

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that contains Azure AD Privileged Identity Management (PIM) role settings for the User administrator role as shown in the following exhibit.



... ContosoAzureAD > Identity Governance > Privileged Identity Management > ContosoAzureAD > User Administrator >

Role setting details - User Administrator

Privileged Identity Management | Azure AD roles

Edit

Activation

SETTING	STATE
Activation maximum duration (hours)	8 hour(s)
Require justification on activation	Yes
Require ticket information on activation	No
On activation, require Azure MFA	Yes
Require approval to activate	Yes
Approvers	None

Assignment

SETTING	STATE
Allow permanent eligible assignment	No
Expire eligible assignments after	15 day(s)
Allow permanent active assignment	No
Expire active assignments after	1 month(s)
Require Azure Multi-Factor Authentication on active assignment	No
Require justification on active assignment	No

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

SecExams

Hot Area:

Answer Area

A user who requires access to the User administration role must perform multi-factor authentication (MFA) every **[answer choice]**.

- 8 hours
- 15 days
- 1 month

Before an eligible user can perform a task that requires the User administrator role, the activation must be approved by a **[answer choice]**.

- global administrator only
- global administrator or privileged role administrator
- permanently assigned user administrator
- privileged role administrator only

Explanation

Correct Answer:

Answer Area

A user who requires access to the User administration role must perform multi-factor authentication (MFA) every **[answer choice]**.

- 8 hours
- 15 days
- 1 month

Before an eligible user can perform a task that requires the User administrator role, the activation must be approved by a **[answer choice]**.

- global administrator only
- global administrator or privileged role administrator
- permanently assigned user administrator
- privileged role administrator only

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-deployment-plan

Community Discussion

So correct answers are: 8 hours Global administrators and privileged role administrators

"If no specific approvers are selected, privileged role administrators/global administrators will become the default approvers."

This is exactly what it says in the PIM settings when editing a role.

This is exactly what it says in the PIM settings when editing a role.

on the exam 24.02.2022. I answered: 8 hours Global administrators and Privileged role administrators

SecExams

Question #166

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains a user named User1.

User1 has the devices shown in the following table.

Name	Platform	Registered in contoso.com
Device1	Windows 10	Yes
Device2	Windows 10	No
Device3	iOS	Yes

On November 5, 2020, you create and enforce terms of use in contoso.com that has the following settings:

- Name: Terms1
- Display name: Contoso terms of use
- Require users to expand the terms of use: On
- Require users to consent on every device: On
- Expire consents: On
- Expire starting on: December 10, 2020
- Frequency: Monthly

On November 15, 2020, User1 accepts Terms1 on Device3.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
On November 20, 2020, User1 can accept Terms1 on Device1.	○	○
On December 11, 2020, User1 can accept Terms1 on Device2.	○	○
On December 7, 2020, User1 can accept Terms1 on Device3.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
On November 20, 2020, User1 can accept Terms1 on Device1.	○	○
On December 11, 2020, User1 can accept Terms1 on Device2.	○	○
On December 7, 2020, User1 can accept Terms1 on Device3.	○	○

Box 1: Yes because User1 has not yet accepted the terms on Device1.
Box 2: Yes because User1 has not yet accepted the terms on Device2. User1 will be prompted to register the device before the terms can be accepted.
Box 3: No because User1 has already accepted the terms on Device3. The terms do not expire until December 10 and then monthly after that. th
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use

Community Discussion

The current answer Y, Y, N is correct. Box 1: Yes, because User1 has not yet accepted the terms on Device1. Box 2: Yes, because User1 has not yet accepted the terms on Device2. User1 will be prompted to register the device before the terms can be accepted. Box 3: No, because User1 has already accepted the terms on Device3. The terms do not expire until December 10 and then monthly after that

Y, N,N Start November 5, 2020 End December 10, 2020 • Box 1: Yes, o November 5, 2020 User1 has not yet accepted the terms on Device1 Registered in contoso.com • Box 2: No, Answer date is December 11, 2020 expire starting on: December 10, 2020 answer date is December 11, 2020 • Box 3: No December 7, 2020 No On November 15, 2020, User1 accepts Terms1 on Device3.

I believe the 2) is Yes, the expire starting on is meaning the Term of Use expire, and after the date user requires to accept again as "Frequency" is monthly https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use

I believe the 2) is Yes, the expire starting on is meaning the Term of Use expire, and after the date user requires to accept again as "Frequency" is monthly https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use

Yes, The given answer is correct. Don't go with with the vote. Review this article. https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use

Question #167

Your company recently implemented Azure Active Directory (Azure AD) Privileged Identity Management (PIM).
While you review the roles in PIM, you discover that all 15 users in the IT department at the company have permanent security administrator rights.
You need to ensure that the IT department users only have access to the Security administrator role when required.
What should you configure for the Security administrator role assignment?

A) Expire eligible assignments after from the Role settings details
B) Expire active assignments after from the Role settings details
C) Assignment type to Active
D) Assignment type to Eligible (Correct Answer)

Explanation

Correct Answer:
D
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure

Community Discussion

Correct

I think the best way to read this question is "What should you configure FIRST for the Security administrator role assignment?" You would setup "D. Assignment type to Eligible" so the admins can request the role in future, for a limited time based on the

Role Setting of "Activation maximum duration (hours): 8 (by default)" Only then would you set "B. Expire active assignments after from the Role settings details" So D is the correct answer.

D is correct. in the exam today

Passed the exam today 23/09/2021 This question came in the exam.

eligible A role assignment that requires a user to perform one or more actions to use the role. If a user has been made eligible for a role, that means they can activate the role when they need to perform privileged tasks. There is no difference in the access given to someone with a permanent versus an eligible role assignment. The only difference is that some people do not need that access all the time. Eligible role user permissions • Request activation of a role that requires approval • View the status of your request to activate • Complete your task in Azure AD if activation was approve

SecExams

Question #168

You have a Microsoft 365 tenant.
The Sign-ins activity report shows that an external contractor signed in to the Exchange admin center.
You need to review access to the Exchange admin center at the end of each month and block sign-ins if required.
What should you create?

A) an access package that targets users outside your directory
B) an access package that targets users in your directory
C) a group-based access review that targets guest users (Correct Answer)
D) an application-based access review that targets guest users

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview

Community Discussion

Answer: C You can target a group with a conditional policy to detect and remediate the login at the end of each month Not valid, A, B, D D admin is not using an app is using a privileged role to use Exchange admin center A and B No An access package. A bundle of resources that a team or project needs and is governed with policies. Access packages are defined in containers called catalogs. To reduce the risk of stale access, you should enable periodic reviews of users who have active assignments to an access package in Azure AD entitlement management

Should be D - Application Based review with Guest users - https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review#create-one-or-more-access-reviews

Ok after some testing I was wrong! Although app base review sounds right its for registered apps not MS EOL - I assume you would have to create a group specifically for EOL management and assign the review to that - poorly worded question

Yes, you're right. You'd need to create a group first and apply the access review to the group. You can't do an app-based review on Exchange Online.

Yes, you're right. You'd need to create a group first and apply the access review to the group. You can't do an app-based review on Exchange Online.

SecExams

Question #169

SecExams

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Microsoft 365 tenant.
You have 100 IT administrators who are organized into 10 departments.
You create the access review shown in the exhibit. (Click the Exhibit tab.)



You discover that all access review requests are received by Megan Bowen.

You need to ensure that the manager of each department receives the access reviews of their respective department.
Solution: You create a separate access review for each role.
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review

SecExams

Community Discussion

No - each access review would still send review approval to Megan as no manager has been set for the user accounts under review.

On exam few days ago.

No, no admin reviewer set and Megan is the fallback reviewer. She will still receive reviews.

Answer NO Why reason Because admin review is not modified, Megan Brow as Fallback Reviewer will still receiving reviews, no manager has been assigned to admin review.

Selected Answer: B

B. No is correct answer

Question #170

SecExams

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Microsoft 365 tenant.
You have 100 IT administrators who are organized into 10 departments.
You create the access review shown in the exhibit. (Click the Exhibit tab.)



You discover that all access review requests are received by Megan Bowen.
You need to ensure that the manager of each department receives the access

reviews of their respective department.
Solution: You modify the properties of the IT administrator user accounts.
Does this meet the goal?

A) Yes (Correct Answer)
B) No

Explanation

Correct Answer:
A
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review

Community Discussion

The answer assumes you set manager for every account. Seems correct, but feels stupid and misleading

A - Yes. Megan Bowen is receiving the access reviews because no Managers are set for those users under Job Info, she is the fallback reviewer. If you set the Manager value to a user, this user will receive the review instead of Megan Bowen.

Megan Bowen just had a depression because of the unidentified managers

This answer should serve as a caution for users with low experience reading here. Instead of believing someone like the above who are completly wrong, google "set manager for azure ad user". (Hint: Set-AzureADUserManager).

This answer should serve as a caution for users with low experience reading here. Instead of believing someone like the above who are completly wrong, google "set manager for azure ad user". (Hint: Set-AzureADUserManager).

Question #171

SecExams

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Microsoft 365 tenant.
You have 100 IT administrators who are organized into 10 departments.
You create the access review shown in the exhibit. (Click the Exhibit tab.)



You discover that all access review requests are received by Megan Bowen.

You need to ensure that the manager of each department receives the access reviews of their respective department.
Solution: You set Reviewers to Member (self).
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review

Community Discussion

Correct: "Fallback reviewers are asked to do a review when the user has no manager specified in the directory or the group does not have an owner."

Given Answer is Correct. Requirement "You need to ensure that the manager of each department receives the access reviews of their respective department." Setting to Self-Review won't accomplish that.

Self review will generate an access review for all admins. So the answer is correct.

Correct - No.

Select reviewers section, select either one or more people to perform the access reviews. Group owner(s) (Only available when performing a review on a Team or group) Selected user(s) or groups(s) Users review own access Managers of users. If you choose either Managers of users or Group owners you also have the option to specify a fallback reviewer. Fallback reviewers are asked to do a review when the user has no manager specified in the directory or the group does not have an owner.

SecExams

Question #172

You have a Microsoft 365 tenant.
The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain.
You plan to create an emergency-access administrative account named Emergency1. Emergency1 will be assigned the Global administrator role in Azure AD.
Emergency1 will be used in the event of Azure AD functionality failures and on-premises infrastructure failures.
You need to reduce the likelihood that Emergency1 will be prevented from signing in during an emergency.
What should you do?

A) Configure Azure Monitor to generate an alert if Emergency1 is modified or signs in. (Correct Answer)
B) Require Azure AD Privileged Identity Management (PIM) activation of the Global administrator role for Emergency1.
C) Configure a conditional access policy to restrict sign-in locations for Emergency1 to only the corporate network.
D) Configure a conditional access policy to require multi-factor authentication (MFA) for Emergency1.

SecExams

Explanation

Correct Answer:
A

Community Discussion

The answer is stupid, because creating alert does not help with reducing the likelihood. But it is correct, because all other answers will create additional blockers to connect

Woow. I guess there is a competition at Microsoft as to who can formulate a question in the most stupid way possible. I have read 5 times in order to understand what are they trying to say. I think this is done on purpose to make things look harder than they really are

Agreed - all other answers would prevent emergency (breakglass) account from working. Answer is A - always log changes to break glass account.

Agreed - all other answers would prevent emergency (breakglass) account from working. Answer is A - always log changes to break glass account.

A by elimination. You are right that is pretty dumb.

Question #173

You have an Azure Active Directory (Azure AD) tenant named contoso.com.
You implement entitlement management to provide resource access to users at a company named Fabrikam, Inc. Fabrikam uses a domain named fabrikam.com.
Fabrikam users must be removed automatically from the tenant when access is no longer required.
You need to configure the following settings:
✑ Block external user from signing in to this directory: No
✑ Remove external user: Yes
✑ Number of days before removing external user from this directory: 90
What should you configure on the Identity Governance blade?

A) Access packages
B) Entitlement management settings (Correct Answer)
C) Terms of use
D) Access reviews settings

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-external-users

Community Discussion

Selected Answer: B

B 100%. The provided link has the answer to the requirements at this part of the page: https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-external-users#manage-the-lifecycle-of-external-users

Selected Answer: B

Tested in la and this is correct Azure AD > Identity Governance > >Entitle Management > Settings. This is where you will see requirements.

No stress. the answer is correct

Selected Answer: B

The correct answer is B. Entitlement management settings. The entitlement management settings page is where you configure the settings for managing access to resources in your Azure AD tenant. This includes settings for external users, such as whether to allow them to sign in and how long to keep their accounts active after their access is no longer required.

Selected Answer: B

Question already Providers the answer You implement ---entitlement management--- to provide resource access to users at a company named Fabrikam, Inc.

SecExams

Question #174

You have an Azure Active Directory (Azure AD) P1 tenant.
You need to review the Azure AD sign-in logs to investigate sign-ins that occurred in the past.
For how long does Azure AD store events in the sign-in logs?

A) 14 days
B) 30 days (Correct Answer)
C) 90 days
D) 365 days

Explanation

Correct Answer:
B

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/reference-reports-data-retention#how-long-does-azure-ad-store-the-data

Community Discussion

Correct - 30 days however this requires AADP1 or P2 licence as AD free only keeps 7 days of sign in logs. Wording should be clearer on question.

Words were clear as the question mentions P1 tenant, meaning premium 1.

Words were clear as the question mentions P1 tenant, meaning premium 1.

Selected Answer: B

Yes, it's 30 days.

On the exam 1/20/2022

Question #175

You have an Azure subscription that contains the resources shown in the following table.

Name	Type
Group1	Group that has the Assigned membership type
App1	Enterprise application in Azure Active Directory (Azure AD)
Contributor	Azure subscription role
Role1	Azure Active Directory (Azure AD) role

For which resources can you create an access review?

A) Group1, Role1, and Contributor only
B) Group1 only
C) Group1, App1, Contributor, and Role1 (Correct Answer)
D) Role1 and Contributor only

Explanation

Correct Answer:
C
Access reviews require an Azure AD Premium P2 license.
Access reviews for Group1 and App1 can be configured in Azure AD Access Reviews.
Access reviews for the Contributor role and Role1 would need to be configured in Privileged Identity Management (PIM). PIM is included in Azure AD Premium P2.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-how-to-start-security-review?toc=/azure/active-directory/governance/ toc.json https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview

Community Discussion

Yeah, it is possible to create access reviews for both Azure AND Azure AD roles. Tested in Azure portal. https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-create-azure-ad-roles-and-resource-roles-review

Access reviews require an Azure AD Premium P2 license. Access reviews for Group1 and App1 can be configured in Azure AD Access Reviews. Access reviews for the Contributor role and Role1 would need to be configured in Privileged Identity Management (PIM). PIM is included in Azure AD Premium P2., not by default So correct answer based on that C You need a P2 to create access review for Privileged role, normal in any enterprise to have P2

...and also for enterprise apps: https://portal.azure.com/#blade/Microsoft_AAD_IAM/StartboardApplicationsMenuBlade/AccessReviews

...and also for enterprise apps: https://portal.azure.com/#blade/Microsoft_AAD_IAM/StartboardApplicationsMenuBlade/AccessReviews

this question came out in my test today.

Question #176

You have an Azure Active Directory (Azure AD) tenant that uses conditional access policies.
You plan to use third-party security information and event management (SIEM) to analyze conditional access usage.
You need to download the Azure AD log by using the administrative portal. The log file must contain changes to conditional access policies.
What should you export from Azure AD?

A) audit logs in CSV format
B) sign-ins in CSV format
C) audit logs in JSON format (Correct Answer)
D) sign-ins in JSON format

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-audit-logs

Community Discussion

You can also choose to download the filtered data, up to 250,000 records, by selecting the Download button. You can download the logs in either CSV or JSON format So this question, can be one of those that you will got Corect if you choose any of both csv or JSON, You can use the JSON transform feature in the Power Query Editor in Excel to split each property in the JSON object in the AuditData column into multiple columns so that each property has its own column. So my vote goes to C, JSON https://docs.microsoft.com/en-us/microsoft-365/compliance/export-view-audit-log-records?view=o365-worldwide

C - Answer is correct - Audit Logs show the fact policies were changed (tested in tenant), Sign-ins only show access was granted/denied

Agree - I confirmed in my tenant too. BUT - why json over csv? Both appear to provide the same information.

Agree - I confirmed in my tenant too. BUT - why json over csv? Both appear to provide the same information.

You can use the JSON transform feature in the Power Query Editor in Excel to split each property in the JSON object in the AuditData column into multiple columns so that each property has its own column.

SecExams

Question #177

SecExams

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a Microsoft 365 tenant.
You have 100 IT administrators who are organized into 10 departments.
You create the access review shown in the exhibit. (Click the Exhibit tab.)



You discover that all access review requests are received by Megan Bowen.

You need to ensure that the manager of each department receives the access reviews of their respective department.
Solution: You add each manager as a fallback reviewer.
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review

SecExams

Community Discussion

No - Correct - each manager would receive all reviews if all are fallbacks.

You need to also modify the admin review to remove to Megan Bowen as fallback reviewer, and assign one user as reviewer, without that, Megan will still receiving the review as fallback reviewer, of admin review, you need to add each manager as reviewer not as fallback reviewer

The correct answer should be B: NO The option of Fallback reviewer is when you set as reviewer to the manager or group owner and somehow that user is not having a manager in the directory. In those case, the fallback reviewer, which could be a department head would be the reviewer. "Fallback reviewers are asked to do a review when the user has no manager specified in the directory or the group does not have an owner."

Selected Answer: B

No is the correct answer

Selected Answer: B

No is the correct answer

Question #178

You have an Azure Active Directory (Azure AD) tenant that contains the objects shown in the following table.

Name	Type
User1	User
Guest1	Guest
Identity1	Managed identity

Which objects can you add as eligible in Azure AD Privileged Identity Management (PIM) for an Azure AD role?

A) User1, Guest1, and Identity1
B) User1 and Guest1 only (Correct Answer)
C) User1 only
D) User1 and Identity1 only

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-deployment-plan

Community Discussion

Correct, you cannot add a non-interactive account as eligible use.

B. Note: You cannot assign service principals as eligible to Azure AD roles, Azure roles, and Privileged Access groups but you can grant a time limited active assignment to all three.

Selected Answer: B

Correct, you cannot add a non-interactive account as eligible use.

Selected Answer: B

B. User1 and Guest1 only

On exam few days ago.

SecExams

Question #179

SecExams

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant that contains the following group:

- Name: Group1
- Members: User1, User2
- Owner: User3

On January 15, 2021, you create an access review as shown in the exhibit. (Click the Exhibit tab.)



Users answer the Review1 question as shown in the following table.

User	Date	Do you still need access to Group1?
User1	January 17, 2021	Yes
User2	January 20, 2021	No

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
On February 5, 2021, User1 can answer the Review1 question again.	○	○
On January 25, 2021, User2 can answer the Review1 question again.	○	○
On January 22, 2021, User3 can answer the Review1 question.	○	○

SecExams

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
On February 5, 2021, User1 can answer the Review1 question again.	○	○
On January 25, 2021, User2 can answer the Review1 question again.	○	○
On January 22, 2021, User3 can answer the Review1 question.	○	○

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/review-your-access

Community Discussion

I would say NO, YES, NO. According to the doc, "You can change your response at any time until the access review has ended" which refers to the duration of the review (15 days). Therefore, the user can change her response until January 29th, and will then be able to answer again on February 25th.

#1 No, because as it's rolling "monthly" review cycle with an end date, the review period which is eligible for input or change is a 14 day period, since User 1 responded in the first period which started 15th Jan and ended 29th Jan, to respond 5th Feb would be outside of this scope. #2 Yes, Similar to #1 for User1, this is within the 14 day period of User2. #3 No, Reviews are for Group1, which User3 is not a member of.

Because the review end date is 14 days after the start (on 15th Jan) so end of review cycle for the month is 29th Jan. After that date the Review cycle will not start again until 15th Feb.

Because the review end date is 14 days after the start (on 15th Jan) so end of review cycle for the month is 29th Jan. After that date the Review cycle will not start again until 15th Feb.

Because the review end date is 14 days after the start (on 15th Jan) so end of review cycle for the month is 29th Jan. After that date the Review cycle will not start again until 15th Feb.

SecExams

Question #180

HOTSPOT -

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com. The company has a business partner named Fabrikam, Inc. Fabrikam uses Azure AD and has two verified domain names of fabrikam.com and litwareinc.com. Both domain names are used for Fabrikam email addresses.

You plan to create an access package named package1 that will be accessible only to the users at Fabrikam.

You create a connected organization for Fabrikam.

You need to ensure that the package1 will be accessible only to users who have fabrikam.com email addresses.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To allow access for users who have fabrikam.com email addresses, configure:

- An access package assignment in Identity Governance
- An access package policy in Identity Governance
- A conditional access policy in Azure AD
- The External collaboration settings in Azure AD

To block access for users who have litwareinc.com email addresses, configure:

- An access package assignment in Identity Governance
- An access package policy in Identity Governance
- A conditional access policy in Azure AD
- The External collaboration settings in Azure AD

Explanation

Correct Answer:

Answer Area

To allow access for users who have fabrikam.com email addresses, configure:

- An access package assignment in Identity Governance
- An access package policy in Identity Governance
- A conditional access policy in Azure AD
- The External collaboration settings in Azure AD

To block access for users who have litwareinc.com email addresses, configure:

- An access package assignment in Identity Governance
- An access package policy in Identity Governance
- A conditional access policy in Azure AD
- The External collaboration settings in Azure AD

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-request-policy https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-create

Community Discussion

on the exam 09222022, i answered the same. Passed the exam, btw.

It is called Collaboration Restrictions

Correct. Box1: An access package POLICY in Identity Governance Access Package Policy specifies the policy by which subjects may request or be assigned an access package via an access package assignment. While Access PackageAssignment is an assignment of an access package to a particular subject for a period of time. Box2: The external Collaboration settings in Azure AD Portal > Azure AD > External Identities> External collaboration Settings > Collaboration restrictions > Deny invitation to specified domains Source: https://learn.microsoft.com/en-us/graph/api/resources/entitlementmanagement-overview?view=graph-rest-1.0

I don't see how External Collaboration settings world play a part in this if they are both internal verified domains...

just confused on the wording access package "assignment" or "policy" ?

Question #181

You have an Azure Active Directory (Azure AD) tenant named contoso.com that has Azure AD Identity Protection policies enforced.
You create an Azure Sentinel instance and configure the Azure Active Directory connector.
You need to ensure that Azure Sentinel can generate incidents based on the risk alerts raised by Azure AD Identity Protection.
What should you do first?

A) Add a Microsoft Sentinel data connector. (Correct Answer)
B) Configure the Notify settings in Azure AD Identity Protection.
C) Create a Microsoft Sentinel playbook.
D) Modify the Diagnostics settings in Azure AD.

Explanation

Correct Answer:
A
Reference:
https://docs.microsoft.com/en-us/azure/sentinel/connect-azure-ad-identity-protection

Community Discussion

Add a Microsoft Sentinel Data connector is the wrong answer. Meant to mislead. Because question itself mentions that AAD connector was added. Which seem to cover all AAD functionality including Identity Protection feature. What you are asked to do is generate incidents based on the risk alerts. For that you use playbooks in Sentinel. Which automates tasks that SOC engineers need to such as generte risk alerts. So answer is C.

Wording is kind of weird. The data connector you're adding in Sentinel is called "Azure Active Directory Identity Protection". So yes, you're adding a data connector within Sentinel.

some people pay for this

some people pay for this

This is not the same connector. There is AAD connector AND a AAD Identity Protection connector.

Question #182

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs. You receive more than 100 email alerts each day for failed Azure AD user sign-in attempts.
You need to ensure that a new security administrator receives the alerts instead of you.
Solution: From Azure AD, you create an assignment for the Insights administrator role.
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

create a data collection rule

Correct Answer. Permissions should be given to a Security Administrator or https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#security-administrator Insights Administrator is an administrator Ofc365 Viva app. (Employee Experience Platform).

To redirect the alerts, the action email settings need to be updated in the specific Azure Monitor alert rules to send to the new security admin's email address. selected B

Selected Answer: B

B. No is the correct answer

So what is the right answer?

Question #183

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs. You receive more than 100 email alerts each day for failed Azure AD user sign-in attempts.
You need to ensure that a new security administrator receives the alerts instead of you.
Solution: From Azure AD, you modify the Diagnostics settings.
Does this meet the goal?

A) Yes (Correct Answer)
B) No

Explanation

Correct Answer:
A

Community Discussion

nice try microsoft employee or 5ft1 indian man with no hairline

nice try microsoft employee or 5ft1 indian man with no hairline

Action group change is needed.

Where do you get that? This is wrong. There's no email notification for diagnostic setting. You can only send to: Send to Log Analytics workspace Archive to a storage account Stream to an event hub Send to partner solution Correct answer is B -> NO

Where do you get that? This is wrong. There's no email notification for diagnostic setting. You can only send to: Send to Log Analytics workspace Archive to a storage account Stream to an event hub Send to partner solution Correct answer is B -> NO

SecExams

Question #184

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs. You receive more than 100 email alerts each day for failed Azure AD user sign-in attempts.
You need to ensure that a new security administrator receives the alerts instead of you.
Solution: From Azure Monitor, you create a data collection rule.
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

Should be A

Selected Answer: B

B. No is the correct answer

Selected Answer: B

Action group is where you can update email recipients

Given Answer is Correct. Data Collection Rules is not the way to go here. Data Collection Rules (DCRs) define the data collection process in Azure Monitor. DCRs specify what data should be collected, how to transform that data, and where to send that data. Some DCRs will be created and managed by Azure Monitor to collect a specific set of data to enable insights and visualizations. From <https://learn.microsoft.com/en-us/azure/azure-monitor/essentials/data-collection-rule-overview>

I can see the 5ft1 little indian man with no hairline has made multiple accounts

Question #185

You have an Azure Active Directory Premium P2 tenant.
You create a Log Analytics workspace.
You need to ensure that you can view Azure Active Directory (Azure AD) audit log information by using Azure Monitor.
What should you do first?

A) Run the Set-AzureADTenantDetail cmdlet.
B) Create an Azure AD workbook.
C) Modify the Diagnostics settings for Azure AD. (Correct Answer)

D) Run the Get-AzureADAuditDirectoryLogs cmdlet.

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/howto-integrate-activity-logs-with-log-analytics

Community Discussion

Selected Answer: C

Send logs to Azure Monitor Sign in to the Azure portal. Select Azure Active Directory > Diagnostic settings -> Add diagnostic setting. You can also select Export Settings from the Audit Logs or Sign-ins page to get to the diagnostic settings configuration page.

Selected Answer: C

C. Modify the Diagnostics settings for Azure AD

Given Answer is Correct. AAD/Diagnostic Settings/Add Diagnostic Settings/Export Settings/Send to Log Analytic Workspace https://learn.microsoft.com/en-us/azure/active-directory/reports-monitoring/howto-integrate-activity-logs-with-log-analytics#send-logs-to-azure-monitor Hybrid identity and access management best practices - BRK3243

Selected Answer: C

C. Modify the Diagnostics settings for Azure AD.

Selected Answer: C

Based on the link provided below, this portion of page validates the answer: https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/howto-integrate-activity-logs-with-log-analytics#send-logs-to-azure-monitor

Question #186

SecExams

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant contains the users shown in the following table.

Name	Role
User1	None
User2	Privileged authentication administrator
User3	Global administrator

In Azure AD Privileged Identity Management (PIM), you configure the Global administrator role as shown in the following exhibit.

SecExams

Edit

Setting	State
Activation maximum duration (hours)	1 hour(s)
vRequire justification on activation	Yes
Require ticket information on activation	No
On activation, require Azure MFA	Yes
Require approval to activate	No
Approvers	None

Assignment

Setting	State
Allow permanent eligible assignment	Yes
Expire eligible assignments after	-
Allow permanent active assignment	Yes
Expire active assignments after	-
Require Azure Multi-Factor Authentication on active assignment	No
Require justification on active assignment	Yes

User1 is eligible for the Global administrator role.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

SecExams

Hot Area:

Answer Area

Statements	Yes	No
User1 requires Azure Multi-Factor Authentication (MFA) to activate the Global administrator role.	○	○
User2 must approve all activation requests for the Global administrator role.	○	○
User2 and User3 can edit the Global administrator role assignment.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 requires Azure Multi-Factor Authentication (MFA) to activate the Global administrator role.	○	○
User2 must approve all activation requests for the Global administrator role.	○	○
User2 and User3 can edit the Global administrator role assignment.	○	○

Box 1: Yes -

MFA is required on activation -

Box 2: No -
The Privileged Authentication Administrator can set or reset any authentication method for any user, including Global Administrators.
The Privileged Role Administrator can manage role assignments, including the Global Administrator role, in Azure Active Directory, as well as within Azure AD Privileged Identity Management. In addition, this role allows management of all aspects of Privileged Identity Management and administrative units.

Box 3: No -
The Privileged Authentication Administrator can set or reset any authentication method for any user, including Global Administrators.
The Privileged Role Administrator can manage role assignments, including the Global Administrator role, in Azure Active Directory, as well as within Azure AD
Privileged Identity Management. In addition, this role allows management of all aspects of Privileged Identity Management and administrative units.

Community Discussion

Yes - "On activation, require Azure MFA" is set to Yes No - "Require approval to activate" is set to No No - Privileged Authentication Administrator can't assign roles (Privileged ROLE Administrator can!)

Privileged Authentication Administrator Can access to view, set and reset authentication method information for any user (admin or non-admin). Privileged Role Administrator Can manage role assignments in Azure AD, and all aspects of Privileged Identity Management.

YES NO NO

YNY #2 If no specific approvers are selected, Privileged Role Administrators and Global Administrators become the default approvers. But the role given to User2 here is Privileged Role Administrator. #3 Privileged Authentication Administrator can managed Global Admin so this should be yes. https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#privileged-authentication-administrator

Typo. But the role given to User2 here is Privileged **Authen** Administrator.

SecExams

Question #187

You have a Microsoft 365 subscription that contains the following:

✑ An Azure Active Directory (Azure AD) tenant that has an Azure Active Directory Premium P2 license

✑ A Microsoft SharePoint Online site named Site1

✑ A Microsoft Teams team named Team1

You need to create an entitlement management workflow to manage Site1 and Team1.

What should you do first?

A) Configure an app registration.
B) Create an Administrative unit.
C) Create an access package. (Correct Answer)
D) Create a catalog.

Explanation

Correct Answer:
C

Community Discussion

Selected Answer: D

Went to my tenant, tried creating access package under resource Roles with teams and sharepoint site and it is saying No groups in Default catalog, however, there is a checkbox which allows all groups and teams NOT in default catalog to show up, so technically I CAN create access package without creating a catalog first, but this is MS and question says "First" so I pick D, Create a catalog

Selected Answer: D

From the SC-300 book by Dwayne Natwick, 1st Edition, 2022, page 293: "The first step in entitlement management is to create catalogs. If you do not create a catalog for your access packages, users will have access to the general catalog. If you want to clearly define the catalog, then one should be created because you cannot move an access package to another catalog once it is created."

Selected Answer: C

it is C, watch this https://youtu.be/LGpgqRVG65g?t=8115

Selected Answer: C

I would say C. Reason: There is a Built-in catalog called "General". Therefore I can directly create an Access Package. Checked this in my tenant under: Azure AD-> Identity Governance | Catalogs Also from MS: "If you don't specify a catalog, your access package goes in the general catalog" https://learn.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-create#overview Therefore, it seems that it is not necessary to first create a catalog.

Selected Answer: D

D. Create a catalog.

SecExams

Question #188

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs. You receive more than 100 email alerts each day for failed Azure AD user sign-in attempts.
You need to ensure that a new security administrator receives the alerts instead of you.
Solution: From Azure Monitor, you modify the action group.
Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

Answer should be Yes. https://docs.microsoft.com/en-us/azure/azure-monitor/alerts/action-groups#configure-notifications

Should be YES - Action Group

Selected Answer: A

Is the correct answer

Wrong answer. Should be yes.

This question is part of a series of questions, configure the diagnostic settings and the action group are both correct. If you get this question in the test remember that one or more can be choose or none of them, in this case if you see these ones you know.

SecExams

Question #189

SecExams

HOTSPOT -

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant.

The tenant contains the groups shown in the following table.

Name	Source	Member of
Group1	Cloud	Group3
Group2	Active Directory domain	**None**
Group3	Cloud	**None**

The tenant contains the users shown in the following table.

Name	Directory-synced	Member of
User1	No	Group1
User2	No	Group2
User3	Yes	Group3

You create an access review as shown in the following table.

Setting	Value
Review type	Teams + Groups
Review scope	All users
Group	Group2, Group3
Reviewers	Users review own access
If reviewers don't respond	Remove access

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

SecExams

Hot Area:

Answer Area

Statements	Yes	No
User1 will be removed automatically from Group 1 if the user does not respond to the review request.	○	○
User 2 will be removed automatically from Group 3 if the user does not respond to the review request.	○	○
User 3 will be removed automatically from Group 2 if the user does not respond to the review	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 will be removed automatically from Group 1 if the user does not respond to the review request.	○	○
User 2 will be removed automatically from Group 3 if the user does not respond to the review request.	○	○
User 3 will be removed automatically from Group 2 if the user does not respond to the review	○	○

Box 1: No -
User1 is member of Group1. Group1 is in the cloud. Group1 is member of Group3. Group3 is in the cloud.
The access review applies to Group3, but not to Group1. The access review is setup to remove access if reviewers don't respond.

Box 2: Yes -
User2 is member of Group2. Group1 is in an Active Directory domain.
The access review applies to Group2.

Box 3: No -
User3 is member of Group3, not of Group2.

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview

Community Discussion

This should be N N N. User1's membership cannot be managed since he is a member of a nested group. User2's membership cannot be managed since he is a part of Group2 which is an AD group (not AAD). User3 is not the member of Group2.

Please some help with question2. Why is Yes? User2 is not a member of Group3.

This question is on the exam today Dec 28th 2022. But the user group table is difference. User2 is a member of Group3 and User3 is a member of Group2.

So, it should be NYN as given in the answer. Because user2 which is a cloud account will be part of a cloud group and will get affected by access review.

So, it should be NYN as given in the answer. Because user2 which is a cloud account will be part of a cloud group and will get affected by access review.

SecExams

Question #190

You have a Microsoft 365 E5 subscription that contains a web app named App1.
Guest users are regularly granted access to App1.
You need to ensure that the guest users that have NOT accessed App1 during the past 30 days have their access removed. The solution must minimize administrative effort.
What should you configure?

A) a Conditional Access policy
B) a compliance policy
C) a guest access review
D) an access review for application access (Correct Answer)

Explanation

Correct Answer:
D
Access to groups and applications for employees and guests changes over time. To reduce the risk associated with stale access assignments, administrators can use Azure Active Directory (Azure AD) to create access reviews for group members or application access.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review

Community Discussion

Selected Answer: D

Correct

They have updated the name of the access review to Guests assigned to an application.
Correct Answer is D

Selected Answer: D

D. an access review for application access

Selected Answer: D

The best answer is D. an access review for application access. Access reviews for application access allow you to review and approve or deny user access to specific applications. This is the most specific and targeted solution to the problem, as it allows you to focus on the guest users that have not accessed App1 in the past 30 days. Conditional access policies, compliance policies, and guest access reviews are all more general solutions that could be used to address the problem, but they would require more administrative effort to configure and manage.

The correct answer is C) a guest access review. A guest access review allows you to review and remove guest user access that is no longer needed. You can configure the policy to automatically remove access for guest users that have not accessed the application in a specified period of time, such as 30 days.

Question #191

SecExams

HOTSPOT -

You have an Azure Active Directory (Azure AD) ten-ant: that contains the groups shown in the following table.

Name	Owner	Number of internal users	Number of guest users
Group1	User1	500	25
Group2	User2	295	100

You create an access review for Group1 as shown in the following table.

Setting	Value
Review type	Teams + Groups
Review scope	All users
Reviewers	Users review own access

You create an access review for Group2 as shown in the following table.

Setting	Value
Review type	Teams + Groups
Review scope	Guest users only
Reviewers	Group owner

What is the minimum member of Azure Active Directory Premium P2 licenses required for each group? To answer, select the appropriate, options in the answer area.

NOTE: Each correct selection is worth one point.

SecExams

Hot Area:



Explanation

Correct Answer:



Box 1: 525 -

For Group1:

Review scope: All Users, Reviewers: Users review own access

Note: How many licenses must you have?

Your directory needs at least as many Azure AD Premium P2 licenses as the number of

employees who will be performing the following tasks:
Member users who are assigned as reviewers
Member users who perform a self-review
Member users as group owners who perform an access review
Member users as application owners who perform an access review
For guest users, licensing needs will depend on the licensing model you're using. However, the below guest users' activities are considered Azure AD Premium P2 usage:
Guest users who are assigned as reviewers
Guest users who perform a self-review
Guest users as group owners who perform an access review
Guest users as application owners who perform an access review

Box 2: 1 -
For Group2:
Review scope: Guest users only. Reviewers: Group Owner.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#license-requirements

Community Discussion

Answer is: Group 1: 500 - Guest users (4th example in the link) Group 2: 1 https://learn.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#example-license-scenarios

The correct answer is: Group 1: 500 Group 2: 1 Scenario = An administrator creates an access review of Group C with 50 member users and 25 guest users. Makes it a self-review. Calculation = 50 licenses for each user as self-reviewers.* Number of licenses = 50 * Azure AD External Identities (guest user) pricing is based on monthly active users (MAU), which is the count of unique users with authentication activity within a calendar month. This model replaces the 1:5 ratio billing model, which allowed up to five guest users for each Azure AD Premium license in your tenant. Refer to: https://learn.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#license-requirements

The given answer is correct. Your directory needs at least as many Azure AD Premium P2 licenses as the number of employees who will be performing the following tasks: Member users who are assigned as reviewers Member users who perform a self-review Member users as group owners who perform an access review Member users as application owners who perform an access review

There is no separation beetween normal user and guest users, according to this you pay for all users, regardless of who perform the access review -> https://learn.microsoft.com/en-us/entra/id-governance/licensing-fundamentals#access-reviews So the answear is: 525 395

Going with 500 for the first one. In your Azure AD tenant, guest user collaboration usage is billed based on the count of unique guest users with authentication activity within a calendar month. This model replaces the 1:5 ratio billing model, which allowed up to five guest users for each Azure AD Premium license in your tenant. When your tenant is linked to a subscription and you use External Identities features to collaborate with guest users, you'll be automatically billed using the MAU-based billing model. Your first 50,000 MAUs per month are free for both Premium P1 and Premium P2 features. To determine the total number of MAUs, we combine MAUs from all your tenants (both Azure AD and Azure AD B2C) that are linked to the same subscription.

SecExams

Question #192

SecExams

HOTSPOT -

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains a group named All Company and has the following Identity Governance settings:

✑ Block external users from signing in to this directory: Yes

✑ Remove external user. Yes

✑ Number of days before removing external user from this directory: 30

On March 11, 2.022, you create an access package named Package1 that has the following settings:

✑ Resource rales

1. Name: All Company
2. Type: Group and Team
3. Role: Member

✑ Lifecycle

1. Access package assignment expire: On date
2. Assignment expiration date: April 1, 2022

On March 1, 2022, you assign Package1 to the guest users shown in the following table.

Name	Email address
Guest1	guest1@outlook.com
Guest2	guest2@outlook.com

On March 2, 2022, you assign the Reports reader role to Guest1.

On April 1, 2022, you invite a guest user named Guest3 to contoso.com.

On April 4, 2022, you add Guest3 to the All Company group.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Statements	Yes	No
On May 5, 2022, the Guest1 account is in contoso.com.	○	○
On May 5, 2022, the Guest2 account is in contoso.com.	○	○
On May 5, 2022, the Guest3 account is in contoso.com.	○	○

Explanation

Correct Answer:

Box 1: No -
On March 2, 2022, you assign the Reports reader role to Guest1.
On April 1 the access package assignment expires. After another 30 days, well before May 5, the guest user account is removed.

Box 2: No -
On April 1 the access package assignment expires. After another 30 days, well before May 5, the guest user account is removed.

Box 3: Yes -

Note: Lifecycle -
On the Lifecycle tab, you specify when a user's assignment to the access package expires. You can also specify whether users can extend their assignments.
In the Expiration section, set Access package assignments expires to On date, Number of days, Number of hours, or Never.
For On date, select an expiration date in the future.
For Number of days, specify a number between 0 and 3660 days.
For Number of hours, specify a number of hours.
Based on your selection, a user's assignment to the access package expires on a certain date, a certain number of days after they are approved, or never.
Note 2: By default, when an external user no longer has any access package assignments, they are blocked from signing in to your directory. After 30 days, their guest user account is removed from your directory.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-lifecycle-policy https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-external-users

SecExams

Community Discussion

How can you assign package 1 on 1st March 2022 before package 1 was created (on 11th March 2022)?

The Identity Governance settings state: Select what happens when an external user, who was added to your directory through an access package request, loses their last assignment to any access package. Number of days before removing external user from this directory: 30 the Assignment (assigned to Guest1 and Gues2) expires on April 1, 2022 so by May 1 the 30 days have passed and therfore Guest 1 and Guest 2 are removed, so Q1 and Q2 should be NO Q3 is YES because Guest 3 is not affected by the access package

It should be NO, NO, NO : "Entitlement management only removes accounts that were invited through entitlement management. Also, note that a user will be blocked from signing in and removed from this directory even if that user was added to resources in this directory that were not access package assignments. If the guest was present in this directory prior to receiving access package assignments, they will remain. However, if the guest was invited through an access package assignment, and after being invited was also assigned to a OneDrive for Business or SharePoint Online site, they will still be removed." you can find this at the end of the link : https://learn.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-external-users

I will say NO, NO, NO. Guest 3 is affected by global guest user policy, no by package

this is wrong...got confused, identity governance will remove it...

SecExams

Question #193

You have an Azure Active Directory (Azure AD) tenant named Contoso that contains a terms of use (Toll) named Terms1 and an access package. Contoso users collaborate with an external organization named Fabrikam. Fabrikam users must accept Terms1 before being allowed to use the access package.
You need to identify which users accepted or declined Terms1.
What should you use?

A) sign-in logs
B) the Usage and Insights report

C) provisioning logs

D) audit logs (Correct Answer)

Explanation

Correct Answer:
D
View Azure AD audit logs -
If you want to view more activity, Azure AD terms of use policies include audit logs. Each user consent triggers an event in the audit logs that is stored for 30 days.
You can view these logs in the portal or download as a .csv file.
To get started with Azure AD audit logs, use the following procedure:
1. Sign in to the Azure portal as a global administrator, security administrator, or Conditional Access administrator.
2. Browse to Azure Active Directory > Security > Conditional Access > Terms of use.
3. Select a terms of use policy.
4. Select View audit logs.
5. On the Azure AD audit logs screen, you can filter the information using the provided lists to target specific audit log information.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use

Community Discussion

Selected Answer: D

This link supports the answer https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use#view-azure-ad-audit-logs

Selected Answer: B

B. The Usage and Insights report: This report provides information about how users are using various features and services in Azure AD. It can track whether users have accepted or declined terms of use, making it a suitable choice for your scenario.

Selected Answer: D

The correct answer is D. audit logs. Audit logs contain a record of all administrative actions and changes made within Azure AD, such as user and group management, application assignments, and policy modifications.

Audit logs https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use

Selected Answer: D

Selected Answer: D

Question #194

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	User type	Member of
User1	Member	Group1
User2	Member	Group1
User3	Guest	Group1

User1 is the owner of Group1.

You create an access review that has the following settings:

- ✑ What to review: Teams + Groups
- ✑ Scope: All users
- ✑ Group: Group1
- ✑ Reviewers: Users review their own access

Which users can perform access reviews for User3?

A) User1 only (Correct Answer)

B) User3 only

C) User1 and User2 only

D) User1, User2, and User3

Explanation

Correct Answer:

A

Note:

If you set Select reviewers to Users review their own access or Managers of users, B2B direct connect users and Teams won't be able to review their own access in your tenant. The owner of the Team under review will get an email that asks the owner to review the B2B direct connect user and Teams.

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review

Community Discussion

Correct answer is B: User3 You can ask the guests themselves or a decision maker to participate in an access review and recertify (or attest) to the guests' access. Refer to the below article: https://learn.microsoft.com/en-us/azure/active-directory/governance/manage-guest-access-with-access-reviews

Selected Answer: B

B. User3 only

Selected Answer: B

https://learn.microsoft.com/en-us/azure/active-directory/governance/manage-guest-access-with-access-reviews

Selected Answer: B

Correct answer is B

A (User 1 = Owner). A. If you set Select reviewers to Users review their own access or Managers of users, B2B direct connect users and Teams won't be able to review their own access in your tenant. The owner of the Team under review (User 1) will get an email that asks the owner to review the B2B direct connect user and Teams. Source: https://learn.microsoft.com/en-us/azure/active-directory/governance/create-access-review

SecExams

Question #195

SecExams

HOTSPOT -
You have an Azure Active Directory (Azure AD) tenant that contains three users named User1, User2, and User3.
You create a group named Group1. You add User2 and User3 to Group1.
You configure a role in Azure AD Privileged Identity Management (PIM) as shown in the Application Administrator exhibit. (Click the Application Administrator tab.)



Role setting details - Application Administrator

Privileged Identity Management | Azure AD roles

Edit

Activation

Setting	State
Activation maximum duration (hours)	5 hour(s)
Require justification on activation	Yes
Require ticket information on activation	No
Require approval to activate	Yes
Approvers	0 Member(s), 1 Group(

Assignment

Setting	State
Allow permanent eligible assignment	No
Expire eligible assignments after	3 month(s)
Allow permanent active assignment	No
Expire active assignments after	1 month(s)
Require Azure Multi-Factor Authentication on acti...	No
Require justification on active assignment	Yes

Group1 is configured as the approver for the Application administrator role.

You configure User2 to be eligible for the Application administrator role.
For User1 you add an assignment to the Application administrator role as shown in the Assignment exhibit. (Click the Assignment tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.
Hot Area:

Statements	Yes	No
User1 is assigned the Application administrator role automatically.	○	○
When User2 requests to be assigned the Application administrator role, only User3 can approve the request.	○	○
If a request by User1 to be assigned the Application administrator role is approved on January 31, 2021, at 23:00, User1 can use the role until February 1, 2021, at 04:00.	○	○

SecExams

Explanation

Correct Answer:

Statements	Yes	No
User1 is assigned the Application administrator role automatically.	○	○
When User2 requests to be assigned the Application administrator role, only User3 can approve the request.	○	○
If a request by User1 to be assigned the Application administrator role is approved on January 31, 2021, at 23:00, User1 can use the role until February 1, 2021, at 04:00.	○	○

Box 1: No -
User1 is eligible from 1/1/2021 to 1/31/2021.
However, here the Application Administrator role requires approval.

Box 2: No -
User2 is also member of Group1, and Group1 is configured as the approver for the Application administrator role.

Box 3: Yes -
User1 is eligible from 1/1/2021 to 1/31/2021.
Activation maximum duration (hours) is set to 5 hours.

SecExams

Community Discussion

On the exam today I answer N, Y, Y I think user2 cannot approve his own request

I agree. You can see it stated here: https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/azure-ad-pim-approval-workflow "Approvers are not able to approve their own role activation requests."

I agree. You can see it stated here: https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/azure-ad-pim-approval-workflow "Approvers are not able to approve their own role activation requests."

It is N,Y,Y I tested this in my lab, so you cannot approve a request for yourself. Also, if there are guest accounts in the group, they will receive the email about approving the request but they cannot do it

N-Y-N 1. User1 is set as eligible, not active. 2. Approvers are not able to approve their own role activation requests. 3. Assignment expires on 31 Jan at 23:59. Full stop.

SecExams

Question #196

HOTSPOT -

You have a Microsoft 365 E5 subscription.

You create an access review for Azure Active Directory (Azure AD) roles.

You need to ensure that users who do not respond to review requests are removed automatically from the roles. The solution must minimize administrative effort.

Which two settings should you modify? To answer, select the settings in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



SecExams

Explanation

Correct Answer:



Box 1: Reviewers, Members (self)
Reviewers for guest users can be:
Specified reviewers: Certain users within your organization
Group owners: Office 365 Group owners that also includes Teams
Self-review: Guest users can review access on their own
Box 2: If reviewers don't respond, No Change
If reviewers don't respond (within the configured review period):
No change: Leave user's access unchanged
Remove access: Remove user's access
Approve access: Approve user's access
Take recommendations: Take the system's recommendation on denying or approving the user's continued access
Reference:
https://blog.quadrotech-it.com/blog/how-to-manage-guest-access-in-azure-active-directory-pt-1/

Community Discussion

In my opinion Box 1: Reviewers, Members (self) Box 2: If reviewers don't respond, Remove access This is the least administrative effort.

on the exam today. I chose: - if reviewers didn't respond - additional content for reviewer e-mail

Really dumb question. Only one setting change is needed: If reviewer don't respond = Remove access IMO, the Members (self) should NOT be changed - this is the best possible way to reduce admin effort. And is the only possible way to remove ONLY the non-responding users.

For me these are correct : 1) If reviewers don't respond - remove access 2) Require reason on approval - disable The first one is clear. The second one is for minimum administrative effort.

Box 1: If Reviewers don't respond, remove access. Box 2: Additional Content for Reviewer email, Warn users due to inaction. Since you don't users caught off guard with inaction and creating additional administrative effort;

SecExams

Question #197

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question You need to allocate licenses to the new users from ADatum. The solution must meet the technical requirements.
Which type of object should you create?

A) a Dynamic User security group
B) a distribution group
C) an OU
D) an administrative unit (Correct Answer)

Explanation

Correct Answer:
D
An administrative unit is an Azure AD resource that can be a container for other Azure AD resources. An administrative unit can contain only users, groups, or devices. Administrative units restrict permissions in a role to any portion of your organization that you define.

Deployment scenario -
It can be useful to restrict administrative scope by using administrative units in organizations that are made up of independent divisions of any kind. Consider the example of a large university that's made up of many autonomous schools (School of Business, School of Engineering, and so on). Each school has a team of IT admins who control access, manage users, and set policies for their school.
Scenario: Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named

Adatum. The users will be located in London and Seattle.
Contoso identifies the following technical requirements: License allocation for new users must be assigned automatically based on the location of the user.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/roles/administrative-units

Community Discussion

A is the correct answer. In the exam today

You cannot assign licenses to an Administrative Unit, only a Group, see here https://learn.microsoft.com/en-us/answers/questions/955831/can-licenses-be-directly-assigned-to-an-administra.html A must be the correct answer

Dynamic group with a query based on location

"The helpdesk administrators must be able to manage licenses for ONLY the users in their respective office". How is the accomplished without creating an Admin Unit? From there you can create a dynamic group within the AU to take care of the group based licensing right?

Refer to technical requirement " license allocation for new users MUST be assigned automatically based on the location of the user" If AU, admin need to manually assign license to user within that AU only or assign another License Admin. To meet the automatically assigned license requirements, we need to assign license to dynamic group

SecExams

Question #198

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question You need to sync the ADatum users. The solution must meet the technical requirements.
What should you do?

A) From the Microsoft Azure Active Directory Connect wizard, select Customize synchronization options. (Correct Answer)
B) From PowerShell, run Set-ADSyncScheduler.
C) From PowerShell, run Start-ADSyncSyncCycle.
D) From the Microsoft Azure Active Directory Connect wizard, select Change user sign-in.

Explanation

Correct Answer:
A
You need to select Customize synchronization options to configure Azure AD Connect to sync the Adatum organizational unit (OU).

Community Discussion

A is the correct answer In the exam today

Selected Answer: A

A is correct - Only Contoso_Resources OU is synced (if you run PS command it will sync only this OU) - You need to also sync new OU Adatum in Contonso AD where new users were created To do it you need to run AAD Connect , open "customize synchronization options" and add Adatum OU. All necessary details can be found here: https://learn.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-installation-wizard#customize-synchronization-options

It says: Only the Contoso_Resources OU is synced.

It says: Only the Contoso_Resources OU is synced.

It says: Only the Contoso_Resources OU is synced.

SecExams

Question #199

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question HOTSPOT -
You need to meet the technical requirements for license management by the helpdesk administrators.
What should you create first, and which tool should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

Object to create for each branch office:

- An administrative unit
- A custom role
- A Dynamic User security group
- An OU

Tool to use:

- Azure Active Directory admin center
- Active Directory Administrative Center
- Active Directory module for Windows PowerShell
- Microsoft 365 admin center

Explanation

Correct Answer:

Answer Area

Object to create for each branch office:

- An administrative unit
- A custom role
- A Dynamic User security group
- An OU

Tool to use:

- Azure Active Directory admin center
- Active Directory Administrative Center
- Active Directory module for Windows PowerShell
- Microsoft 365 admin center

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/roles/administrative-units
https://docs.microsoft.com/en-us/azure/active-directory/roles/admin-units-manage

SecExams

Community Discussion

i think you miss "The helpdesk administrators must be able to manage licenses for only the users in their respective office.". The question ask how to satisfy technical requirements for the helpdesk administrator, not the license assignment generally. So that's why given answer are correct

i think you miss "The helpdesk administrators must be able to manage licenses for only the users in their respective office.". The question ask how to satisfy technical requirements for the helpdesk administrator, not the license assignment generally. So that's why given answer are correct

Question says to meet the Technical requirements, which are "License allocation for new users must be assigned automatically based on the location of the user." Therefore answer is Dynamic Security group (Admin unit cannot be used to assign license based on location). This is completed in the Azure AD Admin Centre

You're missing the part about "The helpdesk administrators must be able to manage licenses for only the users in their respective office" and only looking at the the "assign licenses automatically". Answer is correct. Need and Administrative Unit to limit them to the users in their respective office.

You're missing the part about "The helpdesk administrators must be able to manage licenses for only the users in their respective office" and only looking at the the "assign

licenses automatically". Answer is correct. Need and Administrative Unit to limit them to the users in their respective office.

SecExams

Question #200

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question You need to resolve the issue of the sales department users.
What should you configure for the Azure AD tenant?

A) the Device settings
B) the Access reviews settings
C) the User settings (Correct Answer)
D) Security defaults

Explanation

Correct Answer:
C
Scenario: There are Sales department users in London and in Seattle.
* The users in the London office have the Microsoft 365 Phone System license unassigned.
* The users in the Seattle office have the Yammer Enterprise license unassigned.
Use the Active users page to unassign licenses.
When you use the Active users page to unassign licenses, you unassign product licenses from users.
Unassign licenses from one user.
1. In the admin center, go to the Users > Active users page.
2. Select the row of the user that you want to unassign a license for.
3. In the right pane, select Licenses and Apps.
4. Expand the Licenses section, clear the boxes for the licenses that you want to unassign, then select Save changes.

Reference:
https://docs.microsoft.com/en-us/microsoft-365/admin/manage/remove-licenses-from-users

Community Discussion

I dont see any mention of the sale department in the case study...

Given Answer is Correct. I don't see any mention of the sale department in the case study...But it seems they mean Marketing department mentioned here. As I understand from the following: Contoso plans to implement the following changes: - Collaborate with the users at Fabrikam on a joint marketing campaign. For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app. Contoso identifies the following technical requirements: - Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.

Never mind, ignore my previous conclusion. The given answer is wrong. I meant to say B (Access Review)

Never mind, ignore my previous conclusion. The given answer is wrong. I meant to say B (Access Review)

Selected Answer: A

Hi, my dearest. Don't waste your time, because the question belongs to another Case Study (the one about Litware from Vancouver). In essence, the issue was: Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD. And here a reference for the obvious choice A: https://learn.microsoft.com/en-us/entra/identity/devices/manage-device-identities#configure-device-settings

SecExams

Question #201

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question HOTSPOT -
You need to configure the assignment of Azure AD licenses to the Litware users. The solution must meet the licensing requirements.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

Azure AD Connect settings to modify:
- Directory Extensions
- Domain Filtering
- Optional Features

Assign Azure AD licenses to:
- An Azure Active Directory group that has only nested groups
- An Azure Active Directory group that has the Assigned membership type
- An Azure Active Directory group that has the Dynamic User membership type

Explanation

Correct Answer:

Answer Area

Azure AD Connect settings to modify:
- Directory Extensions
- Domain Filtering
- Optional Features

Assign Azure AD licenses to:
- An Azure Active Directory group that has only nested groups
- An Azure Active Directory group that has the Assigned membership type
- An Azure Active Directory group that has the Dynamic User membership type

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure AD licenses by modifying the value of the LWLicenses attribute. Users who have the

appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Community Discussion

This is correct. https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-feature-directory-extensions

You can use directory extensions to extend the schema in Azure Active Directory (Azure AD) with your own attributes from on-premises Active Directory. This feature enables you to build LOB apps by consuming attributes that you continue to manage on-premises. These attributes can be consumed through extensions.

You can use directory extensions to extend the schema in Azure Active Directory (Azure AD) with your own attributes from on-premises Active Directory. This feature enables you to build LOB apps by consuming attributes that you continue to manage on-premises. These attributes can be consumed through extensions.

The given Answers are correct. Q1: Directory Extensions You can use directory extensions to extend the schema in Azure Active Directory (Azure AD) with your own attributes from on-premises Active Directory. https://learn.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-feature-directory-extensions Q2: And AAD Group that has Dynamic User Membership Type Litware wants to manage the assignment of Azure AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned

TR: Litware wants to manage the assignment of Azure AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned. A1: Directory Extensions A2: Azure AD Group with Dynamic user membership *https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-feature-directory-extensions*

SecExams

Question #202

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question You need to meet the authentication requirements for leaked credentials.
What should you do?

A) Enable password hash synchronization in Azure AD Connect. (Correct Answer)
B) Configure Azure AD Password Protection.
C) Configure an authentication method policy in Azure AD.
D) Enable federation with PingFederate in Azure AD Connect.

Explanation

Correct Answer:
A
Reference:
https://docs.microsoft.com/en-us/azure/security/fundamentals/steps-secure-identity

Community Discussion

@spinnetho - the correct answer is A - https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks#common-questions

Selected Answer: A

The question is Tricky! it mentions "meet authentication requirements" and if you just read this and go back up to read the "Authentication Requirements" there is nothing that mentioned anything related to needing PHS. HOWEVER!!!!!! If you read the whole question again "You need to meet the authentication requirements FOR LEAVK CREDENTIALS", you realize there is nothing that mentioned LEAKED CREDENTIALS on the "Authentications Requirements" related to it. The answer is A because none of the other ones has anything to do with LEAKED CREDENTIALS. You don't use B for anything related to LEAKED CREDENTIALS - You would use this one for addressing the requirement You don't use C for anything related to LEAKED CREDENTIALS You don't use D for anything related to LEAKED CREDENTIALS I had to read this multiple times!!! LOL

Selected Answer: A

It's A. Everyone knows that leaked credentials detection comes with PHS, right? Not sure why all the debate. Next question...

Selected Answer: A

Password hash synchronization "Risk detections like leaked credentials require the presence of password hashes for detection to occur. For more information about password hash synchronization, see the article, Implement password hash synchronization with Azure AD Connect sync." https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks#password-hash-synchronization

Selected Answer: A

I think A actually makes a lot of sense since the case study mentions they use pass-through auth with hash sync disabled. This would mean that Azure AD doesn't know the password hash and can't compare it with the hashes from the leaked credentials list. Once you enable the hash sync, Azure can start comparing the password hashes to the hashes from the leaked creds list.

SecExams

Question #203

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question HOTSPOT -
You need to identify which roles to use for managing role assignments. The solution must meet the delegation requirements.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

To manage Azure AD built-in role assignments, use:

- Global administrator
- Privileged role administrator
- Security administrator
- User access administrator

To manage Azure built-in role assignments, use:

- Global administrator
- Privileged role administrator
- Security administrator
- User access administrator

Explanation

Correct Answer:

Answer Area



Reference:
https://docs.microsoft.com/en-us/azure/role-based-access-control/role-assignments-portal https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference

Community Discussion

For Azure AD roles in Privileged Identity Management, only a user who is in the Privileged Role Administrator or Global Administrator role can manage assignments for other administrators. Global Administrators, Security Administrators, Global Readers, and Security Readers can also view assignments to Azure AD roles in Privileged Identity Management. For Azure resource roles in Privileged Identity Management, only a subscription administrator, a resource Owner, or a resource User Access administrator can manage assignments for other administrators. Users who are Privileged Role Administrators, Security Administrators, or Security Readers do not by default have access to view assignments to Azure resource roles in Privileged Identity Management.
https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure

that's correct

Second question is referring to Azure built-in roles and NOT Azure AD built-in roles, hence user access administrator Azure Roles: https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles Azure AD Roles: https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference

Azure AD build-in role: Privileged role Administrator Azure build-in role: User Access Administrator

Given answer is correct. For Azure AD role see; https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference And the subsequent link for; https://docs.microsoft.com/en-us/azure/active-directory/roles/manage-roles-portal For Azure built-in role see; https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles And the subsequent link for; https://docs.microsoft.com/en-us/azure/role-based-access-control/role-assignments-steps

SecExams

Question #204

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question HOTSPOT -
You need to create the LWGroup1 group to meet the management requirements.
How should you complete the dynamic membership rule? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area



Explanation

Correct Answer:

Answer Area



Community Discussion

Null and Member. ObjectID is the GUID of the user

Correct is indeed (user.objectId -ne null) and (user.userType -eq "Member"). See: https://docs.microsoft.com/en-us/azure/active-directory/external-identities/use-dynamic-groups#creating-a-group-of-members-only

It's NULL and MEMBER This link explains it 100% - https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/groups-dynamic-membership#:~:text=If%20you%20want%20your,user.userType%20%2Deq%20%22Member%22)

objectID -ne null ; usertype -eq "member" Pay attention! On exam beside null and member you have to chose -ne or -eq and quotation marks as well .

If you want your group to exclude guest users and include only members of your organization, you can use the following syntax: (user.objectId -ne null) -and (user.userType -eq "Member") It is directly on Microsoft web page https://learn.microsoft.com/en-us/azure/active-directory/enterprise-users/groups-dynamic-membership

SecExams

Question #205

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question HOTSPOT -
You need to meet the technical requirements for the probability that user identities were compromised.
What should the users do first, and what should you configure? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area



Explanation

Correct Answer:

Answer Area

The users must first:

- Provide consent for any app to access the data of Contoso.
- Register for multi-factor authentication (MFA).
- Register for self-service password reset (SSPR).

You must configure:

- A sign-in risk policy
- A user risk policy
- An Azure AD Password Protection policy

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-policies

SecExams

Community Discussion

I agree that in reality, you would enable MFA as that is the best way to protect accounts, but I think this question is about setting up a User Risk Policy, and in that policy one of the settings is "Identity Protection -> User Risk Policy -> Controls -> Allow access -> Require password change". Therefore setting up SSPR is required to complete this task.

I agree that in reality, you would enable MFA as that is the best way to protect accounts, but I think this question is about setting up a User Risk Policy, and in that policy one of the settings is "Identity Protection -> User Risk Policy -> Controls -> Allow access -> Require password change". Therefore setting up SSPR is required to complete this task.

IMO, you would need to set up MFA before SSPR when as per requirement protecting against leaked credentials by implementing a sign-in risk remediation policy without blocking access. Ref. https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identityprotection-remediate-unblock .

The answers are correct. The question is about probability that user identities were compromised User risk is a calculation of probability that an "identity" has been compromised. Administrators can choose to block access, allow access, or allow access but require a password change using Azure AD self-service password reset.

MFA and user risk policy is the answer for me. "When a user risk policy triggers: Administrators can require a secure password reset, requiring Azure AD MFA be done

before the user creates a new password with SSPR, resetting the user risk." https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure-risk-policies

SecExams

Question #206

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question You need to configure the MFA settings for users who connect from the Boston office. The solution must meet the authentication requirements and the access requirements.
What should you include in the configuration?

A) named locations that have a private IP address range
B) named locations that have a public IP address range (Correct Answer)
C) trusted IPs that have a public IP address range
D) trusted IPs that have a private IP address range

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition

Community Discussion

Named Locations are part of Conditional Access Policies whereas "Trusted IPs" are in the legacy MFA settings, which would not be preferred. The IP address will appear to be coming into Azure from the NAT'd public address not the internal network private address. So I'd say: B. named locations that have a public IP address range

Selected Answer: B

Named locations for public IP is correct. See; https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition

Agree on B Multifactor authentication trusted IPs Using the trusted IPs section of multifactor authentication's service settings is no longer recommended. This control only accepts IPv4 addresses and should only be used for specific scenarios covered in the

article Configure Azure AD Multifactor Authentication settings - https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition#multifactor-authentication-trusted-ips

Agree on B Multifactor authentication trusted IPs Using the trusted IPs section of multifactor authentication's service settings is no longer recommended. This control only accepts IPv4 addresses and should only be used for specific scenarios covered in the article Configure Azure AD Multifactor Authentication settings - https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition#multifactor-authentication-trusted-ips

The requirement is to use conditional access where you configure named location and not trusted IP. So B is the answer

SecExams

Question #207

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question HOTSPOT -
You need to support the planned changes and meet the technical requirements for MFA.
Which feature should you use, and how long before the users must complete the registration? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

Feature:

- An authentication method policy
- A Conditional Access policy
- An MFA registration policy
- The Multi-Factor Authentication Server settings

Grace period:

- 7 days
- 14 days
- 28 days

Explanation

Correct Answer:

Answer Area



Box 1: A Conditional Access policy
Litware identifies the following authentication requirements:
Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Box 2: 14 days -
Multi-factor authentication (MFA): multi-factor authentication is a type of authentication that requires the use of two or more verification factors to gain access to a system. Azure MFA offers a 14 day grace period after being initiated.
Reference:
https://www.syskit.com/blog/using-azure-conditional-access-when-security-defaults-isnt-enough/

Community Discussion

Well, this is something confuse... They ask you to force MFA using CA policy. If you use it, you will be forced to register for MFA YES or YES and there will not be any 14 days grace period. This happens when you use CA, so if they are giving you the option to choose grace days, the answer cannot be MFA CA policy. It has to be MFA registration. I TESTED THIS! there you have, if they ask you for something with 14 days grace period, it cannot be MFA CA policy, if they don't give you that option on the exam, you can go for MFA CA.

First answer should be MFA registration policy. https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure-mfa-policy#policy-configuration

but Conditional access doesn't offer 14 day grace period

but Conditional access doesn't offer 14 day grace period

but Conditional access doesn't offer 14 day grace period

SecExams

Question #208

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question You need to meet the planned changes and technical requirements for App1.
What should you implement?

A) a policy set in Microsoft Endpoint Manager
B) an app configuration policy in Microsoft Endpoint Manager
C) an app registration in Azure AD (Correct Answer)
D) Azure AD Application Proxy

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/develop/quickstart-register-app

Community Discussion

C looks like a correct answer.

Correct forsure, you can assign a redirect URI as part of the registration process.

It is correct answer, question is talking about Azure web app. Azure Application proxy is used to access on-premise application without need of VPN & users are authenticated in Azure AD.

Selected Answer: C

Correct answer

On the exam - March 28, 2022

SecExams

Question #209

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question HOTSPOT -
You need to implement on-premises application and SharePoint Online restrictions to meet the authentication requirements and the access requirements.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

For on-premises applications:
- Configure Cloud App Security policies.
- Modify the User consent settings for the enterprise applications.
- Publish the applications by using Azure AD Application Proxy.

For SharePoint Online:
- Configure app-enforced restrictions.
- Modify the User consent settings for the enterprise applications.
- Publish an application by using Azure AD Application Proxy.

Explanation

Correct Answer:

Answer Area

For on-premises applications:

- Configure Cloud App Security policies.
- Modify the User consent settings for the enterprise applications.
- Publish the applications by using Azure AD Application Proxy.

For SharePoint Online:

- Configure app-enforced restrictions.
- Modify the User consent settings for the enterprise applications.
- Publish an application by using Azure AD Application Proxy.

Reference:
https://docs.microsoft.com/en-us/sharepoint/app-enforced-restrictions https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-session

SecExams

Community Discussion

The requirement for on-premise applications is "Enforce MFA when accessing ...", as we have already * Implement MFA for all Litware users (via Azure AD) * Litware implements Azure AD Appliication Proxy we just need to "Publish the applications by using Azure AD Application Proxy" - this will force users to use their Azure AD account (and MFA) to access the on-premise applications.

The requirement for on-premise applications is "Enforce MFA when accessing ...", as we have already * Implement MFA for all Litware users (via Azure AD) * Litware implements Azure AD Appliication Proxy we just need to "Publish the applications by using Azure AD Application Proxy" - this will force users to use their Azure AD account (and MFA) to access the on-premise applications.

App Enforce Restrictions (https://aka.ms/caapprestrictions) are for supported apps only: Office 365, Exchange Online and Sharepoint Online. Conditional access app Control (https://aka.ms/mcaslearnmore) supports various Cloud Apps not supported by App Enforced Restrictions.

App Enforce Restrictions (https://aka.ms/caapprestrictions) are for supported apps only: Office 365, Exchange Online and Sharepoint Online. Conditional access app Control (https://aka.ms/mcaslearnmore) supports various Cloud Apps not supported by App Enforced Restrictions.

On-premise: Publish the applications by using Azure AD Application Proxy SharePoint: Configure app-enforced restreictions

SecExams

Question #210

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question HOTSPOT -
You need to configure app registration in Azure AD to meet the delegation requirements.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area



Explanation

Correct Answer:

Answer Area



Reference:
https://docs.microsoft.com/en-us/azure/active-directory/roles/delegate-app-roles

Community Discussion

The answer is Correct! 1: Requirements for delegation clearly says " Prevent users to register applications" 2: User1 would need App Developer to register an app in tenant using "principle of least privilege"

Given answer is correct. For both questions see URL provide in answer section of question; https://docs.microsoft.com/en-us/azure/active-directory/roles/delegate-app-roles#restrict-who-can-create-applications and extraction from URL's #1 "On the User settings page for your organization, set the Users can register applications setting to No. This will disable the default ability for users to create application registrations." #2 "By default in Azure AD, all users can register applications and manage all aspects of applications they create. Everyone also has the ability to consent to apps accessing company data on their behalf. You can choose to selectively grant those permissions by setting the global switches to 'No' and adding the selected users to the Application Developer role." These meet question answers

It's asking which setting you would modify, not what you would set it to

It's asking which setting you would modify, not what you would set it to

It's asking which setting you would modify, not what you would set it to

SecExams

Question #211

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question HOTSPOT -
How should the access be setup to the on-premises applications?
Hot Area:

Explanation

Correct Answer:



Box 1: Server2 -
Incorrect:
Not Server 1: If you've deployed Azure AD Password Protection Proxy, do not install Azure

AD Application Proxy and Azure AD Password Protection Proxy together on the same machine. Azure AD Application Proxy and Azure AD Password Protection Proxy install different versions of the Azure AD Connect Agent
Updater service. These different versions are incompatible when installed together on the same machine.
Server1 runs the Azure AD application Proxy connector.
To use Application Proxy, you need a Windows server running Windows Server 2012 R2 or later. You'll install the Application Proxy connector on the server. This connector server needs to connect to the Application Proxy services in Azure, and the on-premises applications that you plan to publish.
Scenario:
Requirements. Authentication Requirements include:
Enforce MFA when accessing on-premises applications.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.

Box 2: DC1 -
The Azure AD Password Protection proxy service is typically on a member server in your on-premises AD DS environment. Once installed, the Azure AD
Password Protection proxy service communicates with Azure AD to maintain a copy of the global and customer banned password lists for your Azure AD tenant.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-deploy https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-add-on-premises-application

Community Discussion

Correct answer is Server 2, then Azure AD. The password protection proxy is installed on a member server. You enable the banned p/w list in Azure AD, the proxy downloads it and passes it to the DCs in the domain.

Answer should be SERVER2 and Azure AD Configure the password list in Azure AD, the password protection proxy makes it available on you on prem DC, refer to the diagram in the link: https://learn.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-deploy

password list should be configured on Azure AD not on DC !

The correct answer is Server2 and Azure AD. https://learn.microsoft.com/en-us/azure/active-directory/authentication/tutorial-configure-custom-password-protection

It is a SERVER 2 answer ! Here is written very clear : !! Warning !!! Azure AD Password Protection proxy and Azure AD Application Proxy install different versions of the Microsoft Azure AD Connect Agent Updater service, which is why the instructions refer to Application Proxy content. These different versions are incompatible when installed side by side and doing so will prevent the Agent Updater service from contacting Azure for software updates, so you should never install Azure AD Password Protection Proxy and Application Proxy on the same machine. https://learn.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-deploy

SecExams

Question #212

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question You create a Log Analytics workspace.
You need to implement the technical requirements for auditing.
What should you configure in Azure AD?

A) Company branding
B) Diagnostics settings (Correct Answer)
C) External Identities
D) App registrations

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/overview-monitoring

Community Discussion

Correct (B)

Any answers with Diagnostics settings = Correct

just pass the exam today. This came in the question.

On exam few days ago.

On the exam 1/20/2022

SecExams

Question #213

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

SecExams

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question HOTSPOT -
You need to implement the planned changes and technical requirements for the marketing department.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

To configure user access:
- An access package
- An access review
- A conditional access policy

To enable collaboration with fabrikam.com:
- An accepted domain
- A connected organization
- A custom domain name

Explanation

Correct Answer:

Answer Area

To configure user access:

- An access package
- An access review
- A conditional access policy

To enable collaboration with fabrikam.com:

- An accepted domain
- A connected organization
- A custom domain name

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-organization

SecExams

Community Discussion

Correct

Correct! Tested in lab today !

On the exam - March 28, 2022

just pass the exam today. This came in the question.

On the exam 1/20/2022

Question #214

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question You need to meet the planned changes for the User administrator role.
What should you do?

A) Create an access review.
B) Create an administrative unit.
C) Modify Active assignments. (Correct Answer)
D) Modify Role settings.

Explanation

Correct Answer:
C
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-how-to-add-role-to-user?tabs=new

Community Discussion

Role settings is the correct answer.

Role Setting details is where you need to be: Role setting details - User Administrator Privileged Identity Management | Azure AD roles Default Setting State Require

justification on activation Yes Require ticket information on activation No On activation, require Azure MFA Yes Require approval to activate No Approvers None

Role>Role Setting>Check the box for "Require Justification on Activation".

For those who are saying the correct answer is "C" Modify Active Assignment, where does it say the Role is assigned as Active? Don't assume things if the Use Case doesn't specify that unless is the default configuration! Using the information provided in the study case, The correct answer is D - Role settings.

For those who are saying the correct answer is "C" Modify Active Assignment, where does it say the Role is assigned as Active? Don't assume things if the Use Case doesn't specify that unless is the default configuration! Using the information provided in the study case, The correct answer is D - Role settings.

SecExams

Question #215

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question You need to modify the settings of the User administrator role to meet the technical requirements.
Which two actions should you perform for the role? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

A) Select Require justification on activation. (Correct Answer)
B) Select Require ticket information on activation.
C) Modify the Expire eligible assignments after setting.
D) Set all assignments to Eligible.
E) Set all assignments to Active. (Correct Answer)

Explanation

Correct Answer:
AE
Scenario: Configure the User administrator role to require justification and approval to activate.
A: Require justification.
You can require that users enter a business justification when they activate. To require justification, check the Require justification on active assignment box or the Require justification on activation box.
E: You can choose from two assignment duration options for each assignment type (eligible and active) when you configure settings for a role.
You can choose one of these active assignment duration options:
Allow permanent active assignment: Global admins and Privileged role admins can

assign permanent active assignment.
Expire active assignment after: Global admins and Privileged role admins can require that all active assignments have a specified start and end date.
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-how-to-change-default-settings

Community Discussion

Should it be AD instead of AE? To require justification need assignment to be Eligible instead of Active https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure

Selected Answer: AD

You should be eligible to be able to activate the role with a justification

Selected Answer: AD

A. Select require justification on activation D. Set all assignments to Eligible

Selected Answer: AD

Question says: – Configure the User administrator role to require justification and approval to activate. The type of the assignment • Eligible assignments require the member of the role to perform an action to use the role. Actions might include activation, or requesting approval from designated approvers. • Active assignments don't require the member to perform any action to use the role. Members assigned as active have the privileges assigned to the role. https://learn.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure#assign

A&D - "Configure the User administrator role to require justification and approval to activate." so need to set to eligible and select require justification for activation. If it was set all assignments to active wouldn't need to require justification.

Question #216

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question You need to resolve the issue of the guest user invitations.
What should you do for the Azure AD tenant?

A) Configure the Continuous access evaluation settings.
B) Configure a Conditional Access policy.
C) Configure the Access reviews settings. (Correct Answer)
D) Modify the External collaboration settings.

Explanation

Correct Answer:
C
Scenario: The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Manage guest access with Azure AD access reviews.
With Azure Active Directory (Azure AD), you can easily enable collaboration across organizational boundaries by using the Azure AD B2B feature. Guest users from other tenants can be invited by administrators or by other users. This capability also applies to social identities such as Microsoft accounts.
You also can easily ensure that guest users have appropriate access. You can ask the guests themselves or a decision maker to participate in an access review and recertify (or attest) to the guests' access. The reviewers can give their input on each user's need for continued access, based on suggestions from Azure AD.
When an access review is finished, you can then make changes and remove access for guests who no longer need it.

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/manage-guest-access-with-access-reviews

Community Discussion

D. "You need to resolve the issue of the guest user invitations." Guest user invitations is the key. Invitation settings are in "External collaboration settings" blade. You can allow anyone in the organization to invite guest users, or restrict it to the specific admin role and grant users permission to the Guest Inviter role. Access reviews have nothing in common with user invitations.

You identify the issue, so how do you remove the access automatically by changing External Collaboration settings? The answer is C "Access review"

You identify the issue, so how do you remove the access automatically by changing External Collaboration settings? The answer is C "Access review"

Selected Answer: D

The question asks to resolve the "issue". This focuses on the issues defined in the Case Study. The only issue mentioning the guest users is: "The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps." So, I believe the question refers to the invitation / registration part of the Guest users, not reviewing their access... The purpose is to offload the Helpdesk Admins from managing all guest access registrations, not reviewing stale accounts. So the answer "D. Modify the External collaboration settings." fits better to the purpose. https://learn.microsoft.com/en-us/azure/active-directory/external-identities/external-collaboration-settings-configure#configure-settings-in-the-portal (See Enable guest self-service sign up via user flows & Member users and users assigned to specific admin roles can invite guest users including guests with member permissions)

I believe the given answer is correct: https://learn.microsoft.com/en-us/azure/active-directory/enterprise-users/clean-up-stale-guest-accounts As users collaborate with external partners, it's possible that many guest accounts get created in Azure Active Directory (Azure AD) tenants over time. When collaboration ends and the users no longer access your tenant, the guest accounts may become stale. Admins can use Access Reviews to automatically review inactive guest users and block them from signing in, and later, delete them from the directory.

Question #217

SecExams

Introductory Info Case Study -

Overview -
Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.
Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure Active Directory (Azure AD) tenant named fabrikam.com.
Existing Environment. Existing Environment
The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.
The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.
Existing Environment. Microsoft 365/Azure Environment
Contoso has an Azure AD tenant named contoso.com that has the following associated licenses:
Microsoft Office 365 Enterprise E5
▪
Enterprise Mobility + Security E5
Windows 10 Enterprise E3
Project Plan 3
Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.
Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:
The users in the London office have the Microsoft 365 Phone System license unassigned.
The users in the Seattle office have the Yammer Enterprise license unassigned.
Security defaults are disabled for contoso.com.
Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.
Existing Environment. Problem Statements
Contoso identifies the following issues:
Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
Currently, the helpdesk administrators can perform tasks by using the User administrator role without justification or approval.
When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -
Contoso plans to implement the following changes:
Implement self-service password reset (SSPR).
Analyze Azure audit activity logs by using Azure Monitor.
Simplify license allocation for new users added to the tenant.
Collaborate with the users at Fabrikam on a joint marketing campaign.
Configure the User administrator role to require justification and approval to activate.
Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.
Contoso plans to acquire a company named ADatum Corporation. One hundred new ADatum users will be created in an Active Directory OU named Adatum. The

SecExams

users will be located in London and Seattle.
Requirements. Technical Requirements
Contoso identifies the following technical requirements:
All users must be synced from AD DS to the contoso.com Azure AD tenant.
App1 must have a redirect URI pointed to https://contoso.com/auth-response.
License allocation for new users must be assigned automatically based on the location of the user.
Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.
The helpdesk administrators must be able to manage licenses for only the users in their respective office.
Users must be forced to change their password if there is a probability that the users' identity was compromised. Question You need to sync the ADatum users. The solution must meet the technical requirements.
What should you do?

A) From the Microsoft Azure Active Directory Connect wizard, select Customize synchronization options. (Correct Answer)

B) From PowerShell, run Set-ADSyncScheduler.

C) From PowerShell, run Start-ADSyncSyncCycle.

D) From the Microsoft Azure Active Directory Connect wizard, select Change user sign-in.

Explanation

Correct Answer:
A
You need to select Customize synchronization options to configure Azure AD Connect to sync the Adatum organizational unit (OU).

Community Discussion

Answer A is correct. The following link gets to the point. https://learn.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering#filtering-options Gives more info. https://learn.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-whatis#azure-ad-connect-sync-topics

On exam 12th July 2023

Selected Answer: A

A. From the Microsoft Azure Active Directory Connect wizard, select Customize synchronization options.

Selected Answer: A

Answer A. Thats an Easy one

Selected Answer: A

Yes it's A.

SecExams

Question #218

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question You need to configure the detection of multi-staged attacks to meet the monitoring requirements.
What should you do?

A) Customize the Microsoft Sentinel rule logic. (Correct Answer)
B) Create a workbook.
C) Add Microsoft Sentinel data connectors.
D) Add an Microsoft Sentinel playbook.

Explanation

Correct Answer:
A

Community Discussion

Given Answer A is correct. Because it is the most specific thing you can do from the given choices (A, C & D). https://learn.microsoft.com/en-us/azure/sentinel/configure-fusion-rules#configure-fusion-rules

connectors are already added, it's listed in existing environment: "The subscription contains an Azure Sentinel instance that uses the AAD connector and the Office 365 connector."

connectors are already added, it's listed in existing environment: "The subscription contains an Azure Sentinel instance that uses the AAD connector and the Office 365 connector."

Hmm, why not C. Add Microsoft Sentinel data connectors.?

Selected Answer: A

https://learn.microsoft.com/en-us/azure/sentinel/configure-fusion-rules#configure-fusion-rules

SecExams

Question #219

SecExams

Introductory Info Case Study -

Overview -
Litware, Inc. is a pharmaceutical company that has a subsidiary named Fabrikam, Inc.
Litware has offices in Boston and Seattle, but has employees located across the United States. Employees connect remotely to either office by using a VPN connection.
Existing Environment. Identity Environment
The network contains an Active Directory forest named litware.com that is linked to an Azure Active Directory (Azure AD) tenant named litware.com. Azure AD
Connect uses pass-through authentication and has password hash synchronization disabled.
Litware.com contains a user named User1 who oversees all application development.
Litware implements Azure AD Application Proxy.
Fabrikam has an Azure AD tenant named fabrikam.com. The users at Fabrikam access the resources in litware.com by using guest accounts in the litware.com tenant.
Existing Environment. Cloud Environment
All the users at Litware have Microsoft 365 Enterprise E5 licenses. All the built-in anomaly detection policies in Microsoft Cloud App Security are enabled.
Litware has an Azure subscription associated to the litware.com Azure AD tenant. The subscription contains an Azure Sentinel instance that uses the Azure Active
Directory connector and the Office 365 connector. Azure Sentinel currently collects the Azure AD sign-ins logs and audit logs.
Existing Environment. On-premises Environment
The on-premises network contains the servers shown in the following table.

Name	Operating system	Office	Description
DC1	Windows Server 2019	Boston	Domain controller for litware.com
SERVER1	Windows Server 2019	Boston	Member server in litware.com that runs the Azure AD Application Proxy connector
SERVER2	Windows Server 2019	Boston	Member server that uses Azure AD Connect

Both Litware offices connect directly to the internet. Both offices connect to virtual networks in the Azure subscription by using a site-to-site VPN connection. All on-premises domain controllers are prevented from accessing the internet.

Requirements. Delegation Requirements

Litware identifies the following delegation requirements:

Delegate the management of privileged roles by using Azure AD Privileged Identity Management (PIM).

Prevent nonprivileged users from registering applications in the litware.com Azure AD tenant.

Use custom programs for Identity Governance.

Ensure that User1 can create enterprise applications in Azure AD.

Use the principle of least privilege.

Requirements. Licensing Requirements

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure

AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

Requirements. Management Requirements

Litware wants to create a group named LWGroup1 that will contain all the Azure AD user accounts for Litware but exclude all the Azure AD guest accounts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Implement multi-factor authentication (MFA) for all Litware users by using conditional access policies.

Exempt users from using MFA to authenticate to Azure AD from the Boston office of Litware.

▪

Implement a banned password list for the litware.com forest.

Enforce MFA when accessing on-premises applications.

Automatically detect and remediate externally leaked credentials.

Requirements. Access Requirements

Litware identifies the following access requirements:

Control all access to all Azure resources and Azure AD applications by using conditional access policies.

Implement a conditional access policy that has session controls for Microsoft SharePoint Online.
Control privileged access to applications by using access reviews in Azure AD.
Requirements. Monitoring Requirements
Litware wants to use the Fusion rule in Azure Sentinel to detect multi-staged attacks that include a combination of suspicious Azure AD sign-ins followed by anomalous Microsoft Office 365 activity. Question You need to track application access assignments by using Identity Governance. The solution must meet the delegation requirements.
What should you do first?

A) Modify the User consent settings for the enterprise applications.
B) Create a catalog. (Correct Answer)
C) Create a program.
D) Modify the Admin consent requests settings for the enterprise applications.

SecExams

Explanation

Correct Answer:
B
Reference:
https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-overview

Community Discussion

Should be C. Requirement is for program which is a part of Access Reviews. Catalog is for Access Packages

Where are the rest of the questions?

To track application access assignments by using Identity Governance in Microsoft Azure while meeting delegation requirements, you should start by creating a catalog. Therefore, option B, "Create a catalog," is the correct first step in this scenario. Creating a catalog is typically the first step in setting up Identity Governance to manage access to applications and resources. It allows you to define and organize your resources, including enterprise applications, and is a foundational element in the Identity Governance framework.

Options A, C, and D do not directly address the initial setup of Identity Governance and tracking application access assignments, so they are not the first steps in this context.

What is meant by creating a program? What program?

So I have been reading about this topic for the past 30 min and still can't really decide which is better - catalog or program. haha :)) So I asked ChatGPT few questions forming an answer and this is what it said about this topic - hence going with the program option. "If you want to track application access and manage privileged access in a more controlled and auditable way, creating a program in Azure AD Privileged Identity Management (PIM) would be a better option than creating a catalog So, if your main goal is to track application access and manage privileged access in a more secure and auditable way, creating a program in Azure AD PIM would be the better choice."

Question #220

You have a Microsoft 365 E5 subscription.

You need to create a Microsoft Defender for Cloud Apps session policy.

What should you do first?

A) From the Microsoft Defender for Cloud Apps portal, select User monitoring. (Correct Answer)

B) From the Microsoft Defender for Cloud Apps portal, select App onboarding/maintenance.

C) From the Azure Active Directory admin center, create a Conditional Access policy.

D) From the Microsoft Defender for Cloud Apps portal, create a continuous report.

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: C

what I should do first is: From the Azure Active Directory admin center, create a Conditional Access policy.

One of the prerequisites to using a session policy is "The relevant apps should be deployed with Conditional Access App Control", which is done via the Azure AD Admin Center https://learn.microsoft.com/en-us/defender-cloud-apps/session-policy-aad#prerequisites-to-using-session-policies https://learn.microsoft.com/en-us/defender-cloud-apps/proxy-deployment-aad ---- If you assume that has been done, and the question relates to first steps in creating the actual Session Policy, I would say you'd need to Monitor first, to see the impact of the policy prior to deploying - which would make the answer A

One of the prerequisites to using a session policy is "The relevant apps should be deployed with Conditional Access App Control", which is done via the Azure AD Admin Center https://learn.microsoft.com/en-us/defender-cloud-apps/session-policy-aad#prerequisites-to-using-session-policies https://learn.microsoft.com/en-us/defender-cloud-apps/proxy-deployment-aad ---- If you assume that has been done, and the question relates to first steps in creating the actual Session Policy, I would say you'd need to Monitor first, to see the impact of the policy prior to deploying - which would make the answer A

Selected Answer: C

Based on the provided comments, it seems that there is some confusion regarding the first step in creating a Microsoft Defender for Cloud Apps session policy. While user monitoring may be a part of the overall configuration, the initial step should be creating a Conditional Access policy from the Azure Active Directory admin center (option C)

Selected Answer: A

A. From the Microsoft Defender for Cloud Apps portal, select User monitoring.

SecExams

Question #221

SecExams

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Role
Admin1	Cloud application administrator
Admin2	Application administrator
Admin3	Security administrator
User1	*None*

You add an enterprise application named App1 to Azure AD and set User1 as the owner of App1. App1 requires admin consent to access Azure AD before the app can be used.

You configure the Admin consent requests settings as shown in the following exhibit.



Admin1, Admin2, Admin3, and User' are added as reviewers.

Which users can review and approve the admin consent requests?

A) Admin1 only
B) Admin1, Admin2 and Admin3 only
C) Admin1, Admin2, and User1 only
D) Admin1 and Admin2 only (Correct Answer)
E) Admin1, Admin2, Admin3, and User1

Explanation

Correct Answer:
D

Community Discussion

https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/configure-admin-consent-workflow "To approve requests, a reviewer must be a global administrator, cloud application administrator, or application administrator. The reviewer must already have one of these admin roles assigned; simply designating them as a reviewer doesn't elevate their privileges."

Selected Answer: D

Cloud App Admin and App Admin can grant consent. https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#cloud-application-administrator

Selected Answer: D

the answer is correct, as user 1 can review , block and deny but not approve.

To approve requests, a reviewer must have the permissions required to grant admin consent for the application requested. Simply designating them as a reviewer doesn't elevate their privileges. To approve requests, a reviewer must be a global administrator, cloud application administrator, or application administrator. The reviewer must already have one of these admin roles assigned; simply designating them as a reviewer doesn't elevate their privileges. https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/configure-admin-consent-workflow

Please ignore. Duplicate.

Question #222

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1.

You need to be notified if a user downloads more than 50 files in one minute from Site1.

Which type of policy should you create in the Microsoft Defender for Cloud Apps portal?

A) session policy
B) activity policy (Correct Answer)
C) file policy
D) anomaly detection policy

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

Custom alerts in Activity policies https://learn.microsoft.com/en-us/defender-cloud-apps/user-activity-policies

Selected Answer: B

High download rate You can set your activity policy so that you receive an alert when there has been an unexpected or uncharacteristic level of downloading activity. To configure this sort of policy, under Rate parameters, choose the parameters to trigger the alert. https://learn.microsoft.com/en-us/defender-cloud-apps/user-activity-policies#custom-alerts

https://learn.microsoft.com/en-us/defender-cloud-apps/data-protection-policies#policies There is no mention of downloads. Don't know where you got that.

https://learn.microsoft.com/en-us/defender-cloud-apps/data-protection-policies#policies There is no mention of downloads. Don't know where you got that.

Selected Answer: B

B. activity policy

Question #223

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1. Site1 hosts PDF files.

You need to prevent users from printing the files directly from Site1.

Which type of policy should you create in the Microsoft Defender for Cloud Apps portal?

A) activity policy
B) access policy
C) file policy
D) session policy (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

Correct https://learn.microsoft.com/en-us/defender-cloud-apps/session-policy-aad

Selected Answer: D

Yep, D is correct.

Session policies Block specific activities When Block activities is set as the Activity type, you can select specific activities to block in specific apps. All activities from selected apps are monitored and reported in the Activity log. The specific activities you select are blocked if you select the Block action. The specific activities you selected raise alerts if you select the Test action and have alerts turned on. Examples of blocked activities include: Send Teams message: Use it to block messages sent from Microsoft Teams, or block Teams messages containing specific content Print: Use it to block Print actions Copy: Use it to block copy to clipboard actions or only block copy for specific content Block specific activities and apply it to specific groups to create a comprehensive read-only mode for your organization.

Selected Answer: D

D. session policy

Selected Answer: D

D. session policy

SecExams

Question #224

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps and Conditional Access policies.

You need to block access to cloud apps when a user is assessed as high risk.

Which type of policy should you create in the Microsoft Defender for Cloud Apps portal?

A) access policy (Correct Answer)
B) OAuth app policy
C) anomaly detection policy
D) activity policy

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

Correct. A Microsoft Defender for Cloud Apps access policies enable real-time monitoring and control over access to cloud apps based on user, location, device, and app. https://learn.microsoft.com/en-us/defender-cloud-apps/access-policy-aad

Selected Answer: A

Sign in to the Microsoft Defender for Cloud Apps portal. Click on the Access policies tab. Click Create policy.

Selected Answer: A

A. access policy

Selected Answer: A

A. access policy

Correct is A

SecExams

Question #225

You have a Microsoft 365 E5 subscription.

Users authorize third-party cloud apps to access their data.

You need to configure an alert that will be triggered when an app requires high permissions and is authorized by more than 20 users.

Which type of policy should you create in the Microsoft Defender for Cloud Apps portal?

A) anomaly detection policy
B) OAuth app policy
C) access policy

D) activity policy (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: B

An OAuth app policy allows you to manage and control the permissions granted to third-party cloud apps that users authorize to access their data. By creating an OAuth app policy in the Microsoft Defender for Cloud Apps portal, you can define specific rules and conditions for app permissions and access. Option B, OAuth app policy, is the most appropriate choice for this scenario, as it specifically focuses on managing the authorization and permissions of third-party cloud apps. You can configure the policy to trigger an alert when an app requires high permissions and is AUTHhorized by more than 20 users, allowing you to monitor and manage the app permissions in your Microsoft 365 environment.

Selected Answer: B

The correct answer is B. OAuth app policy. An OAuth app policy is a type of policy that allows you to control the permissions and access of third-party apps that use OAuth to connect to your cloud apps, such as Microsoft 365, Google Workspace, and Salesforce. You can create an OAuth app policy based on various criteria, such as the app name, the permission level, the number of users who authorized the app, and the group memberships of those users. You can also set an alert action for the policy, which will notify you when an app meets the conditions you specified. For example, you can create an OAuth app policy that will alert you when there are apps that require a high permission level and are authorized by more than 20 users1.

Selected Answer: B

https://learn.microsoft.com/en-us/defender-cloud-apps/app-permission-policy In addition to the existing investigation of OAuth apps connected to your environment, you can set permission policies so that you get automated notifications when an OAuth app meets certain criteria. For example, you can automatically be alerted when there are apps that require a high permission level and were authorized by more than 50 users

Correct Answer: OAuth App Policy https://learn.microsoft.com/en-us/defender-cloud-apps/app-permission-policy

Selected Answer: B

In addition to the existing investigation of OAuth apps connected to your environment, you can set permission policies so that you get automated notifications when an OAuth app meets certain criteria. For example, you can automatically be alerted when there are apps that require a high permission level and were authorized by more than 50 users.

Question #226

Your company has an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Application administrator
User2	*None*
User3	Exchange administrator
User4	Cloud application administrator

You have the app registrations shown in the following table.

App name	Used by	Microsoft Graph permission
App1	User1	Calendars.Read of type Delegated
App2	User2	Calendars.Read of type Delegated Calendars.ReadWrite of type Application
App3	User3, User4	Calendars.Read of type Application

A company policy prevents changes to user permissions.

Which user can create appointments in the calendar of each user at the company?

A) User1
B) User2 (Correct Answer)
C) User3

D) User4

Explanation

Correct Answer:
B

Community Discussion

For me correct answer is B User2 is the only one who has access to Application.write for the calendar.

For me correct answer is B User2 is the only one who has access to Application.write for the calendar.

Selected Answer: B

B. User2

Selected Answer: B

User2 is the only one with write permission

Selected Answer: B

User2 has Application.write Permission

SecExams

Question #227

SecExams

HOTSPOT
-

You have an Azure Active Directory (Azure AD) tenant that contains a user named User1.

An administrator deletes User1.

You need to identify the following:

• How many days after the account of User1 is deleted can you restore the account?
• Which is the least privileged role that can be used to restore User1?

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



SecExams

Explanation

Correct Answer:



Community Discussion

Correct, the helpdesk administrator cannot recover deleted users and the other 2 options doesnt make anysense; 1. 30 days 2. user administrator

Number of days: 30 After you delete a user, the account remains in a suspended state for 30 days. During that 30-day window, the user account can be restored, along with all its properties. After that 30-day window passes, the permanent deletion process is automatically started and can't be stopped. Role: User Administrator You must have one of the following roles to restore and permanently delete users. • Global administrator • Partner Tier1 Support • Partner Tier2 Support • User administrator https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/active-directory-users-restore

1. 30 days 2. user administrator

Number of days: 30 Role: User Administrator

Was on test 24.02.2022. I answered same as here is.

SecExams

Question #228

HOTSPOT

-

You have an Azure AD tenant that contains the groups shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

You can add a managed identity to **<answer choice>**.

- Group2 only
- All Company and Group1 only
- Group2, Group3, and Group4 only
- All Company, Group1, and Group2 only
- All Company, Group1, Group2, Group3, and Group4

You can add an Azure AD cloud user to **<answer choice>**.

- Group2 only
- All Company and Group1 only
- Group2, Group3, and Group4 only
- All Company, Group1, and Group2 only
- All Company, Group1, Group2, Group3, and Group4

Explanation

Correct Answer:

Answer Area

You can add a managed identity to **<answer choice>**.

- Group2 only
- All Company and Group1 only
- Group2, Group3, and Group4 only
- All Company, Group1, and Group2 only
- All Company, Group1, Group2, Group3, and Group4

You can add an Azure AD cloud user to **<answer choice>**.

- Group2 only
- All Company and Group1 only
- Group2, Group3, and Group4 only
- All Company, Group1, and Group2 only
- All Company, Group1, Group2, Group3, and Group4

SecExams

Community Discussion

It seems correct. Here my thinking: - Managed identity to Security group only. The security group can't be Dynamic or sync from OnPremise - AD User Cloud can be added to Security and M365 groups ○ Not the dynamic (Group3) as it's using a query to get members Not Group4 as it's synch from OnPrem

Group 2 only All company, Group 1 and Group 2 only

2) Cloud users CAN be added to the dynamic cloud security group (like Group3)! Also, I think that cloud users can be added to the security group synced from the on-prem, but only if the group writeback is enabled for that group. That user will be visible as a group member in the Azure AD, but won't be synced back to the on-prem AD group Not tested but here is more info: - https://identity-man.eu/2022/07/05/using-the-new-group-writeback-functionality-in-azure-ad/ "Users which are 'cloud only' and are a member of the group are therefore not written back as member." - https://practical365.com/azure-ad-connect-group-writeback-deep-dive/ "If you add any Azure AD cloud-only identities, they will not show up in Active Directory and your group membership will not be consistent."

The given answer is correct

second answer is correct, allcompany, group 1 & 2, im not sure about the first question. I looked up and i only can find something about security groups, but not about dynamic groups

Question #229

You have an Azure AD tenant that contains two users named User1 and User2.

You plan to perform the following actions:

- Create a group named Group1.
- Add User1 and User2 to Group1.
- Assign Azure AD roles to Group1.

You need to create Group1.

Which two settings can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A) Group type: Microsoft 365 -
Membership type: Assigned (Correct Answer)
B) Group type: Security -
Membership type: Assigned (Correct Answer)
C) Group type: Security -
Membership type: Dynamic User
D) Group type: Microsoft 365 -
Membership type: Dynamic User
E) Group type: Security -
Membership type: Dynamic Device

Explanation

Correct Answer:
AB

Community Discussion

Correct, when you create a group you MUST enable "azure ad roles can be assigned to the group" (cannot be done afterwards). If you enable this feature when creating a group, dynamic groups are getting greyed out / disabled. So yes, only assigned security and assigned m365 groups

Selected Answer: AB

A. Group type: Microsoft 365 - Membership type: Assigned B. Group type: Security - Membership type: Assigned

Just confirmed on my tenant

Just confirmed on my tenant

Selected Answer: AB

A. Group type: Microsoft 365 - Membership type: Assigned B. Group type: Security - Membership type: Assigned

SecExams

Question #230

DRAG DROP

-

You have a Microsoft 365 E5 subscription.

You need to perform the following tasks:

• Identify the locations and IP addresses used by Azure AD users to sign in.
• Review the Azure AD security settings and identify improvement recommendations.
• Identify changes to Azure AD users or service principals.

What should you use for each task? To answer, drag the appropriate resources to the correct requirements. Each resource may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Explanation

Correct Answer:



Community Discussion

Answers are correct!

1. Sign-in logs 2. Audit logs 3. Identity secure score

1. Sign-in logs 2. Audit logs 3. Identity secure score

Agree with all the answers

Correct

SecExams

Question #231

You have an Azure AD tenant that contains a user named User1 and a registered app named App1.

User1 deletes the app registration of App1.

You need to restore the app registration.

What is the maximum number of days you have to restore the app registration from when it was deleted?

A) 14
B) 30 (Correct Answer)
C) 60
D) 180

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

Yes, it's 30 days. https://learn.microsoft.com/en-us/azure/active-directory/develop/howto-restore-app

Selected Answer: B

Correct Answer: B

Selected Answer: B

B. 30 days

Neither you nor Microsoft customer support can restore a permanently deleted application or an application deleted more than 30 days ago.

Neither you nor Microsoft customer support can restore a permanently deleted application or an application deleted more than 30 days ago.

SecExams

Question #232

HOTSPOT

-

You have a Microsoft 365 tenant.

Sometimes, users use external, third-party applications that require limited access to the Microsoft 365 data of the respective user. The users register the applications in Azure AD.

You need to receive an alert if a registered application gains read and write access to the users' email.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Tool to use:

- Azure AD Identity Protection
- Identity Governance
- Microsoft Defender for Cloud Apps
- Microsoft Endpoint Manager

Policy type to create:

- App discovery
- App protection
- Conditional access
- OAuth app
- Sign-in risk
- User risk

SecExams

Explanation

Correct Answer:

Answer Area



Community Discussion

The answer is correct - https://learn.microsoft.com/en-us/defender-cloud-apps/app-permission-policy

Tool: Microsoft Defender for Cloud Apps Policy type: OAuth app

Answer is correct !

Tool: Microsoft Defender for Cloud Apps Policy type: OAuth app

SecExams

Question #233

SecExams

Case Study -

Overview -

ADatum Corporation is a consulting company in Montreal.

ADatum recently acquired a Vancouver-based company named Litware, Inc.

Existing Environment. ADatum Environment

The on-premises network of ADatum contains an Active Directory Domain Services (AD DS) forest named adatum.com.

ADatum has a Microsoft 365 E5 subscription. The subscription contains a verified domain that syncs with the adatum.com AD DS domain by using Azure AD Connect.

ADatum has an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant has Security defaults disabled.

The tenant contains the users shown in the following table.

Name	Role
User1	*None*
User2	*None*
User3	User administrator
User4	Privileged role administrator
User5	Identity Governance Administrator

The tenant contains the groups shown in the following table.

SecExams

Name	Type	Membership type	Owner	Members
IT_Group1	Security	Assigned	*None*	All users in the IT department
AdatumUsers	Security	Assigned	*None*	User1, User2

Existing Environment. Litware Environment

Litware has an AD DS forest named litware.com

Existing Environment. Problem Statements

ADatum identifies the following issues:

• Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit.
• A recent security incident reveals that several users leaked their credentials, a suspicious browser was used for a sign-in, and resources were accessed from an anonymous IP address.
• When you attempt to assign the Device Administrators role to IT_Group1, the group does NOT appear in the selection list.
• Anyone in the organization can invite guest users, including other guests and non-administrators.
• The helpdesk spends too much time resetting user passwords.
• Users currently use only passwords for authentication.

Requirements. Planned Changes -

ADatum plans to implement the following changes:

• Configure self-service password reset (SSPR).
• Configure multi-factor authentication (MFA) for all users.

SecExams

• Configure an access review for an access package named Package1.
• Require admin approval for application access to organizational data.
• Sync the AD DS users and groups of litware.com with the Azure AD tenant.
• Ensure that only users that are assigned specific admin roles can invite guest users.
• Increase the maximum number of devices that can be joined or registered to Azure AD to 10.

Requirements. Technical Requirements

ADatum identifies the following technical requirements:

• Users assigned the User administrator role must be able to request permission to use the role when needed for up to one year.
• Users must be prompted to register for MFA and provided with an option to bypass the registration for a grace period.
• Users must provide one authentication method to reset their password by using SSPR. Available methods must include:
- Email
- Phone
- Security questions
- The Microsoft Authenticator app
• Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.
• The principle of least privilege must be used.

SecExams

You need implement the planned changes for application access to organizational data.

What should you configure?

A) authentication methods
B) the User consent settings (Correct Answer)
C) access packages
D) an application proxy

Explanation

Correct Answer:
B

Community Discussion

One moment, either I'm reading the question and requirement wrong or the answer isn't correct. The requirement is: Require admin approval for application access to organizational data. To deny user consent for Azure applications, that can be done via User consent settings. https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/configure-user-consent?pivots=portal That means answer should be B, not C. Someone please correct me if I'm missing this question completely.

One moment, either I'm reading the question and requirement wrong or the answer isn't correct. The requirement is: Require admin approval for application access to organizational data. To deny user consent for Azure applications, that can be done via User consent settings. https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/configure-user-consent?pivots=portal That means answer should be B, not C. Someone please correct me if I'm missing this question completely.

Selected Answer: C

Azure Portal> Azure AD > Identity Governance > (Entitlement Management Heading) Access Packages > + New Access Package (from the top bar) > (Resources tab) + Applications > (Requests tab) in the section "users who can requests" we check box " for users in your directory), and then "all members(incl. guests), and then in the section " approval, we select "Yes" ..etc

I'm with the Hull on this one. Correct me if I'm wrong. Requirements. Planned Changes: Require admin approval for application access to organizational data. "Before an application can access your organization's data, a user must grant the application permissions to do so. Different permissions allow different levels of access." "To allow users to request an administrator's review and approval of an application that the user isn't allowed to consent to, enable the admin consent workflow. For example, you might do this when user consent has been disabled or when an application is requesting permissions that the user isn't allowed to grant." If i understand correctly, you should first go to Identity > Applications > Enterprise applications > Consent and permissions > User consent settings. Under User consent for applications, choose Do not allow user consent. Then you should enable the admin consent workflow: Browse to Identity >

Applications > Enterprise applications > Consent and permissions > Admin consent settings. Under Admin consent requests, select Yes for Users can request admin consent to apps they are unable to consent to.

I'm with the Hull on this one. Correct me if I'm wrong. Requirements. Planned Changes: Require admin approval for application access to organizational data. "Before an application can access your organization's data, a user must grant the application permissions to do so. Different permissions allow different levels of access." "To allow users to request an administrator's review and approval of an application that the user isn't allowed to consent to, enable the admin consent workflow. For example, you might do this when user consent has been disabled or when an application is requesting permissions that the user isn't allowed to grant." If i understand correctly, you should first go to Identity > Applications > Enterprise applications > Consent and permissions > User consent settings. Under User consent for applications, choose Do not allow user consent. Then you should enable the admin consent workflow: Browse to Identity > Applications > Enterprise applications > Consent and permissions > Admin consent settings. Under Admin consent requests, select Yes for Users can request admin consent to apps they are unable to consent to.

SecExams

Question #234

SecExams

Case Study -

Overview -

ADatum Corporation is a consulting company in Montreal.

ADatum recently acquired a Vancouver-based company named Litware, Inc.

Existing Environment. ADatum Environment

The on-premises network of ADatum contains an Active Directory Domain Services (AD DS) forest named adatum.com.

ADatum has a Microsoft 365 E5 subscription. The subscription contains a verified domain that syncs with the adatum.com AD DS domain by using Azure AD Connect.

ADatum has an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant has Security defaults disabled.

The tenant contains the users shown in the following table.

Name	Role
User1	*None*
User2	*None*
User3	User administrator
User4	Privileged role administrator
User5	Identity Governance Administrator

The tenant contains the groups shown in the following table.

SecExams

Name	Type	Membership type	Owner	Members
IT_Group1	Security	Assigned	*None*	All users in the IT department
AdatumUsers	Security	Assigned	*None*	User1, User2

Existing Environment. Litware Environment

Litware has an AD DS forest named litware.com

Existing Environment. Problem Statements

ADatum identifies the following issues:

• Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit.
• A recent security incident reveals that several users leaked their credentials, a suspicious browser was used for a sign-in, and resources were accessed from an anonymous IP address.
• When you attempt to assign the Device Administrators role to IT_Group1, the group does NOT appear in the selection list.
• Anyone in the organization can invite guest users, including other guests and non-administrators.
• The helpdesk spends too much time resetting user passwords.
• Users currently use only passwords for authentication.

Requirements. Planned Changes -

ADatum plans to implement the following changes:

• Configure self-service password reset (SSPR).
• Configure multi-factor authentication (MFA) for all users.

SecExams

• Configure an access review for an access package named Package1.
• Require admin approval for application access to organizational data.
• Sync the AD DS users and groups of litware.com with the Azure AD tenant.
• Ensure that only users that are assigned specific admin roles can invite guest users.
• Increase the maximum number of devices that can be joined or registered to Azure AD to 10.

Requirements. Technical Requirements

ADatum identifies the following technical requirements:

• Users assigned the User administrator role must be able to request permission to use the role when needed for up to one year.
• Users must be prompted to register for MFA and provided with an option to bypass the registration for a grace period.
• Users must provide one authentication method to reset their password by using SSPR. Available methods must include:
- Email
- Phone
- Security questions
- The Microsoft Authenticator app
• Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.
• The principle of least privilege must be used.

SecExams

You need to implement the planned changes for Package1.

Which users can create and manage the access review?

A) User3 only
B) User4 only
C) User5 only
D) User3 and User4
E) User3 and User5 (Correct Answer)
F) User4 and User5

Explanation

Correct Answer:
E

Community Discussion

but user 4 is the user with Priviledged Role Administrator role....

Answer is C To enable reviews of access packages, you must meet the prerequisites for creating an access package: - Microsoft Entra ID P2 or Microsoft Entra ID Governance - Global administrator, Identity Governance administrator, Catalog owner, or Access package manager https://learn.microsoft.com/en-us/entra/id-governance/entitlement-management-access-reviews-create

Selected Answer: E

Requirements. Planned Changes: Configure an access review for an access package named Package1. Looking at the link below, only User3 & User5 can create and manage access reviews for access package named Package1. https://learn.microsoft.com/en-us/azure/active-directory/governance/deploy-access-reviews#who-will-create-and-manage-access-reviews

Selected Answer: C

Answer is C https://learn.microsoft.com/en-us/entra/id-governance/deploy-access-reviews#who-will-create-and-manage-access-reviews The role required to create an access review will depend on the type of resource the access review is for.

Selected Answer: C

https://learn.microsoft.com/en-us/entra/id-governance/deploy-access-reviews#who-will-create-and-manage-access-reviews Definitely C is the answer.

SecExams

Question #235

SecExams

Case Study -

Overview -

ADatum Corporation is a consulting company in Montreal.

ADatum recently acquired a Vancouver-based company named Litware, Inc.

Existing Environment. ADatum Environment

The on-premises network of ADatum contains an Active Directory Domain Services (AD DS) forest named adatum.com.

ADatum has a Microsoft 365 E5 subscription. The subscription contains a verified domain that syncs with the adatum.com AD DS domain by using Azure AD Connect.

ADatum has an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant has Security defaults disabled.

The tenant contains the users shown in the following table.

Name	Role
User1	*None*
User2	*None*
User3	User administrator
User4	Privileged role administrator
User5	Identity Governance Administrator

The tenant contains the groups shown in the following table.

SecExams

Name	Type	Membership type	Owner	Members
IT_Group1	Security	Assigned	*None*	All users in the IT department
AdatumUsers	Security	Assigned	*None*	User1, User2

Existing Environment. Litware Environment

Litware has an AD DS forest named litware.com

Existing Environment. Problem Statements

ADatum identifies the following issues:

• Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit.
• A recent security incident reveals that several users leaked their credentials, a suspicious browser was used for a sign-in, and resources were accessed from an anonymous IP address.
• When you attempt to assign the Device Administrators role to IT_Group1, the group does NOT appear in the selection list.
• Anyone in the organization can invite guest users, including other guests and non-administrators.
• The helpdesk spends too much time resetting user passwords.
• Users currently use only passwords for authentication.

Requirements. Planned Changes -

ADatum plans to implement the following changes:

• Configure self-service password reset (SSPR).
• Configure multi-factor authentication (MFA) for all users.

SecExams

• Configure an access review for an access package named Package1.
• Require admin approval for application access to organizational data.
• Sync the AD DS users and groups of litware.com with the Azure AD tenant.
• Ensure that only users that are assigned specific admin roles can invite guest users.
• Increase the maximum number of devices that can be joined or registered to Azure AD to 10.

Requirements. Technical Requirements

ADatum identifies the following technical requirements:

• Users assigned the User administrator role must be able to request permission to use the role when needed for up to one year.
• Users must be prompted to register for MFA and provided with an option to bypass the registration for a grace period.
• Users must provide one authentication method to reset their password by using SSPR. Available methods must include:
- Email
- Phone
- Security questions
- The Microsoft Authenticator app
• Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.
• The principle of least privilege must be used.

SecExams

You need to resolve the issue of the guest user invitations.

What should you do for the Azure AD tenant?

A) Configure the Continuous access evaluation settings.
B) Configure a Conditional Access policy.
C) Modify the External collaboration settings. (Correct Answer)
D) Configure the Access reviews settings.

Explanation

Correct Answer:
C

Community Discussion

Selected Answer: C

C. Modify the External collaboration settings.

Selected Answer: C

Azure Portal > Azure AD > External identities > External collaboration settings > (Guest invite settings Section) check "Only users assigned to specific admin roles can invite guest users"

Selected Answer: C

Answer is correct. You can change the option of who can invite guest.

SecExams

Question #236

SecExams

Case Study -

Overview -

ADatum Corporation is a consulting company in Montreal.

ADatum recently acquired a Vancouver-based company named Litware, Inc.

Existing Environment. ADatum Environment

The on-premises network of ADatum contains an Active Directory Domain Services (AD DS) forest named adatum.com.

ADatum has a Microsoft 365 E5 subscription. The subscription contains a verified domain that syncs with the adatum.com AD DS domain by using Azure AD Connect.

ADatum has an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant has Security defaults disabled.

The tenant contains the users shown in the following table.

Name	Role
User1	*None*
User2	*None*
User3	User administrator
User4	Privileged role administrator
User5	Identity Governance Administrator

The tenant contains the groups shown in the following table.

SecExams

Name	Type	Membership type	Owner	Members
IT_Group1	Security	Assigned	*None*	All users in the IT department
AdatumUsers	Security	Assigned	*None*	User1, User2

Existing Environment. Litware Environment

Litware has an AD DS forest named litware.com

Existing Environment. Problem Statements

ADatum identifies the following issues:

• Multiple users in the sales department have up to five devices. The sales department users report that sometimes they must contact the support department to join their devices to the Azure AD tenant because they have reached their device limit.
• A recent security incident reveals that several users leaked their credentials, a suspicious browser was used for a sign-in, and resources were accessed from an anonymous IP address.
• When you attempt to assign the Device Administrators role to IT_Group1, the group does NOT appear in the selection list.
• Anyone in the organization can invite guest users, including other guests and non-administrators.
• The helpdesk spends too much time resetting user passwords.
• Users currently use only passwords for authentication.

Requirements. Planned Changes -

ADatum plans to implement the following changes:

• Configure self-service password reset (SSPR).
• Configure multi-factor authentication (MFA) for all users.

SecExams

• Configure an access review for an access package named Package1.
• Require admin approval for application access to organizational data.
• Sync the AD DS users and groups of litware.com with the Azure AD tenant.
• Ensure that only users that are assigned specific admin roles can invite guest users.
• Increase the maximum number of devices that can be joined or registered to Azure AD to 10.

Requirements. Technical Requirements

ADatum identifies the following technical requirements:

• Users assigned the User administrator role must be able to request permission to use the role when needed for up to one year.
• Users must be prompted to register for MFA and provided with an option to bypass the registration for a grace period.
• Users must provide one authentication method to reset their password by using SSPR. Available methods must include:
- Email
- Phone
- Security questions
- The Microsoft Authenticator app
• Trust relationships must NOT be established between the adatum.com and litware.com AD DS domains.
• The principle of least privilege must be used.

SecExams

You need to modify the settings of the User administrator role to meet the technical requirements.

Which two actions should you perform for the role? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A) Select Require justification on activation.
B) Select Require ticket information on activation.
C) Modify the Expire eligible assignments after setting. (Correct Answer)

D) Set all assignments to Eligible. (Correct Answer)

E) Set all assignments to Active.

Explanation

Correct Answer:
CD

Community Discussion

Selected Answer: CD

correct

Selected Answer: CD

C. Modify the Expire eligible assignments after setting. "Users assigned the User administrator role must be able to request permission to use the role when needed " It's the only way to "be able to request permission", making it Eleible. If it were "active", there won't be able to "ask for" anything. D. Set all assignments to Eligible. " up to one year." So there is needed to set an expiration date to be elegible and not active all time.

Where can i find the "Expire eligible assignments after setting." ?

Selected Answer: CD

no debate on this answer

SecExams

Question #237

You have an Azure AD tenant.

You configure User consent settings to allow users to provide consent to apps from verified publishers.

You need to ensure that the users can only provide consent to apps that require low impact permissions.

What should you do?

A) Create an enterprise application collection. (Correct Answer)
B) Create an access review.
C) Create an access package.
D) Configure permission classifications.

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: D

I go with D https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/configure-permission-classifications?pivots=portal

Selected Answer: D

To ensure that users can only provide consent to apps that require low impact permissions, you should configure permission classifications in your Azure AD tenant. Configuring permission classifications allows you to classify the permissions requested by apps into different impact levels, such as low, medium, or high. By assigning the appropriate impact level to each permission, you can control which apps users are allowed to consent to based on the impact level of the requested permissions

Selected Answer: D

I go with D https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/configure-permission-classifications?pivots=portal

D looks like the better answer, when creating a custom app policy you need to define the Permissions Classification: https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/manage-app-consent-policies?pivots=ms-powershell. However this is overly complex as it seems the easiest thing to do is just select the radial to allow user consent to apps from trusted publishers, default impact is low. https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/configure-user-consent?pivots=portal

Selected Answer: D

Configure permission classifications for this...

SecExams

Question #238

HOTSPOT

-

You have a Microsoft 365 E5 subscription that contains a user named User1.

You configure app governance integration.

User1 needs to view the App governance dashboard. The solution must use the principle of the least privilege.

Which role should you assign to User1, and which portal should User1 use to view the dashboard? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Role:

- Application Administrator
- Application Developer
- Cloud Application Administrator

Portal:

- The Microsoft 365 admin center
- The Microsoft 365 Defender portal
- The Microsoft Defender for Cloud Apps portal
- The Microsoft Purview compliance portal

SecExams

Explanation

Correct Answer:



Community Discussion

Role: Cloud Application Administrator Portal: The Microsoft 365 Defender Portal According to your link, Cloud Application Administrator has the same permissions to the M365 Defender Portal and has less total privileges than Application Administrator. https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference

Role: Cloud Application Administrator Portal: The Microsoft 365 Defender Portal According to your link, Cloud Application Administrator has the same permissions to the M365 Defender Portal and has less total privileges than Application Administrator. https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference

The "Application Administrator" role indeed has the necessary permissions to view and manage enterprise applications within the Azure and Microsoft 365 ecosystems. However, if the goal is to adhere strictly to the principle of least privilege, the "Cloud Application Administrator" role is more specific and restrictive, granting only the permissions necessary to perform the task without including broader administrative capabilities that an Application Administrator would have. As for the portal choice, the Microsoft 365

Defender portal integrates security management across Microsoft 365 services. However, for app-specific governance and monitoring, Microsoft Defender for Cloud Apps is the specialized portal that provides a dedicated environment for managing cloud app security, including the app governance features. So, while the Application Administrator role and the Microsoft 365 Defender portal could potentially be used to view the App governance dashboard, the Cloud Application Administrator role paired with the Microsoft Defender for Cloud Apps portal is a more direct match for the task, aligning better with the principle of least privilege and the specific focus on app governance.

Box 1: Application Administrator Box 2: M365 Defender Portal User1 needs to review all Apps and Not Cloud Apps only

Role: Cloud Application Administrator Portal: The Microsoft 365 Defender Portal

Question #239

You have an Azure subscription.

You are evaluating enterprise software as a service (SaaS) apps.

You need to ensure that the apps support automatic provisioning of Azure AD users.

Which specification should the apps support?

A) OAuth 2.0
B) WS-Fed
C) SCIM 2.0 (Correct Answer)
D) LDAP 3

Explanation

Correct Answer:
C

Community Discussion

Selected Answer: C

C. SCIM 2.0 SCIM (System for Cross-domain Identity Management) is a protocol specifically designed for automating user provisioning and deprovisioning between identity providers like Azure AD and SaaS applications. It allows for automatic synchronization of user accounts, groups, and roles between systems, making it a common choice for SaaS app integration with identity providers like Azure AD.

Selected Answer: C

C. SCIM 2.0 (System for Cross-domain Identity Management): SCIM is a standard protocol for automating the exchange of user identity information between identity domains, including cloud-based SaaS applications and identity providers like Azure AD. SCIM 2.0 is specifically designed for this purpose and provides a standardized way to create, read, update, and delete user accounts in a SaaS app from the identity provider. Azure AD uses SCIM for provisioning users to applications that support it.

Selected Answer: C

C.SCIM https://learn.microsoft.com/en-us/azure/active-directory/app-provisioning/user-provisioning

Selected Answer: C

C https://learn.microsoft.com/en-us/azure/active-directory/app-provisioning/user-provisioning or https://techcommunity.microsoft.com/t5/security-compliance-and-identity/provisioning-with-scim-getting-started/ba-p/880010

SecExams

Question #240

You have a Microsoft 365 E5 subscription that contains a user named User1.

You need to ensure that User1 can create access reviews for Azure AD roles. The solution must use the principle of least privilege.

Which role should you assign to User1?

A) Privileged role administrator
B) Identity Governance Administrator
C) User administrator (Correct Answer)
D) User Access Administrator

Explanation

Correct Answer:
C

Community Discussion

Selected Answer: A

To create access reviews for Azure resources, you must be assigned to the Owner or the User Access Administrator role for the Azure resources. To create access reviews for Azure AD roles, you must be assigned to the Global Administrator or the Privileged Role Administrator role. https://learn.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-create-roles-and-resource-roles-review#prerequisites

The correct answer is B. Identity Governance Administrator. According to the web search results, the Identity Governance Administrator role can create and manage access reviews for Azure AD roles1. The Privileged role administrator role can only manage Azure AD roles, but not access reviews2. The User administrator and User Access Administrator roles do not have permissions to create or manage access reviews3.

Selected Answer: B

The correct answer is B. Identity Governance Administrator. The Identity Governance Administrator role allows users to create and manage access reviews for Azure AD roles, as well as other identity governance features. Privileged role administrator: This role allows users to manage all privileged roles in Azure AD. This is more permission than User1 needs, as they only need to be able to create access reviews for Azure AD roles.

Selected Answer: A

A. Privileged role administrator

Selected Answer: A

To create access reviews for Azure resources, you must be assigned to the Owner or the User Access Administrator role for the Azure resources. To create access reviews for Azure AD roles, you must be assigned to the Global Administrator or the Privileged Role Administrator role.

SecExams

Question #241

SecExams

HOTSPOT
-

You have a Microsoft 365 E5 subscription that contains three users named User1, User2, and User3.

You have two Azure AD roles that have the Activation settings shown in the following table.

Name	Required justification on activation	Require approval to activate	Approvers
Role1	No	Yes	User1
Role2	Yes	No	None

The Azure AD roles have the Assignment settings shown in the following table.

Role	Allow permanent eligible assignment	Allow Permanent activate assignment	Require justification on active assignment
Role1	Yes	Yes	Yes
Role2	No	Yes	Yes

The Azure AD roles have the eligible users shown in the following table.

Role	Eligible assignment
Role1	User1, User2
Role2	User3

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If User1 requests Role1, the request will be approved automatically.	○	○
User1 can approve the request of User3 for Role2.	○	○
User1 must provide justification to approve the request of User2 for Role1.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
If User1 requests Role1, the request will be approved automatically.	○	○
User1 can approve the request of User3 for Role2.	○	○
User1 must provide justification to approve the request of User2 for Role1.	○	○

Community Discussion

N - Approvers cannot approve their own role activation requests (Topic 4 Question 34) N - User1 is not an approver for Role2 N - Justification is not required for Role1

1. NO - just, tested it. You cannot approve your own request, it is not even visable under "approve requests" 2. No of course. 3.Yes - can not approve without justificaiton

1. NO - just, tested it. You cannot approve your own request, it is not even visable under "approve requests" 2. No of course. 3.Yes - can not approve without justificaiton

1. NO - just, tested it. You cannot approve your own request, it is not even visable under "approve requests" 2. No of course. 3.Yes - can not approve without justificaiton

1. NO - just, tested it. You cannot approve your own request, it is not even visable under "approve requests" 2. No of course. 3.Yes - can not approve without justificaiton

SecExams

Question #242

SecExams

HOTSPOT
-

You have a hybrid Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
Admin1	Global Administrator
Admin2	Application Administrator
Admin3	Cloud Application Administrator
Admin4	Application Developer
User1	*None*

You plan to deploy an on-premises app named App1. App1 will be registered in Azure AD and will use Azure AD Application Proxy.

You need to delegate the installation of the Application Proxy connector and ensure that User1 can register App1 in Azure AD. The solution must use the principle of least privilege.

Which user should perform the installation, and which role should you assign to User1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

SecExams



SecExams

Explanation

Correct Answer:



Community Discussion

Admin 2 Application Developer as per link below. https://learn.microsoft.com/en-us/azure/active-directory/develop/web-app-tutorial-01-register-application

Admin 2 Application Dev

The second answer might be Application developer. This MS Learn page says that you have to be at least a Cloud application administrator: https://learn.microsoft.com/en-us/azure/active-directory/develop/quickstart-register-app However, another MS Learn page says that Application developer is enough: https://learn.microsoft.com/en-us/azure/active-directory/develop/web-app-tutorial-01-register-application I think I will go with Application developer, cause it's least privileged.

The second answer might be Application developer. This MS Learn page says that you have to be at least a Cloud application administrator: https://learn.microsoft.com/en-us/azure/active-directory/develop/quickstart-register-app However, another MS Learn page says that Application developer is enough: https://learn.microsoft.com/en-us/azure/active-directory/develop/web-app-tutorial-01-register-application I think I will go with Application developer, cause it's least privileged.

Admin 2 Application Dev

SecExams

Question #243

SecExams

HOTSPOT

-

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of administrative unit
User1	AU1
User2	AU1
User3	AU1
User4	AU2
User5	Not a member of an administrative unit

The users are assigned the roles shown in the following table.

User	Role	Role scope
User1	Password Administrator	Organization
User2	Global Reader	Organization
User3	*None*	*Not applicable*
User4	Password Administrator	AU1
User5	*None*	*Not applicable*

For which users can User1 and User4 reset passwords? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

User 1:

- User3 only
- User2 and User5 only
- User3 and User5 only
- User2, User3, and User5 only
- User3, User4 and User5 only
- User2, User3, User4, and User5

User 4:

- User3 only
- User2 and User3 only
- User3 and User5 only
- User1, User2, and User3 only

SecExams

Explanation

Correct Answer:

Answer Area



SecExams

Community Discussion

Correct User1 -> User2, User3, User4, User5 User4 -> User1, User2 & User3 Can reset passwords for non-administrators and Password Administrators https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#who-can-reset-passwords

Correct

Correct. Organization - everyone under the org AU1 - only those belonging to the said AU

Correct User1 -> User2, User3, User4, User5 User4 -> User1, User2 & User3

Question #244

You have a Microsoft 365 E5 subscription that contains a user named User1.
User is eligible for the Application administrator role.

User1 needs to configure a new connector group for an application proxy.

What should you use to activate the role for User1?

A) the Microsoft Defender for Cloud Apps portal
B) the Microsoft 365 admin center
C) the Azure Active Directory admin center (Correct Answer)
D) the Microsoft 365 Defender portal

Explanation

Correct Answer:
C

Community Discussion

Selected Answer: C

https://learn.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-how-to-activate-role

I have no clue why the guy above me thinks that link is helpful.. Refer to the below:
https://learn.microsoft.com/en-us/entra/global-secure-access/how-to-configure-connectors

I have no clue why the guy above me thinks that link is helpful.. Refer to the below:
https://learn.microsoft.com/en-us/entra/global-secure-access/how-to-configure-connectors

Selected Answer: C

C. the Azure Active Directory admin center

Selected Answer: C

The sentence "User1 needs to configure a new connector group for an application proxy" is there to just mess you up. Don't mind it. Correct answer is Azure AD Admin Center (now Microsoft Entra admin center). Look at the Charlies link.

Question #245

You have an Azure subscription that contains a registered app named App1.

You need to review the sign-in activity for App1. The solution must meet the following requirements:

- Identify the number of failed sign-ins.
- Identify the success rate of sign-ins.
- Minimize administrative effort.

What should you use?

A) Sign-in logs (Correct Answer)
B) Access reviews
C) Audit logs
D) Usage & insights

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: D

D: Usage & insights

Selected Answer: D

https://learn.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-sign-ins#microsoft-entra-usage-and-insights

Selected Answer: D

D: All required info is in Usage & Insight

Selected Answer: A

https://learn.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-all-sign-ins

Selected Answer: A

https://learn.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-all-sign-ins

Question #246

Your company has an Azure AD tenant that contains a user named User1.

The company has two departments named marketing and finance.

You need to grant permissions to User1 to manage only the users in the marketing department. The solution must ensure that User1 does NOT have permissions to manage the users in the finance department.

What should you create first?

A) a management group
B) an administrative unit (Correct Answer)
C) a resource group
D) a Microsoft 365 group

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

Administrative Unit

Selected Answer: B

Correct answer. B. an administrative unit. "Administrative units restrict permissions in a role to any portion of your organization that you define. You could, for example, use administrative units to delegate the Helpdesk Administrator role to regional support specialists, so they can manage users only in the region that they support." https://learn.microsoft.com/en-us/azure/active-directory/roles/administrative-units

Selected Answer: B

B. an administrative unit

SecExams

Question #247

You have an Azure AD tenant that contains an access package named Package1 and a user named User1. Package1 is configured as shown in the following exhibit.



You need to ensure that User1 can modify the review frequency of Package1. The solution must use the principle of least privilege.

Which role should you assign to User1?

A) Security administrator
B) Privileged role administrator
C) External Identity Provider administrator
D) User administrator (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

Tried this with all the suggested answer, and none of them can modify the review frequency of Package1. See explanation below. Security Admin - Cannot update Policy Privileged role administrator - Gets “No access” to Access Packages. External Identity Provider administrator - Gets “No access” to Access Packages. User administrator - Gets “No access” to Access Packages. User administrator used to be the right choice for this question. However, things have now changed: The User Administrator role is no longer allowed to manage catalogs and access packages in Azure AD Entitlement Management. Please transition to the Identity Governance Administrator role to continue managing access without disruption, or go to the Entitlement Management settings page if you need to temporarily opt out. So, if there is an option in this question to choose Identity Governance Administrator, choose that. https://learn.microsoft.com/azure/active-directory/governance/identity-governance-overview?WT.mc_id=Portal-Microsoft_Azure_ELMAdmin#appendix---least-privileged-roles-for-managing-in-identity-governance-features

Should be Identity Governance Admin if up to date, but if not present, choose User Administrator. "The least privileged role for Entitlement management has changed from the User Administrator role to the Identity Governance Administrator role." https://learn.microsoft.com/en-us/azure/active-directory/governance/identity-governance-overview?WT.mc_id=Portal-Microsoft_Azure_ELMAdmin#appendix---least-privileged-roles-for-managing-in-identity-governance-features

Selected Answer: D

o enable reviews of access packages, you must meet the prerequisites for creating an access package: Microsoft Azure AD Premium P2 or Microsoft Entra ID Governance Global administrator, Identity Governance administrator, User administrator, Catalog owner, or Access package manager

Agree!

Agree!

Question #248

HOTSPOT

-

You have an Azure subscription.

Azure AD logs are sent to a Log Analytics workspace.

You need to query the logs and graphically display the number of sign-ins per user.

How should you complete the query? To answer, select the appropriate options in the answer area,

NOTE: Each correct selection is worth one point.

Answer Area

```
SigninLogs
| where ResultType == 0
| [ ▼ ]  login_count = count() by Identity
| [ ▼ ]  columnchart
```

- extend
- print
- project
- render
- summarize

- extend
- print
- project
- render
- summarize

SecExams

Explanation

Correct Answer:

Answer Area



Community Discussion

SigninLogs | where ResultType == 0 | summarize login_count = count() by Identity | render columnchart To view and query the logs, you will need to open Log Analytics, click on your workspace and then click on the Logs page. Logs are queried using a language called Kusto Query Language (KQL). Kusto Query Language (KQL) is a powerful tool to explore your data and discover patterns, identify anomalies and outliers, create statistical modeling, and more. The query uses schema entities that are organized in a hierarchy similar to SQLs: databases, tables, and columns. ResultType - The result of the sign-in operation can be 0 for success or an error code for failure. In this question it shows successful logins. The summarize operator is essential to performing aggregations over your data. The summarize operator groups together rows based on the by clause and then uses the provided aggregation function to combine each group in a single row. Find the number of events by Identity using summarize with the count aggregation function. Render operator instructs the user agent to render a visualization of the query results. In this question, it uses column chart.

SigninLogs |where ResultType == 0 |summarize login_count = count() by Identity |render columnchart Test in my lab.

- Summarize - Render

Correct SigninLogs | where ResultType == 0 | summarize login_count = count() by Identity | render columnchart

SecExams

Question #249

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps.

You need to identify which users access Facebook from their devices and browsers. The solution must minimize administrative effort.

What should you do first?

A) Create a Conditional Access policy.
B) Create a Defender for Cloud Apps access policy.
C) Create an app configuration policy in Microsoft Endpoint Manager.
D) From the Microsoft Defender for Cloud Apps portal, unsanction Facebook. (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: B

How does unsanctioning an app which effectively block access to the app give you an insight to which users access it on their device? i dont see how D is the answer to this question. I believe creating a CLOUD APP ACCESS POLICY is what is needed. Please correct me if i am wrong

Selected Answer: D

Unsanctioning an app doesn't block use, but enables you to more easily monitor its use with the Cloud Discovery filters. You can then notify users of the unsanctioned app and suggest an alternative safe app for their use, or generate a block script using the Defender for Cloud Apps APIs to block all unsanctioned apps. https://learn.microsoft.com/en-us/defender-cloud-apps/governance-discovery#sanctioningunsanctioning-an-app

Selected Answer: B

Agree with McDonald, I'm going to balance it up

Yes B is the answer. Create a Defender for Cloud Apps access policy: Creating a Defender for Cloud Apps access policy allows you to define conditions and settings to monitor and control access to specific cloud applications, such as Facebook. This approach helps you gain insights into user activities related to Facebook without immediately blocking or unsanctioning the application.

Yes B is the answer. Create a Defender for Cloud Apps access policy: Creating a Defender for Cloud Apps access policy allows you to define conditions and settings to monitor and control access to specific cloud applications, such as Facebook. This approach helps you gain insights into user activities related to Facebook without immediately blocking or unsanctioning the application.

SecExams

Question #250

You have an Azure subscription that uses Azure AD Privileged Identity Management (PIM).

You need to identify users that are eligible for the Cloud Application Administrator role.

Which blade in the Privileged Identity Management settings should you use?

A) Azure resources
B) Privileged access groups (Correct Answer)
C) Review access
D) Azure AD roles

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: D

A. Role does not fit B. Blade does not exist C. Makes sense only if an access review would exist D: Easiest way: Azure AD roles -> Assignments Any other suggestions?

Correct! Now as Microsoft Entra Roles

Correct! Now as Microsoft Entra Roles

Selected Answer: B

B. Makes sense to me but the answer choice is confusing. Taken from the below Microsoft page "Browse to Identity governance > Privileged Identity Management > Groups." https://learn.microsoft.com/en-us/entra/id-governance/privileged-identity-management/groups-assign-member-owner

Selected Answer: D

The Azure AD roles blade in the Privileged Identity Management settings allows you to manage Azure AD roles, including assigning roles to users and groups, and reviewing user and group eligibility for roles

Question #251

HOTSPOT

-

You have a Microsoft 365 E5 subscription.

You need to create a dynamic user group that will include all the users that do NOT have a department defined in their user profile.

How should you complete the membership rule? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Explanation

Correct Answer:

Answer Area



Community Discussion

Correct (user.department -eq null) https://learn.microsoft.com/en-us/azure/active-directory/enterprise-users/groups-dynamic-membership#use-of-null-values

Answer is correct: Box1: -eq Box2: null Tested in lab.

- eq - null

Correct (user.department -eq null)

SecExams

Question #252

You have a Microsoft 365 tenant.

All users have mobile phones and Windows 10 laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptops to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

A) SMS
B) Windows Hello for Business (Correct Answer)
C) voice
D) a notification through the Microsoft Authenticator app

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

B is correct.

B. Windows Hello for Business. It's the only option when no internet connectivity or access to a mobile phone device.

Windows Hello for Business is an enterprise-grade biometric verification mechanism available in Windows 10. It uses facial recognition or fingerprint scan to authenticate users, thus providing a high level of security without the need for Wi-Fi access or mobile phone connectivity. On the other hand, options like SMS, voice and a notification through the Microsoft Authenticator app would require either a mobile connectivity or an internet

connection on the mobile device, which is stated not to be available in the remote locations in the question. Therefore, Windows Hello for Business would be the most suitable method in this case.

Windows Hello for Business is an enterprise-grade biometric verification mechanism available in Windows 10. It uses facial recognition or fingerprint scan to authenticate users, thus providing a high level of security without the need for Wi-Fi access or mobile phone connectivity. On the other hand, options like SMS, voice and a notification through the Microsoft Authenticator app would require either a mobile connectivity or an internet connection on the mobile device, which is stated not to be available in the remote locations in the question. Therefore, Windows Hello for Business would be the most suitable method in this case.

Question #253

You have a Microsoft 365 tenant.

You currently allow email clients that use Basic authentication to connect to Microsoft Exchange Online.

You need to ensure that users can connect to Exchange Online only from email clients that use Modern authentication protocols.

What should you implement?

A) a conditional access policy in Azure AD
B) a compliance policy in Microsoft Intune
C) an OAuth policy in Microsoft Defender for Cloud Apps
D) an application control profile in Microsoft Intune (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: A

Exactly. A. And in the previous occurrence, we clarified that "app control" is for approved apps. This will not block basic auth from, e.g. personal computers ;)

Selected Answer: A

a conditional access policy in Azure AD

Selected Answer: A

Should be A, this question was mentioned a couple of questions before as well

Selected Answer: A

Agree. A is the correct answer https://learn.microsoft.com/en-gb/entra/identity/conditional-access/howto-conditional-access-policy-block-legacy

Selected Answer: A

A, Conditional Access Policy that blocks Legacy Authentication Clients apps (Exchange ActiveSync and Other clients).

SecExams

Question #254

You plan to deploy a new Azure AD tenant.

Which multifactor authentication (MFA) method will be enabled by default for the tenant?

A) Microsoft Authenticator (Correct Answer)
B) SMS
C) voice call
D) email OTP

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

It's a new Azure tenant, so security defaults are enabled. With security defaults, Microsoft Authenticator is the default authentication method. "Security defaults users are required to register for and use multifactor authentication using the Microsoft Authenticator app using notifications. Users might use verification codes from the Microsoft Authenticator app but can only register using the notification option. Users can also use any third party application using OATH TOTP to generate codes." https://learn.microsoft.com/en-us/entra/fundamentals/security-defaults#authentication-methods

Selected Answer: A

Security Defaults are usually turned on on new tenants, therefore Microsoft Authenticator is the correct Answer.

D, OTP email

https://learn.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-azure-mfa

SecExams

Question #255

SecExams

HOTSPOT
-

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1 and the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group1, Group2

The users have the devices shown in the following table.

Name	Platform	Azure AD join type
Device1	Windows 11	*None*
Device2	Windows 10	Azure AD joined
Device3	Android	Azure AD registered

You create the following two Conditional Access policies:

• Name: CAPolicy1
• Assignments
o Users or workload identities: Group1
o Cloud apps or actions: Office 365 SharePoint Online
o Conditions
Filter for devices: Exclude filtered devices from the policy
Rule syntax: device.displayName -startsWith “Device”
o Access controls
Grant: Block access
Session: 0 controls selected
o Enable policy: On

• Name: CAPolicy2
• Assignments
o Users or workload identities: Group2

SecExams

o Cloud apps or actions: Office 365 SharePoint Online
o Conditions: 0 conditions selected
• Access controls
o Grant: Grant access
Require multifactor authentication
o Session: 0 controls selected
• Enable policy: On

All users confirm that they can successfully authenticate using MFA.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

SecExams

Statements	Yes	No
User1 can access Site1 from Device1.	○	○
User2 can access Site1 from Device2.	○	○
User3 can access Site1 from Device3.	○	○

Explanation

Correct Answer:

Community Discussion

If the CAPolicy1 included the filtred devices it would be YNY. But the policy exclude them. So YYY for me

Azure Conditional Access policies can only apply to devices that are registered or joined in Azure Active Directory. If a device is not registered or joined, the policy will not be able to read the device name. N Y Y

YYY definitely. Consider this: CAP1 is a blocking policy, but with Exclusion condition. This is very clear: any device from Group1 will be blocked, EXCEPT the ones starting with "Device". Haha, User1 and 3 are thus always allowed no matter the device join type or compliance state. CAP2 is a simple MFA enforcement policy for Group2. User2 will be able to access the site (once he was registered for MFA) independent from what device (1,2,3) he accesses Site2. Trust me, I work with CAPs in real life for years.

If the device isnt registered at least, conditional access policy filter cant evaluate the name, so for me is NYY

If the device isnt registered at least, conditional access policy filter cant evaluate the name, so for me is NYY

SecExams

Question #256

You have a Microsoft 365 E5 subscription that contains three users named User1, User2, and User3 and a Microsoft SharePoint Online site named Site1.

The subscription contains the devices shown in the following table.

Name	Azure AD	Compliance
Device1	Joined	Noncompliant
Device2	Registered	Compliant
Device3	*None*	*Not applicable*

The users sign in to the devices as shown in the following table.

User	Device
User1	Device1
User2	Device2
User3	Device3

You have a Conditional Access policy that has the following settings:

• Name: CA1
• Assignments
o Users and groups: User1, User2, User3
o Cloud apps or actions: SharePoint - Site1
• Access controls
o Session: Use app enforced restrictions

From the SharePoint admin center, you configure Access control for unmanaged devices to allow limited, web-only access.

Which users will have full access to Site1?

A) User1 only
B) User2 only (Correct Answer)
C) User3only
D) User1 and User2 only

E) User1, User2, and User3

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: A

Only Joined devices are managed. https://learn.microsoft.com/en-us/microsoft-365/business-premium/m365bp-managed-unmanaged-devices?view=o365-worldwide&tabs=Managed

The users who will have full access to Site1 are User1 and User2 only. The Conditional Access policy is configured to include User1, User2, and User3, but the Access control for unmanaged devices in the SharePoint admin center allows only limited, web-only access. Therefore, only User1 and User2, who sign in from managed devices, will have full access to Site1. The correct answer is D. User1 and User2 only.

Selected Answer: B

B. User2 only Here's the reasoning: The Conditional Access policy (CA1) is assigned to User1, User2, and User3. The policy's access control is set to "Session: Use app enforced restrictions." Now, let's look at the device compliance status and user-device assignments: Device1 is joined but noncompliant. Device2 is registered and compliant. Device3 is none (not applicable). Since the access control is set to "Session: Use app enforced restrictions," unmanaged or noncompliant devices will have limited, web-only access. Device1 is noncompliant, so User1 (Device1) will have limited access. Device3 is not applicable, so User3 (Device3) is not relevant to this scenario.

Selected Answer: A

Only User1 will have full access since Device1 is the only Azure AD Joined device (Managed)

SecExams

Selected Answer: B

User1 is using Device1, which is joined but non-compliant. Since the device is non-compliant, User1 will have limited, web-only access to Site1 due to the SharePoint Access control settings.

Question #257

You have an Azure AD tenant named contoso.com that contains the resources shown in the following table.

Name	Description
Au1	Administrative unit
CAPolicy1	Conditional Access policy
Package1	Access package

You create a user named Admin1.

You need to ensure that Admin1 can enable Security defaults for contoso.com.

What should you do first?

A) Delete Package1.
B) Delete CAPolicy1. (Correct Answer)
C) Assign Admin1 the Authentication Administrator role for Au1.
D) Configure Identity Governance.

Explanation

Correct Answer:
B

Community Discussion

Answer: B is correct. Dumps4Azure SC-300 PDFs helped me ace my certification exam. Their verified questions and answers were spot on!

Selected Answer: B

Correct

Selected Answer: B

To configure security defaults in your directory, you must be assigned at least the Security Administrator role. By default the first account in any directory is assigned a higher privileged role known as Global Administrator. Organizations that choose to implement Conditional Access policies that replace security defaults must disable security defaults. (Imply that Conditional Access policies has conflict with security defaults) https://learn.microsoft.com/en-us/entra/fundamentals/security-defaults

Answer: B is correct. DumpsOwner : The study material that I have used has been excellent. It is well-written, organized, and informative. The material covers all of the topics that I need to know in a comprehensive and easy-to-understand way.

Selected Answer: B

B is Correct.

SecExams

Question #258

DRAG DROP

-

You have an Azure subscription that is linked to an Azure AD tenant named contoso.com. The subscription contains a group named Group1 and a virtual machine named VM1.

You need to meet the following requirements:

• Enable a system-assigned managed identity for VM1.
• Add VM1 to Group1.

How should you complete the PowerShell script? To answer, drag the appropriate cmdlets to the correct targets. Each cmdlet may be used once, more than once or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Explanation

Correct Answer:



Community Discussion

Seems to be correct. - Get-AzVM - Get-AzADServicePrincipal

Correct. https://learn.microsoft.com/en-us/entra/identity/managed-identities-azure-resources/qs-configure-powershell-windows-vm

Its correct, you want to save the Powershell objects in a variable first and Last step is Putting all things together

Question #259

You have an Azure AD tenant and a .NET web app named App1.

You need to register App1 for Azure AD authentication.

What should you configure for App1?

A) the executable name
B) the bundle ID
C) the package name
D) the redirect URI (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

The redirect URI is the endpoint where Azure AD will send the authentication response after a user successfully authenticates with Azure AD. It is an essential configuration for enabling the authentication flow between Azure AD and the .NET web app.

Selected Answer: D

Settings for each application type, including redirect URIs, are configured in Platform configurations in the Azure portal. Some platforms, like Web and Single-page applications, require you to manually specify a redirect URI. For other platforms, like mobile and desktop, you can select from redirect URIs generated for you when you configure their other settings. A. Executable name is a program binary name, i.e. Cool Program.app/CoolProgram B. Bundle ID is for iOS / macOS platform. C. Package name is for Android platform. D. Redirect URI's are used for Web applications, single-page applications and Mobile and desktop applications platforms. https://learn.microsoft.com/en-us/entra/identity-platform/quickstart-register-app#add-a-redirect-uri https://learn.microsoft.com/en-us/entra/identity-platform/reply-url

Selected Answer: D

The correct answer is D. the redirect URI. When registering a .NET web app named App1 for Azure AD authentication, you need to configure the redirect URI. This is the location where the authorization server sends the user once the app has been successfully authorized and granted an authorization code or access token. The redirect URI must match one of the URIs registered for the app in Azure AD. The other options (A. the executable name, B. the bundle ID, C. the package name) are typically used for native apps or mobile apps, not web apps.

Selected Answer: D

correct answer

SecExams

Question #260

You have a Microsoft 365 tenant.

All users have mobile phones and Windows 10 laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptops to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

A) a notification through the Microsoft Authenticator app
B) security questions
C) voice
D) Windows Hello for Business (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

A. A notification through the Microsoft Authenticator app requires connectivity to send the verification code to the device requesting the logon. You can use authenticators OTP but you won't receive a notification. B. Security questions are not used as an authentication method but can be used during the self-service password reset (SSPR) process. C. Voice. Cannot be voice as users have a mobile phone but no connectivity from this remote location. D. Windows Hello for Business replaces passwords with strong two-factor authentication on devices. This authentication consists of a type of user credential that is tied to a device and uses a biometric or PIN. The user in this case have their laptops and Internet access. Plan your multi-factor authentication deployment - Training | Microsoft Learn

Selected Answer: D

The redirect URI is the endpoint where Azure AD will send the authentication response after a user successfully authenticates with Azure AD. It is an essential configuration for enabling the authentication flow between Azure AD and the .NET web app.

Hi Everyone!! Join ET and get actual and valid study material: https://examstopics.quora.com/ and pass your exam in first attempt. Study Smart Not Hard

https://learn.microsoft.com/en-us/training/modules/secure-aad-users-with-mfa/3-planning-mfa

https://learn.microsoft.com/en-us/training/modules/secure-aad-users-with-mfa/3-planning-mfa

SecExams

Question #261

You have an Azure AD tenant.

You discover that a large number of new apps were added to the tenant.

You need to implement an approval process for new enterprise applications.

What should you do?

A) From the Microsoft Defender for Cloud Apps portal, create a Cloud Discovery anomaly detection policy.
B) From the Microsoft Entra admin center, configure the Admin consent settings. (Correct Answer)
C) From the Microsoft Defender for Cloud Apps portal, configure an app connector.
D) From the Microsoft Entra admin center, configure an access review.

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

To implement an approval process for new enterprise applications in your Azure AD tenant, you should configure the Admin consent settings from the Microsoft Azure admin center.

Selected Answer: B

correct. https://practical365.com/use-azure-ad-admin-consent-requests-to-help-avoid-attacks-against-your-users/

Question #262

You have a Microsoft 365 E5 subscription.

You purchase the app governance add-on license.

You need to enable app governance integration.

Which portal should you use?

A) the Microsoft Defender for Cloud Apps portal
B) the Microsoft 365 admin center
C) Microsoft 365 Defender (Correct Answer)
D) the Azure Active Directory admin center
E) the Microsoft Purview compliance portal

Explanation

Correct Answer:
C

Community Discussion

Selected Answer: C

correct. https://learn.microsoft.com/en-us/defender-cloud-apps/app-governance-get-started#turn-on-app-governance

Selected Answer: A

To enable app governance integration for your Microsoft 365 E5 subscription, you should use the Microsoft Defender for Cloud Apps portal. The Microsoft Defender for Cloud Apps portal provides comprehensive app governance capabilities, allowing you to monitor and control the usage of cloud apps within your organization. It helps you discover and assess the risk associated with different apps, enforce policies, and gain insights into app usage and permissions.

Selected Answer: A

The app governance integration for your Microsoft 365 E5 subscription is managed through the Microsoft Defender for Cloud Apps portal. This portal provides specialized security and policy management capabilities for OAuth-enabled apps registered on Microsoft, Google, and Salesforce platforms. It allows you to monitor app compliance, create policies, detect anomalies, and take remedial actions. Option C, Microsoft 365 Defender, is not the correct choice for app governance integration. Microsoft 365 Defender focuses on threat protection across various services, but it does not specifically handle app governance.

Selected Answer: C

Answer is C https://learn.microsoft.com/en-us/defender-cloud-apps/app-governance-get-started#turn-on-app-governance

Turn on app governance If your organization satisfies the prerequisites, go to Microsoft 365 Defender > Settings > Cloud Apps > App governance and select Use app governance https://learn.microsoft.com/en-us/defender-cloud-apps/app-governance-get-started#turn-on-app-governance

SecExams

Question #263

Your company purchases a new Microsoft 365 E5 subscription and an app named App1.

You need to create a Microsoft Defender for Cloud Apps access policy for App1.

What should you do you first?

A) Configure a Conditional Access policy to use app-enforced restrictions.
B) Configure a Token configuration for App1.
C) Add an API permission for App1.
D) Configure a Conditional Access policy to use Conditional Access App Control. (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

The correct answer is D. Configure a Conditional Access policy to use Conditional Access App Control. Before creating a Microsoft Defender for Cloud Apps access policy for App1, you need to configure a Conditional Access policy to use Conditional Access App Control (CAAC). CAAC is a feature of Microsoft Defender for Cloud Apps that allows you to control how users access cloud apps.

Selected Answer: D

The correct answer is D. Configure a Conditional Access policy to use Conditional Access App Control. Before creating a Microsoft Defender for Cloud Apps access policy for App1, you need to configure a Conditional Access policy to use Conditional Access App Control12. This is because Microsoft Defender for Cloud Apps access policies enable real-time monitoring and control over access to cloud apps based on user, location, device, and app1. You can create access policies for any device, including devices that aren't Hybrid Azure AD Join and not managed by Microsoft Intune1. The other options (A. Configure a Conditional Access policy to use app-enforced restrictions, B. Configure a

Token configuration for App1, C. Add an API permission for App1) are not the first steps in this process.

Selected Answer: D

correct answer. https://learn.microsoft.com/en-us/defender-cloud-apps/proxy-intro-aad#how-it-works

SecExams

Question #264

SecExams

Case Study -

Overview -

Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in London and Seattle.

Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Azure AD tenant named fabrikam.com.

Existing Environment. Existing Environment

The on-premises network of Contoso contains an Active Directory domain named contoso.com. The domain contains an organizational unit (OU) named Contoso_Resources. The Contoso_Resources OU contains all users and computers.

The contoso.com Active Directory domain contains the relevant users shown in the following table.

Name	Office	Department
Admin1	Montreal	Helpdesk
User1	Montreal	HR
User2	Montreal	HR
User3	Montreal	HR
Admin2	London	Helpdesk
User4	London	Finance
User5	London	Sales
User6	London	Sales
Admin3	Seattle	Helpdesk
User7	Seattle	Sales
User8	Seattle	Sales
User9	Seattle	Sales

Contoso also includes a marketing department that has users in each office.

Existing Environment. Microsoft 365/Azure Environment

Contoso has an Azure AD tenant named contoso.com that has the following

associated licenses:

• Microsoft Office 365 Enterprise E5
• Enterprise Mobility + Security E5
• Windows 10 Enterprise E3
• Project Plan 3

Azure AD Connect is configured between Azure AD and Active Directory Domain Services (AD DS). Only the Contoso_Resources OU is synced.

Helpdesk administrators routinely use the Microsoft 365 admin center to manage user settings.

User administrators currently use the Microsoft 365 admin center to manually assign licenses. All users have all licenses assigned besides the following exceptions:

• The users in the London office have the Microsoft 365 Phone System license unassigned.
• The users in the Seattle office have the Yammer Enterprise license unassigned.

Security defaults are disabled for contoso.com.

Contoso uses Azure AD Privileged Identity Management (PIM) to protect administrative roles.

Existing Environment. Problem Statements

Contoso identifies the following issues:

• Currently, all the helpdesk administrators can manage user licenses throughout the entire Microsoft 365 tenant.
• The user administrators report that it is tedious to manually configure the different license requirements for each Contoso office.
• The helpdesk administrators spend too much time provisioning internal and guest access to the required Microsoft 365 services and apps.
• Currently, the helpdesk administrators can perform tasks by using the User

administrator role without justification or approval.
• When the Logs node is selected in Azure AD, an error message appears stating that Log Analytics integration is not enabled.

Requirements. Planned Changes -

Contoso plans to implement the following changes:

• Implement self-service password reset (SSPR).
• Analyze Azure audit activity logs by using Azure Monitor.
• Simplify license allocation for new users added to the tenant.
• Collaborate with the users at Fabrikam on a joint marketing campaign.
• Configure the User administrator role to require justification and approval to activate.
• Implement a custom line-of-business Azure web app named App1. App1 will be accessible from the internet and authenticated by using Azure AD accounts.
• For new users in the marketing department, implement an automated approval workflow to provide access to a Microsoft SharePoint Online site, group, and app.

Contoso plans to acquire a company named A. Datum Corporation. One hundred new A. Datum users will be created in an Active Directory OU named Adatum. The users will be located in London and Seattle.

Requirements. Technical Requirements

Contoso identifies the following technical requirements:

• All users must be synced from AD DS to the contoso.com Azure AD tenant.
• App1 must have a redirect URI pointed to https://contoso.com/auth-response.
• License allocation for new users must be assigned automatically based on the location of the user.
• Fabrikam users must have access to the marketing department's SharePoint site for a maximum of 90 days.
• Administrative actions performed in Azure AD must be audited. Audit logs must be retained for one year.

SecExams

• The helpdesk administrators must be able to manage licenses for only the users in their respective office.
• Users must be forced to change their password if there is a probability that the users' identity was compromised.

You need to meet the planned changes and technical requirements for App1.

What should you implement?

A) a policy set in Microsoft Intune
B) Azure AD Application Proxy
C) an app configuration policy in Microsoft Intune
D) an app registration in Azure AD (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

correct answer

D Azure AD app registration is used to integrate your application with Azure AD and use its capabilities, such as authentication and authorization. This registration allows App1 to securely communicate with Azure AD and access necessary resources.

Question #265

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Amazon Web Services (AWS) account, a Google Workspace subscription, and a GitHub account.

You deploy an Azure subscription and enable Microsoft 365 Defender.

You need to ensure that you can monitor OAuth authentication requests by using Microsoft Defender for Cloud Apps.

Solution: From the Microsoft 365 Defender portal, you add the Google Workspace app connector.

Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

B is the correct answer. To monitor OAuth authentication requests, you need to add the appropriate app connectors for each identity provider, such as AWS, Google Workspace,

and GitHub, in addition to the Azure AD connector. In this scenario, you have the following identity providers: Amazon Web Services (AWS) Google Workspace GitHub Adding the Google Workspace app connector alone would not cover the OAuth authentication requests for AWS and GitHub. You should add connectors for each identity provider to have comprehensive monitoring. Therefore, the correct approach is to add connectors for AWS, Google Workspace, and GitHub, not just the Google Workspace connector.

Selected Answer: A

I think A:Yes OAuth app management is available only after connecting one or more of the supported platforms - Microsoft 365, Google Workspace, or Salesforce. Once connected, the OAuth apps menu option will appear under Investigate. https://learn.microsoft.com/en-us/defender-cloud-apps/manage-app-permissions

I'm re-thinkgin the answer. In the official doc says: "OAuth app management is available only after connecting one or more of the supported platforms - Microsoft 365, Google Workspace, or Salesforce. " So connector is mandatory (but for Google Workspace Subscription). What about the others? If Microsoft spectations is that only connecting Google Workspace it solves the other 2 apps monitorings... the answer would be "NO". If states only for GoogleWorkspace... the answer would be "YES". What to choose?

I'm re-thinkgin the answer. In the official doc says: "OAuth app management is available only after connecting one or more of the supported platforms - Microsoft 365, Google Workspace, or Salesforce. " So connector is mandatory (but for Google Workspace Subscription). What about the others? If Microsoft spectations is that only connecting Google Workspace it solves the other 2 apps monitorings... the answer would be "NO". If states only for GoogleWorkspace... the answer would be "YES". What to choose?

Selected Answer: A

Correct Answer: A, Yes. Tested in lab. There is no way to detect signals from Google Workspace, for example, if you do not add first an app connector. So this answer is YES.

SecExams

Question #266

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Amazon Web Services (AWS) account, a Google Workspace subscription, and a GitHub account.

You deploy an Azure subscription and enable Microsoft 365 Defender.

You need to ensure that you can monitor OAuth authentication requests by using Microsoft Defender for Cloud Apps.

Solution: From the Microsoft 365 Defender portal, you add the Microsoft Azure app connector.

Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

OAuth app management is available only after connecting one or more of the supported platforms - Microsoft 365, Google Workspace, or Salesforce. Once connected, the OAuth

apps menu option will appear under Investigate. App Governance is a set of security and policy management capabilities designed for OAuth-enabled apps registered on Azure Active Directory (Azure AD), Google, and Salesforce. For more information, see App governance add-on to Defender for Cloud Apps in Microsoft 365 Defender.

Many third-party productivity apps that might be installed by business users in your organization request permission to access user information and data and sign in on behalf of the user in other cloud apps, such as Microsoft 365, Google Workspace and Salesforce. When users install these apps, they often click accept without closely reviewing the details in the prompt, including granting permissions to the app. This problem is compounded by the fact that IT may not have enough insight to weigh the security risk of an application against the productivity benefit that it provides. Because accepting third-party app permissions is a potential security risk to your organization, monitoring the app permissions your users' grant gives you the necessary visibility and control to protect your users and your applications.

The Microsoft Defender for Cloud Apps app permissions enable you to see which user-installed OAuth applications have access to Microsoft 365 data, Google Workspace data, and Salesforce data. Defender for Cloud Apps tells you what permissions the apps have and which users granted these apps access to their Microsoft 365, Google Workspace, and Salesforce accounts. App permissions help you decide which apps you allow your users to access and which ones you want to ban. https://learn.microsoft.com/en-us/defender-cloud-apps/manage-app-permissions

The Microsoft Defender for Cloud Apps app permissions enable you to see which user-installed OAuth applications have access to Microsoft 365 data, Google Workspace data, and Salesforce data. Defender for Cloud Apps tells you what permissions the apps have and which users granted these apps access to their Microsoft 365, Google Workspace, and Salesforce accounts. App permissions help you decide which apps you allow your users to access and which ones you want to ban. https://learn.microsoft.com/en-us/defender-cloud-apps/manage-app-permissions

Many third-party productivity apps that might be installed by business users in your organization request permission to access user information and data and sign in on behalf of the user in other cloud apps, such as Microsoft 365, Google Workspace and Salesforce. When users install these apps, they often click accept without closely reviewing the details in the prompt, including granting permissions to the app. This problem is compounded by the fact that IT may not have enough insight to weigh the security risk of an application against the productivity benefit that it provides. Because accepting third-party app permissions is a potential security risk to your organization, monitoring the app permissions your users' grant gives you the necessary visibility and control to protect your users and your applications.

SecExams

Question #267

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Amazon Web Services (AWS) account, a Google Workspace subscription, and a GitHub account.

You deploy an Azure subscription and enable Microsoft 365 Defender.

You need to ensure that you can monitor OAuth authentication requests by using Microsoft Defender for Cloud Apps.

Solution: From the Microsoft 365 Defender portal, you add the Amazon Web Services app connector.

Does this meet the goal?

A) Yes (Correct Answer)

B) No

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

A: Yes https://learn.microsoft.com/en-us/defender-cloud-apps/connect-aws

Thanks, found the below on the linked page. OAuth app management is available only after connecting one or more of the supported platforms - Microsoft 365, Google Workspace, or Salesforce. Once connected, the OAuth apps menu option will appear under Investigate.

Thanks, found the below on the linked page. OAuth app management is available only after connecting one or more of the supported platforms - Microsoft 365, Google Workspace, or Salesforce. Once connected, the OAuth apps menu option will appear under Investigate.

Selected Answer: B

The AWS app connector in MDCA likely deals with data access or security posture management for AWS resources within the context of Microsoft 365, not monitoring OAuth requests to AWS.

Selected Answer: B

No, adding the Amazon Web Services (AWS) app connector in the Microsoft 365 Defender portal does not meet the goal of monitoring OAuth authentication requests by using Microsoft Defender for Cloud Apps. The Amazon Web Services (AWS) app connector in the Microsoft 365 Defender portal is used to connect and monitor AWS resources and activities for security purposes within the Microsoft 365 Defender environment. However, it is not designed to monitor OAuth authentication requests for AWS services. To monitor OAuth authentication requests for AWS, you would typically need to use AWS CloudTrail or other AWS monitoring and logging services provided by AWS itself, not Microsoft Defender for Cloud Apps

SecExams

Question #268

Your company purchases a Microsoft 365 E5 subscription.

A user named User1 is assigned the Security Administrator role.

You need to ensure that User1 can create Microsoft Defender for Cloud Apps session policies.

What should you do first?

A) Create a Conditional Access policy and select Require app protection policy.

B) Create a Conditional Access policy and select Use Conditional Access App Control. (Correct

Answer)

C) Assign the Cloud Application Administrator role to User1.

D) Assign the Cloud App Security Administrator role to User1.

Explanation

Correct Answer:
B

Community Discussion

The correct answer is D. Assign the Cloud App Security Administrator role to User1. According to the Microsoft Entra built-in roles article1, the Cloud App Security Administrator role grants full permissions in Defender for Cloud Apps. Users with this role can create and manage all aspects of Defender for Cloud Apps session policies, which are used to monitor and control user sessions in cloud apps.

Answer is B Security admin can manage Microsoft Defender for cloud app policy. To set up Defender for Cloud Apps, you must be a Global Administrator or a Security Administrator in Microsoft Entra ID or Microsoft 365. https://learn.microsoft.com/en-us/defender-cloud-apps/get-started

Personally, don't think the options make sense especially A and B, if B turn out to be the answer they want. Yes the Security Admin role is able to create the policy in question, but option B does not make sense as the correct answer to the question. How does "Create a Conditional Access policy and select Use Conditional Access App Control". sound like a likely answer to this question? to me, the question does not have an answer.

Selected Answer: B

B. Security Admin already has permission to create policies Global administrator and Security administrator: Administrators with Full access have full permissions in Defender for Cloud Apps. They can add admins, add policies and settings, upload logs and perform governance actions, access and manage SIEM agents. https://learn.microsoft.com/en-us/defender-cloud-apps/manage-admins#microsoft-365-and-azure-ad-roles-with-access-to-defender-for-cloud-apps

Selected Answer: B

Answer . B. Create a Conditional Access policy and select Use Conditional Access App Control. References: https://learn.microsoft.com/en-us/defender-cloud-apps/session-

policy-aad#prerequisites-to-using-session-policies "The relevant apps should be deployed with Conditional Access App Control" "Make sure you've configured your IdP solution to work with Defender for Cloud Apps, as follows: - For Azure AD Conditional Access, see Configure integration with Azure AD - For other IdP solutions, see Configure integration with other IdP solutions"

Question #269

You have an Azure AD Premium P2 tenant.

You create a Log Analytics workspace.

You need to ensure that you can view Azure AD audit log information by using Azure Monitor.

What should you do first?

A) Modify the Diagnostics settings for Azure AD. (Correct Answer)
B) Run the Update-MgOrganization cmdlet.
C) Run the Update-MgDomain cmdlet.
D) Create an Azure AD workbook.

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

https://learn.microsoft.com/en-us/entra/identity/monitoring-health/howto-integrate-activity-logs-with-azure-monitor-logs#send-logs-to-azure-monitor

Selected Answer: A

The correct answer is A. Modify the Diagnostics settings for Azure AD. To ensure that you can view Azure AD audit log information by using Azure Monitor, you must first modify the Diagnostics settings for Azure AD to enable streaming of those logs to Azure Monitor.

Selected Answer: A

Think response is correct. A. Modify the Diagnostics settings for Azure AD.

Selected Answer: A

Correct answer

Question #270

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps.

You need to identify which users access Facebook from their devices and browsers. The solution must minimize administrative effort.

What should you do first?

A) From the Microsoft 365 Defender portal, unsanction Facebook. (Correct Answer)
B) Create a Defender for Cloud Apps access policy.
C) Create an app configuration policy in Microsoft Intune.
D) Create a Conditional Access policy.

Explanation

Correct Answer:
A

Community Discussion

The correct answer is B. Create a Defender for Cloud Apps access policy. According to the web search results, a Defender for Cloud Apps access policy is a rule that allows you to control and monitor the access to cloud apps from unmanaged devices or browsers1. You can use an access policy to identify which users access Facebook from their devices and

browsers by creating a rule that matches the app name, the device type, and the browser type, and then applying an action such as Block, Allow, or Monitor2. You can also configure alerts and notifications for the access policy to get more visibility into the user activity3.

Selected Answer: B

Question didn't ask you to block Facebook, just check who is using it. This can be viewed from the discovered app list or create a policy to send notifications

Selected Answer: A

Correct answer

#B To identify which users access Facebook from their devices and browsers while minimizing administrative effort within a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps, the most suitable option is: B. Create a Defender for Cloud Apps access policy. Microsoft Defender for Cloud Apps (formerly known as Microsoft Cloud App Security) allows you to create access policies to control and monitor user access to various cloud applications, including Facebook. By creating an access policy, you can specify conditions under which users can access Facebook and monitor their activities without directly affecting the application's sanction status or resorting to other configurations like Conditional Access or Intune policies. Option B enables you to specifically target Facebook usage without affecting other applications or requiring additional configuration outside of Defender for Cloud Apps. Therefore, it aligns with the requirement of minimizing administrative effort.

Selected Answer: B

Question didn't ask you to block Facebook, just check who is using it.

SecExams

Question #271

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Global Administrator
User2	User Administrator
User3	Groups Administrator
User4	*None*

From the tenant, you configure a naming policy for groups.

Which users are affected by the naming policy?

A) User2 only
B) User3only
C) User2 and User3 only
D) User3 and User4 only (Correct Answer)
E) User1, User2, and User3 only
F) User1, User2, User3, and User4

Explanation

Correct Answer:
D

Community Discussion

A comment on MSFT online documentation: It has 50% of passing/not-passing this exam. Why? Because it is inconsistent. https://learn.microsoft.com/en-us/microsoft-365/solutions/groups-naming-policy?view=o365-worldwide#admin-override Here it says: roles exempted from the group naming policy. Global admin Partner Tier 1 Support Partner Tier 2 Support User account admin (sic!) https://learn.microsoft.com/en-us/entra/identity/users/groups-naming-policy#roles-and-permissions and here it says what you all have selected (D): roles exempted from the group naming policy: Global Administrator User Administrator Go get!

Selected Answer: D

When group naming policy is configured, the policy will be applied to new Microsoft 365 groups created by end users. Naming policy doesn't apply to certain directory roles, such as Global Administrator or User Administrator (please see below for the complete list of roles exempted from group naming policy). For existing Microsoft 365 groups, the policy won't immediately apply at the time of configuration. Once group owner edits the group name for these groups, naming policy will be enforced, even if no changes are made. https://learn.microsoft.com/en-us/entra/identity/users/groups-naming-policy#roles-and-permissions

Selected Answer: D

Correct answer. Naming policy doesn't apply to certain directory roles, such as Global Administrator or User Administrator. https://learn.microsoft.com/en-us/azure/active-directory/enterprise-users/groups-naming-policy#roles-and-permissions.

This should be 1 and 2 only, unless the exhibit has the groups positioned wrong. https://learn.microsoft.com/en-us/azure/active-directory/enterprise-users/groups-naming-policy

Selected Answer: D

Correction - D is the correct answer. https://learn.microsoft.com/en-us/microsoft-365/solutions/groups-naming-policy?view=o365-worldwide As per the link above, User 1(global Admin) and User 2 (User Admin) and not impacted by the policy.

SecExams

Question #272

You have an Azure AD tenant.

You deploy a new enterprise application named App1.

When users attempt to provide App1 with access to the tenant, the attempt fails.

You need to ensure that the users can request admin consent for App1. The solution must follow the principle of least privilege.

What should you do first?

A) Enable admin consent requests for the tenant. (Correct Answer)

B) Designate a reviewer of admin consent requests for the tenant.
C) From the Permissions settings of App1, grant App1 admin consent for the tenant.
D) Create a Conditional Access policy for App1.

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

To ensure that users can request admin consent for App1 in your Azure AD tenant, you should first enable admin consent requests for the tenant. Enabling admin consent requests allows users to initiate the process of requesting admin consent for applications that require it. By default, users do not have the ability to grant admin consent for applications. Enabling this feature ensures that users can request admin consent for App1 without having to rely on an administrator to initiate the process.

Correct Answer

SecExams

Question #273

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant.

All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.

Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.

You need to block the users automatically when they report an MFA request that they did not initiate.

Solution: From the Azure Active Directory admin center, you configure the Block/unblock users settings for multi-factor authentication (MFA).

Does this meet the goal?

A) Yes
B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

Report suspicious activity and the legacy Fraud Alert implementation can operate in parallel. You can keep your tenant-wide Fraud Alert functionality in place while you start to use Report suspicious activity with a targeted test group. If Fraud Alert is enabled with Automatic Blocking, and Report suspicious activity is enabled, the user will be added to the blocklist and set as high-risk and in-scope for any other policies configured. These users will need to be removed from the blocklist and have their risk remediated to enable them to sign in with MFA. https://learn.microsoft.com/en-us/entra/identity/authentication/howto-mfa-mfasettings#report-suspicious-activity-and-fraud-alert

Selected Answer: B

To meet the goal of automatically blocking users when they report an unauthorized MFA request, you would need to implement additional measures such as monitoring and alerting, conditional access policies, or security policies to detect and respond to suspicious MFA activity. Therefore, the correct answer is B. No.

SecExams

Question #274

You have an Azure subscription that contains a user named User1.

The App registration settings for the Azure AD tenant are configured as shown in the following exhibit.



User1 builds an ASP.NET web app named App1.

You need to ensure that User1 can register App1. The solution must use the principle of least privilege.

Which role should you assign to User1?

A) Application Developer (Correct Answer)
B) Cloud App Security Administrator
C) Cloud Application Administrator
D) Application Administrator

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: A

"Assign the Application Developer role to grant the ability to create application registrations when the Users can register applications setting is set to No. This role also grants permission to consent on one's own behalf when the Users can consent to apps accessing company data on their behalf setting is set to No." https://learn.microsoft.com/en-us/entra/identity/role-based-access-control/delegate-app-roles#grant-individual-permissions-to-create-and-consent-to-applications-when-the-default-ability-is-disabled

Selected Answer: A

A. Application Developer. The Application Developer role is an Azure AD role that allows users to register and manage applications in their own name. It also allows users to consent to permissions requested by applications they register. This role follows the principle of least privilege, as it only grants the minimum permissions needed to register and manage applications.

SecExams

Question #275

SecExams

HOTSPOT

-

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Location
RG1	Resource group	East US
Managed1	Managed identity	East US
Managed2	Managed identity	West US

The subscription contains the virtual machines shown in the following table.

Name	Location	Identity
VM1	East US	System-assigned
VM2	West US	System-assigned
VM3	East US	Managed1
VM4	West US	*None*

Which identities can be assigned the Owner role for RG1, and to which virtual machines can you assign Managed2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

Identities with Owner role:
- Managed1 only
- Managed1, VM1, and VM3 only
- Managed1, Managed2, and VM1 only
- Managed1, Managed2, VM1, and VM2 only
- Managed1, Managed2, VM1, VM2, and VM3 only

Virtual machines assigned to Managed2:
- VM4 only
- VM2 and VM4 only
- VM1, VM2, and VM4 only
- VM1, VM2, VM3, and VM4

Explanation

Correct Answer:

Answer Area

Identities with Owner role:
- Managed1 only
- **Managed1, VM1, and VM3 only**
- Managed1, Managed2, and VM1 only
- Managed1, Managed2, VM1, and VM2 only
- Managed1, Managed2, VM1, VM2, and VM3 only

Virtual machines assigned to Managed2:
- VM4 only
- **VM2 and VM4 only**
- VM1, VM2, and VM4 only
- VM1, VM2, VM3, and VM4

Community Discussion

Box1:Managed1, Managed2, VM1, and VM2 only I agree that VM3 shouldn't count here since its identity is actually 'Managed1' Box2: VM1, VM2, VM3, VM4 This article confirms that managed identities can be used across geos: https://learn.microsoft.com/en-us/entra/identity/managed-identities-azure-resources/managed-identities-faq

In the Question #40 - Topic 2 (https://www.secexams.com/discussions/microsoft/view/95539-exam-sc-300-topic-2-question-40-discussion/) it is stated that you cannot assign a role to a virtual machine, so: Box 1: Managed1 only Box 2: VM1, VM2, VM3, and VM4

Tested this with my Azure subscription. IMHO the Box1 answer should be: Managed1, Managed2, VM1, and VM2 only. My reasoning: Since VM3's identity is Managed1 and not VM3, you will not see VM3 in the owner role list. Virtual machine itself is not an identity. System-assigned managed identity is tied to one resource, and uses the name of the resource, so in this case VM1's and VM2's manged identities are named VM1 & VM2. User-assigned managed identity can be tied to multiple resources, so you will have to name it yourself. In this case the VM3's identity is Managed1. VM4 does not have identity at all, so you will not see it in owner role list. Please test the this in your tenant or lab and correct me if I'm wrong.

Box 1 Managed1,Managed2,VM1,VM2 and VM3 only Box 2 VM1,VM2,VM3 and VM4

Tested in lab. Box1 Managed1,Managed2,VM1,VM2 and VM3 only System-assigned identitys is not region restricted, User-assigned is not aswell. When you add the VM1 with a system assigned identitys on as an owner on the RG. You can see in the RG RBAC permissions that the VM is added and it is created like an enterprise application. Box2 All VMs. Since user/system isn't restricted.

SecExams

Question #276

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps.

You plan to increase app security for the subscription.

You need to identify which apps do NOT require user authentication.

What should you do in the Microsoft 365 Defender portal?

A) Review the cloud app catalog.
B) Create an OAuth policy and review alerts.
C) Create a snapshot Cloud Discovery report.
D) Create a discovered app query. (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: A

A is the right answer> Tested and confirmed you can filter to see apps that require user authentication from both cloud app catalog and Cloud discovery

Selected Answer: A

To identify which apps do NOT require user authentication in the Microsoft 365 Defender portal, you should review the cloud app catalog. Reviewing the cloud app catalog in the Microsoft 365 Defender portal provides you with a comprehensive list of all the apps connected to your Microsoft 365 environment. It allows you to see which apps require user authentication and which ones do not.

Selected Answer: D

As seen in the link bellow: "Cloud apps that allow anonymous use - filters all your discovered apps to display only apps that are security risks because they don't require user authentication and allow users to upload data." https://learn.microsoft.com/en-us/defender-cloud-apps/discovered-app-queries

The question is about the apps that do NOT.

The question is about the apps that do NOT.

SecExams

Question #277

You have an Azure subscription that contains the users shown in the following table.

Name	Role
Admin1	Account Administrator
Admin2	Service Administrator
Admin3	SharePoint Administrator

You need to implement Azure AD Privileged Identity Management (PIM).

Which users can use PIM to activate their role permissions?

A) Admin1 only (Correct Answer)
B) Admin2 only
C) Admin3 only
D) Admin1 and Admin2 only
E) Admin2 and Admin3 only
F) Admin1, Admin2, and Admin3

Explanation

Correct Answer:
A

Community Discussion

Selected Answer: C

C. just here to vote. can't manage those classic subscription roles in PIM

Selected Answer: C

Classic subscription administrator roles You cannot manage the following classic subscription administrator roles in Privileged Identity Management: Account

Administrator Service Administrator Co-Administrator https://learn.microsoft.com/en-us/entra/id-governance/privileged-identity-management/pim-roles

Selected Answer: C

Classic subscription administrator roles You cannot manage the following classic subscription administrator roles in Privileged Identity Management: Account Administrator Service Administrator Co-Administrator https://learn.microsoft.com/en-us/entra/id-governance/privileged-identity-management/pim-roles

Selected Answer: F

Azure AD Privileged Identity Management (PIM) allows users to activate their role permissions just-in-time. This means that users only have access to privileged roles when they need them, and for a limited amount of time. To use PIM to activate their role permissions, users must be eligible for the role. Eligible users can be added to a role either directly, or by being added to a group that is assigned to the role. In the table provided, all three users are assigned to privileged roles. Therefore, all three users are eligible to use PIM to activate their role permissions.

You cannot manage the following classic subscription administrator roles in Privileged Identity Management: Account Administrator Service Administrator Co-Administrator

SecExams

Question #278

SecExams

HOTSPOT

-

You have an Azure AD tenant.

You perform the tasks shown in the following table.

Date	Task
March 1	Register four enterprise applications named App1, App2, App3, and App4.
March 15	From the tenant, update the following settings for App1: App roles, Users and groups, Client secret, and Self-service.
March 20	From the tenant, update the following settings for App2: App roles, Users and groups, Client secret, and Self-service.
March 25	From the tenant, update the following settings for App3: App roles, Users and groups, Client secret, and Self-service.
March 30	From the tenant, update the following settings for App4: App roles, Users and groups, Client secret, and Self-service.

On April 5, an administrator deletes App1, App2, App3, and App4.

You need to restore the apps and the settings.

Which apps can you restore on April 16, and which settings can you restore for App4 on April 16? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

Apps:
- No apps
- App4 only
- App3 and App4 only
- App2, App3, and App4 only
- App1, App2, App3, and App4

App4 settings:
- No settings
- Self-service only
- App roles and Client secret only
- Users and groups and Self-service only
- App roles, Users and groups, Client secret, and Self-service

SecExams

Explanation

Correct Answer:

Answer Area

Apps:
- No apps
- App4 only
- App3 and App4 only
- App2, App3, and App4 only
- App1, App2, App3, and App4

App4 settings:
- No settings
- Self-service only
- App roles and Client secret only
- Users and groups and Self-service only
- App roles, Users and groups, Client secret, and Self-service

Community Discussion

After you delete an app registration, the app remains in a suspended state for 30 days. During that 30-day window, the app registration can be restored, along with all its properties. Box 1: App1, App2, App3, and App4 Box 2: App roles, Users and groups, client secrets, and Self-service https://learn.microsoft.com/en-us/entra/identity-platform/howto-restore-app

Box 1: App1, App2, App3 and App4 Box 2: App roles, Users and groups, client secrets and Self-service No idea how they came up with their answer. Apps were all deleted on the same day and there is a 30 day recover period. According to documentation, all settings restored except conditional access policies. https://learn.microsoft.com/en-us/entra/identity/enterprise-apps/restore-application?pivots=aad-powershell

Question #279

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Amazon Web Services (AWS) account, a Google Workspace subscription, and a GitHub account.

You deploy an Azure subscription and enable Microsoft 365 Defender.

You need to ensure that you can monitor OAuth authentication requests by using Microsoft Defender for Cloud Apps.

Solution: From the Microsoft 365 Defender portal, you add the GitHub app connector.

Does this meet the goal?

A) Yes

B) No (Correct Answer)

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

No, the solution does not meet the goal. Adding the GitHub app connector to Microsoft Defender for Cloud Apps will allow you to monitor OAuth authentication requests from GitHub to Microsoft 365. However, it will not allow you to monitor OAuth authentication requests to your AWS account, Google Workspace subscription, or Azure subscription.

Selected Answer: A

A for me

You can monitor OAuth from github so yes it does, as the question does not state which platform is to be monitored, so any of them would fit. The question is bad as it should specify which platform is to be monitored as there are multiple connectors to various ones.

Selected Answer: A

There are Google Workspace, GitHub and AWS App-connectors. So I go with A https://learn.microsoft.com/en-us/defender-cloud-apps/protect-github

Wrong, you need all three connectors and Git Hub is one of the available connectors in Defender portal. The other two correct answers are - AWS connector and Google Workspace connector.

SecExams

Question #280

You have an Azure AD tenant.

You plan to implement Azure AD Privileged Identity Management (PIM).

Which roles can you manage by using PIM?

A) Global Administrator only
B) Global Administrator and Security Administrator only (Correct Answer)
C) Global Administrator, Security Administrator, and Security Contributor only
D) Account Administrator, Global Administrator, Security Administrator, and Security Contributor only

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: C

The correct answer is C. Global Administrator, Security Administrator, and Security Contributor only. Azure AD Privileged Identity Management (PIM) can be used to manage the following roles: Global Administrator Security Administrator Security Contributor Account Administrator Privileged Role Administrator Identity Governance Administrator Other roles, such as User Administrator and Application Administrator, cannot be managed by using PIM.

Selected Answer: B

I would go for B, unless Security Contributor role is a custom role.. certainly it is not built -int Entra or Azure role "You can manage just-in-time assignments to all Microsoft Entra roles and all Azure roles using Privileged Identity Management (PIM) in Microsoft Entra ID" https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles

Selected Answer: B

Global Administrator and Security Administrator only Account Administrator - legacy role. What the hell is Security contributor ?

Selected Answer: C

You cannot manage the following classic subscription administrator roles in Privileged Identity Management: Account Administrator Service Administrator Co-Administrator

The correct answer is: D D. Account Administrator, Global Administrator, Security Administrator, and Security Contributor only Azure AD Privileged Identity Management (PIM) allows you to manage and control access to privileged roles in Azure Active Directory. The roles that you can manage using PIM include: Global Administrator Security Administrator Security Reader Security Operator Security Contributor Exchange Administrator SharePoint Administrator Conditional Access Administrator Privileged Role Administrator Compliance Administrator User Administrator Intune Administrator

SecExams

Question #281

You have a Microsoft 365 subscription that contains a Microsoft SharePoint Online site named Site1 and a Microsoft 365 group named Group1.
You need to ensure that the members of Group1 can access Site1 for 90 days.
The solution must minimize administrative effort.

What should you use?

A) an access package (Correct Answer)
B) an access review
C) a lifecycle workflow
D) a Conditional Access policy

Explanation

Correct Answer:
A

Community Discussion

A. an access package For this scenario, an access package would be the most suitable. An access package in Azure Active Directory (Azure AD) entitlement management is a bundle of resources that you can give to users so they can access a set of related resources. They can be configured to expire after a certain amount of days (in this case 90 days), after which access to the resources is automatically revoked, saving administrative effort.

D. eine Richtlinie für bedingten Zugriff Eine Richtlinie für bedingten Zugriff ermöglicht es Ihnen, den Zugriff auf SharePoint Online-Sites basierend auf bestimmten Bedingungen zu steuern, wie z. B. Standort, Gerät oder Netzwerkzugehörigkeit. In diesem Szenario können Sie eine bedingte Zugriffsrichtlinie erstellen, die sicherstellt, dass die Mitglieder der Gruppe Group1 für einen Zeitraum von 90 Tagen auf die SharePoint Online-Site Site1 zugreifen können. Diese Richtlinie würde den Verwaltungsaufwand minimieren, da sie automatisiert ist und die Zugriffssteuerung auf Gruppenebene vereinfacht.

SecExams

Question #282

HOTSPOT

-

You have a Microsoft Entra tenant that contains multiple storage accounts.

You plan to deploy multiple Azure App Service apps that will require access to the storage accounts.

You need to recommend an identity solution to provide the apps with access to the storage accounts. The solution must minimize administrative effort.

Which type of identity should you recommend, and what should you recommend using to control access to the storage accounts? To answer, select the appropriate options in the answer area.

Answer Area

Identity type:
- Microsoft Entra user
- Service principal
- System-assigned managed identity
- User-assigned managed identity

To control access, use:
- Microsoft Entra Domain Services
- Role-based access control (RBAC)
- Shared access signature (SAS) tokens
- X.509 certificates

Explanation

Correct Answer:

Answer Area



Community Discussion

I don't like the question. A User assigned managed identity is probably the least administrative effort, but the second they apps need to access different resources, it becomes problematic. Exam answer: User assigned Real world: System assigned

I would go for system assigned managed identitiy + RBAC https://learn.microsoft.com/en-us/azure/app-service/scenario-secure-app-access-storage?tabs=azure-portal

Here's my two cents. Correct me if I'm wrong: To provide the apps with access to the storage accounts, I recommend the following identity solution: • Identity type: System-assigned managed identity • To control access, use: Role-based access control (RBAC) This solution will minimize administrative effort because: • System-assigned managed identities are automatically created and deleted by Azure when you create or delete the app service. You don't need to register or manage them separately. • Role-based access control (RBAC) allows you to assign granular permissions to the managed identities based on the roles they need to access the storage accounts. You don't need to create or manage shared keys or tokens. https://learn.microsoft.com/en-us/azure/app-service/scenario-secure-app-access-storage

Answers seem to be actually correct for once.

System-assigned managed identity: This option minimizes administrative effort because it automatically creates a unique identity in Azure Active Directory (Azure AD) for each

app. You don't need to manage credentials or certificates for the apps. Azure RBAC: This approach allows you to grant specific permissions to the managed identities of your apps. This ensures that the apps only have the access they need to the storage accounts, following the principle of least privilege.

Question #283

You have an Azure subscription named Sub1 that contains a resource group named RG1. RG1 contains an Azure Cosmos DB database named DB1 and an Azure Kubernetes Service (AKS) cluster named AKS1. AKS1 uses a managed identity.

You need to ensure that AKS1 can access DB1. The solution must meet the following requirements:

- Ensure that AKS1 uses the managed identity to access DB1.
- Follow the principle of least privilege.

Which role should you assign to the managed identity of AKS1?

A) For Sub1, assign the Owner role.
B) For DB1, assign the Azure Cosmos DB Account Reader Role role.
C) For RG1, assign the Azure Cosmos DB Data Reader Role role. (Correct Answer)
D) For RG1, assign the Reader role.

Explanation

Correct Answer:
C

Community Discussion

I think its B, in my lab, I have created an Azure Cosmos DB for NoSQL, then, in its "Access control (IAM)" blade, I can assign the role "Cosmos DB Account Reader Role" to a Managed Identity.

If a Azure Cosmos DB Data Reader Role exists I can't find it. I think B has to be correct.

Correct Answer is B

Selected Answer: B

They already said least privilege and DB is a resource in RG so why assign reader role to the RG instead of just the single resource

Question #284

You have an Azure subscription that contains a storage account named storage1 and a web app named WebApp1. WebApp1 uses a system-assigned managed identity.

You need to ensure that WebApp1 can read and write files to storage1 by using the system-assigned managed identity.

What should you configure for storage1 in the Azure portal?

A) data protection
B) a shared access signature (SAS)
C) the Access control (IAM) settings (Correct Answer)
D) the File share settings
E) access keys

Explanation

Correct Answer:
C

Community Discussion

Access control (IAM) settings in Azure allow you to manage access to various resources within your Azure subscription. If you want to ensure that the WebApp1 web app can read and write files in storage1, you must grant the web app the appropriate permissions on the storage1 storage account. By configuring access control (IAM) for the storage account

"storage1", you can assign the necessary permissions (such as "Storage Blob Data Contributor" or "Storage Blob Data Reader") to the web app's managed identity to access the Blob services can access to read and write files.

Selected Answer: C

C is the correct answer because access to resources in Azure is dealt with through Azure Role-Based Access Control (RBAC). This allows fine-grained access management for Azure. System-assigned managed identities can be assigned roles through IAM settings of a resource, granting them permissions to perform certain actions. To access files in Azure Storage, you would assign the Storage Blob Data Reader role for read access and the Storage Blob Data Contributor role for write access to the managed identity in the IAM settings. Here's the Microsoft documentation needed about granting access using RBAC and Azure AD identities: https://docs.microsoft.com/en-us/azure/role-based-access-control/role-assignments-portal

SecExams

Question #285

You have an Azure subscription that contains an Azure Automation account named Automation1 and an Azure key vault named Vault1. Vault1 contains a secret named Secret1.

You enable a system-assigned managed identity for Automation1.

You need to ensure that Automation1 can read the contents of Secret1. The solution must meet the following requirements:

• Prevent Automation1 from accessing other secrets stored in Vault1.
• Follow the principle of least privilege.

What should you do?

A) From Vault1, configure the Access control (IAM) settings.
B) From Automation1, configure the Identity settings.
C) From Automation1, configure the Run as accounts settings.
D) From Secret1, configure the Access control (IAM) settings. (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: A

Correct answer is A. Correct me if I'm wrong though. To achieve the requirements of allowing Automation1 to read the contents of Secret1 while preventing it from accessing other secrets in Vault1 and following the principle of least privilege, this is how you can achieve this as well: Navigate to the Azure portal. Go to the Azure Key Vault (Vault1). Select "Access control (IAM)". Add a role assignment for the Automation1's managed identity with the necessary permissions (e.g., "Get" for secrets). By configuring the access control (IAM) settings at the vault level, you can specifically grant the required permissions to the managed identity of Automation1 for the Secret1, while avoiding unnecessary access to other secrets. So, the correct answer is: A. From Vault1, configure the Access control (IAM) settings.

Selected Answer: D

D is the correct answer, individual secrets have their own IAM. If you assigned secret administrator at the vault level then you would be granting access to all secrets in the vault.

D is the correct answer, individual secrets have their own IAM. If you assigned secret administrator at the vault level then you would be granting access to all secrets in the vault.

To ensure that Automation1 can read the contents of Secret1 in Vault1 while adhering to the principle of least privilege, you should: A. From Vault1, configure the Access policy settings specifically for the managed identity of Automation1. You'll need to grant the managed identity of Automation1 the 'Get' permission on the secret. This can be done through the "Access policies" in the Azure Key Vault, not the general "Access control (IAM)" settings, which manage access at a broader scope. By doing this, you give Automation1 access only to Secret1 and not to any other secrets in the vault, which aligns with the principle of least privilege.

SecExams

D is the correct answer, individual secrets have their own IAM. If you assigned secret administrator at the vault level then you would be granting access to all secrets in the vault.

Question #286

You have a Microsoft 365 tenant.

In Microsoft Entra ID, you configure the terms of use.

You need to ensure that only users who accept the terms of use can access the resources in the tenant. Other users must be denied access.

What should you configure?

A) Terms and conditions in Microsoft Intune
B) an access policy in Microsoft Defender for Cloud Apps
C) a conditional access policy in Microsoft Entra ID (Correct Answer)
D) a compliance policy in Microsoft Intune

Explanation

Correct Answer:
C

Community Discussion

Selected Answer: C

C. a conditional access policy in Microsoft Entra ID. A conditional access policy is a feature that allows you to enforce granular controls over access to cloud apps based on user, location, device, and app. You can use a conditional access policy along with terms of use to require users to accept the terms of use policy before getting access to the resources in the tenant. You can also designate reviewers who can view and act on the consent requests in the Microsoft 365 admin center.

Question #287

You have a Microsoft 365 E5 subscription that contains a user named User1.
User1 is eligible for the Application Administrator role.

User1 needs to configure a new connector group for an application proxy.

What should you use to activate the role for User1?

A) the Microsoft 365 Defender portal
B) the Microsoft 365 admin center
C) the Microsoft Intune admin center
D) the Azure Active Directory admin center (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

D. the Azure Active Directory admin center. The Azure Active Directory admin center is a portal that allows you to manage your Microsoft Entra ID resources, such as users, groups, roles, and applications. You can use the Azure Active Directory admin center to assign roles to users, either directly or through eligible assignments.

Selected Answer: D

The question is only about activating the role with PIM, don't let the sentence about connector group to mess you up. When you need to assume a Microsoft Entra role, you can request activation by opening My roles in Privileged Identity Management. NOTE! Azure Active Directory admin center is now Microsoft Entra admin center. https://learn.microsoft.com/en-us/entra/id-governance/privileged-identity-management/pim-how-to-activate-role#activate-a-role

Question #288

Your on-premises network contains an Active Directory Domain Services (AD DS) domain and a certification authority (CA) named CA1.

You have an Azure AD tenant.

You need to implement certificate-based authentication in Azure AD. The solution must ensure that users can sign in by using certificates issued by CA1. What should you do first?

A) Deploy an Azure key vault.
B) Add CA1 as a Certificate Authority to the Microsoft Entra ID tenant. (Correct Answer)
C) Enable auto-enrollment for CA1.
D) Deploy Windows Hello for Business.

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: B

This is the first step to configure and use certificate-based authentication in Azure AD. You need to upload the root certificate and the certificate revocation list (CRL) of CA1 to Azure AD and specify the CRL distribution point. This allows Azure AD to validate the certificates issued by CA1 and check their revocation status.

Selected Answer: B

I think answer is correct Ref: https://learn.microsoft.com/en-us/entra/identity/authentication/how-to-certificate-based-authentication Prerequisites Make sure that the following prerequisites are in place: Configure at least one certification authority (CA) and any intermediate CAs in Microsoft Entra ID. The user must have access to a user certificate (issued from a trusted Public Key Infrastructure configured on the tenant) intended for client authentication to authenticate against Microsoft Entra ID. Each CA should have a certificate revocation list (CRL) that can be referenced from internet-facing

URLs. If the trusted CA doesn't have a CRL configured, Microsoft Entra ID won't perform any CRL checking, revocation of user certificates won't work, and authentication won't be blocked.

Question #289

You have accounts for the following cloud platforms:

- Azure
- Alibaba Cloud
- Amazon Web Services (AWS)
- Google Cloud Platform (GCP)

You configure an Azure subscription to use Microsoft Entra Permissions Management to manage the permissions in Azure only.

Which additional cloud platforms can be managed by using Permissions Management?

A) AWS only
B) Alibaba Cloud and AWS only
C) Alibaba Cloud and GCP only
D) AWS and GCP only (Correct Answer)
E) Alibaba Cloud, AWS, and GCP

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: D

Microsoft Entra Permissions Management is a cloud infrastructure entitlement management (CIEM) solution that provides comprehensive visibility into permissions assigned to all identities. For example, over-privileged workload and user identities,

actions, and resources across multicloud infrastructures in Microsoft Azure, Amazon Web Services (AWS), and Google Cloud Platform (GCP).

https://learn.microsoft.com/en-us/entra/identity/saas-apps/tutorial-list#cloud-integrations

Selected Answer: D

As a multicloud product, Permissions Management offers a comprehensive experience across multiple cloud environments; Amazon Web Services (AWS), Microsoft Azure, and Google Cloud Platform (GCP). Permissions Management provides you with granular visibility into what's happening in your cloud environments and offers actionable insights on both a high- and low-level. Just a few of the things that Permissions Management can help you discover are: • Exposed/Vulnerable storage containers • Over-permissioned users and groups • Inactive users, groups, resources, and applications • Global Administrator identities in your environment • Open network security groups https://learn.microsoft.com/en-us/entra/permissions-management/onboard-enable-tenant

#E Microsoft Entra Permissions Management is a cloud infrastructure entitlement management (CIEM) product that provides comprehensive visibility and control over permissions for any identity and any resource in Microsoft Azure, Amazon Web Services (AWS) and Google Cloud Platform (GCP).

Selected Answer: E

Microsoft Entra Permissions Management supports all the major cloud platforms, including Azure, Alibaba Cloud, AWS, and GCP. It allows you to discover, remediate, and monitor permission risks for any identity or resource across your cloud infrastructures. You can also implement consistent security policies and automate the principle of least privilege across your entire multicloud environment.

SecExams

Question #290

You have three Azure subscriptions that are linked to a single Microsoft Entra tenant.

You need to evaluate and remediate the risks associated with highly privileged accounts. The solution must minimize administrative effort.

What should you use?

A) Global Secure Access
B) Privileged Identity Management (PIM) (Correct Answer)
C) Microsoft Entra Permissions Management
D) Microsoft Entra Verified ID

Explanation

Correct Answer:
B

Community Discussion

Selected Answer: C

Answer is C

Selected Answer: B

To evaluate and remediate the risks associated with highly privileged accounts across multiple Azure subscriptions linked to a single Microsoft Entra tenant, you should use Privileged Identity Management (PIM) (Option B). Microsoft Entra PIM provides time-based and approval-based role activation to mitigate the risks of excessive, unnecessary, or misused access permissions on resources that you care about. It helps you manage, control, and monitor access within your organization, which includes access to Azure resources and other Microsoft services. Please note that while Microsoft Entra Permissions Management can provide visibility into permissions across multicloud infrastructures, it doesn't specifically target the management of highly privileged accounts. Global Secure Access and Microsoft Entra Verified ID do not provide the specific capabilities required for this scenario.

Could make a case for PIM, but I think Microsoft wants to hear Permission Management. The only thing that may not make it Permission Management is that it doesn't say multi-cloud.

Question #291

You have an Azure subscription named Sub1 that uses Microsoft Entra Permissions Management. Sub1 contains a user named User1. User1 is granted multiple permissions across Sub1.

You need to replace all the permissions granted to User1 with read-only permissions. The solution must minimize administrative effort.

What should you do on the Remediation tab in Permissions Management?

A) From the Role/Policy Template subtab, create a template.
B) From the My Requests subtab, create a new request.
C) From the Roles/Policies subtab, create a role. (Correct Answer)
D) From the Permissions subtab, use a quick action.

Explanation

Correct Answer:
C

Community Discussion

Selected Answer: D

There are four quick actions that can be used to manage users: Revoke Unused Tasks Revoke High-Risk Tasks Revoke Delete Tasks Assign Read-Only Status https://learn.microsoft.com/en-us/training/permissions-management/explore-features-of-permissions-management/9-act-on-your-findings-with-remediation-tab

Selected Answer: C

C Seems Correct based on this: https://learn.microsoft.com/en-us/training/permissions-management/explore-features-of-permissions-management/9-act-on-your-findings-with-remediation-tab

Question #292

You have an Azure subscription that contains a user named User1. The subscription is onboarded to Microsoft Entra Permissions Management.

You need to provide User1 with access to Permissions Management. The solution must meet the following requirements:

- Follow the principle of least privilege.
- Minimize administrative effort.

What should you do first?

A) From the Role/Policy Template subtab of Permissions Management, create a template.
B) From the Microsoft Entra admin center, create a security group.
C) From the My Requests subtab of Permissions Management, create a new request.
D) From the Microsoft Entra admin center, assign a role to User1. (Correct Answer)

Explanation

Correct Answer:
D

Community Discussion

Selected Answer: B

Correct answer is B "Permissions Management has its own group-based access system that provides granular control over what cloud environments, authorization systems, and permissions users have access to. The settings to manage these areas are found under the User Management tab of the product, which is in your profile dropdown menu."
https://learn.microsoft.com/en-us/training/permissions-management/explore-features-of-permissions-management/13-manage-access-to-microsoft-entra-permissions-

management Then, you can see from the screenshots that you have the option to search for AAD Security groups to add permissions.

Selected Answer: B

"Permissions Management entitlements work through group-based access. To add a new user, you must add a user to a group through Microsoft Entra ID." https://learn.microsoft.com/en-us/entra/permissions-management/how-to-add-remove-user-to-group https://learn.microsoft.com/en-us/answers/questions/1504869/how-to-grant-end-user-reader-access-to-entra-permi

Selected Answer: D

The Microsoft Entra admin center is a portal that allows you to manage your Microsoft Entra products and services, such as Permissions Management, Identity Governance, and Privileged Identity Management. You can assign roles to users or groups to grant them access to specific features and functions in Microsoft Entra.

The only Permission Management role is to be an Administrator. That's not the least privilege.

The only Permission Management role is to be an Administrator. That's not the least privilege.

SecExams

Question #293

SecExams

DRAG DROP

-

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Description
User1	User	*Not applicable*
User2	User	*Not applicable*
Vault1	Azure Key Vault	Contains a secret named Secret1
Vault2	Azure Key Vault	Contains a secret named Secret2
Secret1	Secret	Stored in Vault1
Secret2	Secret	Stored in Vault2

The subscription uses Privileged Identity Management (PIM).

You need to configure the following access controls by using PIM:

• Ensure that User1 can read and update Secret1.
• Ensure that User2 can read the contents of the secrets stored in Vault2.

The solution must follow the principle of least privilege.

Which authorization method should you use for each user? To answer, drag the appropriate authorization methods to the correct users. Each authorization method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Explanation

Correct Answer:

Community Discussion

Secrets officer to read and update secrets, Secrets user to only read secrets https://learn.microsoft.com/en-us/azure/key-vault/general/rbac-guide?tabs=azure-cli

Questions says: "You need to configure the following access controls by using PIM". So, with PIM, you'll need a (RBAC) role, so you cannot use Access Policy permissions. For User1, the least privileged role is Key Vault Secrets Officer. Key Vault Secrets Officer can perform any action on the secrets of a key vault, except manage permissions. Only works for key vaults that use the 'Azure role-based access control' permission model. For User2, the least privileged role is Key Vault Secrets User. Key Vault Secrets User can read secret contents including secret portion of a certificate with private key. Only works for key vaults that use the 'Azure role-based access control' permission model. NOTE! In reality, the better way would be to use custom role for more fine-grained permissions. https://learn.microsoft.com/en-us/azure/key-vault/general/rbac-access-policy https://learn.microsoft.com/en-us/azure/key-vault/general/rbac-guide?tabs=azure-cli#azure-built-in-roles-for-key-vault-data-plane-operations https://learn.microsoft.com/en-us/azure/key-vault/general/rbac-migration

I think this is an old question and the access policy (legacy) answers are correct. The given answers are not based on the principal of least administrative control. For User1, they give much more access than just to Secret1. User1 should have SET User2 should have List https://learn.microsoft.com/en-us/azure/key-vault/keys/about-keys-details

SecExams

Question #294

SecExams

HOTSPOT

-

You have two Azure subscriptions named Sub1 and Sub2 that are linked to a Microsoft Entra tenant. The tenant contains three groups named Group1, Group2, and Group3.

The subscriptions contain the resources shown in the following table.

Name	Type	Subscription
VM1	Virtual machine	Sub1
VM2	Virtual machine	Sub2
Automation1	Azure Automation account	Sub2

SecExams

The tenant contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2, Group3
User3	Group3

You manage the subscriptions by using Microsoft Entra Permissions Management. Permissions Management is configured as shown in the following table.

Name	Roles	Authorization System Name	Requestor for Other Identities
Group1	Viewer	Sub1	*None*
Group2	Controller	Sub2	User1
Group3	Approver	All Current and Future	*None*

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can request access to VM2 by using Permissions Management.	○	○
User2 can create an access request to Automation1 on behalf of User1.	○	○
User3 can approve access requests for VM2.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 can request access to VM2 by using Permissions Management.	○	●
User2 can create an access request to Automation1 on behalf of User1.	●	○
User3 can approve access requests for VM2.	●	○

Community Discussion

No - User1 is part of the group that can request access to sub1, not sub2 No - User1 can request access to Sub1 on behalf of other identities, not user2 Yes - User3's group can approve access requests for all subscriptions

Correct

SecExams

Question #295

HOTSPOT

-

You have an Azure subscription that contains a user named User1.

You onboard Microsoft Entra Permissions Management.

You need to perform the following tasks:

• Identify all the accounts that are assigned the Global Administrator role permanently.
• Review the Permission Creep Index (PCI) of User1.

Which tab in Permissions Management should you use for each task? To answer, select the appropriate options in the answer area.

SecExams

Answer Area

Identify all the accounts that are assigned the Global Administrator role permanently:

- Analytics
- Audit
- Azure AD Insights
- Dashboard
- Reports

Review the PCI of User1:

- Analytics
- Audit
- Azure AD Insights
- Dashboard
- Reports

Explanation

Correct Answer:

Answer Area

Identify all the accounts that are assigned the Global Administrator role permanently:

- Analytics
- Audit
- Azure AD Insights
- Dashboard
- Reports

Review the PCI of User1:

- Analytics
- Audit
- Azure AD Insights
- Dashboard
- Reports

Community Discussion

Box1: Provided answer is technically correct for an outdated question, but it is called the 'Microsoft Entra Insights' tab now https://learn.microsoft.com/en-us/entra/permissions-management/product-privileged-role-insights Box2: The dashboard provides an overall view of the PCI in your organization, but if you want to see the PCI for a specific user then you need to use the analytics tab. Correct answer is 'Analytics'

Identify all the accounts that are assigned the Global Administrator role permanently: It's now called Microsoft Entra Insights. The Microsoft Entra Insights tab shows you who is assigned to privileged roles in your organization. You can review a list of identities assigned to a privileged role and learn more about each identity. View information in the Microsoft Entra Insights tab • From the Permissions Management home page, select the Microsoft Entra Insights tab. • Select Review global administrators to review the list of Global administrator role assignments. • Select Review highly privileged roles or Review service principals to review information on principal role assignments for the following roles: Application administrator, Cloud Application administrator, Exchange administrator, Intune administrator, Privileged role administrator, SharePoint administrator, Security administrator, User administrator. https://learn.microsoft.com/en-us/entra/permissions-management/product-privileged-role-insights

Review the Permission Creep Index (PCI) of User1: Analytics Customers only need to track the evolution of their Permission Creep Index (PCI) to monitor permissions usage.

Customers can monitor PCI in the Analytics tab from their Permissions Management dashboard. The Permission Creep Index (PCI): Provides the following information: • Index: A numeric value assigned to the PCI. • Since: How many days the PCI value has been at the displayed level. https://learn.microsoft.com/en-us/entra/permissions-management/faqs#how-can-customers-monitor-permissions-usage-with-permissions-management https://learn.microsoft.com/en-us/entra/permissions-management/usage-analytics-users#view-the-results-of-your-query

Review the Permission Creep Index (PCI) of User1: Analytics Customers only need to track the evolution of their Permission Creep Index (PCI) to monitor permissions usage. Customers can monitor PCI in the Analytics tab from their Permissions Management dashboard. The Permission Creep Index (PCI): Provides the following information: • Index: A numeric value assigned to the PCI. • Since: How many days the PCI value has been at the displayed level. https://learn.microsoft.com/en-us/entra/permissions-management/faqs#how-can-customers-monitor-permissions-usage-with-permissions-management https://learn.microsoft.com/en-us/entra/permissions-management/usage-analytics-users#view-the-results-of-your-query

SecExams

Question #296

You have an Azure subscription that contains a user-assigned managed identity named Managed1 in the East US Azure region. The subscription contains the resources shown in the following table.

Name	Type	Location
VM1	Virtual machine	West US
storage1	Storage account	East US
WebApp1	Azure App Service app	East US

Which resources can use Managed1 as their identity?

A) WebApp1 only
B) storage1 and WebApp1 only
C) VM1 and WebApp1 only
D) VM1, storage1, and WebApp1 (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Selected Answer: D

Answer D is correct I think. see link "In short, yes you can use user assigned managed identities in more than one Azure region. The longer answer is that while user assigned managed identities are created as regional resources the associated service principal (SP) created in Microsoft Entra ID is available globally" https://learn.microsoft.com/en-us/entra/identity/managed-identities-azure-resources/managed-identities-faq

Selected Answer: C

C is correct https://learn.microsoft.com/en-us/entra/identity/managed-identities-azure-resources/managed-identities-status https://learn.microsoft.com/en-us/entra/identity/managed-identities-azure-resources/managed-identities-faq

Selected Answer: D

https://learn.microsoft.com/en-us/entra/identity/managed-identities-azure-resources/overview see the video starting from M 10 storage account also can.

Selected Answer: C

So, the resources that can use Managed1 as their identity are: VM1 WebApp1 (Azure App Service app) note : 1- the Storage account dont have managed identity 2- managed identity assigned to all region Therefore, the correct answer is B. storage1 and WebApp1 only.

The user-assigned managed identity, Managed1, is located in the East US Azure region. Therefore, it can be used by resources that are in the same region. From the table, we know that both the storage account (storage1) and the Azure App Service app (WebApp1) are located in the East US region. The virtual machine (VM1), however, is located in the West US region. So, the resources that can use Managed1 as their identity are: storage1 (Storage account) WebApp1 (Azure App Service app) Therefore, the correct answer is B. storage1 and WebApp1 only.

SecExams

Question #297

You have a Microsoft Entra tenant that contains the groups shown in the following table.

Name	Type	Membership type
Group1	Security	Assigned
Group2	Security	Dynamic
Group3	Microsoft 365	Assigned
Group4	Microsoft 365	Dynamic

You need to implement Privileged Identity Management (PIM) for the groups.

Which groups can be managed by using PIM?

A) Group1 only
B) Group1 and Group2 only
C) Group1 and Group3 only (Correct Answer)
D) Group3 and Group4 only
E) Group1, Group2, Group3, and Group4

Explanation

Correct Answer: C ?

Community Discussion

Question #298

SecExams

DRAG DROP

-

Your network contains an on-premises Active Directory domain named contoso.com that syncs with Microsoft Entra ID by using Microsoft Entra Connect. The domain contains the users shown in the following table.

Name	User principal name (UPN)	Proxy address
User1	user1@contoso.com	smtp: user1@contoso.com smtp: sales@contoso.com
User2	user2@contoso.com	smtp: user2@contoso.com smtp: user.2@contoso.com smtp: service@contoso.com

From Active Directory Users and Computers, you add the following user:

- Name: User3
- UPN:
- Proxy addresses: smtp: , smtp:

From Active Directory Users and Computers, you update the proxyAddresses attribute for each user as shown in the following table.

Name	Proxy address
User1	smtp: admin@contoso.com
User2	smtp: sales@contoso.com

You trigger a manual synchronization.

Which sync status will Microsoft Entra Connect sync return for each user? To answer, drag the appropriate status to the correct users. Each status may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

SecExams



Explanation

Correct Answer:



Community Discussion

correct: https://learn.microsoft.com/en-us/entra/identity/hybrid/connect/tshoot-connect-sync-errors InvalidSoftMatch error The most common reason for the InvalidSoftMatch error is two objects with different sourceAnchor (immutableId) attributes that have the same value for the proxyAddresses or userPrincipalName attributes, which are used during the soft-match process on Microsoft Entra ID. AttributeValueMustBeUnique error The most common reason for the AttributeValueMustBeUnique error is that two objects with different sourceAnchor (immutableId) attributes have the same value for the proxyAddresses or userPrincipalName attributes ObjectTypeMismatch error The most common reason for the ObjectTypeMismatch error is that two objects of different type, like user, group, or contact, have the same value for the proxyAddresses attribute

i changed my mind i again. i recreated this and verified that the given answers are corect

i changed my mind i again. i recreated this and verified that the given answers are corect

i changed my mind i again. i recreated this and verified that the given answers are corect

i changed my mind i again. i recreated this and verified that the given answers are corect

SecExams

Question #299

SecExams

You have a Microsoft 365 tenant that uses the domain name fabrikam.com.

The External collaboration settings are configured as shown in the Collaboration exhibit. (Click the Collaboration tab.)



The Email one-time passcode for guests setting is enabled for the tenant.

A user named shares a Microsoft SharePoint Online document library to the users shown in the following table.

Name	Email	Description
User1	User1@contoso.com	An existing guest user in fabrikam.com
User2	User2@tailspintoys.com	A guest user who has never accessed resources in fabrikam.com
User3	User3@fabrikam.com	A user in fabrikam.com

Which users will be emailed a passcode?

A) User1 only
B) User2 only (Correct Answer)
C) User1 and User2 only
D) User1, User2, and User3

Explanation

Correct Answer: B ?

Community Discussion

SecExams

Question #300

You have an Azure subscription named Sub1 that contains a virtual machine named VM1.

You need to enable Microsoft Entra login for VM1 and configure VM1 to access the resources in Sub1.

Which type of identity should you assign to VM1?

A) Microsoft Entra user account
B) user-assigned managed identity
C) Azure Automation account
D) system-assigned managed identity (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Selected Answer: D

System-assigned managed identity: This type of managed identity is enabled directly on an Azure resource. In this case, enabling a system-assigned managed identity on VM1 would allow VM1 to authenticate with other Azure resources within Sub1, using the identity associated with VM1.

Correct SAMI before UAMI

Correct SAMI before UAMI

Question #301

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Microsoft Entra admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Set-WindowsProductKey cmdlet
B) the Update-MgGroup cmdlet
C) the Set-MgUserLicense cmdlet (Correct Answer)
D) the Update-MgUser cmdlet

Explanation

Correct Answer: C ?

Community Discussion

Question #302

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Microsoft Entra admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Licenses blade in the Microsoft Entra admin center (Correct Answer)
B) the Administrative units blade in the Microsoft Entra admin center
C) the Identity Governance blade in the Microsoft Entra admin center
D) the Update-MgUser cmdlet

Explanation

Correct Answer: A ?

Community Discussion

Question #303

SecExams

HOTSPOT
-

You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group1, Group2

You have a user risk policy that has the following settings:

• Assignments:
o Include: Group1
o Exclude: Group2
• Sign-in risk: Medium and above
• Access controls:
o Grant access: Require password change

When the users attempt to sign in, user risk levels are detected as shown in the following table.

User	Risk level
User1	High
User2	Medium
User3	High

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

Statements	Yes	No
User1 must change their password during sign in.	○	○
User2 must change their password during sign in.	○	○
User3 must change their password during sign in.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 must change their password during sign in.	◉	○
User2 must change their password during sign in.	○	◉
User3 must change their password during sign in.	○	◉

Community Discussion

For a CA they say: Remember, the exclusion will take precedence. So if you select to include a user then exclude the user, the user will be excluded from the policy.

i' m not sure for user 3

Question #304

You have an Azure subscription that contains a resource group named RG1 and four users named User1, User2, User3, and User4.

You plan to assign the users the following roles for RG1:

- User1: Reader
- User2: Contributor
- User3: Storage Blob Data Reader
- User4: Virtual Machine Contributor

You are evaluating the use of attribute-based access control (ABAC).

Which user's role will support the use of ABAC?

A) User1
B) User2
C) User3 (Correct Answer)
D) User4

Explanation

Correct Answer: C ?

Community Discussion

Question #305

SecExams

HOTSPOT
-

You have an Azure subscription named Sub1 that contains a storage account named storage1.

You need to deploy two apps named App1 and App2 that will have the following configurations:

- App1 will be deployed as a registered app in Sub1.
- App1 will access storage1 by using Microsoft Entra authentication.
- App2 will access storage1 by using a single Microsoft Entra identity.
- App2 be hosted on two new virtual machines named VM1 and VM2.

The solution must minimize administrative effort.

Which type of identity will each app use to access storage1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

App1:

- User-assigned managed identity
- Microsoft Entra group account
- Microsoft Entra user account
- Service principal
- System-assigned managed identity

App2:

- User-assigned managed identity
- Microsoft Entra group account
- Microsoft Entra user account
- Service principal
- System-assigned managed identity

Explanation

Correct Answer:

Answer Area



Community Discussion

App1 : System-assigned managed identity. App2 : User-assigned managed identity.

App1 : Service principal App2 : system-assigned managed identity.

SecExams

Question #306

HOTSPOT

-

You have a Microsoft 365 E5 subscription.

You need to configure app consent for the subscription. The solution must meet the following requirements:

- Disable user consent to apps.
- Configure admin consent workflow for apps.

Which portal should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Explanation

Correct Answer:



Community Discussion

Microsoft 365 Admin center Microsoft 365 Admin center

Question #307

You have a Microsoft 365 subscription.

You plan to deploy an app named App1 that will have the following configurations:

• Will be registered in Microsoft Entra
• Will access the signed-in user's Microsoft Outlook calendar by using the Microsoft Graph API

You need to ensure that App1 can access Microsoft Graph.

What should you use?

A) application permissions (Correct Answer)
B) delegated permissions
C) a custom role-based access control (RBAC) role
D) a built-in role-based access control (RBAC) role

Explanation

Correct Answer: A ?

Community Discussion

Question #308

You have an Azure subscription.

You need to use Microsoft Entra Permissions Management to automatically monitor permissions and create and implement right-size roles. The solution must follow the principle of least privilege.

Which role should you assign to the service principal of Permissions Management?

A) User Access Administrator (Correct Answer)
B) Contributor
C) Reader
D) Owner

Explanation

Correct Answer: A ?

Community Discussion

A. User Access Administrator To use Microsoft Entra Permissions Management to automatically monitor permissions and create and implement right-size roles while following the principle of least privilege, you should assign the User Access Administrator role to the service principal of Permissions Management. The User Access Administrator role allows the service principal to manage user access to Azure resources, including the ability to grant and revoke access, but it does not grant excessive permissions such as Contributor or Owner roles. This aligns with the principle of least privilege, ensuring that

the service principal has the necessary permissions to perform its tasks without unnecessary access to modify resources.

Selected Answer: B

Question #309

HOTSPOT

-

You have an Azure subscription named Sub1.

You plan to onboard Microsoft Entra Permissions Management.

You need to ensure that Permissions Management users can manage role assignments for Sub1. The solution must follow the principle of least privilege.

Which role should you assign and to which identity should you assign the role? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Role:
- Contributor
- Reader
- Security Admin
- User Access Administrator

Identity:
- Azure Credential Configuration Endpoint Service
- Cloud Infrastructure Entitlements Management
- Microsoft Azure Management

Explanation

Correct Answer:

Answer Area



Community Discussion

Correct. See: https://learn.microsoft.com/en-us/entra/permissions-management/onboard-enable-controller-after-onboarding#enable-or-disable-the-controller-in-azure

Role: User Access Administrator Identity: Microsoft Azure Management

Correct

i personally think MS will favour EPM over Cloud Infrastructure Entitlement Management (CIEM) as an answer even though they are both great solutions.Damn.

i personally think MS will favour EPM over Cloud Infrastructure Entitlement Management (CIEM) as an answer even though they are both great solutions.Damn.

SecExams

Question #310

You have an Azure subscription, a Google Cloud Platform (GCP) account, and an Amazon Web Services (AWS) account.

You need to recommend a solution to assess the risks associated with privilege assignments across all the platforms. The solution must minimize administrative effort.

What should you include in the recommendation?

A) Microsoft Sentinel
B) Microsoft Entra ID Protection
C) Microsoft Defender for Cloud Apps
D) Microsoft Entra Permissions Management (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Selected Answer: D

D. Microsoft Entra Permissions Management Microsoft Entra Permissions Management is the appropriate solution to assess the risks associated with privilege assignments across Azure, Google Cloud Platform (GCP), and Amazon Web Services (AWS) accounts. It provides centralized management and monitoring of permissions and access across multiple cloud platforms, helping identify and remediate risks associated with privilege assignments. By using Microsoft Entra Permissions Management, you can minimize administrative effort by having a single tool to manage permissions across different cloud environments.

Question #311

You have a Microsoft Entra tenant.

You need to configure continuous access evaluation for app sign-ins and assign the configuration to users that are assigned the Application Administrator role.

What should you configure?

A) a sign-in risk policy
B) an access review (Correct Answer)
C) a Conditional Access policy
D) the Admin consent settings

Explanation

Correct Answer: B ?

Community Discussion

Question #312

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Microsoft Entra admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Identity Governance blade in the Microsoft Entra admin center
B) the Update-MgGroup cmdlet
C) the Set-MgUserLicense cmdlet (Correct Answer)

D) the Administrative units blade in the Microsoft Entra admin center

Explanation

Correct Answer: C ?

Community Discussion

SecExams

Question #313

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to ensure the owner of each Microsoft 365 group is notified to renew their group every 180 days. Groups that are NOT renewed must be deleted. For groups without an owner, the notifications must be sent to Allan Deyoung.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

Microsoft 365 group expiration policy
With the increase in usage of Microsoft 365 groups and Microsoft Teams, administrators and users need a way to clean up unused groups and teams. A Microsoft 365 groups expiration policy can help remove inactive groups from the system and make things cleaner.

How to set the expiration policy
As noted above, expiry is turned off by default. An administrator will have to enable the expiration policy and set the properties for it to take effect.

Step 1: To enable it, go to Microsoft Entra ID > Groups > Expiration. Here you can set the default group lifetime.

Step 2: Set Group lifetime (in days) to 180



Step 3: Set Email contact for groups with no owners: Allan Deyoung
Step 4: Set Enable expiration for these Office 365 groups: All
Step 5: Click Save

Reference:
https://learn.microsoft.com/en-us/microsoft-365/solutions/microsoft-365-groups-expiration-policy

Community Discussion

Question #314

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to prevent all users from using passwords that are variations of the word Falcon.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

Eliminate bad passwords using Microsoft Entra Password Protection

Step 1: Select Authentication methods

Step 2: Select Password Protection

Step 3: In Custom banned passwords, Set Enforce Custom list: Yes



Step 4: In Custom banned password list, add the word Falcon

Reference:
https://learn.microsoft.com/en-us/entra/identity/authentication/concept-password-ban-bad

Community Discussion

Question #315

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to assign a Windows 10/11 Enterprise E3 license to the sg-Retail group.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

To assign a license to a group

Step 1: Sign in to the Microsoft Entra admin center as at least a License Administrator.

Step 2: Browse to Identity > Billing > Licenses.

Step 3: Select the name of the license plan [Select Windows 10/11 Enterprise E3 license] you want to assign to the group.



Step 4: On the Product page, select Assign.



Step 5: On the Assign page, select Users and groups, and then search for and select the group you're assigning the license.
[Select the sg-Retail group]



Step 6: Select Assignment options, make sure you have the appropriate license options turned on, and then select OK.



Community Discussion

Question #316

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to create a group named Audit. The solution must ensure that the members of Audit can activate the Security Reader role.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

SecExams

Create a role-assignable group in Microsoft Entra ID

Step 1: Sign in to the Microsoft Entra admin center as at least a Privileged Role Administrator.

Step 2: Browse to Identity > Groups > All groups.

Step 3: Select New group.

Step 4: On the New Group page, provide group type, name [Enter Audit] and description.

Step 5: Set Microsoft Entra roles can be assigned to the group to Yes.



Step 6: Select the members and owners for the group. [Skip]

Step 7: Add role: Click No Roles select and select the Security Reader role.

Step 8: Select Create.

Reference:
https://learn.microsoft.com/en-us/entra/identity/role-based-access-control/groups-create-eligible

Community Discussion

Question #317

HOTSPOT

-

You have a Microsoft Entra tenant named contoso.com that contains an administrative unit named AU1 and two users named User1 and User2. User1 is a member of AU1.

You need to perform the following role assignments:

- User1: Security Administrator
- User2: User Administrator

For which scopes can each user be assigned the role? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Explanation



Correct Answer:

Community Discussion

Question #318

You have an Azure subscription. The subscription contains a virtual machine named VM1 that runs Linux.

You need to configure enhanced security for VM1. The solution must meet the following requirements:

- Ensure that users can sign in to VM1 by using their Microsoft Entra credentials.
- Ensure that users authenticate by using multi-factor out-of-band.
- Prevent users from signing in to VM1 by using passwords.

Which two authentication methods can you include in the solution? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A) the Microsoft Authenticator app

B) FIDO2 security keys (Correct Answer)

C) Temporary Access Pass (Correct Answer)
D) SMS
E) Windows Hello for Business

Explanation

Correct Answer: BC ?

Community Discussion

Question #319

You have a Microsoft 365 E5 subscription.

You create an access review named Review1. Review1 requires that every six months, Microsoft 365 group owners review guest user access to their groups.

You need to ensure that if the group owners fail to review the membership of Review1, guest users are removed automatically.

Which settings should you configure for Review1?

A) Scheduling
B) When completed (Correct Answer)
C) General
D) Reviewers

Explanation

Correct Answer: B ?

Community Discussion

Question #320

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to enforce multi-factor authentication (MFA) for users in the Executives group when they connect to Microsoft Office 365 apps. The solution must affect only the users in the Executives group.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

enforce multi-factor authentication connect Microsoft Office 365 apps

Set up multifactor authentication for Microsoft 365

Use Conditional Access policies
If your organization has more granular sign-in security needs, Conditional Access policies can offer you more control. Conditional Access lets you create and define policies that react to sign in events and request additional actions before a user is granted access to an application or service.

Part 1:
First, create a Conditional Access policy and assign your test group of users as follows:

Step 1: Sign in to the Microsoft Entra admin center as at least a Conditional Access Administrator.

Step 2: Browse to Protection > Conditional Access, select + New policy, and then select Create new policy.



Step 3: Enter a name for the policy, such as MFA Pilot.

Step 4: Under Assignments, select the current value under Users or workload identities.



Step 5: Under What does this policy apply to?, verify that Users and groups is selected.

Step 6: Under Include, choose Select users and groups, and then select Users and groups.



Since no one is assigned yet, the list of users and groups (shown in the next step) opens automatically.

Step 7: Browse for and select your Microsoft Entra group, such as MFA-Test-Group, then choose Select. [Select the Executives group]



Community Discussion

Question #321

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to ensure that users in the sg-Legal group must reauthenticate every 12 hours when they access any cloud apps managed by the tenant.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

Microsoft Entra, Microsoft Entra ID, Conditional Access, Configure adaptive session lifetime policies

Sign-in frequency control

Step 1: Sign in to the Microsoft Entra admin center as at least a Conditional Access Administrator.

Step 2: Browse to Protection > Conditional Access.

Step 3: Select Create new policy.

Step 4: Give your policy a name. We recommend that organizations create a meaningful standard for the names of their policies.

Step 5: Choose all required conditions for customer's environment, including the target cloud apps.

Step 6: Under Access controls > Session.

Step 6a: Select Sign-in frequency.

Step 6b: Choose Periodic reauthentication and enter a value of hours or days [Specify 12 hours: 12 + Hours as Unit] or select Every time.



Step 6c: For Assignments, User or workload identities, specify the sg-Legal group

Step 6d: For Cloud apps or actions, specify any/all cloud apps.

Step 7: Click Create, and save your policy.

Reference:
https://learn.microsoft.com/en-us/entra/identity/conditional-access/howto-conditional-access-session-lifetime

Community Discussion

Question #322

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to configure Microsoft Entra Identity Protection to meet the following requirements:

• Require multi-factor authentication (MFA) for any sign-ins at the high risk level.
• Apply the configuration to all users except for Mod Administrator.

To complete this task, sign in to the appropriate admin center.

SecExams

Explanation

Correct Answer:

Microsoft Entra Identity Protection multi-factor authentication (MFA) for any sign-ins at the high risk level

Enable sign-in risk policy for MFA
Most users have a normal behavior that can be tracked. When they fall outside of this norm, it could be risky to allow them to successfully sign in. Instead, you might want to block that user, or ask them to perform a multifactor authentication. If the user successfully completes the MFA challenge, you can consider it a valid sign-in attempt and grant access to the application or service.

To enable this policy, complete the following steps:

Step 1: Sign in to the Microsoft Entra admin center as at least a Conditional Access Administrator.

Step 2: Browse to Protection > Conditional Access.

Step 3: Select New policy.

Step 4: Give your policy a name. We recommend that organizations create a meaningful standard for the names of their policies.

Step 5: Under Assignments, select Users or workload identities
Step 5a: Under Include, select All users.
Step 5b: Under Exclude, select Users and groups and choose your organization's emergency access or break-glass accounts.
[Select Mod Administrator]

Step 6: Under Cloud apps or actions > Include, select All cloud apps.

Step 7: Under Conditions > Sign-in risk, set Configure to Yes. Under Select the sign-in risk level this policy will apply to.
a. Select High.
b. Select Done.

Step 8: Under Access controls > Grant.
a. Select Grant access, Require multifactor authentication.
b. Select Select.

Step 9: Under Session. [Skip, do not need to specify sign-in frequency]

Step 10: Confirm your settings and set Enable policy to On.

Step 11: Select Create to create to enable your policy.

Note: Use risk detections for user sign-ins to trigger Microsoft Entra multifactor authentication or password changes
To protect your users, you can configure risk-based Microsoft Entra Conditional Access policies that automatically respond to risky behaviors. These policies can automatically block a sign-in attempt or require extra action, such as require a secure password change or prompting for Microsoft Entra multifactor authentication. These policies work with existing Microsoft Entra Conditional Access policies as an extra layer of protection for your organization. Users might never trigger a risky behavior in one of these policies, but your organization is protected if an attempt to compromise your security is made.

Reference:
https://learn.microsoft.com/en-us/entra/identity/authentication/tutorial-risk-based-sspr-mfa

Community Discussion

Question #323

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to deploy multi factor authentication (MFA). The solution must meet the following requirements:

- Require MFA registration only for members of the sg-Finance group.
- Exclude Debra Berger from having to register for MFA.
- Implement the solution without using a Conditional Access policy.

To complete this task, sign in to the appropriate admin center.

SecExams

Explanation

Correct Answer:

Configure the Microsoft Entra multifactor authentication registration policy
Policy configuration

Step 1: Sign in to the Microsoft Entra admin center as at least a Security Administrator

Step 2: Browse to Protection > Identity Protection > MFA registration policy.

Step 3: Under Assignments > Users

Step 4: Under Include, select All users or Select individuals and groups if limiting your rollout. [Select sg-Finance group]

Step 5: Under Exclude, select Users and groups and choose your organization's emergency access or break-glass accounts. [Select Debra Berger]

Step 6: Enforce Policy - On

Step 7: Save

Reference:
https://learn.microsoft.com/en-us/entra/id-protection/howto-identity-protection-configure-mfa-policy

Community Discussion

SecExams

Question #324

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to implement a process to review guest users who have access to the Salesforce app. The review must meet the following requirements:

• The reviews must occur monthly.
• The manager of each guest user must review the access.
• If the reviews are NOT completed within five days, access must be removed.
• If the guest user does not have a manager, Megan Bowen must review the access.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

SecExams

Microsoft Entra, Microsoft Entra ID Governance, Manage guest access with access reviews

Create an access review of groups and applications in Microsoft Entra ID
Access to groups and applications for employees and guests changes over time. To reduce the risk associated with stale access assignments, administrators can use Microsoft Entra ID to create access reviews for group members or application access.

Create a single-stage access review
Scope

Step 1: Sign in to the Microsoft Entra admin center as at least an Identity Governance Administrator.

Step 2: Browse to Identity governance > Access Reviews.

Step 3: Select New access review to create a new access review.



Step 4: In the Select what to review box, select which resource you want to review. [Select Teams + Groups]

Step 5: If you selected Teams + Groups, you have two options:

* All Microsoft 365 groups with guest users: Select this option if you want to create recurring reviews on all your guest users across all your Microsoft Teams and Microsoft 365 groups in your organization. Dynamic groups and role-assignable groups aren't included. You can also choose to exclude individual groups by selecting Select group(s) to exclude.

* Select Teams + groups: Select this option if you want to specify a finite set of teams or groups to review.



Step 6: [Select All Microsoft 365 groups with guest users]

Step 7: Now you can select a scope for the review. [Select Guest users only]: This option limits the access review to only the Microsoft Entra B2B guest users in your directory.

Step 8: Select Next: Reviews.

Next: Reviews. Single stage review

Step 9: In the Specify reviewers section, in the Select reviewers box, select either one or more people to make decisions in the access reviews. You can choose from:

Group owner(s): This option is only available when you do a review on a team or group.
Selected user(s) or groups(s)
Users review their own access
Managers of users



Community Discussion

Question #325

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to add the LinkedIn application as a resource to the Sales and Marketing access package. The solution must NOT remove any other resources from the access package.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

Change resource roles for an access package in entitlement management
As an access package manager, you can change the resources in an access package at any time without worrying about provisioning the user's access to the new resources, or removing their access from the previous resources.

Step 1: Sign in to the Microsoft Entra admin center as at least an Identity Governance Administrator.

Step 2: Browse to Identity governance > Entitlement management > Access package.

Step 3: On the Access packages page, open the access package you want to check to ensure that its catalog has the necessary resources. [Open the Sales and Marketing access package]



Step 4: In the left menu, select Catalog and then open the catalog.

Step 5: In the left menu, select Resources to see the list of resources in this catalog.



If the resources aren't already in the catalog, and you're an administrator or a catalog owner, you can add resources to a catalog. The types of resources you can add are groups, applications you've integrated with your directory, and SharePoint Online sites.

Step 6: Click Add resources [or if Linked is visible, just select LinkedIn on the screen directly]

Step 7: Select the LinkedIn application

Reference:
https://learn.microsoft.com/en-us/entra/id-governance/entitlement-management-access-package-resources

Community Discussion

SecExams

Question #326

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to implement additional security checks before the members of the sg-Executive can access any company apps. The members must meet one of the following conditions:

• Connect by using a device that is marked as compliant by Microsoft Intune.
• Connect by using client apps that are protected by app protection policies.

To complete this task, sign in to the appropriate admin center.

SecExams

Explanation

Correct Answer:

SecExams

Part 1: First, create a Conditional Access policy and assign your test group of users as follows:

Step 1: Sign in to the Microsoft Entra admin center as at least a Conditional Access Administrator.

Step 2: Browse to Protection > Conditional Access, select + New policy, and then select Create new policy.



Step 3: Enter a name for the policy, such as MFA Pilot.

Step 4: Under Assignments, select the current value under Users or workload identities.



Step 5: Under What does this policy apply to?, verify that Users and groups is selected.

Step 6: Under Include, choose Select users and groups, and then select Users and groups.



Since no one is assigned yet, the list of users and groups (shown in the next step) opens automatically.

Community Discussion

Question #327

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to lock out accounts for five minutes when they have 10 failed sign-in attempts.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

Protect user accounts from attacks with Microsoft Entra smart lockout

Manage Microsoft Entra smart lockout values
Based on your organizational requirements, you can customize the Microsoft Entra smart lockout values.

To check or modify the smart lockout values for your organization, complete the following steps:

Step 1: Sign in to the Microsoft Entra admin center as at least an Authentication Administrator.

Step 2: Browse to Protection > Authentication methods > Password protection.

Step 3: Set the Lockout threshold, based on how many failed sign-ins are allowed on an account before its first lockout.

Step 4: The default is 10 for Azure Public tenants and 3 for Azure US Government tenants. [Specify: 10]

Step 5: Set the Lockout duration in seconds, to the length in seconds of each lockout. [Specify 300 seconds]

The default is 60 seconds (one minute).



Reference:
https://learn.microsoft.com/en-us/entra/identity/authentication/howto-password-smart-lockout

Community Discussion

Question #328

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to prevent all users from using legacy authentication protocols when authenticating to Microsoft Entra ID.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

Block legacy authentication with Microsoft Entra Conditional Access

Common Conditional Access policy: Block legacy authentication

Step 1: Sign in to the Microsoft Entra admin center as at least a Conditional Access Administrator.

Step 2: Browse to Protection > Conditional Access.

Step 3: Select Create new policy.

Step 4: Give your policy a name. We recommend that organizations create a meaningful standard for the names of their policies.

Step 5: Under Assignments, select Users or workload identities.

Step 5a: Under Include, select All users.
Step 5b: Under Exclude, select Users and groups and choose any accounts that must maintain the ability to use legacy authentication. Microsoft recommends you exclude at least one account to prevent yourself from being locked out. [Skip]

Step 6: Under Target resources > Cloud apps > Include, select All cloud apps.

Step 7: Under Access controls > Grant, select Block access.
Select Select.

Step 8: Confirm your settings and set Enable policy to On.

Step 9: Select Create to create to enable your policy.

Reference:
https://learn.microsoft.com/en-us/entra/identity/conditional-access/howto-conditional-access-policy-block-legacy

SecExams

Community Discussion

Question #329

You have a Microsoft Entra tenant that contains a terms of use (ToU) named Terms1.

You create a Conditional Access policy named Policy1 to deploy Terms1.

You need to configure Policy1 to require users to accept Terms1.

Which settings should you configure for Policy1?

A) Conditions
B) Session
C) Grant (Correct Answer)
D) Target resources

Explanation

Correct Answer: C ?

Community Discussion

Question #330

You have an Azure subscription that contains a virtual machine named VM1 and an Azure key vault named Vault1. VM1 has a system-assigned managed identity.

You need to ensure that VM1 can retrieve the values of secrets stored in Vault1. The solution must minimize administrative effort.

What should you do first?

A) Configure the Resource access settings for Vault1.
B) Configure the permissions model for Vault1.
C) Add a user-assigned managed identity to VM1.
D) Assign an Azure role to VM1. (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Question #331

SecExams

HOTSPOT
-

You have an Azure subscription named Sub1.

You plan to use Microsoft Entra Permissions Management to manage Sub1.

You need to ensure that Permissions Management can perform the following tasks:

- Identify unused permissions assigned to applications and managed identities.
- Provide users with recommendations about which permissions to remove.
- Remove unused permissions.

The solution must follow the principle of least privilege.

Which role should you assign to the service principal of Permissions Management, and what should you use to provide recommendations and remove unused permissions? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Explanation

Correct Answer:



Community Discussion

SecExams

Question #332

SecExams

HOTSPOT
-

You have a Microsoft 365 E5 subscription that contains two groups named Group1 and Group2. The subscription contains the users shown in the following table.

Name	Member of	Role
User1	Group1	*None*
User2	Group2	Global Administrator
User3	Group1, Group2	*None*

You create the following Conditional Access policies:

• Name: Policy1
• Users:
o Include: Group1
o Exclude: Group2
• Target resources:
o Include: All cloud apps
• Grant:
o Grant access: Require multi-factor authentication
• Session:
o Persistent browser session: Never persistent

• Name: Policy2
• Users:
o Include:
- Directory roles: Global Administrator
- Users and groups: User3
o Exclude: Group2
• Target resources:
o Include: All cloud apps
• Session:
o Sign-in frequency:
- Periodic authentication: 2 hours

SecExams

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 will be prompted for the Stay signed in option when they sign in to the Microsoft 365 portal.	○	○
User2 must reauthenticate to Microsoft 365 Apps every two hours.	○	○
User3 must reauthenticate to Microsoft 365 Apps every two hours.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 will be prompted for the Stay signed in option when they sign in to the Microsoft 365 portal.	○	○
User2 must reauthenticate to Microsoft 365 Apps every two hours.	○	○
User3 must reauthenticate to Microsoft 365 Apps every two hours.	○	○

Community Discussion

Question #333

HOTSPOT

-

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Name	Type
VM1	Virtual machine	VM1	Virtual machine
App1	Azure App Service web app	App1	Azure App Service web app
Managed1	Managed identity	Managed1	Managed identity
Managed2	Managed identity	*Not applicable*	*Not applicable*

You create a Microsoft Entra user named User1.

Which identities can you add to VM1 and App1? To answer, select the appropriate options in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area

VM1:
- User1 only
- Managed2 only
- Managed1 and Managed2 only
- Managed2 and User1 only
- Managed1, Managed2, and User1

App1:
- User1 only
- Managed2 only
- Managed2 and User1 only
- A system-assigned managed identity only
- A system-assigned managed identity and Managed2 only
- A system-assigned managed identity, Managed2, and User1

Explanation

Correct Answer:



Community Discussion

SecExams

Question #334

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

Your company is developing a new custom web app named App1.

You need to register App1 with Microsoft Entra ID. Authenticated users must be redirected to the URI https//app1.contoso.com.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

Register an application with the Microsoft identity platform
Registering your application establishes a trust relationship between your app and the Microsoft identity platform. The trust is unidirectional: your app trusts the Microsoft identity platform, and not the other way around. Once created, the application object can't be moved between different tenants.

Specify who can use the application in the Supported account types section.
Step 1: Sign in to the Microsoft Entra admin center.

Step 2: If you have access to multiple tenants, use the Settings icon in the top menu to switch to the tenant in which you want to register the application from the Directories + subscriptions menu.

Step 3: Browse to Identity > Applications > App registrations and select New registration.

Step 4: Enter a display Name for your application. [Here: App1]

Step 5: Specify who can use the application in the Supported account types section.
Step 6: Redirect URI (optional). [Here: https//app1.contoso.com]
Step 7: Select Register to complete the initial app registration.



Reference:
https://learn.microsoft.com/en-us/graph/auth-register-app-v2

Community Discussion

Question #335

SIMULATION
-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999
-

You need to configure consent for applications that require access to data in the Microsoft 365 subscription. The solution must meet the following requirements:

If a user cannot provide consent to an application, the user must be able to request that an administrator review the consents requests.
Allan Deyoung must be able to review the consent requests of the users.

To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

Microsoft Entra ID, Enterprise applications, Configure how users consent to applications
Before an application can access your organization's data, a user must grant the application permissions to do so.

Part 1: If a user cannot provide consent to an application, the user must be able to request that an administrator review the consents requests.

Configure user consent settings
Step 1: Sign in to the Microsoft Entra admin center as a Global Administrator.

Step 2: Browse to Identity > Applications > Enterprise applications > Consent and permissions > User consent settings.

Step 3: Under User consent for applications, select which consent setting you want to configure for all users. [Here: Do not allow user consent]



Step 4: Select Save to save your settings.

Part 2: Allan Deyoung must be able to review the consent requests of the users.
Configure the admin consent workflow to enable users to request access to applications that require admin consent. You enable the ability to make requests by using an admin consent workflow.

Enable the admin consent workflow
To enable the admin consent workflow and choose reviewers:

Step 1: Sign in to the Microsoft Entra admin center as as a Global Administrator.

Step 2: Browse to Identity > Applications > Enterprise applications > Consent and permissions > Admin consent settings.

Step 3: Under Admin consent requests, select Yes for Users can request admin consent to apps they are unable to consent to



Step 4: Configure the following settings:
Who can review admin consent requests
Step 4a: Specify Allan Deyoung

Step 5: Select Save. It can take up to an hour for the workflow to become enabled.

Reference:
https://learn.microsoft.com/en-us/entra/identity/enterprise-apps/configure-user-consent
https://learn.microsoft.com/en-us/entra/identity/enterprise-apps/configure-admin-consent-workflow

Community Discussion

Question #336

SIMULATION
-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999
-

You need to ensure that all users can consent to apps that require permission to read their user profile. Users must be prevented from consenting to apps that require any other permissions.
To complete this task, sign in to the appropriate admin center.

Explanation

Correct Answer:

SecExams

Plan:
Part 1: Configure permission classification
Part 2: Configure how users consent to applications

Part 1: Configure permission classification

Manage permission classifications

Follow these steps to classify permissions using the Microsoft Entra admin center:

Step 1: Sign in to the Microsoft Entra admin center as at least a Cloud Application Administrator.

Step 2: Browse to Identity > Applications > Enterprise applications > Consent and permissions > Permission classifications.

Step 3: Choose the tab for the permission classification you'd like to update.

Step 4: Choose Add permissions to classify another permission.

Step 5: Select the API and then select the delegated permission(s).

In this example, we've classified the minimum set of permission required for single sign-on:



Step 5a: In our case: Only Sign in and read user profile

Part 2: Configure how users consent to applications
Configure how users consent to applications

To configure user consent settings through the Microsoft Entra admin center:

Step 1: Sign in to the Microsoft Entra admin center as a Global Administrator.

Step 2: Browse to Identity > Applications > Enterprise applications > Consent and permissions > User consent settings.

Step 3: Under User consent for applications, select which consent setting you want to configure for all users.



Step 3a: Select Allow user consent for apps from verified publishers, for selected permissions (Recommmended)

Step 4: Select Save to save your settings.

Note: Configure permission classifications
Permission classifications allow you to identify the impact that different permissions have according to your organization's policies and risk evaluations. For example, you can use permission classifications in consent policies to identify the set of permissions that users are allowed to consent to.

Three permission classifications are supported: "Low", "Medium" (preview), and "High" (preview). Currently, only delegated permissions that don't require admin consent can be classified.

The minimum permissions needed to do basic sign-in are 1itwar, profile, email, and offline_access, which are all delegated permissions on the Microsoft Graph. With these permissions an app can read details of the signed-in user's profile, and can maintain this access even when the user is no longer using the app.

Reference:
https://learn.microsoft.com/en-us/entra/identity/enterprise-apps/configure-user-consent
https://learn.microsoft.com/en-us/entra/identity/enterprise-apps/configure-permission-classifications

Community Discussion

SecExams

Question #337

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to ensure that when users in the sg-Operations group go to the My Apps portal, a tab named Operations appears that contains only the following applications:

• LinkedIn
• Box

To complete this task, sign in to the appropriate admin center.

SecExams

Explanation

Correct Answer:

SecExams

Deploy conditional access app control for catalog apps with Microsoft Entra ID
Access and session controls in Microsoft Defender for Cloud Apps work with applications from the Cloud app catalog and with custom applications.

Configure the Microsoft Entra ID integration
Use the following steps to create a Microsoft Entra Conditional Access policy that routes app sessions to Defender for Cloud Apps.
Step 1: In Microsoft Entra ID, browse to Security > Conditional Access.

Step 2: On the Conditional Access pane, in the toolbar at the top, select New policy -> Create new policy.

Step 3: On the New pane, in the Name textbox, enter the policy name.

Step 4: Under Assignments, select Users or workload identities and assign the users and groups that will be onboarding (initial sign-on and verification) the app. [Select the sg-Operations group]

Step 5: Under Assignments, select Cloud apps or actions and assign the apps and actions you want to control with conditional access app control. [Select the My Apps portal app]

Step 6: Under Access controls, select Session, select Use Conditional Access App Control, and choose a built-in policy (Monitor only (Preview) or Block downloads (Preview)) or Use custom policy to set an advanced policy in Defender for Cloud Apps, and then select Select. [Select Use custom policy]



Step 7: Add conditions and grant controls as required.

Step 7a: Configure the Custom policy so that it satisfies the question (Details omitted)
Question: A tab named Operations appears that contains only the following applications: LinkedIn, Box

Step 8: Set Enable policy to On and then select Create.

Reference:
https://learn.microsoft.com/en-us/entra/identity/conditional-access/concept-conditional-access-policies

Community Discussion

Question #338

HOTSPOT

-

You have an Azure subscription named Sub1.

You plan to deploy Microsoft Entra Permissions Management.

You need to ensure that Permission Management can onboard Sub1. The solution must follow the principle of least privilege.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Explanation

Correct Answer:

Community Discussion

Question #339

Your company has a Microsoft Entra tenant that contains a user named User1.

The company has two departments named marketing and finance.

You need to grant permissions to User1 to manage only the users in the marketing department.

What should you create first?

A) a Microsoft 365 group
B) an administrative unit (Correct Answer)
C) a management group
D) a resource group

Explanation

Correct Answer: B ?

Community Discussion

SecExams

Question #340

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You need to configure the Group Administrator role to meet the following requirements:

• Ensure that Allan Deyoung can approve and reject requests to activate the role.
• Ensure that Christie Cline can request activation of the role.
• Use the principle of least privilege.

To complete this task, sign in to the appropriate admin center.

SecExams

Explanation

Correct Answer:

SecExams

Microsoft 365 portal approve and reject requests to activate the role

Note: Groups admin role in Azure Active Directory (Azure AD) is now generally available. This new Azure Active Directory role enables you to perform group management tasks for and Azure AD security groups without requiring Global administrator permissions.

Part 1: Ensure that Allan Deyoung can approve and reject requests to activate the role.
Assign a role
Follow these steps to make a user eligible for an Azure resource role.

Step 1: Sign in to the Microsoft Entra admin center as at least a User Access Administrator.

Step 2: Browse to Identity governance > Privileged Identity Management > Azure resources.

Step 3: Select the resource type you want to manage. Start at either the Management group dropdown or the Subscriptions dropdown, and then further select Resource groups or Resources as needed. Click the Select button for the resource you want to manage to open its overview page.



Step 4: Under Manage, select Roles to see the list of roles for Azure resources.

Step 5: Select Add assignments to open the Add assignments pane.



Community Discussion

SecExams

Question #341

SIMULATION

-

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:
Microsoft 365 Password: =1122334455667788

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 99999999

-

You plan to use access packages to assign access to resources.

You need to create a catalog named Catalog that will contain the following resources:

- The Contoso SharePoint Online site
- The Mark 8 Project Team group
- The Salesforce app

To complete this task, sign in to the appropriate admin center.

SecExams

Explanation

Correct Answer:

SecExams

Plan:
Part 1: Create a Catalog named Catalog
Part 2: Add the Mark 8 Project Team group to Catalog
Part 3: Add the Salesforce app to Catalog

Part 1: Create a Catalog named Catalog
A catalog is a container of resources and access packages. You create a catalog when you want to group related resources and access packages. An administrator can create a catalog.

To create a catalog:

Step 1: Sign in to the Microsoft Entra admin center as at least an Identity Governance Administrator.

Step 2: Browse to Identity governance > Entitlement management > Catalogs.



Step 3: Select New catalog.

Step 4: Enter a unique name for the catalog [Enter Catalog] and provide a description.

Step 5: If you want the access packages in this catalog to be available for users to request as soon as they're created, set Enabled to Yes. [set Enabled to Yes]

Step 6: If you want to allow users in external directories from connected organizations to be able to request access packages in this catalog, set Enabled for external users to Yes. The access packages must also have a policy allowing users from connected organizations to request. If the access packages in this catalog are intended only for users already in the directory, then set Enabled for external users to No. [set Enabled for external users to No]



Step 7: Select Create to create the catalog.

Part 2: Add the Mark 8 Project Team group to Catalog

To add resources to a catalog:

Step 1: Sign in to the Microsoft Entra admin center as at least an Identity Governance Administrator.

Step 2: Browse to Identity governance > Entitlement management > Catalogs.

Step 3: On the Catalogs page open the catalog you want to add resources to.

Step 4: On the left menu, select Resources.

Community Discussion

SecExams

Question #342

SecExams

HOTSPOT
-

You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Member of
Admin1	Group1
Admin2	Group2
Admin3	Group1, Group2

You add the following assignment for the User Administrator role:

- Scope type: Directory
- Selected members: Group1
- Assignment type: Active
- Assignments starts: August 15, 2022
- Assignment ends: December 15, 2022

You add the following assignment for the Exchange Administrator role:

- Scope type: Directory
- Selected members: Group2
- Assignment type: Eligible
- Assignments starts: October 15, 2022
- Assignment ends: January 15, 2023

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

Statements	Yes	No
On November 15, 2022, Admin1 can reset the password of Admin2.	○	○
On October 15, 2022, Admin2 signs in and can administer Exchange Online.	○	○
On September 1, 2022, Admin3 can reset the password of Admin1.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
On November 15, 2022, Admin1 can reset the password of Admin2.	●	○
On October 15, 2022, Admin2 signs in and can administer Exchange Online.	○	●
On September 1, 2022, Admin3 can reset the password of Admin1.	●	○

Community Discussion

SecExams

Question #343

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Microsoft Entra admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Set-MgUserLicense cmdlet (Correct Answer)
B) the Identity Governance blade in the Microsoft Entra admin center
C) the Groups blade in the Microsoft Entra admin center
D) the Update-MgGroup cmdlet

Explanation

Correct Answer: A ?

Community Discussion

Question #344

You have an Azure subscription that contains a storage account named storage1.

You plan to deploy an app named App1 that will be hosted on multiple virtual machines. The virtual machines will authenticate to a third-party API by using secrets.

You need to recommend an authentication solution for the virtual machines. The solution must meet the following requirements:

• Securely store secrets.
• Ensure that credentials do NOT need to be stored in the App1 code.
• Ensure that the virtual machines can access Azure resources by using Microsoft Entra authentication
• Minimize administrative effort.

What should you include in the recommendation?

A) user accounts and Storage Service Encryption
B) user-assigned managed identities and Azure Key Vault (Correct Answer)
C) user accounts and Azure Key Vault
D) system assigned managed identities and Storage Service Encryption

Explanation

Correct Answer: B ?

Community Discussion

Question #345

SecExams

HOTSPOT

-

You have an Azure subscription named Sub1 that contains the resources shown in the following table.

Name	Type	In resource group
Vault1	Azure Key Vault	RG1
Automation1	Azure Automation account	RG1
Automation2	Azure Automation account	RG2
VM1	Virtual machine	RG2

Sub1 contains the managed identities shown in the following table.

Name	Type	Assigned to
Identity1	User-assigned	Automation1
Identity2	System-assigned	Automation2
Identity3	System-assigned	VM1

Sub1 has the role-based access control (RBAC) role assignments shown in the following table.

Identity	Role	Scope
Identity1	Key Vault Secrets User	RG2
Identity2	Key Vault Secrets User	Sub1
Identity3	Key Vault Secrets User	RG1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Automation1 can access the contents of the secrets stored in Vault1.	○	○
Identity2 can be assigned to Automation2 to gain access to the contents of the secrets stored in Vault1.	○	○
VM1 can access the contents of the secrets stored in Vault1.	○	○

SecExams

Explanation

Correct Answer:

Answer Area

Community Discussion

SecExams

Question #346

You have an Azure subscription that contains an Azure Automation account named Automation1.

You need to grant Automation1 access to Azure resources. The solution must meet the following requirements:

• Ensure that any permissions granted to Automation1 are removed when the account is deleted.
• Minimize administrative effort.

What should you use?

A) a client secret
B) a system-assigned managed identity (Correct Answer)
C) a certificate
D) user-assigned managed identity

Explanation

Correct Answer: B ?

Community Discussion

Question #347

You have a Microsoft Entra tenant named contoso.com that contains an enterprise application named App1.

A contractor uses the credentials of .

You need to ensure that you can provide the contractor with access to App1. The contractor must be able to authenticate as .

What should you do?

A) Add a custom domain name to contoso.com.
B) Configure the External collaboration settings.
C) Create a guest user account in contoso.com. (Correct Answer)
D) Add a WS-Fed identity provider.

Explanation

Correct Answer: C ?

Community Discussion

Question #348

HOTSPOT

-

You have two Microsoft Entra tenants named contoso.com and fabrikam.com.

Contoso.com contains the users shown in the following table.

Name	Type
User1	Member
User2	Member
User3	Guest

Contoso.com contains the groups shown in the following table.

Name	Membership type	Members
Group1	Assigned	User1
Group2	Assigned	Group1, User2

You configure cross-tenant synchronization from contoso.com to fabrikam.com and enable cross-tenant synchronization for User3 and Group2.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 will sync to fabrikam.com.	○	○
User2 will sync to fabrikam.com.	○	○
User3 will sync to fabrikam.com.	○	○

Explanation



Correct Answer:

Community Discussion

SecExams

Question #349

You have a Microsoft Exchange organization that uses an SMTP address space of contoso.com.

Several users use their contoso.com email address for self-service sign-up to Microsoft Entra.

You gain global administrator privileges to the Microsoft Entra tenant that contains the self-signed users.

You need to prevent the users from creating user accounts in the contoso.com Microsoft Entra tenant for self-service sign-up to Microsoft 365 services.

Which PowerShell cmdlet should you run?

A) Update-MgPolicyAuthorizationPolicy (Correct Answer)
B) Update-MgDomain
C) Update-MgPolicyPermissionGrantPolicyExclude
D) Update-MgDomainFederationConfiguration

Explanation

Correct Answer: A ?

Community Discussion

Question #350

You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	*None*
User3	*None*

You add an enterprise application named App1 and configure the following Self-service settings:

- Allow users to request access to this application: Yes
- To which group should assigned users be added: Group1
- Require approval before granting access to this application: Yes
- Who is allowed to approve access to this application: User2

Which users can request access to App1?

A) User3 only
B) User2 and User3 only
C) User1 and User3 only (Correct Answer)
D) User1, User2, and User3

Explanation

Correct Answer: C ?

Community Discussion

Question #351

You have a Microsoft 365 E5 subscription that contains a user named User1.

You need to ensure that User1 can create access reviews for Microsoft Entra roles. The solution must use the principle of least privilege.

Which role should you assign to User1?

A) Identity Governance Administrator
B) User Access Administrator
C) User Administrator
D) Privileged Role Administrator (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Selected Answer: D

Question #352

You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Role
Admin1	Global Administrator
Admin2	Conditional Access Administrator
Admin3	Authentication Policy Administrator
Admin4	Global Administrator

Admin4 creates a Conditional Access policy named Policy1 by using the Require multifactor authentication for Azure management template.

Which users will be required to use multi-factor authentication (MFA) the next time they sign in?

A) Admin2 and Admin3 only
B) Admin1 and Admin4 only
C) Admin1, Admin2, and Admin3 only
D) Admin1, Admin2, Admin3, and Admin4 (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Question #353

SecExams

HOTSPOT
-

You have a Microsoft 365 E5 subscription that contains a Microsoft Teams team named Team1 and two Microsoft 365 groups named Group1 and Group2. The subscription contains the users shown in the following table.

Name	Member of	Role
User1	Group1	*None*
User2	Group2	*None*
User3	Group1	Global Administrator

You create an access package that has the following settings:

• Name: Package1
• Resource roles:
o Team1: Owner
• Users who can request access: For users in your directory
o Specific Users and Groups: Group1
• Require approval: Yes
o Require requestor justification: No
o How many stages: 1
o First Approver: Team1, User3
o Require approver justification: Yes
• Enable new requests: Yes
• Expiration:
o Access package assignments expire: 7 days
o Users can request specific timeline: Yes

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

Statements	Yes	No
User1 can gain access to Team1 by requesting Package1.	○	○
User2 can gain access to Team1 by requesting Package1.	○	○
User3 can approve their own request for Package1.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 can gain access to Team1 by requesting Package1.	●	○
User2 can gain access to Team1 by requesting Package1.	○	●
User3 can approve their own request for Package1.	○	●

Community Discussion

SecExams

Question #354

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1 and a Microsoft Teams team named Team1. The subscription contains five security groups named Group1, Group2, Group3, Group4, and Group5.

You need to implement access packages for Site1 and Team1. The solution must meet the following requirements:

• Members of Group3 must be able to request access to Site1 only.
• Members of Group1 must be able to request access to Site1 and Team1.
• Members of Group4 must be able to request access to Site1 and Team1.
• Only members of Group2 must be able to approve access package requests from Group1 members.
• Only members of Groups must be able to approve access package requests from Group3 and Group4 members.

What h the minimum number of access packages you should create?

A) 2
B) 3 (Correct Answer)
C) 4
D) 5

Explanation

Correct Answer: B ?

Community Discussion

Question #355

You have a Microsoft Entra tenant.

You open the risk detections report.

Which risk detection type is classified as a user risk?

A) impossible travel
B) anonymous IP address
C) atypical travel
D) leaked credentials (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Question #356

You have a Microsoft 365 subscription that uses Microsoft Defender for Cloud Apps.

You have multiple third-party apps that access the resources in the subscription.

You need to monitor the access of the third-party apps.

What should you create?

A) an access policy
B) an app permission policy
C) an OAuth app policy (Correct Answer)
D) an endpoint protection policy

Explanation

Correct Answer: C ?

Community Discussion

Question #357

You have an Azure subscription that contains a virtual machine named VM1. VM1 has the following configurations:

- Private IP address: 172.16.1.5
- Public IP address: 108.143.161.25
- System-assigned managed identity status: On

You install an app named App1 on VM1.

You need to configure App1 to request a managed identity app-only access token.

Which IP address should App1 use for the request?

A) 108.143.161.25
B) 127.0.0.1
C) 169.254.169.254 (Correct Answer)
D) 172.16.1.5

Explanation

Correct Answer: C ?

Community Discussion

Question #358

You have a Microsoft Entra tenant.

You need to create a Conditional Access policy to manage administrative access to the tenant. The solution must ensure that administrators are authenticated by using a phishing-resistant multi-factor authentication (MFA) method.

Which three authentication methods should you include in the solution? Each correct answer presents a complete solution.

A) Windows Hello for Business (Correct Answer)
B) an FIDO2 security key (Correct Answer)
C) certificate-based authentication (multi-factor) (Correct Answer)
D) voice call
E) SMS
F) email OTP
G) certificate-based authentication (single-factor)
H) Microsoft Authenticator

Explanation

Correct Answer: ABC ?

Community Discussion

Question #359

You have a Microsoft Entra tenant.

You configure self-service password reset (SSPR) by using the following settings:

- Require users to register when signing in: Yes
- Number of methods required to reset: 1

What is a valid authentication method available to users?

A) an email to an address outside your organization (Correct Answer)
B) a mobile app notification
C) a smartcard
D) an email to an address in your organization

Explanation

Correct Answer: A ?

Community Discussion

Question #360

You have a Microsoft 365 E5 subscription.

You need to be able to create a Microsoft Defender for Cloud Apps session policy.

What should you do first?

A) From the Microsoft 365 Defender portal, select User monitoring.
B) From the Microsoft 365 Defender portal, select App onboarding/maintenance.
C) From the Microsoft Entra admin center, create a Conditional Access policy. (Correct Answer)
D) From the Microsoft 365 Defender portal, create a continuous report.

Explanation

Correct Answer: C ?

Community Discussion

Question #361

Your network contains an on-premises Active Directory Domain Services (AD DS) domain that syncs user accounts with a Microsoft 365 E5 subscription.

You need to ensure that on-premises account lockout policies are applied to Microsoft Entra sign-ins.

What should you configure?

A) Azure Active Directory Seamless Single Sign-on (Azure AD Seamless SSO)
B) Microsoft Entra Cloud Sync
C) password hash synchronization
D) pass-through authentication (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

SecExams

Question #362

You have a Microsoft Entra tenant.

You open the risk detections report.

Which risk detection type is classified as a user risk?

A) password spray
B) anonymous IP address
C) unfamiliar sign-in properties
D) Microsoft Entra threat intelligence (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

SecExams

Question #363

HOTSPOT

-

You have an Azure subscription that contains the resources shown in the following table.

Name	Type
VM1	Virtual machine
App1	Azure App Service web app
Managed1	Managed identity
Managed2	Managed identity

You create a Microsoft Entra user named User1.

Which identities can you add to VM1 and App1? To answer, select the appropriate options in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area

VM1:
- User1 only
- Managed2 only
- Managed1 and Managed2 only
- Managed2 and User1 only
- Managed1, Managed2, and User1

App1:
- User1 only
- Managed2 only
- Managed2 and User1 only
- A system-assigned managed identity only
- A system-assigned managed identity and Managed2 only
- A system-assigned managed identity, Managed2, and User1

SecExams

Explanation

Correct Answer:



Community Discussion

SecExams

Question #364

HOTSPOT

-

You have an Azure subscription that uses Microsoft Entra Permissions Management.

You have an Amazon Web Services (AWS) account.

You plan to connect Permissions Management to AWS.

You need to create a Permissions Management app in Azure.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Explanation

Correct Answer:

Community Discussion

Question #365

You have a Microsoft Entra tenant that uses Microsoft Entra ID Premium licenses.

You plan to configure a terms of use (ToU) for the tenant.

You need to upload the ToU document.

Which format should you use for the document?

A) HTML
B) RTF
C) PDF (Correct Answer)
D) DOCX

Explanation

Correct Answer: C ?

Community Discussion

Question #366

You have a Microsoft 365 E5 subscription.

You need to ensure that users are prompted to accept a custom terms of use (ToU) agreement when they sign in to the subscription.

What should you configure?

A) an access package
B) a Conditional Access policy (Correct Answer)
C) a lifecycle workflow
D) an authentication method

Explanation

Correct Answer: B ?

Community Discussion

Question #367

You have a Microsoft 365 E5 subscription.

You have an Azure subscription that is linked to a Microsoft Entra tenant. The tenant contains a user named User1.

You plan to deploy Microsoft Entra Permissions Management.

You need to ensure that User1 can onboard the Azure subscription to Permissions Management. The solution must follow the principle of least principle.

Which Microsoft Entra role should you assign to User1?

A) Permissions Management Administrator (Correct Answer)
B) Global Administrator
C) Security Administrator
D) Application Administrator

Explanation

Correct Answer: A ?

Community Discussion

Question #368

SecExams

HOTSPOT

-

You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Microsoft Entra role
User1	Global Administrator
User2	Attribute Definition Administrator
User3	Security Administrator

The tenant contains the identities shown in the following table.

Name	Type
Group1	Security group
Service1	Service principal
MI1	Managed identity

Which users can create custom security attributes, and to which identities can the attributes be assigned? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Can create custom security attributes:

- User1 only
- User2 only
- User1 and User2 only
- User1 and User3 only
- User1, User2, and User3

Custom security attributes can be assigned to:

- Group1 only
- Group1 and MI1 only
- Group1 and Service1 only
- Group1, MI1, and Service1 MI1 only
- MI1 and Service1 only
- Service1 only

SecExams

Explanation

Correct Answer:

Answer Area



Community Discussion

User1,Uer2 Group1,Service1,MI1

SecExams

Question #369

You have two Microsoft Entra tenants named contoso.com and fabrikam.com.
Contoso.com contains the identities shown in the following table.

Name	Type
User1	User
Group1	Security group
Group2	Microsoft 365 group

You configure cross-tenant synchronization from contoso.com to fabrikam.com.

Which identities will sync with fabrikam.com?

A) User1 only (Correct Answer)
B) User1 and Group1 only
C) User1 and Group2 only
D) User1, Group1, and Group2

Explanation

Correct Answer: A ?

Community Discussion

Selected Answer: B

Question #370

You have a Microsoft Entra tenant named contoso.com that contains an enterprise application named App1.

A contractor uses the credentials of .

You need to ensure that you can provide the contractor with access to App1. The contractor must be able to authenticate as .

What should you do?

A) Run the New-MgUser cmdlet.
B) Run the New-MgInvitation cmdlet. (Correct Answer)
C) Configure the External collaboration settings.
D) Implement Microsoft Entra Connect sync.

Explanation

Correct Answer: B ?

Community Discussion

Selected Answer: B

Question #371

HOTSPOT -

You have a Microsoft Entra tenant that contains a user named User1.

An administrator deletes User1.

You need to identify the following:

• What is the maximum number of days for which you have the option to restore the User1 account?
• Which is the least privileged role that can be used to restore User1?

To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



SecExams

Explanation

Correct Answer:



Community Discussion

30 User Administrator

Question #372

You have a Microsoft Entra tenant.

You configure self-service password reset (SSPR) by using the following settings:

- Require users to register when signing in: Yes
- Number of methods required to reset: 1

What is a valid authentication method available to users?

A) a mobile app notification (Correct Answer)
B) an FIDO2 security token
C) a Microsoft Teams chat
D) an email to an address outside your organization

Explanation

Correct Answer: A ?

Community Discussion

Selected Answer: D

Question #373

You have a Microsoft 365 tenant.

All users have mobile phones and Windows 10 laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

A) Windows Hello for Business (Correct Answer)
B) an app password
C) a notification through the Microsoft Authenticator app
D) security questions

Explanation

Correct Answer: A ?

Community Discussion

Selected Answer: A

SecExams

Question #374

SecExams

HOTSPOT

-

You have an Azure subscription named Sub1 that contains two resource groups named RG1 and RG2. Sub1 contains the users shown in the following table.

Name	Member of
User1	Group1, Group2
User2	Group2
User3	Group3

Sub1 contains the resources shown in the following table.

Name	Type	In resource group
VM1	Virtual machine	RG1
Vault1	Azure Key Vault	RG1
Vault2	Azure Key Vault	RG2

You create the role-based access control (RBAQ role assignments shown in the following table.

Role	Member of	Scope
Reader	Group1	Sub1
Key Vault Secrets User	Group2	RG2
Owner	Group3	RG1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

Statements	Yes	No
User1 can read the contents of the secrets stored in Vault1.	○	○
User2 can read the contents of the secrets stored in Vault2.	○	○
User3 can update the configuration of VM1.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 can read the contents of the secrets stored in Vault1.	○	○
User2 can read the contents of the secrets stored in Vault2.	○	○
User3 can update the configuration of VM1.	○	○

SecExams

Community Discussion

Question #375

HOTSPOT

-

You have an Azure subscription that contains a resource group named RG1. RG1 contains two virtual machines named VM1 and VM2 that have Microsoft Entra ID login enabled.

The subscription contains the users shown in the following table.

Name	Role	Role scope
User1	Virtual Machine User Login	Subscription
User2	Virtual Machine Contributor	RG1
User3	Virtual Machine Administrator Login	VM1

Which users can sign in to VM1, and which users can sign in to VM2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

VM1:
- User1 only
- User2 only
- User3 only
- User1 and User3 only
- User2 and User3 only
- User1, User2, and User3

VM2:
- User1 only
- User2 only
- User3 only
- User1 and User3 only
- User2 and User3 only
- User1, User2, and User3

SecExams

Explanation

Correct Answer:



Community Discussion

VM1: User1,User3 VM2: User1

Question #376

You have a Microsoft Entra tenant.

You configure self-service password reset (SSPR) by using the following settings:

- Require users to register when signing in: Yes
- Number of methods required to reset: 1

What is a valid authentication method available to users?

A) a Windows Hello PIN
B) a smartcard
C) a mobile app notification (Correct Answer)
D) an email to an address outside your organization

Explanation

Correct Answer: C ?

Community Discussion

Selected Answer: D

Question #377

DRAG DROP -

You have a Microsoft 365 E5 subscription. The subscription contains 500 devices that run Windows.

You deploy the Global Secure Access client to the devices.

You need to prevent users from accessing https://contoso.com from the devices.

Which three actions should you perform in sequence? To answer move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Explanation

Correct Answer:



Community Discussion

SecExams

Question #378

You have an on-premises app named App1.

You have a Microsoft Entra tenant.

You plan to publish App1 by using Microsoft Entra Private Access.

You need to enable the Private access profile.

Which blade should you use in the Microsoft Entra admin center?

A) Remote networks
B) Traffic forwarding (Correct Answer)
C) Security profiles
D) Connectors

Explanation

Correct Answer: B ?

Community Discussion

Selected Answer: B

SecExams

Question #379

SecExams

HOTSPOT -

You have an Azure subscription named Sub1 that contains three users named User1, User2, and User3. Sub1 has a storage account named storage1 that contains the resources shown in the following table.

Name	Type	Contents
cont1	Container	File1
share1	File share	File2

Sub1 contains the users shown in the following table.

Name	Role	Scope
User1	Reader	Sub1
User2	Reader	Sub1
User2	Storage Blob Data Reader	storage1
User3	Storage Contributor	storage1

Which users can read File1, and which users can read File2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

File1:
- User2 only
- User3 only
- User1 and User2 only
- User2 and User3 only
- User1, User2, and User3

File2:
- User2 only
- User3 only
- User1 and User2 only
- User2 and User3 only
- User1, User2, and User3

SecExams

Explanation

Correct Answer:



Community Discussion

File1: User2 File2: User2,User3

SecExams

Question #380

You have an Azure subscription. The subscription contains 50 virtual machines that run Windows Server.

You enable Microsoft Entra login for the virtual machines.

Users report that they cannot sign in to the virtual machines by using their Microsoft Entra credentials.

You need to ensure that the users can sign in to the virtual machines.

What should you do first?

A) From the Microsoft Entra admin center, delete the device registrations of the virtual machines.
B) Revoke the primary refresh token.
C) Enable SSH client support for OpenSSH.
D) Ensure that the virtual machines can access https://enterpriseregistration.windows.net. (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Selected Answer: D

Question #381

You have a Microsoft 365 tenant.

All users have mobile phones and Windows 10 laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

A) a verification code from the Microsoft Authenticator app (Correct Answer)
B) SMS
C) an app password
D) a notification through the Microsoft Authenticator app

Explanation

Correct Answer: A ?

Community Discussion

Selected Answer: A

Question #382

You have a management group named Group1 that contains two Azure subscriptions named Sub1 and Sub2. The subscriptions are linked to a Microsoft Entra tenant that contains a user named User1.

You need to ensure that User1 can onboard Sub1 to Permissions Management. The solution must follow the principle of least privilege.

Which permission should you grant to User1?

A) Microsoft.Authorization/roleAssignments/read for Sub1
B) Microsoft.Authorization/roleAssignments/write for Group1
C) MicrosoftAuthorization/roleAssignments/write for Sub1 (Correct Answer)
D) Microsoft.Authorization/roleAssignments/read for Group1

Explanation

Correct Answer: C ?

Community Discussion

Selected Answer: C

Question #383

HOTSPOT -

You have an Azure subscription named Sub1 that is linked to a Microsoft Entra tenant. The tenant contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

Sub1 contains a resource group named RG1.

The tenant contains the groups shown in the following table.

Name	Role	On resource
Group1	Virtual Machine Local User Login	Sub1
Group2	Virtual Machine User Login	RG1
Group3	Virtual Machine Contributor	VM1

You deploy a virtual machine named VM1 to RG1. VM1 runs Windows Server and has Microsoft Entra login enabled.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can sign in to VM1.	○	○
User2 can sign in to VM1.	○	○
User3 can sign in to VM1.	○	○

SecExams

Explanation

Correct Answer:

Community Discussion

SecExams

Question #384

HOTSPOT -

Your on-premises network contains an Active Directory domain that uses Microsoft Entra Connect sync to sync with a Microsoft Entra tenant.

You need to configure Microsoft Entra Connect sync to meet the following requirements:

• Microsoft Entra sign-ins must be authenticated by an Active Directory domain controller.
• Active Directory domain users must be able to use Microsoft Entra self-service password reset (SSPR).
• Minimize administrative effort.

What should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Authentication by the domain controller:

- Federation with Active Directory Federation Services (AD FS)
- Pass-through authentication
- Password hash synchronization

SSPR:

- Device writeback
- Group writeback
- Password hash synchronization
- Password writeback

Explanation

Correct Answer:

Answer Area

Authentication by the domain controller:

- Federation with Active Directory Federation Services (AD FS)
- Pass-through authentication
- Password hash synchronization

SSPR:

- Device writeback
- Group writeback
- Password hash synchronization
- Password writeback

Community Discussion

Question #385

You have an Azure subscription that contains the resources shown in the following table.

Name	Type
VM1	Virtual machine
App1	Azure App Service
Vault1	Azure Key Vault
storage1	Storage account

You need to grant permissions to the resources by using attribute-based access control (ABAC).

To which resource can you grant permissions?

A) Vault1
B) VM1
C) App1
D) Storage1 (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Selected Answer: D

Storage1

SecExams

Question #386

You have an Azure subscription that is linked to a Microsoft Entra tenant. The tenant contains a registered app named App1.

You have a partner organization that has a Microsoft Entra tenant. The tenant contains a registered app named App2.

You need to ensure that App1 can access App2.

Which two types of credentials can App1 use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A) certificate (Correct Answer)
B) managed identity
C) secret (Correct Answer)
D) user account
E) one-time password

Explanation

Correct Answer: AC ?

Community Discussion

Selected Answer: AC

Question #387

You have an Azure subscription that contains two virtual machines named VM1 and VM2 and an Azure SQL managed instance named SQL1.

You need to ensure that VM1 and VM2 can retrieve data from SQL1.

The solution must minimize administrative effort.

What should you create first?

A) a certificate
B) a shared access signature (SAS) token
C) a managed identity (Correct Answer)
D) a Microsoft Entra user account

Explanation

Correct Answer: C ?

Community Discussion

Question #388

You have an Azure subscription named Sub1.

You purchase a Microsoft Entra Permissions Management license.

You need to onboard Permissions Management.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A) Implement a Microsoft Entra application proxy.

B) From Microsoft Entra Permissions Management, configure data collection. (Correct Answer)

C) Create a role assignment for Sub1. (Correct Answer)

D) From the Microsoft Entra admin center, configure the Diagnostic settings.

E) From the Microsoft Entra admin center, create an app registration.

F) From the Azure portal, create a data collection rule (DCR).

Explanation

Correct Answer: BC ?

Community Discussion

Selected Answer: BC

SecExams

Question #389

SecExams

HOTSPOT

-

You have a Microsoft Entra tenant that contains two groups named Group1 and Group2 and the users shown in the following table.

Name	Type	Member of	Description
User1	Member	Group1	*None*
User2	Guest	Group1	*None*
User3	Member	*None*	Assigned the Owner role for Group1
User4	Member	Group2	Assigned the Owner role for Group2
User5	Guest	Group2	*None*

Group2 is a member of Group1.

You configure an access review that has the following settings:

- Name: Review1
- Select what to review: Teams + Groups
- Review scope: Select Teams + groups
- Group: Group1
- Scope: Guest users only
- Select reviewers: Group owners(s)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User3 can perform an access review of User1.	○	○
User3 can perform an access review of User4.	○	○
User3 can perform an access review of User5.	○	○

SecExams

Explanation

Correct Answer:

Answer Area



Community Discussion

Question #390

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Microsoft Entra admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Set-MgUserLicense Cmdlet (Correct Answer)
B) the Identity Governance blade in the Microsoft Entra admin center
C) the Set-WindowsProductKey Cmdlet
D) the Administrative units blade in the Microsoft Entra admin center

Explanation

Correct Answer: A ?

Community Discussion

Selected Answer: A

SecExams

Question #391

SecExams

HOTSPOT

-

You have a Microsoft Entra tenant that contains the identities shown in the following table.

Name	Type	Member of
User1	User	Group1
Managed2	Managed identity	Group1
User3	User	Group2
User4	User	*None*

Group1 has the following configurations:

• Owners: User1, User4
• Members: User1, Managed2, Group2

You create an access review that has the following settings:

• Name: Review1
• Review scope: Select Teams + Groups
• Group: Group1
• Scope: All users
• Select reviewers: Group owner(s)

The Fallback reviewers setting is NOT configured.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

SecExams

Answer Area

Statements	Yes	No
User1 can perform an access review for User1.	○	○
User1 can perform an access review for Managed2.	○	○
User1 can perform an access review for User3.	○	○

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 can perform an access review for User1.	○	○
User1 can perform an access review for Managed2.	○	○
User1 can perform an access review for User3.	○	○

Community Discussion

SecExams

Question #392

HOTSPOT

-

You have a Microsoft Entra tenant that contains a user named User1.

You have an Azure subscription named Sub1. User1 is assigned the Owner role for Sub1.

You need to ensure that User1 can onboard Sub1 to Permissions Management. The solution must follow the principle of least privilege.

Which role should you assign for Sub1, and which role should you assign to User1 for the tenant? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

SecExams

Explanation

Correct Answer:

Community Discussion

Sub1: User Access Administrator Tenant: Permissions Management Administrator

Question #393

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Microsoft Entra admin center, you assign Microsoft Office 365 Enterprise E5 licenses to a group that includes all users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

A) the Licenses blade in the Microsoft Entra admin center (Correct Answer)
B) the Set-WindowsProductKey cmdlet
C) the Identity Governance blade in the Microsoft Entra admin center
D) the Update-MgUser cmdlet

Explanation

Correct Answer: A ?

Community Discussion

Selected Answer: A

SecExams

Question #394

HOTSPOT -

Your on-premises network contains an Active Directory Domain Services (AD DS) domain. The domain contains computers that run Windows 11.

You have a Microsoft 365 E5 subscription.

You plan to enable hybrid join and enroll the computers in Microsoft Intune.

You need to recommend the software that should be deployed to the domain, and the actions that should be performed in Intune.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Explanation

Correct Answer:



Community Discussion

Question #395

You have a Microsoft Entra tenant named contoso.com that contains an enterprise application named App1.

A contractor uses the credentials of .

You need to ensure that you can provide the contractor with access to App1. The contractor must be able to authenticate as .

What should you do?

A) Implement Microsoft Entra Connect sync.
B) Add a custom domain name to contoso.com.
C) Implement Microsoft Entra Application Proxy.
D) Run the New-MgInvitation cmdlet. (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Selected Answer: D

Question #396

You have a Microsoft 365 subscription.

You need to ensure that when users access the Microsoft 365 portal from Microsoft Edge and have their browser language set to Spanish, they are presented with a Spanish sign-in form.

What should you do in the Microsoft Entra admin center?

A) From Settings for the users, configure the Usage location setting.
B) From Global Secure Access, configure the Session management settings.
C) Configure the Company branding settings. (Correct Answer)
D) Create a Conditional Access policy.

Explanation

Correct Answer: C ?

Community Discussion

Selected Answer: C

Question #397

You have a Microsoft Entra tenant that contains the devices shown in the following table.

Name	Platform	Join type
Device1	Windows 11	Microsoft Entra registered
Device2	Windows 10	Microsoft Entra joined
Device3	Windows 10	Microsoft Entra registered
Device4	Android	Microsoft Entra registered

You plan to configure Microsoft Entra Private Access.

You deploy the Global Secure Access client to compatible devices.

From which devices can you use Private Access?

A) Device1 only
B) Device2 only
C) Device2 and Device4 only (Correct Answer)
D) Device1, Device2, and Device3 only
E) Device1, Device2, Device3, and Device4

Explanation

Correct Answer: C ?

Community Discussion

Selected Answer: B

Microsoft Entra Private Access requires a device with Global Secure Access client which is compatible with Entra Joined devices, Microsoft Entra registered devices aren't supported. https://learn.microsoft.com/en-us/entra/global-secure-access/how-to-install-windows-client

C is correct https://learn.microsoft.com/en-us/entra/global-secure-access/how-to-install-android-client?tabs=device-administrator

Selected Answer: C

Question #398

You have a Microsoft 365 E5 subscription.

You need to ensure that users can only access resources in the subscription from a device that has the Global Secure Access client connected.

What should you do first?

A) Enable Global Secure Access signaling.
B) Enable tagging to enforce tenant restrictions.
C) Create a named location.
D) Create a remote network. (Correct Answer)

Explanation

Correct Answer: D ?

Community Discussion

Selected Answer: A

With Conditional Access, you can enable access controls and security policies for the network traffic acquired by Microsoft Entra Internet Access and Microsoft Entra Private Access. https://learn.microsoft.com/en-us/entra/global-secure-access/how-to-source-ip-restoration Create a policy that targets all Microsoft traffic. Apply Conditional Access policies to your Private Access apps, such as Quick Access. Enable Global Secure Access signaling in Conditional Access so the source IP address is visible in the appropriate logs and reports.

My bad, there is no such option. So, a remote network is also a prereq for VPN. The answer should be right.

Selected Answer: A

Question #399

You have a Microsoft Entra tenant.

You have the devices shown in the following table.

Name	Operating system	Join type
Device1	Windows 11	Microsoft Entra registered
Device2	Windows 11	*None*
Device3	Windows 10	Microsoft Entra joined
Device4	Windows 10	Microsoft Entra registered

You configure Microsoft Entra Internet Access for the tenant.

On which devices can you use Global Secure Access?

A) Device1 only
B) Device3 only (Correct Answer)
C) Device1 and Device2 only
D) Device1, Device3, and Device4 only
E) Device1, Device2, Device3, and Device4

Explanation

Correct Answer: B ?

Community Discussion

https://learn.microsoft.com/en-us/entra/global-secure-access/how-to-install-windows-client Prerequisites A Microsoft Entra tenant onboarded to Global Secure Access. A managed device joined to the onboarded tenant. The device must be either Microsoft Entra joined or Microsoft Entra hybrid joined. Microsoft Entra registered devices aren't supported. The Global Secure Access client requires a 64-bit version of Windows 10 or Windows 11. Azure Virtual Desktop single-session is supported. Azure Virtual Desktop multi-session isn't supported. Windows 365 is supported. Local administrator credentials

are required to install or upgrade the client. The Global Secure Access client requires licensing.

Selected Answer: B

https://learn.microsoft.com/en-us/entra/global-secure-access/how-to-install-windows-client Prerequisites A Microsoft Entra tenant onboarded to Global Secure Access. A managed device joined to the onboarded tenant. The device must be either Microsoft Entra joined or Microsoft Entra hybrid joined. Microsoft Entra registered devices aren't supported. The Global Secure Access client requires a 64-bit version of Windows 10 or Windows 11. Azure Virtual Desktop single-session is supported. Azure Virtual Desktop multi-session isn't supported. Windows 365 is supported. Local administrator credentials are required to install or upgrade the client. The Global Secure Access client requires licensing.

Selected Answer: B

SecExams

Question #400

You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

The tenant has the authentication methods shown in the following table.

Method	Target	Enabled
FIDO2 security key	Group2	Yes
Microsoft Authenticator	Group1	Yes
Certificate-based authentication	Group3	Yes

Which users will sign in to cloud apps by using number matching?

A) User1 only (Correct Answer)
B) User2 only
C) User3 only
D) User1 and User2 only
E) User2 and User3 only

Explanation

Correct Answer: A ?

Community Discussion

Selected Answer: A

Question #401

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role
User1	Global Administrator
User2	Global Secure Access Administrator
User3	Privileged Role Administrator

You configure Microsoft Entra Internet Access.

Which users can manage Microsoft Entra Internet Access?

A) User1 only (Correct Answer)
B) User2 only
C) User3 only
D) User1 and User2 only
E) User1, User2, and User3

Explanation

Correct Answer: A ?

Community Discussion

Selected Answer: A

To enable the Internet Access forwarding profile for your tenant, you must have: A Global Secure Access Administrator role in Microsoft Entra ID. The product requires licensing. https://learn.microsoft.com/en-us/entra/global-secure-access/how-to-manage-internet-access-profile

Looks correct https://learn.microsoft.com/en-us/entra/identity/authentication/how-to-mfa-number-match This is about the Authenticator popup requesting a number match, not related to the token number provided by the Fido key. When a user goes through combined registration to set up Authenticator, the user needs to approve a notification

to add the account. This notification shows a number that they need to type into the Authenticator notification.

Question #402

You have a Microsoft 365 E5 subscription.

You plan to deploy a third-party software as a service (SaaS) app named App1.

You need to onboard App1 to Microsoft Defender for Cloud Apps. The solution must ensure that you can implement session control policies.

What should you do first?

A) From the Microsoft Defender portal, configure Cloud discovery. (Correct Answer)
B) From the Microsoft Entra admin center, configure single sign-on (SSO) for App1.
C) From the Microsoft Defender portal, create an OAuth app policy.
D) From the Microsoft Entra admin center, configure a traffic forwarding profile.

Explanation

Correct Answer: A ?

Community Discussion

Selected Answer: B

I think the answer is B Your organization must have the following licenses to use conditional access app control: The license required by your identity provider (IdP) solution Microsoft Defender for Cloud Apps Apps must be configured with single sign-on Apps must be configured with the SAML 2.0 authentication protocol. https://learn.microsoft.com/en-us/defender-cloud-apps/proxy-deployment-featured-idp While Cloud discovery analyzes your traffic logs against the Microsoft Defender for Cloud Apps catalog of over 31,000 cloud apps. The apps are ranked and scored based on more than 90 risk factors to provide you with ongoing visibility into cloud use, Shadow IT, and the risk Shadow IT poses into your organization. https://learn.microsoft.com/en-us/defender-cloud-apps/discovered-apps

Question #403

You have a Microsoft 365 subscription.

You plan to deploy an app named App1 that will have the following configurations:

- Will be registered in Microsoft Entra
- Will run as a service without user interaction
- Will collect audit logs associated with user sign-ins
- Will access resources by using the Microsoft Graph API

You need to ensure that App1 can access Microsoft Graph.

What should you use?

A) a built-in role-based access control (RBAC) role
B) a custom role-based access control (RBAC) role
C) application permissions (Correct Answer)
D) delegated permissions

Explanation

Correct Answer: C ?

Community Discussion

Selected Answer: C

Looks like correct! Application permissions are about what the application itself can do independently of any specific user. • Will be registered in Microsoft Entra - OK • Will run as a service without user interaction - Application permission - https://www.cswrld.com/2024/01/difference-between-delegated-and-application-permissions-entra-id/ • Will collect audit logs associated with user sign-ins - https://learn.microsoft.com/en-us/entra/identity/monitoring-health/howto-analyze-activity-logs-with-microsoft-graph • Will access resources by using the Microsoft Graph API - https://learn.microsoft.com/en-us/entra/identity/monitoring-health/howto-analyze-activity-logs-with-microsoft-graph

Question #404

You have a Microsoft 365 E5 subscription and an Azure subscription.

You plan to analyze Microsoft Entra sign-in logs by using Azure Monitor.

You need to configure diagnostic settings for Microsoft Entra.

Which destination should you configure for the sign-in logs?

A) an Azure event hub
B) an Azure SQL database
C) a Log Analytics workspace (Correct Answer)
D) an Azure Storage account

Explanation

Correct Answer: C ?

Community Discussion

Selected Answer: C

https://learn.microsoft.com/en-us/entra/identity/monitoring-health/tutorial-configure-log-analytics-workspace

SecExams

Question #405

HOTSPOT

-

You have an Azure subscription that is onboarded to Microsoft Entra Permissions Management.

You need to perform the following actions:

• Identify billable Azure resources.
• Create a rule to remove permissions for unused resources.

Which two options should you use in the Entra Permissions Management portal? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Explanation

Correct Answer:

Answer Area



Community Discussion

Gear button - https://learn.microsoft.com/en-us/entra/permissions-management/product-data-billable-resources To access your billable resource information, from the Permissions Management home page, select Settings (gear icon). Select the Billable Resources tab.>Select your Authorization System: AWS for Amazon Web Services. Azure for Microsoft Azure. GCP for Google Cloud Platform. Remediation button - https://learn.microsoft.com/en-us/entra/permissions-management/how-to-revoke-task-readonly-status On the Permissions Management home page, select the Remediation tab, and then select the Permissions subtab. From the Authorization System Type dropdown, select Azure or GCP. From the Authorization System dropdown, select the accounts you want to access. From the Search for dropdown, select Group, User, or APP/Service Account. To search for more parameters, you can make a selection from the User States, Permission Creep Index, and Task Usage dropdowns. Select Apply. Permissions Management displays a list of groups, users, and service accounts that match your criteria. In Enter a username, enter or select a user. In Enter a Group Name, enter or select a group, then select Apply. Make a selection from the results list. The table displays the Username Domain/Account, Source, Resource and Current Role.

SecExams

Question #406

SecExams

HOTSPOT

-

You have an Azure subscription that is linked to a Microsoft Entra tenant. The tenant contains the identities shown in the following table.

Name	Type	Role
User1	User	Helpdesk Administrator
User2	User	Conditional Access Administrator
Group1	Group	Global Administrator
Group2	Group	Exchange Administrator
App1	Registered app	Authentication Administrator

The tenant is onboarded to Permissions Management.

You create the Azure resources shown in the following table.

Name	Type	Role
Managed1	Managed identity	Owner
Managed2	Managed identity	Cloud Application Administrator
SPrincipal1	Service principal	Security Operator

From Microsoft Entra Insights, which identity will be included in Accounts assigned to highly privileged roles, and which identity will be included in Service principals with privileged role assignments?

SecExams

Answer Area

Accounts assigned to highly privileged roles:

- User1
- User2
- Group1
- Group2

Service principals with privileged role assignments:

- App1
- Managed1
- Managed2
- SPrincipal1

SecExams

Explanation

Correct Answer:

Answer Area

Accounts assigned to highly privileged roles:

- User1
- User2
- **Group1**
- Group2

Service principals with privileged role assignments:

- App1
- Managed1
- Managed2
- **SPrincipal1**

Community Discussion

Looks Correct! Group1 has Global Administrator role assigned SPrincipal1 is a Service Principal with "Security Operator role" which is Privileged according to https://

learn.microsoft.com/en-us/entra/identity/role-based-access-control/permissions-reference

SecExams

Question #407

SecExams

HOTSPOT -

You have an Azure subscription named Sub1 that contains two storage accounts named storage1 and storage2 and the blob containers shown in the following table.

Name	In storage account	Contains blob named
cont1	storage1	blob1
cont2	storage1	blob2
cont1	storage2	blob3

Sub1 contains the users shown in the following table.

Name	Role	Scope	Role assignment condition
User1	Reader	Sub1	*Not applicable*
	Storage Blob Data Reader	Sub1	Condition1
User2	Reader	Sub1	*Not applicable*
	Storage Blob Data Owner	storage1	Condition2

Condition1 has the following definition:

```
(
 (
  !(ActionMatches{'Microsoft.Storage/storageAccounts/blobServices/containers/blobs/read'})
 )
 OR
 (
  @Resource[Microsoft.Storage/storageAccounts/blobServices/containers:name] StringEquals 'cont1'
 )
)
```

Condition2 has the following definition:

```
(
 (
  !(ActionMatches{'Microsoft.Storage/storageAccounts/blobServices/containers/blobs/write'})
 )
 OR
 (
  @Resource[Microsoft.Storage/storageAccounts/blobServices/containers/blobs:path] StringLike '*2*'
 )
)
```

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can read the contents of blob2.	○	○
User1 can read the contents of blob3.	○	○
User2 can read the contents of blob1.	○	○

Explanation

SecExams

Correct Answer:

Answer Area

Statements	Yes	No
User1 can read the contents of blob2.	○	◉
User1 can read the contents of blob3.	◉	○
User2 can read the contents of blob1.	◉	○

Community Discussion

Question #408

SecExams

HOTSPOT -

You have a Microsoft 365 E5 subscription that contains two attribute sets named Set1 and Set2. The subscription contains the users shown in the following table.

Name	Role
User1	Global Administrator
User2	Global Administrator
User3	Attribute Assignment Administrator

You have the custom security attributes shown in the following table.

Name	Attribute set
Secure1	Set1
Secure2	Set1
Secure3	Set2

You assign User2 the Attribute Definition Administrator role for Set1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can modify the configuration of Secure1.	○	○
User2 can view the value of Secure2 for all users.	○	○
User3 can view the value of Secure3 for all users.	○	○

SecExams

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 can modify the configuration of Secure1.	○	◉
User2 can view the value of Secure2 for all users.	○	◉
User3 can view the value of Secure3 for all users.	◉	○

Community Discussion

Correct! https://learn.microsoft.com/en-us/entra/fundamentals/custom-security-attributes-manage?tabs=admin-center By default, Global Administrator and other administrator roles do not have permission to read, define, or assign custom security attributes.

SecExams

Question #409

You have a Microsoft Entra tenant that contains an access package named Package1 and a user named User1. Package1 is configured as shown in the following exhibit.



You need to ensure that User1 can modify the review frequency of Package1. The solution must use the principle of least privilege.

Which role should you assign to User1?

A) Privileged Role Administrator
B) External Identity Provider Administrator
C) Identity Governance Administrator (Correct Answer)
D) Security Administrator

Explanation

Correct Answer: C ?

Community Discussion

Question #410

You have a Microsoft 365 subscription that is onboarded to Microsoft Entra Permissions Management.

You need to identify managed identities that are assigned permissions and remove any permissions that have been unused for 90 days. The solution must minimize administrative effort.

What should you do in the Entra Permissions Management portal?

A) Configure an Autopilot rule.
B) Schedule a Permissions analytics report. (Correct Answer)
C) From Microsoft Entra Insights, review Service principals with privileged role assignments.
D) Run an audit query.

Explanation

Correct Answer: B ?

Community Discussion

SecExams

Question #411

You have a Microsoft 365 subscription.

You need to create a Conditional Access policy that will use a Global Secure Access security profile. The solution must ensure that users are prevented from accessing websites that include the word gambling in the URL.

What should you do first?

A) Create a web content filtering policy. (Correct Answer)
B) Create a named location.
C) Configure the Adaptive Access settings.
D) Create a network security group (NSG).

Explanation

Correct Answer: A ?

Community Discussion

Question #412

You have an Azure subscription that is linked to a Microsoft Entra tenant. The tenant contains the groups shown in the following table.

Name	Type	Membership type	Security enabled	Role assignment allowed
Group1	Security	Assigned	Yes	No
Group2	Security	Assigned	Yes	Yes
Group3	Microsoft 365	Assigned	Yes	Yes
Group4	Microsoft 365	Assigned	No	No

Which groups can you manage by using Privileged Identity Management (PIM)?

A) Group2 only (Correct Answer)

B) Group1 and Group2 only
C) Group2 and Group4 only
D) Group1, Group2, and Group3 only
E) Group1, Group2, Group3, and Group4

Explanation

Correct Answer: A ?

Community Discussion

SecExams

Question #413

SecExams

HOTSPOT

-

You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Type
User1	Member
User2	Guest
User3	Member

The tenant contains the Microsoft 365 groups shown in the following table.

Name	Membership type	Role assignment allowed	Members
Group1	Assigned	Yes	User1, User2
Group2	Assigned	No	User1, User3
Group3	Dynamic user	No	User2, User3

You create an access review named Access1 that has the following settings:

- Select what to review: Teams + Groups
- Review scope: All Microsoft groups with guest users
- Scope: Guest users only
- Select reviewers: Users review their own access

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can review their membership in Group1 by using Access 1.	○	○
User2 can review their membership in Group3 by using Access1.	○	○
User3 can review their membership in Group2 by using Access1.	○	○

SecExams

Explanation

Correct Answer:

Answer Area

Statements	Yes	No
User1 can review their membership in Group1 by using Access 1.	○	○
User2 can review their membership in Group3 by using Access1.	○	○
User3 can review their membership in Group2 by using Access1.	○	○

Community Discussion

SecExams