

# Cucumber Report

Jul 22, 2023, 12:15:45 AM

Start : Jul 22, 12:15:21.440 AM

End : Jul 22, 12:15:38.245 AM

Duration : 16.805 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test LMS api program module with BaseUrl and Endpoints</u>	16.805 s	1	0	1	0	4	2	1	1

#	Feature Name	Scenario Name
1	<u>Test LMS api program module with BaseUrl and Endpoints</u>	<u>validating User able to retrieve program with valid programID</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Program_module	1	0	1	0	1	0	1	0
@positive	1	0	1	0	1	0	1	0
@GET_PositiveByValidProgramID	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test LMS api program module with BaseUrl and Endpoints</u>	1	0	1	0	16.805 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test LMS api program module with BaseUrl and Endpoints</u>	<u>validating User able to retrieve program with valid programID</u>	4	2	1	1	16.772 s

## Test LMS api program module with BaseUrl and Endpoints

<b>FAILED</b>	<b>DURATION - 16.805 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 12:15:21.440 AM // 12:15:38.245 AM /					

### validating User able to retrieve program with valid programID

FAILED		DURATION - 16.772 s			Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 12:15:21.473 AM // 12:15:38.245 AM /						
Test LMS api program module with BaseUrl and Endpoints						
@Program_module @positive @GET_PositiveByValidProgramID						

#	Step / Hook Details	Status	Duration
1	Given User sets Authoization to "No Auth"	PASSED	4.760 s
2	Given User is provided with the BaseUrl and the Endpoints to create a GET request	PASSED	2.459 s
3	When User send the HTTPsGET request with valid programID  <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object instance has properties which are not allowed by the schema: ["error","path","status","timestamp"] level: "error" schema: {"loadingURI":"file:/C:/Users/subas/Rest-Assure-Hackathon/Rest_Assure_Hackathon/target/classes/Schema.json#","pointer":"/definitions/Welcome2"} instance: {"pointer":""} domain: "validation" keyword: "additionalProperties" unwanted: ["error","path","status","timestamp"] error: object has missing required properties (["creationTime","lastModTime","programDescription","programId","programName","programStatus"]) level: "error" schema: {"loadingURI":" file:/C:/Users/subas/Rest-Assure-Hackathon/Rest_Assure_Hackathon/target/classes/Schema.json#","pointer":"/definitions/Welcome2"} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] missing: ["creationTime","lastModTime","programDescription","programId","programName","programStatus"] Actual: {"timestamp":"2023-07-22T04:15:35.944+00:00","status":400,"error":"Bad Request","path":"/lms/programs/progID"} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) </pre>	FAILED	9.324 s

#	Step / Hook Details	Status	Duration
	<p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)</p> <p>at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)</p> <p>at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)</p> <p>at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:98)</p> <p>at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)</p> <p>at io.restassured.internal.ValidatableResponseImpl.super\$2\$body(ValidatableResponseImpl.groovy)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)</p> <p>at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)</p> <p>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)</p> <p>at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)</p> <p>at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy:293)</p> <p>at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy)</p> <p>at util_Modules.AProgramModule.getAllProgramsbyID(AProgramModule.java:152)</p> <p>at stepDefinition.AProgram_module.user_send_the_htt_ps_get_request_with_valid_program_id(AProgram_module.java:128)</p> <p>at ?.User send the HTTPsGET request with valid programID(file:///C:/Users/subas/Rest-Assure-Hackathon/Rest_Assure_Hackathon/src/test/resources/featureFiles/01LMS_Program.feature:46)</p> <p>* Not displayable characters are replaced by '?'. </p>		



#	Step / Hook Details	Status	Duration
4	Then User validates the response with status code, response time, header	SKIPPED	0.028 s