

Reports | Salesforce

dmgrantsandsciencecollege2-dev-ed.develop.lightning.force.com/lightning/o/Report/home?queryScope=mrn

Search...

Sales Home Opportunities Leads Tasks Files Accounts Contacts Campaigns Dashboards Reports Chatter Groups More

Reports

Recent

3 items

Search recent reports...

New Report New Folder

REPORTS	Report Name	Description	Folder	Created By	Created On	Subscribed
Recent	New Cases review report		Private Reports	SUBALAKSHMI M	2/4/2023, 6:38 pm	
Created by Me	New Review Report		Private Reports	SUBALAKSHMI M	2/4/2023, 6:19 pm	
Private Reports	New Accounts Report		Private Reports	SUBALAKSHMI M	2/4/2023, 6:14 pm	
Public Reports	new job posting report		Private Reports	SUBALAKSHMI M	2/4/2023, 6:06 pm	
All Reports	job posting		Private Reports	SUBALAKSHMI M	2/4/2023, 6:28 pm	
FOLDERS						
All Folders						
Created by Me						
Shared with Me						

To Do List

Search

ENG IN 3:21 PM 4/11/2025

New Cases review report | Sales

dmgrantsandsciencecollege2-dev-ed.develop.lightning.force.com/lightning/r/Report/0002w00000Csc5HEAR/view?queryScope=userFolders

YouTubeMapsGmail

Search

SalesHomeOpportunitiesLeadsTasksFilesAccountsContactsCampaignsDashboardsReportsChatterGroupsMore

Report: CasesNew Cases review report

Enable Field Editing

Find

Print

	Account Name	Case Owner	Subject	Date/Time Opened	Age	Open	Closed
3	United Oil & Gas Corp.	SUBALAKSHMI M	Electric surge damaging adjacent equipment	21/03/2023, 12:06 pm	-9:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4	United Oil & Gas Corp.	SUBALAKSHMI M	Signal panel on GC3020 blinks intermittently	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5	United Oil & Gas Corp.	SUBALAKSHMI M	Generator GC3060 platform structure is weakening	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6	Burlington Textiles Corp of America	SUBALAKSHMI M	Power generation below rated level	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
7	Burlington Textiles Corp of America	SUBALAKSHMI M	Structural failure of generator base	21/03/2023, 12:06 pm	-9:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8	Edge Communications	SUBALAKSHMI M	Cannot start generator after electrical failure	21/03/2023, 12:06 pm	0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
9	Edge Communications	SUBALAKSHMI M	Shutting down of generator	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
10	Genepoint	SUBALAKSHMI M	Maintenance guidelines for generator unclear	21/03/2023, 12:06 pm	507	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11	United Oil & Gas, Singapore	SUBALAKSHMI M	Frequent mechanical breakdown	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Delay in installation; spare parts unavailable	21/03/2023, 12:06 pm	-9:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
13	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Starting up generator consumes excessive power	21/03/2023, 12:06 pm	-9:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14	University of Arizona	SUBALAKSHMI M	Repeated motor breakdown while shutting off	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>

To Do List

Search

ENG IN 3:21 PM 4/11/2025

New Cases review report | Sales | +

← → ↻ dmsgrantsandsciencecollege2-dev-ed.develop.lightning.force.com/lightning/r/Report/0002w00000Cs5HEAR/view?queryScope=userFolders

YouTube Maps Gmail

Search...

Sales Home Opportunities Leads Tasks Files Accounts Contacts Campaigns Dashboards Reports Chatter Groups More

Report: Cases  
New Cases review report

Enable Field Editing

	Account Name	Case Owner	Subject	Date/Time Opened	Age	Open	Closed
8	Edge Communications	SUBALAKSHMI M	Cannot start generator after electrical failure	21/03/2023, 12:06 pm	-9:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
9	Edge Communications	SUBALAKSHMI M	Shutting down of generator	21/03/2023, 12:06 pm	-9:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
10	GenePoint	SUBALAKSHMI M	Maintenance guidelines for generator unclear	21/03/2023, 12:06 pm	-307	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11	United Oil & Gas, Singapore	SUBALAKSHMI M	Frequent mechanical breakdown	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Delay in installation; spare parts unavailable	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
13	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Starting up generator consumes excessive power	21/03/2023, 12:06 pm	-9:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14	University of Arizona	SUBALAKSHMI M	Repeated motor breakdown while shutting off	21/03/2023, 12:06 pm	-9:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
15	United Oil & Gas, Singapore	SUBALAKSHMI M	Electronic panel fitting loose	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
16	United Oil & Gas, Singapore	SUBALAKSHMI M	Maintenance guidelines for generator unclear	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
17	United Oil & Gas, UK	SUBALAKSHMI M	Mechanical maintenance guidelines for generator misleading	21/03/2023, 12:06 pm	-9:924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
18	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Customer service for portable generators needs beefing up	21/03/2023, 12:06 pm	-9:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
19	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Structural breakdown of motor assembly	21/03/2023, 12:06 pm	-9:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>

To Do List

Search

ENG IN 3:21 PM 4/11/2025

New Cases review report | Sales | X

dmgrantsandsciencecollege2-dev-ed.develop.lightning.force.com/lightning/r/Report/00O2w00000Cs5HEAR/view?queryScope=userFolders

YouTube Maps Gmail

Search...

Sales Home Opportunities Leads Tasks Files Accounts Contacts Campaigns Dashboards Reports Chatter Groups More

Report: Cases  
New Cases review report

Enable Field Editing

Print Chart

Print

	Account Name	Case Owner	Subject	Date/Time Opened	Age	Open	Closed
11	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Starting up generator consumes excessive power	21/01/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14	University of Arizona	SUBALAKSHMI M	Repeated motor breakdown while shutting off	21/01/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
15	United Oil & Gas, Singapore	SUBALAKSHMI M	Electronic panel fiding loose	21/03/2023, 12:06 pm	0024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
16	United Oil & Gas, Singapore	SUBALAKSHMI M	Maintenance guidelines for generator unclear	21/03/2023, 12:06 pm	9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
17	United Oil & Gas, UK	SUBALAKSHMI M	Mechanical maintenance guidelines for generator misleading	21/03/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
18	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Customer service for portable generator needs beefing up	21/01/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
19	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Structural breakdown of motor assembly	21/01/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
20	GenaPoint	SUBALAKSHMI M	Generator assembly instructions unclear	21/03/2023, 12:06 pm	0024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
21	Express Logistics and Transport	SUBALAKSHMI M	Electrical circuit malfunctioning	21/03/2023, 12:06 pm	0024	<input type="checkbox"/>	<input checked="" type="checkbox"/>
22	Express Logistics and Transport	SUBALAKSHMI M	Maintenance guidelines for generator unclear	21/01/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
23	Express Logistics and Transport	SUBALAKSHMI M	Easy installation process	21/01/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>
24	United Oil & Gas Corp.	SUBALAKSHMI M	Seeking guidance on electrical wiring installation for GC9060	21/01/2023, 12:06 pm	907	<input checked="" type="checkbox"/>	<input type="checkbox"/>
25	United Oil & Gas Corp.	SUBALAKSHMI M	Performance inadequate for normal emergency use	21/01/2023, 12:06 pm	0024	<input type="checkbox"/>	<input checked="" type="checkbox"/>

To Do List

Search

ENG IN 3:21 PM 4/11/2025



← → ↺

dmgrantsandsiencecollege2-dev-ed.develop.lightning.force.com/lightning/r/Report/0002w00000Csc5bEAB/view?queryScope=userFolders

YouTube Maps Gmail

Search...

★

+

🔒

?

⚙️

🔔

👤

Sales Home Opportunities Loads Tasks Files Accounts Contacts Campaigns Dashboards Reports Chatter Groups More

Report: Cases

new job posting report

Enable Field Editing

🔍

📊 Add Chart

⌵

🔄

Edit

	Account Name	Case Owner	Subject	Date/Time Opened	Age	Open	Closed	suba
1.	United Oil & Gas Corp.	SUBALAKSHMI M	Motor design hindering performance	21/01/2023, 12:06 pm	-9.924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
2.	United Oil & Gas Corp.	SUBALAKSHMI M	Design issue with mechanical rotor	21/01/2023, 12:06 pm	507	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other
3.	United Oil & Gas Corp.	SUBALAKSHMI M	Electric surge damaging adjacent equipment	21/01/2023, 12:06 pm	-9.924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
4.	United Oil & Gas Corp.	SUBALAKSHMI M	Signal panel on GC5060 blinks intermittently	21/03/2023, 12:06 pm	-9.924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
5.	United Oil & Gas Corp.	SUBALAKSHMI M	Generator GC5060 platform structure is weakening	21/03/2023, 12:06 pm	9.924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
6.	Burlington Textiles Corp of America	SUBALAKSHMI M	Power generation below stated level	21/03/2023, 12:06 pm	-9.924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
7.	Burlington Textiles Corp of America	SUBALAKSHMI M	Structural failure of generator base	21/01/2023, 12:06 pm	-9.924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
8.	Edge Communications	SUBALAKSHMI M	Cannot start generator after electrical failure	21/01/2023, 12:06 pm	-9.924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
9.	Edge Communications	SUBALAKSHMI M	Shutting down of generator	21/03/2023, 12:06 pm	-9.924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
10.	GensPoint	SUBALAKSHMI M	Maintenance guidelines for generator unclear	21/03/2023, 12:06 pm	507	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other
11.	United Oil & Gas, Singapore	SUBALAKSHMI M	Frequent mechanical breakdown	21/03/2023, 12:06 pm	-9.924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
12.	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Delay in installation; spare parts unavailable	21/01/2023, 12:06 pm	-9.924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other

To Do List

🔍 Search

📅 📧 📁 📧 📧 📧

ENG IN 📶 🔋 3:22 PM 4/11/2025

new job posting report | Salesforce

dmgrantsandsiencecollege2-dev-ed.develop.lightning.force.com/lightning/r/Report/0002w00000Csc5bEAB/view?queryScope=userFolders

Search

Sales Home Opportunities Leads Tasks Files Accounts Contacts Campaigns Dashboards Reports Chatter Groups More

Report: Cases  
new job posting report

Enable Field Editing

	Account Name	Case Owner	Subject	Date/Time Opened	Age	Open	Closed	Subs
3	United Oil & Gas Corp.	SUBALAKSHMI M	Electric surge damaging adjacent equipment	21/03/2023, 12:00 pm	0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
4	United Oil & Gas Corp.	SUBALAKSHMI M	Signal panel on GC3000 blinks intermittently	21/03/2023, 12:00 pm	-0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
5	United Oil & Gas Corp.	SUBALAKSHMI M	Generator GC3000 platform structure is weakening	21/03/2023, 12:00 pm	-0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
6	Burlington Textiles Corp of America	SUBALAKSHMI M	Power generation below rated level	21/03/2023, 12:00 pm	-0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
7	Burlington Textiles Corp of America	SUBALAKSHMI M	Structural failure of generator base	21/03/2023, 12:00 pm	-0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
8	Bolde Communications	SUBALAKSHMI M	Cannot start generator after electrical failure	21/03/2023, 12:00 pm	-0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
9	Bolde Communications	SUBALAKSHMI M	Shutting down of generator	21/03/2023, 12:00 pm	-0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
10	GenePoint	SUBALAKSHMI M	Maintenance guidelines for generator unclear	21/03/2023, 12:00 pm	5:07	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other
11	United Oil & Gas, Singapore	SUBALAKSHMI M	Frequent mechanical breakdown	21/03/2023, 12:00 pm	-0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
12	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Delay in installation, spare parts unavailable	21/03/2023, 12:00 pm	-0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
13	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Starting up generator consumes excessive power	21/03/2023, 12:00 pm	-0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
14	University of Arizona	SUBALAKSHMI M	Repeated motor breakdown while shutting off	21/03/2023, 12:00 pm	0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
15	United Oil & Gas, Singapore	SUBALAKSHMI M	Electronic control system issues	21/03/2023, 12:00 pm	-0:024	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other

To Do List

Search

ENG IN 3:22 PM 4/11/2025

new job posting report | Salesforce

dmgrantsandscolleges2-dev-ed.develop.lightning.force.com/lightning/r/Report/0002w00000Cs5bEAB/view?queryScope=userFolders

Search

Sales Home Opportunities Leads Tasks Files Accounts Contacts Campaigns Dashboards Reports Chatter Groups More

Report: Cases  
new job posting report

Enable Field Editing

	Account Name	Case Owner	Subject	Date/Time Opened	Age	Open	Closed	Subs
6	Burlington Textiles Corp of America	SUBALAKSHMI M	Power generation below stated level	21/01/2023, 12:06 pm	-4924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
7	Burlington Textiles Corp of America	SUBALAKSHMI M	Structural failure of generator base	21/03/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
8	Edge Communications	SUBALAKSHMI M	Cannot start generator after electrical failure	21/03/2023, 12:06 pm	9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
9	Edge Communications	SUBALAKSHMI M	Shutting down of generator	21/03/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
10	GenePoint	SUBALAKSHMI M	Maintenance guidelines for generator unclear	21/01/2023, 12:06 pm	507	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other
11	United Oil & Gas, Singapore	SUBALAKSHMI M	Frequent mechanical breakdown	21/01/2023, 12:06 pm	-4924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
12	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Delay in installation; spare parts unavailable	21/03/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
13	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Starting up generator consumes excessive power	21/03/2023, 12:06 pm	9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
14	University of Arizona	SUBALAKSHMI M	Repeated motor breakdown while shutting off	21/03/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
15	United Oil & Gas, Singapore	SUBALAKSHMI M	Electronic panel fitting loose	21/01/2023, 12:06 pm	-9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
16	United Oil & Gas, Singapore	SUBALAKSHMI M	Maintenance guidelines for generator unclear	21/01/2023, 12:06 pm	-4924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
17	United Oil & Gas, UK	SUBALAKSHMI M	Mechanical maintenance guidelines for generator misleading	21/03/2023, 12:06 pm	-4924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other
18	Grand Hotels & Resorts Ltd	SUBALAKSHMI M	Customer service for portable generators needs beefing up	21/03/2023, 12:06 pm	9924	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Other

To Do List

Search

ENG IN 3:22 PM 4/11/2023