

Student 19 **Mohammed Subahaan H** 192572165RC

4 / 4 submitted

Q1. Intelligent Customer Feedback Analysis**CODE**

```
def pp(text):
    """Normalise case and removes un wanted punctuation."""
    for char in ",.!?;:'\"":
        text=text.replace(char,"")
    return text.lower().strip()

def analyse(text):
    """Counts Keywords and classification sentiment."""
    p_w=["good","great","excellent","happy","love"]
    n_w=["bad","poor","terrible","worst","hate"]
    words=pp(text).split()
    pc=sum(1 for word in words if word in p_w)
    nc=sum(1 for word in words if word in n_w)
    if pc>nc:
        return "Positive"
    elif nc>pc:
        return "Negative"
    else:
        return "Neutral"

def main():
    """Handles multiple feedback entries using loops"""
    n=int(input("Number of entries:\n"))
    for a in range(n):
        feedback=input("enter feedback:\n")
        results=analyse(feedback)
        print(f"Category : {results}\n")

if __name__=="__main__":
    main()
```

INPUT

```
2
i love this product!!!
worst product i ve ever seen
```

OUTPUT

```
Number of entries:
enter feedback:
Category : Positive

enter feedback:
Category : Negative
```

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Scenario Based Program Writing • Student Submissions Report

Q2. Comprehensive Password Strength Checker

CODE

```
def check(pwd):
    if not pwd or len(pwd)>100:
        return "Invalid","password cannot be empty or extremely long"
    u,l,d,s=0,0,0,0
    for c in pwd:
        if c.isupper(): u=1
        elif c.islower(): l=1
        elif c.isdigit(): d=1
        else: s=1
    sc=u+l+d+s
    if len(pwd)<8 or sc<2:
        return "weak","use atleast 8 characters and mix types."
    elif len(pwd)≥10 and sc==4:
        return "veru Strong","Excellent"
    elif sc≥3:
        return "strong","good,Try adding more characters or symbols"
    return "Moderate","consider adding more characters or symbols"
pwd=input("Enter password")
st,feedback=check(pwd)
print(f"\nStrength: {st}\nFeedback: {feedback}")
```

INPUT

1Su@2Dp\$t

OUTPUT

Enter password
Strength:strong
Feedback:good,Try adding more characters or symbols

Q3. Structured Server Log Error Analyser**CODE**

```
import sys
def analyse(logs):
    ec,ue={},[]
    for l in logs:
        if l.startswith("ERROR") or "error" in l.lower():
            idx=l.find(":")
            msg=l[idx+1:].strip() if idx ≠-1 else l

            if msg not in ue:
                ue.append(msg)
            ec[msg]=ec.get(msg,0)+1
    print(f"Unique Errors: {ue}")
    for e,c in ec.items():
        print(f"{e}:{c} occurrences")
if __name__=="__main__":
    analyse(sys.stdin.read().splitlines())
```

OUTPUT

Unique Errors: []

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Scenario Based Program Writing • Student Submissions Report
Q4. Email Domain Frequency Analyser**CODE**

```
import sys
def analyse(emails):
    c={}
    for email in emails:
        parts=email.split("@")
        if len(parts)==2 and parts[1].strip():
            d=parts[1].strip()
            c[d]=c.get(d,0)+1

    for d,count in c.items():
        print(f"Domain '{d}': {count} occurrences")
    if c:
        print(f"Most Frequent Domain: {max(c,key=c.get)}")
if __name__=="__main__":
    analyse(sys.stdin.read().splitlines())
```

INPUT

123@gmail.com

OUTPUT

Domain 'gmail.com': 1 occurrences
Most Frequent Domain: gmail.com