

QUESTIONS 20 / 20 completed

Palindrome

PALINDROME

Write a Java program to check if a given string is a palindrome or not.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class str{
3     public static void main(String args[]){
4         Scanner sc= new Scanner(System.in);
5         String sent=sc.next();
6         String rev="";
7         for(int i=sent.length()-1;i>=0;i--){
8             rev=rev+sent.charAt(i);
9         }
10        System.out.println(rev);
11        if(sent.equals(rev)){
12            System.out.println("The given string is palindrome");
13        }
14        else{
15            System.out.println("The given string is not a palindrome");
16        }
17    }
18 }
```

INPUT

malayalam

OUTPUT

```
malayalam
The given string is palindrome
```

QUESTIONS 20 / 20 completed

Occurrence

OCCURRENCE

Write a Java program to count the number of occurrences of a given character in a string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class occ{
3     public static void main(String args[]){
4         Scanner sc=new Scanner(System.in);
5         String s=sc.nextLine();
6         char c=sc.next().charAt(0);
7         int count=0;
8         for(int i=0;i<s.length();i++){
9             if(c==s.charAt(i)){
10                 count++;
11             }
12         }
13         System.out.println("The count of occurrences of the given character in the given string is " + count);
14     }
15 }
```

INPUT

hello
l

OUTPUT

```
The count of occurrences of the given character in the given string is 2
```

QUESTIONS 20 / 20 completed

Check

CHECK

Write a Java program to check if a given string contains only digits.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class check{
3     public static void main(String args[]){
4         Scanner sc= new Scanner(System.in);
5         String s=sc.next().trim();
6         boolean c=true;
7         for (int i=0;i<s.length();i++){
8             if(!Character.isDigit(s.charAt(i))){
9                 c=false;
10                break;}
11        }
12        if(c&& s.length()>0)
13        {
14            System.out.println("The given string contains only digits");
15        }
16        else{
17            System.out.println("The given string doesn't contain only digits");
18        }
19    }
20 }
```

INPUT

123456

OUTPUT

```
The given string contains only digits
```

QUESTIONS 20 / 20 completed

Length

LENGTH

Write a Java program to find the length of the longest substring without repeating characters in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.HashMap;
2 import java.util.Scanner;
3
4 public class Main {
5     public static void main(String[] args) {
6         Scanner sc = new Scanner(System.in);
7         String s = sc.nextLine();
8
9         System.out.println(lenOfLonSstring(s));
10    }
11
12    public static int lenOfLonSstring(String s) {
13        HashMap<Character, Integer> map = new HashMap<>();
14        int maxLength = 0;
15        int start = 0;
16
17        for (int end = 0; end < s.length(); end++) {
18            char currentChar = s.charAt(end);
19
20            if (map.containsKey(currentChar) && map.get(currentChar) >= start) {
21                start = map.get(currentChar) + 1;
```

INPUT

hello world

QUESTIONS 20 / 20 completed

Lower

LOWER

Write a Java program to convert a given string to lowercase.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String args[]){
4         Scanner sc=new Scanner(System.in);
5         String st=sc.next();
6         String sl=st.toLowerCase();
7         System.out.println(sl);
8     }
9 }
```

OUTPUT

welcome

INPUT

WELCOME

QUESTIONS 20 / 20 completed

Remove

REMOVE

Write a Java program to remove all white spaces from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class rem{
3     public static void main(String args[]){
4         Scanner sc=new Scanner(System.in);
5         String s=sc.nextLine();
6         String sp=" ";
7         String r=s.replace(" ", "");
8         System.out.println(r);
9     }
10 }
```

OUTPUT

what

INPUT

wh a t

QUESTIONS 20 / 20 completed

Reverse

REVERSE

Write a Java program to reverse a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class rev{
3     public static void main(String args[]){
4         Scanner sc=new Scanner(System.in);
5         String s=sc.nextLine();
6         String rev="";
7         for (int i=s.length()-1;i>=0;i--){
8             rev=rev+s.charAt(i);
9         }
10        System.out.println(rev);
11    }
12 }
```

OUTPUT

olleh

INPUT

hello

QUESTIONS 20 / 20 completed

Concatenate

CONCATINATE

Write a Java program to concatenate two given strings.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class conc{
3     public static void main(String args[]){
4         Scanner sc=new Scanner(System.in);
5         String s1=sc.nextLine();
6         String s2=sc.nextLine();
7         System.out.println(s1.concat(s2));
8     }
9 }
```

OUTPUT

hello

INPUT

he
llo

QUESTIONS 20 / 20 completed

Repeat

REPEAT

Write a Java program to find the first non-repeated character in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 import java.util.LinkedHashMap;
3 import java.util.Map;
4
5 public class Main {
6     public static void main(String[] args) {
7         Scanner sc = new Scanner(System.in);
8         String str = sc.nextLine();
9
10        LinkedHashMap<Character, Integer> charCount = new LinkedHashMap<>();
11
12        for (int i = 0; i < str.length(); i++) {
13            char ch = str.charAt(i);
14            charCount.put(ch, charCount.getOrDefault(ch, 0) + 1);
15        }
16
17        char result = '\0';
18        boolean found = false;
19
20        for (Map.Entry<Character, Integer> entry : charCount.entrySet()) {
21            if (entry.getValue() == 1) {
```

OUTPUT

First non-repeated character: w

INPUT

swiss

QUESTIONS 20 / 20 completed

Frequent

FREQUENT

Write a Java program to find the most frequent word in a given string.

PROGRAM EDITOR

Java

Run

Save

```
3 public static void main(String args[]){
4     Scanner sc=new Scanner(System.in);
5     int mc=0;
6     String t=sc.nextLine();
7     String[] s=t.split(" ");
8     String f="";
9     for(int i=0;i<s.length;i++){
10         int c=0;
11         for (int j=0;j<s.length;j++){
12             if(s[i].equals(s[j])){
13                 c++;
14             }
15         }
16         if(c>mc){
17             mc=c;
18             f=s[i];
19         }
20     }
21     System.out.println("Most Frequent:"+f);
22 }
23 }
```

INPUT

hello hello world

OUTPUT

Most Frequent:hello

QUESTIONS 20 / 20 completed

Substring

SUBSTRING

Write a Java program to create a substring from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class Main{
3     public static void main(String args[]){
4         Scanner sc=new Scanner(System.in);
5         String a=sc.nextLine();
6         String[] b=a.split(" ");
7         System.out.println(b[0]);
8     }
9 }
```

INPUT

hello world

OUTPUT

world

QUESTIONS 20 / 20 completed

Compare

COMPARE

Write a Java program to compare two strings lexicographically.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class Main{
3     public static void main(String args[]){
4         Scanner sc=new Scanner(System.in);
5         String a=sc.nextLine();
6         String b=sc.nextLine();
7         int r=a.compareTo(b);
8         if(r<0){
9             System.out.println("\""+a+"\" is lexicographically less than \""+ b+ "\"");
10        }else if(r==0){
11            System.out.println("\""+a+"\" is equal to \""+b+"\"");
12        }else{
13            System.out.println("\""+a+"\" is lexicographically greater than \""+b+"\"");
14        }
15    }
16 }
```

INPUT

apple
banana

OUTPUT

"apple" is lexicographically less than "banana"

QUESTIONS 20 / 20 completed

Suffix

SUFFIX

Write a Java program to check if a given string ends with a specific suffix.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String args[]){
4         Scanner sc=new Scanner(System.in);
5         String a=sc.nextLine();
6         String suf=sc.nextLine();
7         if(a.endsWith(suf)){
8             System.out.println("true");
9         }else{
10            System.out.println("false");
11        }
12    }
13 }
```

INPUT

hello world
world

OUTPUT

true

QUESTIONS 20 / 20 completed

Find

FIND

Write a Java program to find the index of a given character or substring in a given string.

PROGRAM EDITOR

Java

Run

Save

```
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         System.out.println("Enter the main string: ");
8         String str = sc.nextLine();
9
10        System.out.println("Enter character or substring to find: ");
11        String target = sc.nextLine();
12        int index = str.indexOf(target);
13
14        if (index != -1) {
15            System.out.println("Index found at: " + index);
16        } else {
17            System.out.println("Not found. (index = -1)");
18        }
19
20        sc.close();
21    }
22 }
```

INPUT

hello world
wo

OUTPUT

Enter the main string:
Enter character or substring to find:
Index found at: 6

QUESTIONS 20 / 20 completed

Upper

UPPER

Write a Java program to convert a given string to uppercase.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class upp{
3     public static void main(String args[]){
4         Scanner sc= new Scanner(System.in);
5         String s1=sc.nextLine();
6         System.out.println(s1.toUpperCase());
7     }
8 }
```

INPUT

hello

OUTPUT

HELLO

QUESTIONS 20 / 20 completed

RM-Char

RM-CHAR

Write a Java program to remove a specified character from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2
3 public class RemoveCharacter {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         System.out.println("Enter a string: ");
8         String str = sc.nextLine();
9
10        System.out.println("Enter the character to remove: ");
11        char ch = sc.nextLine().charAt(0);
12
13        StringBuilder sb = new StringBuilder();
14        for (int i = 0; i < str.length(); i++) {
15            if (str.charAt(i) != ch) {
16                sb.append(str.charAt(i));
17            }
18        }
19
20        System.out.println("Output: " + sb.toString());
21        sc.close();
22    }
23 }
```

OUTPUT

Enter a string: Enter the character to remove: Output: qwertyuip

INPUT

qwertyuiop
o

QUESTIONS 20 / 20 completed

Replace

REPLACE

Write a Java program to replace a specified character with another character in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         System.out.println("Enter the string: ");
8         String input = sc.nextLine();
9
10        System.out.println("Enter the character to replace: ");
11        char ch1 = sc.next().charAt(0);
12
13        System.out.println("Enter the replacement character: ");
14        char ch2 = sc.next().charAt(0);
15
16        String result = replaceChar(input, ch1, ch2);
17        System.out.println("Output: " + result);
18
19        sc.close();
20    }
21 }
```

OUTPUT

Enter the string:
Enter the character to replace:
Enter the replacement character:
Output: wertyuiqp

INPUT

wertyuiop
o
q

QUESTIONS 20 / 20 completed

Split

SPLIT

Write a Java program to split a given string into an array of substrings based on a specified delimiter.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 import java.util.Arrays;
3 class spl{
4     public static void main(String args[]){
5         Scanner sc=new Scanner(System.in);
6         String s=sc.nextLine();
7         String c=sc.next();
8         System.out.println(Arrays.toString(s.split(c)));
9     }
10 }
```

INPUT

hello&world
&

OUTPUT

[hello, world]

QUESTIONS 20 / 20 completed

Convert

CONVERT

Write a Java program to convert a given string to a char array.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 import java.util.Arrays;
3 class conv{
4     public static void main(String args[]){
5         Scanner sc=new Scanner(System.in);
6         String s=sc.nextLine();
7         char[] c=new char[s.length()];
8         for(int i=0;i<s.length();i++){
9             c[i]=s.charAt(i);
10        }
11        System.out.println(Arrays.toString(c));
12    }
13 }
```

INPUT

hello

OUTPUT

[h, e, l, l, o]

QUESTIONS 20 / 20 completed

Trim

TRIM

Write a Java program to trim a given string and remove leading and trailing spaces.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         System.out.println("INPUT: ");
8         String s = sc.nextLine();
9
10        System.out.println("OUTPUT: " + s.trim());
11
12        sc.close();
13    }
14 }
```

OUTPUT

```
INPUT:
OUTPUT:hello
```

INPUT

hello