

NAME : MOHAMMED SUBAHAAN H


REG . No : 192572165

Course Code : CSA0925

Course name : Programming with java

CO-4 ASSESSMENT TOOL - 2

1) Applet life cycle.



The screenshot shows an IDE with a Java file named `lifeCycle.java` and an HTML file named `lifeCycle.html`. The Java code implements the `Applet` interface with the following methods:

```
import java.applet.Applet;
import java.awt.Graphics;

public class lifeCycle extends Applet {
    String msg = "";

    public void init() {
        msg += "INIT ";
        System.out.println("INIT");
    }

    public void start() {
        msg += "START ";
        System.out.println("START");
    }

    public void stop() {
        msg += "STOP ";
        System.out.println("STOP");
    }
}
```


The HTML file contains the following code:

```
<applet code="lifeCycle.class"></applet>
```

The IDE also shows a terminal window with the command `appletviewer lifeCycle.html` and the output:

```
INIT
START
STOP
DESTROY
```

2) Graphic image



The screenshot shows an IDE with a Java file named `Scene.java` and an HTML file named `Scene.html`. The Java code implements the `Applet` interface with the following methods:

```
public class Scene extends Applet {
    public void paint(Graphics g) {
        g.setColor(Color.YELLOW);
        g.fillRect(x: 320, y: 20, width: 50, height: 50);

        g.setColor(Color.WHITE);
        g.fillRect(x: 30, y: 30, width: 60, height: 25);
        g.fillRect(x: 60, y: 20, width: 50, height: 25);
        g.fillRect(x: 120, y: 40, width: 60, height: 20);

        g.setColor(Color.GRAY);
        g.fillRect(x: 0, y: 250, width: 400, height: 50);

        g.setColor(Color.RED);
        g.fillRect(x: 150, y: 150, width: 100, height: 100);
        g.setColor(Color.DARK_GRAY);
        int[] xp = {140, 200, 260};
        int[] yp = {150, 100, 150};
        g.fillPolygon(xp, yp, nPoints: 3);
    }
}
```


The HTML file contains the following code:

```
<applet code="Scene.class"></applet>
```


The IDE also shows a terminal window with the command `appletviewer Scene.html` and the output:

```
Scene started
```


3) Calculator




4) Student profile AWT




5) Grid layout



6) Gridbag layout



7) Border layout



8) Card layout

