# Pre-Trained CNN Model As A Feature Extractor

Date	06 May 2023
Team ID	NM2023TMID07102
Project Name	ODIR Seeing The Big Picture of Eye Health


# 1. Indexing Classes

```
In [19]: #Classes of Disasters
x_train.class_indices

Out[19]: {'Cyclone': 0, 'Earthquake': 1, 'Flood': 2, 'Wildfire': 3}
```

#### 2. Sample Plot for each of the Classes

```
In [20]: #Sample Plot for each of the Classes
    from skimage import io
    f=['/home/wsuser/work/dataset/train/Cyclone/1.jpg','/home/wsuser/work/dataset/train/Earthquake/0.jpg','/home/wsuser/work
    class_names=['Cyclone', 'Earthquake', 'Flood', 'Wildfire']
    x, axarr = plt.subplots(1,4,figsize=(15,15))
    for i in range(4):
        axarr[i].imshow(io.imread(f[i]))
        axarr[i].title.set_text(class_names[i])
```



#### 3. CNN Model Architecture

```
In [21]: model=Sequential()
In [22]: #Input Convolution Layer
         model.add(Convolution2D(32, kernel size=(3,3), input shape=(299,299,3), strides=(1,1), activation='relu'))
         model.add(MaxPooling2D(pool size=(2,2)))
         #Convolution Layer 2
         model.add(Convolution2D(64,kernel size=(3,3),input shape=(299,299,3),strides=(1,1),activation='relu'))
         model.add(MaxPooling2D(pool size=(2,2)))
         model.add(Dropout(0.3))
         #Convolution Layer 3
         model.add(Convolution2D(32,kernel size=(3,3),input shape=(299,299,3),strides=(1,1),activation='relu'))
         model.add(MaxPooling2D(pool size=(2,2)))
         model.add(Dropout(0.3))
         #Flattening of Output
         model.add(Flatten())
         #FCN or Dense Layer
         model.add(Dense(units=256, kernel initializer="random uniform", activation="relu"))
         model.add(Dropout(0.4))
         #Output Layer
         model.add(Dense(units=4,activation="softmax"))
```

# 4. Summary of the Model

Model: "sequential"			
Layer (type)	Output Shape	Param #	
conv2d (Conv2D)	(None, 297, 297, 32)	896	
max_pooling2d (MaxPooling2D )	(None, 148, 148, 32)	0	
conv2d_1 (Conv2D)	(None, 146, 146, 64)	18496	
max_pooling2d_1 (MaxPooling 2D)	(None, 73, 73, 64)	0	
dropout (Dropout)	(None, 73, 73, 64)	0	
conv2d_2 (Conv2D)	(None, 71, 71, 32)	18464	
max_pooling2d_2 (MaxPooling 2D)	(None, 35, 35, 32)	0	
dropout_1 (Dropout)	(None, 35, 35, 32)	0	
flatten (Flatten)	(None, 39200)	0	
dense (Dense)	(None, 256)	10035456	
dropout_2 (Dropout)	(None, 256)	0	
dense_1 (Dense)	(None, 4)	1028	

#### 5. Compiling the Model

```
In [24]: #Compiling the Model
model.compile(loss="categorical_crossentropy",optimizer="adam",metrics=["accuracy"])
```

#### 6. Training and Validating the Model

```
In [27]: #Model Fitting - training and validation
    history=model.fit generator(x train, steps per epoch=len(x train), epochs=20, validation data=x val, validation steps=len(x
    #steps per epoch = no of train images/batch size
    #validation steps = no of test images/batch size
    Epoch 1/20
    curacy: 0.6244
    Epoch 2/20
    curacy: 0.7862
    Epoch 3/20
    310/310 [======
               ========= ] - 378s 1s/step - loss: 0.6090 - accuracy: 0.7785 - val loss: 0.5414 - val ac
    curacy: 0.8032
    Epoch 4/20
    curacy: 0.8133
    Epoch 5/20
    curacy: 0.7805
    Epoch 6/20
    curacy: 0.8450
    Epoch 7/20
    curacy: 0.8529
    Epoch 8/20
    310/310 [======
                =========] - 379s 1s/step - loss: 0.4033 - accuracy: 0.8524 - val loss: 0.3810 - val ac
    curacy: 0.8767
    Epoch 9/20
    curacy: 0.8586
    Epoch 10/20
```


```
Epoch 11/20
curacy: 0.8541
Epoch 12/20
curacy: 0.8529
Epoch 13/20
curacy: 0.8541
Epoch 14/20
curacy: 0.8439
Epoch 15/20
curacy: 0.8213
Epoch 16/20
curacy: 0.8597
Epoch 17/20
curacy: 0.8643
Epoch 18/20
curacy: 0.8665
Epoch 19/20
curacy: 0.8529
Epoch 20/20
curacy: 0.8801
```

#### 7. Saving the Model as .h5 file and json file


```
In [28]: len(x_train)
Out[28]: 310

In [29]: #saving the Model
    model.save('Disaster_Classifier.h5')
    model_json=model.to_json()
    with open("model-bw.json","w") as json_file:
        json_file.write(model_json)
```

# 8. Plots for training vs validation accuracies and losses



```
In [31]: #Training and Validation Loss Plot
    plt.figure(figsize=(8, 8))
    plt.plot(epochs_range, history.history['loss'], label='Training Loss')
    plt.plot(epochs_range, history.history['val_loss'], label='Validation Loss')
    plt.legend()
    plt.title('Training and Validation Loss')
    plt.show()
```



## 9. Testing the CNN Model with test d

```
In [35]: #Testing the CNN Model with test data
         test generator=test datagen.flow from directory(r"/home/wsuser/work/dataset/test",
                                                 target size=(299,299),
                                                 batch size=447,
                                                 color mode='rgb',
                                                 class mode='categorical')
         Found 447 images belonging to 4 classes.
In [36]: x test, y test = test generator. getitem (0)
      In [37]: y test
      Out[37]: array([[1., 0., 0., 0.],
                      [0., 1., 0., 0.],
                      [0., 0., 0., 1.],
                      . . . ,
                      [0., 0., 0., 1.],
                      [0., 0., 0., 1.],
                      [0., 0., 1., 0.]], dtype=float32)
      In [38]: #predicting the labels of test data
               y_pred = model.predict(x_test)
      In [39]: y pred = np.argmax(y pred,axis=1)
```

ata

```
In [40]: y pred
Out[40]: array([0, 1, 3, 3, 1, 3, 2, 1, 1, 0, 0, 2, 3, 0, 2, 3, 3, 1, 1, 2, 2, 3,
                2, 0, 1, 3, 1, 3, 0, 1, 3, 0, 1, 3, 0, 1, 3, 2, 2, 1, 3, 1, 1, 0,
                2, 3, 2, 3, 2, 1, 3, 1, 2, 0, 1, 3, 0, 3, 3, 0, 0, 2, 0, 2, 0, 1,
                3, 1, 3, 0, 0, 0, 2, 1, 0, 1, 1, 0, 2, 2, 1, 0, 1, 0, 3, 3, 3, 2,
                2, 1, 1, 2, 2, 1, 1, 3, 1, 2, 3, 3, 1, 3, 0, 0, 1, 1, 1, 0, 0, 1,
                1, 2, 1, 0, 0, 1, 2, 2, 1, 2, 3, 1, 1, 2, 2, 1, 0, 1, 1, 1, 2, 1,
                3, 1, 0, 3, 2, 1, 2, 1, 3, 2, 2, 0, 1, 2, 0, 1, 1, 3, 0, 1, 0, 1,
                3, 1, 2, 1, 1, 1, 0, 1, 0, 3, 2, 0, 3, 0, 0, 0, 1, 0, 0, 2, 3, 2,
                0, 0, 1, 0, 0, 2, 2, 1, 0, 3, 1, 1, 1, 2, 0, 3, 1, 2, 3, 2, 0, 0,
                3, 1, 2, 1, 3, 3, 2, 0, 0, 2, 3, 1, 2, 2, 3, 1, 3, 1, 0, 0, 3, 1,
                3, 0, 1, 2, 2, 3, 1, 2, 2, 1, 1, 2, 1, 0, 1, 1, 2, 2, 2, 1, 0, 2,
                2, 3, 0, 1, 1, 3, 1, 0, 2, 2, 3, 0, 0, 3, 1, 0, 1, 1, 1, 1, 2, 0,
                3, 2, 0, 0, 3, 2, 3, 1, 1, 0, 1, 1, 2, 3, 1, 2, 0, 3, 3, 3, 1, 2,
                2, 2, 2, 2, 3, 3, 2, 1, 1, 1, 1, 3, 2, 3, 2, 1, 2, 2, 3, 2, 3, 2,
                2, 1, 3, 2, 2, 1, 1, 2, 0, 1, 2, 2, 3, 1, 2, 1, 2, 1, 2, 1, 3, 2,
                3, 2, 2, 3, 1, 3, 1, 3, 1, 0, 1, 2, 2, 2, 3, 0, 0, 2, 3, 3, 3, 1,
                2, 1, 3, 1, 1, 2, 0, 3, 2, 2, 0, 3, 1, 1, 1, 1, 1, 0, 1, 2, 0, 3,
                2, 0, 2, 2, 0, 1, 3, 3, 3, 2, 2, 2, 1, 1, 2, 0, 3, 1, 2, 1, 1, 1,
                2, 0, 3, 1, 2, 0, 2, 1, 3, 2, 3, 3, 1, 3, 2, 2, 1, 0, 3, 0, 0, 1,
                3, 3, 2, 2, 0, 1, 0, 2, 1, 2, 0, 1, 2, 1, 1, 3, 2, 3, 3, 1, 1, 1,
                3, 3, 0, 0, 3, 3, 2])
In [41]: y test = np.argmax(y test, axis=1)
```

```
In [42]: y test
Out[42]: array([0, 1, 3, 3, 1, 3, 2, 1, 1, 0, 0, 2, 3, 0, 2, 3, 3, 2, 1, 3, 2, 3,
                0, 0, 1, 3, 1, 3, 0, 1, 3, 0, 1, 3, 0, 1, 3, 1, 2, 1, 3, 1, 1, 0,
                2, 3, 1, 3, 2, 1, 3, 0, 2, 0, 1, 3, 2, 3, 3, 0, 0, 2, 0, 2, 0, 1,
                3, 1, 3, 0, 0, 0, 2, 1, 0, 1, 1, 0, 2, 2, 1, 0, 1, 0, 3, 3, 3, 2,
                2, 1, 1, 2, 2, 2, 1, 3, 1, 2, 3, 3, 1, 3, 0, 0, 1, 1, 1, 0, 0, 3,
                1, 2, 1, 0, 0, 1, 2, 2, 1, 2, 3, 1, 1, 2, 2, 2, 0, 1, 2, 1, 1, 0,
                3, 1, 0, 3, 2, 1, 2, 1, 3, 2, 2, 3, 1, 2, 0, 1, 3, 2, 3, 1, 0, 1,
                3, 3, 3, 1, 1, 1, 0, 1, 0, 3, 2, 0, 3, 0, 0, 0, 2, 0, 0, 2, 3, 2,
                0, 0, 1, 0, 0, 2, 2, 1, 0, 3, 1, 1, 1, 2, 0, 3, 1, 3, 3, 2, 0, 0,
                3, 1, 2, 1, 3, 3, 2, 0, 1, 1, 3, 1, 2, 0, 1, 1, 3, 3, 0, 0, 3, 0,
                3, 0, 2, 2, 2, 3, 1, 2, 2, 1, 1, 2, 1, 0, 1, 1, 2, 2, 2, 1, 0, 2,
                2, 3, 0, 2, 1, 3, 1, 0, 2, 1, 3, 0, 0, 3, 0, 0, 1, 0, 1, 1, 2, 0,
                3, 2, 1, 0, 3, 2, 3, 1, 1, 0, 1, 1, 1, 3, 1, 2, 0, 3, 3, 3, 1, 2,
                3, 2, 2, 1, 3, 3, 3, 1, 1, 1, 1, 3, 2, 3, 1, 1, 2, 3, 3, 2, 3, 2,
                2, 1, 3, 2, 2, 1, 1, 1, 0, 1, 2, 2, 3, 1, 2, 1, 2, 1, 2, 1, 3, 1,
                3, 2, 2, 3, 1, 3, 1, 3, 1, 0, 1, 2, 2, 2, 3, 0, 0, 2, 3, 0, 3, 1,
                2, 2, 3, 1, 1, 2, 0, 3, 2, 2, 0, 3, 1, 0, 0, 1, 1, 0, 1, 2, 0, 3,
                2, 0, 2, 2, 0, 1, 3, 3, 3, 1, 2, 2, 1, 1, 2, 0, 3, 1, 2, 1, 1, 1,
                2, 0, 3, 2, 2, 0, 0, 1, 3, 2, 3, 3, 1, 3, 2, 2, 1, 0, 3, 0, 0, 1,
                3, 3, 2, 2, 0, 1, 0, 2, 1, 1, 0, 1, 2, 1, 1, 3, 1, 3, 3, 1, 1, 1,
                3, 3, 0, 0, 3, 3, 2])
```

#### **Generating Classification Report with F1 Score**

0.86

0.82

0.97

0.90

0.89

2

3

accuracy

macro avg weighted avg 0.88

0.90

0.89

0.89

0.89

0.87

0.85

0.93

0.89

0.89

0.89

```
In [44]: import keras.backend as K
         def accuracy(y true, y pred):
             '''Calculates the mean accuracy rate across all predictions for binary
             classification problems.
             ...
             return K.mean(K.equal(y true, K.round(y pred)))
In [45]: #Classification report with Accuracy (F1 Score) for each Class
         print("CNN Disaster Classification Model Accuracy on test set: {:.4f}".format(accuracy(y test, y pred)))
         print(classification report(y test, y pred))
         CNN Disaster Classification Model Accuracy on test set: 0.8881
                       precision
                                   recall f1-score support
                    0
                                      0.88
                                                            94
                            0.94
                                                0.91
                    1
```

136

108

109

447

447

447

# 11. Weighted Accuracy of the model

```
In [50]: #Weighted Accuracy of the model
accu = np.count_nonzero(np.equal(y_pred,y_test))/x_test.shape[0]
print("Accuracy: {} %".format(accu*100))
```

Accuracy: 88.81431767337807 %

## 12.Confusion Matrix for test data

