



Task Description:

Launch an EC2 instance (Linux and Windows) along with a web server. Then, create an EBS volume of 5 GB, attach it to an EC2 machine (Linux and Windows), and take a snapshot. Finally, create an EBS volume using the taken snapshot.

Output:



EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Successfully attached volume `vol-09b90c39dc8abc064` to instance `i-04e084062363cd90b`.

Volumes (4)

Info

Last updated less than a minute ago

Recycle Bin

Actions

Create volume

Saved filter sets

Choose filter set

Search

	Name	Volume ID	Type	Size	IOPS	Throughput	Snapshot ID	Source volume ID	Created
		<code>vol-0ab63f3750f26f63d</code>	gp3	8 GiB	3000	125	<code>snap-02aec5d...</code>	-	2025/11/24 17:1
		<code>vol-00c718555a6093d89</code>	gp3	8 GiB	3000	125	<code>snap-02aec5d...</code>	-	2025/11/19 13:0
		<code>vol-07beaab4748a79b21</code>	gp3	8 GiB	3000	125	<code>snap-02aec5d...</code>	-	2025/11/25 12:5
		<code>vol-09b90c39dc8abc064</code>	gp3	5 GiB	3000	125	-	-	2025/11/25 13:2

Fault tolerance for all volumes in this Region

Snapshot summary

Recently backed up volumes / Total # volumes

0 / 4

Last updated on Tue, Nov 25, 2025, 01:20:15 PM (GMT+05:30)

Data Lifecycle Manager default policy for EBS Snapshots status

No default policy set up | Create policy

CloudShell

Feedback

Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

```
Enabling module deflate.
Enabling module status.
Enabling module reqtimeout.
Enabling module reqtimeout.
Enabling conf charset.
Enabling conf localized-error-pages.
Enabling conf other-headers-access-log.
Enabling conf security.
Enabling conf serve-cgi-bin.
Enabling site 000-default.
Created symlink /etc/systemd/system/multi-user.target.wants/apache2.service → /usr/lib/systemd/system/apache2.service.
Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcacheclean.service → /usr/lib/systemd/system/apache-htcacheclean.service.
Processing triggers for ufw (0.36.2-6) ...
Processing triggers for man-db (2.12.0-4build2) ...
Processing triggers for libc-bin (2.39-0ubuntu8.6) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-4-34:~$ sudo systemctl start apache2
ubuntu@ip-172-31-4-34:~$ sudo systemctl enable apache2
Synchronizing state of apache2.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable apache2
ubuntu@ip-172-31-4-34:~$ sudo lsblk
```

```
No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-4-34:~$ sudo systemctl start apache2
ubuntu@ip-172-31-4-34:~$ sudo systemctl enable apache2
Synchronizing state of apache2.service with Sysv service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable apache2
ubuntu@ip-172-31-4-34:~$ sudo lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
loop0        7:0      0  27.6M  1 loop /snap/amazon-ssm-agent/11797
loop1        7:1      0  73.9M  1 loop /snap/core22/2133
loop2        7:2      0  50.8M  1 loop /snap/snapd/25202
nvme0n1     259:0      0    86  0 disk 
└─nvme0n1p1 259:1      0    70  0 part /
   └─nvme0n1p4 259:2      0    4M  0 part 
└─nvme0n1p5 259:3      0  106M  0 part /boot/efi
   └─nvme0n1p6 259:4      0  913M  0 part /boot
nvme1n1     259:5      0    56  0 disk 
ubuntu@ip-172-31-4-34:~$ sudo mkfs -t xfs /dev/xvdf
Error accessing specified device /dev/xvdf: No such file or directory
Usage: mkfs.xfs
/* blocksize */          [-b size=num]
/* config file */        [-c options=xxx]
/* metadata */           [-m crc=0|1,finobt=0|1,uuid=xxx,rmapbt=0|1,reflink=0|1,
                          inobtcount=0|1,bigtime=0|1]
/* data subvol */        [-d agcount=n,agsize=n,file=name=xxx,size=num,
                          (sunit=value,swidth=value|su=num,sw=num|noalign),
                          sectsize=num]
/* force overwrite */    [-f]
/* inode size */         [-i perblock=n|size=num,maxpct=n,attr=0|1|2,
                          projid32bit=0|1,sparse=0|1,nrxt64=0|1]
/* no discard */         [-k]
/* log subvol */         [-l agnum=n,internal,size=num,logdev=xxx,version=n]
```

← → ↺

Not secure

13.233.133.116



Apache2 Default Page

Ubuntu

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
```

EC2 > Instances > Launch an instance

Success
Successfully initiated launch of instance (i-0c8bf349148e9556f)

► Launch log

Next Steps
Q What would you like to do next with this instance, for example "create alarm" or "create backup"

Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
[Create billing alerts](#)

Connect to your instance
Once your instance is running, log into it from your local computer.
[Connect to instance](#)
[Learn more](#)

Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
[Connect an RDS database](#)
[Create a new RDS database](#)
[Learn more](#)

Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
[Create EBS snapshot policy](#)

CloudShell Feedback Console Mobile App © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Add Roles and Features Wizard

Select server roles

Before You Begin
Installation Type
Server Selection
Server Roles
Features
Confirmation
Results

DESTINATION SERVER
EC2AMAZ-JUTO56E

Add Roles and Features Wizard

Add features that are required for Web Server (IIS)?

The following tools are required to manage this feature, but do not have to be installed on the same server.



- Web Server (IIS)
 - Management Tools
 - [Tools] IIS Management Console

☒ Include management tools (if applicable)

[Add Features](#) [Cancel](#)

< Previous Next > [Install](#) [Cancel](#)

Events Events Events



EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Successfully attached volume vol-0497ecce00af92a2a to instance i-0c8bf349148e9556f.

Volumes (6)

Last updated less than a minute ago

Recycle Bin

Actions

Create volume

Search

	Name	Volume ID	Type	Size	IOPS	Throughput	Snapshot ID	Source volume ID	Created
		vol-097abaf02809bbc1f	gp3	30 GiB	3000	125	snap-04a7f5a...	-	2025/11/25 13:4
		vol-0ab63f3750f26f63d	gp3	8 GiB	3000	125	snap-02aec5d...	-	2025/11/24 17:1
		vol-00c718555a6093d89	gp3	8 GiB	3000	125	snap-02aec5d...	-	2025/11/19 13:0
		vol-07beaab4748a79b21	gp3	8 GiB	3000	125	snap-02aec5d...	-	2025/11/25 12:5
		vol-0497ecce00af92a2a	gp3	5 GiB	3000	125	-	-	2025/11/25 14:4
		vol-09b9d7c39d78ahr0f64	gp3	5 GiB	3000	125	-	-	2025/11/25 14:2

Fault tolerance for all volumes in this Region

Snapshot summary

Recently backed up volumes / Total # volumes

0 / 4

Last updated on Tue, Nov 25, 2025, 01:20:15 PM (GMT+05:30)

Data Lifecycle Manager default policy for EBS Snapshots status

No default policy set up | Create policy

CloudShell

Feedback


Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences



Windows EC2 Working!