

Task Description:

Launch Linux EC2 instances in two regions using a single Terraform file.

Output:

```
Administrator: Command Prompt
destroy      Destroy previously-created infrastructure

All other commands:
console      Try Terraform expressions at an interactive command prompt
fmt          Reformat your configuration in the standard style
force-unlock Release a stuck lock on the current workspace
get          Install or upgrade remote Terraform modules
graph        Generate a Graphviz graph of the steps in an operation
import       Associate existing infrastructure with a Terraform resource
login        Obtain and save credentials for a remote host
logout       Remove locally-stored credentials for a remote host
metadata     Metadata related commands
modules      Show all declared modules in a working directory
output       Show output values from your root module
providers    Show the providers required for this configuration
query        Search and list remote infrastructure with Terraform
refresh      Update the state to match remote systems
show         Show the current state or a saved plan
stacks       Manage HCP Terraform stack operations
state        Advanced state management
taint        Mark a resource instance as not fully functional
test         Execute integration tests for Terraform modules
untaint      Remove the 'tainted' state from a resource instance
version      Show the current Terraform version
workspace    Workspace management

Global options (use these before the subcommand, if any):
-chdir=DIR   Switch to a different working directory before executing the
             given subcommand.
-help        Show this help output or the help for a specified subcommand.
-version     An alias for the "version" subcommand.

E:\>terraform -version
Terraform v1.14.3
on windows_amd64

E:\>aws --version
aws-cli/2.32.14 Python/3.13.9 Windows/11 exe/AMD64

E:\>
```

```
Administrator: Command Prompt

E:\>aws configure
AWS Access Key ID [*****MR2F]: AKIA5KQWIIWBW3THWR2F
AWS Secret Access Key [*****yDR]: 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
Default region name [ap-south-1]: ap-south-1
Default output format [json]: json

E:\>dir
Volume in drive E is New Volume
Volume Serial Number is 145A-821A

Directory of E:\

07-01-2026  02:54    <DIR>          .terraform
07-01-2026  02:54             1,407 .terraform.lock.hcl
06-01-2026  14:27             4,922 LICENSE.txt
07-01-2026  13:17              817 main.tf
06-01-2026  14:27      102,898,568 terraform.exe
07-01-2026  03:00              181 terraform.tfstate
07-01-2026  03:00           5,060 terraform.tfstate.backup
               6 File(s)      102,910,955 bytes
               1 Dir(s)      67,637,387,264 bytes free

E:\>terraform init
Initializing the backend...
Initializing provider plugins...
- Reusing previous version of hashicorp/aws from the dependency lock file
- Using previously-installed hashicorp/aws v5.100.0

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see
any changes that are required for your infrastructure. All Terraform commands
should now work.

If you ever set or change modules or backend configuration for Terraform,
rerun this command to reinitialize your working directory. If you forget, other
commands will detect it and remind you to do so if necessary.

E:\>
```

```
Administrator: Command Prompt
Default output format [json]: json

E:\>dir
Volume in drive E is New Volume
Volume Serial Number is 145A-821A

Directory of E:\

07-01-2026  02:54    <DIR>          .terraform
07-01-2026  02:54                1,407 .terraform.lock.hcl
06-01-2026  14:27                4,922 LICENSE.txt
07-01-2026  13:17                 817 main.tf
06-01-2026  14:27       102,898,568 terraform.exe
07-01-2026  03:00                181 terraform.tfstate
07-01-2026  03:00           5,060 terraform.tfstate.backup
               6 File(s)      102,910,955 bytes
               1 Dir(s)      67,637,387,264 bytes free

E:\>terraform init
Initializing the backend...
Initializing provider plugins...
- Reusing previous version of hashicorp/aws from the dependency lock file
- Using previously-installed hashicorp/aws v5.100.0

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see
any changes that are required for your infrastructure. All Terraform commands
should now work.

If you ever set or change modules or backend configuration for Terraform,
rerun this command to reinitialize your working directory. If you forget, other
commands will detect it and remind you to do so if necessary.

E:\>terraform validate
Success! The configuration is valid.

E:\>
```

```
Administrator: Command Prompt

    + "Name" = "Terraform-EC2-Virginia"
  }
+ tenancy                = (known after apply)
+ user_data               = (known after apply)
+ user_data_base64       = (known after apply)
+ user_data_replace_on_change = false
+ vpc_security_group_ids  = (known after apply)

+ capacity_reservation_specification (known after apply)

+ cpu_options (known after apply)

+ ebs_block_device (known after apply)

+ enclave_options (known after apply)

+ ephemeral_block_device (known after apply)

+ instance_market_options (known after apply)

+ maintenance_options (known after apply)

+ metadata_options (known after apply)

+ network_interface (known after apply)

+ private_dns_name_options (known after apply)

+ root_block_device (known after apply)
}

Plan: 2 to add, 0 to change, 0 to destroy.

Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to take exactly these actions if you run "terraform apply" now.

E:\>
```

```
Administrator: Command Prompt

+ cpu_options (known after apply)
+ ebs_block_device (known after apply)
+ enclave_options (known after apply)
+ ephemeral_block_device (known after apply)
+ instance_market_options (known after apply)
+ maintenance_options (known after apply)
+ metadata_options (known after apply)
+ network_interface (known after apply)
+ private_dns_name_options (known after apply)
+ root_block_device (known after apply)
}

Plan: 2 to add, 0 to change, 0 to destroy.


Do you want to perform these actions?
  Terraform will perform the actions described above.
  Only 'yes' will be accepted to approve.

Enter a value: yes

aws_instance.ec2_mumbai: Creating...
aws_instance.ec2_virginia: Creating...
aws_instance.ec2_mumbai: Still creating... [00m10s elapsed]
aws_instance.ec2_virginia: Still creating... [00m10s elapsed]
aws_instance.ec2_mumbai: Creation complete after 14s [id=i-01b6c0c9b355c1270]
aws_instance.ec2_virginia: Creation complete after 18s [id=i-02c7badd83aec8068]

Apply complete! Resources: 2 added, 0 changed, 0 destroyed.

E:\>
```



EC2

Dashboard

AWS Global View

Events

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Instances (1)

Find Instance by attribute or tag (case-sensitive)

All states

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS
Terraform-EC2-Mumbai	i-01b6c0c9b355c1270	Running	t2.micro	Initializing	View alarms	ap-south-1b	ec2-65-0-97-250.ap-

Select an instance

Connect

Instance state

Actions

Launch instances

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window 2

new 1 new 7 new 6 new 5 new 2 index.html new 3 new 4 new 8 main.tf

```
1 terraform {
2   required_providers {
3     aws = {
4       source = "hashicorp/aws"
5       version = "~> 5.0"
6     }
7   }
8 }
9
10 # Provider for Region 1
11 provider "aws" {
12   region = "us-east-1"
13   alias = "virginia"
14 }
15
16 # Provider for Region 2
17 provider "aws" {
18   region = "ap-south-1"
19   alias = "mumbai"
20 }
21
22 # EC2 in us-east-1
23 resource "aws_instance" "ec2_virginia" {
24   provider = aws.virginia
25   ami      = "ami-0c02fb55956c7d316" # Ubuntu 22.04 us-east-1
26   instance_type = "t2.micro"
27
28   tags = {
29     Name = "Terraform-EC2-Virginia"
30   }
31 }
32
33 # EC2 in ap-south-1
34 resource "aws_instance" "ec2_mumbai" {
35   provider = aws.mumbai
36   ami      = "ami-09f4878755434977f" # Ubuntu 22.04 ap-south-1
37   instance_type = "t2.micro"
38
39   tags = {
40     Name = "Terraform-EC2-Mumbai"
41   }
42 }
43
44
```

Normal text file length: 817 lines: 44 Ln: 6 Col: 6 Pos: 115 Windows (CR LF) UTF-8 INS