

Task Description:

Launch jenkins and explore creating projects and users.

Output:

```
ubuntu@ip-172-31-13-74: ~  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jar to provide /usr/bin/jar (jar) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jarsigner to provide /usr/bin/jarsigner (jarsigner) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/javac to provide /usr/bin/javac (javac) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/javadoc to provide /usr/bin/javadoc (javadoc) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/javap to provide /usr/bin/javap (javap) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jcmd to provide /usr/bin/jcmd (jcmd) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdb to provide /usr/bin/jdb (jdb) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdeprscan to provide /usr/bin/jdeprscan (jdeprscan) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdeps to provide /usr/bin/jdeps (jdeps) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jfr to provide /usr/bin/jfr (jfr) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jimage to provide /usr/bin/jimage (jimage) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jinfo to provide /usr/bin/jinfo (jinfo) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jlink to provide /usr/bin/jlink (jlink) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jmap to provide /usr/bin/jmap (jmap) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jmod to provide /usr/bin/jmod (jmod) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jps to provide /usr/bin/jps (jps) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jrunscript to provide /usr/bin/jrunscript (jrunscript) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jshell to provide /usr/bin/jshell (jshell) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstack to provide /usr/bin/jstack (jstack) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstatd to provide /usr/bin/jstatd (jstatd) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode  
Setting up openjdk-17-jre:amd64 (17.0.17+10-1-24.04) ...  
Setting up openjdk-17-jdk:amd64 (17.0.17+10-1-24.04) ...  
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode  
Processing triggers for libc-bin (2.39-0ubuntu8.6) ...  
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.2) ...  
Scanning processes...  
Scanning linux images...  
  
Running kernel seems to be up-to-date.  
  
No services need to be restarted.  
  
No containers need to be restarted.  
  
No user sessions are running outdated binaries.  
  
No VM guests are running outdated hypervisor (qemu) binaries on this host.  
openjdk version "17.0.17" 2025-10-21  
OpenJDK Runtime Environment (build 17.0.17+10-Ubuntu-124.04)  
OpenJDK 64-Bit Server VM (build 17.0.17+10-Ubuntu-124.04, mixed mode, sharing)  
ubuntu@ip-172-31-13-74:~$
```

```
ubuntu@ip-172-31-13-74: ~  
Preparing to unpack .../jenkins_2.528.3_all.deb ...  
Unpacking jenkins (2.528.3) ...  
Setting up net-tools (2.10-0.1ubuntu4.4) ...  
Setting up jenkins (2.528.3) ...  
Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /usr/lib/systemd/system/jenkins.service.  
Processing triggers for man-db (2.12.0-4build2) ...  
Scanning processes...  
Scanning linux images...  
  
Running kernel seems to be up-to-date.  
  
No services need to be restarted.  
  
No containers need to be restarted.  
  
No user sessions are running outdated binaries.  
  
No VM guests are running outdated hypervisor (qemu) binaries on this host.  
ubuntu@ip-172-31-13-74:~$ sudo systemctl start jenkins  
sudo systemctl enable jenkins  
sudo systemctl status jenkins  
Synchronizing state of jenkins.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.  
Executing: /usr/lib/systemd/systemd-sysv-install enable jenkins  
● jenkins.service - Jenkins Continuous Integration Server  
   Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: enabled)  
   Active: active (running) since Tue 2025-12-23 14:16:11 UTC; 16s ago  
     Main PID: 4119 (java)  
       Tasks: 45 (limit: 1008)  
      Memory: 297.9M (peak: 320.5M)  
         CPU: 21.627s  
      CGroup: /system.slice/jenkins.service  
              └─4119 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080  
  
Dec 23 14:16:04 ip-172-31-13-74 jenkins[4119]: [LF]> This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword  
Dec 23 14:16:04 ip-172-31-13-74 jenkins[4119]: [LF]> *****  
Dec 23 14:16:04 ip-172-31-13-74 jenkins[4119]: [LF]> *****  
Dec 23 14:16:04 ip-172-31-13-74 jenkins[4119]: [LF]> *****  
Dec 23 14:16:11 ip-172-31-13-74 jenkins[4119]: 2025-12-23 14:16:11.169+0000 [id=31] INFO jenkins.InitReactorRunner$1onAttained: Completed initial  
Dec 23 14:16:11 ip-172-31-13-74 jenkins[4119]: 2025-12-23 14:16:11.193+0000 [id=23] INFO hudson.lifecycle.Lifecycle#onReady: Jenkins is fully  
Dec 23 14:16:11 ip-172-31-13-74 systemd[1]: Started jenkins.service - Jenkins Continuous Integration Server.  
Dec 23 14:16:12 ip-172-31-13-74 jenkins[4119]: 2025-12-23 14:16:12.718+0000 [id=49] INFO h.m.DownloadService$Downloadable#load: Obtained the up  
Dec 23 14:16:12 ip-172-31-13-74 jenkins[4119]: 2025-12-23 14:16:12.719+0000 [id=49] INFO hudson.util.Retrier#start: Performed the action check  
lines 1-20/20 (END)
```

```
ubuntu@ip-172-31-13-74: ~
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.


No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-13-74:~$ sudo systemctl start jenkins
sudo systemctl enable jenkins
sudo systemctl status jenkins
Synchronizing state of jenkins.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable jenkins
● jenkins.service - Jenkins Continuous Integration Server
   Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: enabled)
   Active: active (running) since Tue 2025-12-23 14:16:11 UTC; 16s ago
     Main PID: 4119 (java)
       Tasks: 45 (limit: 1008)
      Memory: 297.9M (peak: 320.5M)
         CPU: 21.627s
    CGroup: /system.slice/jenkins.service
            └─4119 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080

Dec 23 14:16:04 ip-172-31-13-74 jenkins[4119]: [LF]> This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword
Dec 23 14:16:04 ip-172-31-13-74 jenkins[4119]: [LF]>
Dec 23 14:16:04 ip-172-31-13-74 jenkins[4119]: [LF]> *****
Dec 23 14:16:04 ip-172-31-13-74 jenkins[4119]: [LF]> *****
Dec 23 14:16:04 ip-172-31-13-74 jenkins[4119]: [LF]> *****
Dec 23 14:16:11 ip-172-31-13-74 jenkins[4119]: 2025-12-23 14:16:11.169+0000 [id=31] INFO jenkins.InitReactorRunner$1#onAttained: Completed initial
Dec 23 14:16:11 ip-172-31-13-74 jenkins[4119]: 2025-12-23 14:16:11.193+0000 [id=23] INFO hudson.lifecycle.Lifecycle#onReady: Jenkins is fully up
Dec 23 14:16:11 ip-172-31-13-74 systemd[1]: Started jenkins.service - Jenkins Continuous Integration Server.
Dec 23 14:16:12 ip-172-31-13-74 jenkins[4119]: 2025-12-23 14:16:12.718+0000 [id=49] INFO h.m.DownloadService$Downloadable#load: Obtained the up
Dec 23 14:16:12 ip-172-31-13-74 jenkins[4119]: 2025-12-23 14:16:12.719+0000 [id=49] INFO hudson.util.Retrier#start: Performed the action check
ubuntu@ip-172-31-13-74:~$ sudo /var/lib/jenkins/secrets/initialAdminPassword
-bash: /var/lib/jenkins/secrets/initialAdminPassword: Permission denied
ubuntu@ip-172-31-13-74:~$ sudo /var/lib/jenkins/secrets/initialAdminPassword
sudo: /var/lib/jenkins/secrets/initialAdminPassword: command not found
ubuntu@ip-172-31-13-74:~$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
ccdb6e7c3fd14d609dd1697ce213789e
ubuntu@ip-172-31-13-74:~$
```



 **Jenkins** / sample-job

Status

Changes

Workspace

Build Now

Configure

Delete Project

Rename

sample-job

Permalinks

- Last build (#3), 26 sec ago
- Last stable build (#3), 26 sec ago
- Last successful build (#3), 26 sec ago
- Last failed build (#1), 2 min 44 sec ago
- Last unsuccessful build (#1), 2 min 44 sec ago
- Last completed build (#3), 26 sec ago

Builds

Filter

Today

- #3 14:27
- #2 14:27
- #1 14:25

Search

Settings

User

Add description

 **Jenkins** / sample-job / Configuration

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

With Ant ?

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

Execute shell ?

Command

See the list of available environment variables

```
echo "Hello Jenkins"
date
whoami
```

Save

Apply

Search

Settings

User