

MindTrack

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Instance summary for i-04a442a6ce3284a0d (project1)

Updated less than a minute ago

Instance ID

i-04a442a6ce3284a0d

IPv6 address

-

Hostname type

IP name: ip-172-31-47-127.ap-south-1.compute.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

13.200.249.105 [Public IP]

IAM role

-

IMDSv2

Required

Public IPv4 address

13.200.249.105 | open address

Instance state

Running

Private IP DNS name (IPv4 only)

ip-172-31-47-127.ap-south-1.compute.internal

Instance type

t2.medium

VPC ID

vpc-0421d1e9b2d53db74

Subnet ID

subnet-0325f240738e9ee70

Instance ARN

arn:aws:ec2:ap-south-1:177593955230:instance/i-04a442a6ce3284a0d

Private IPv4 addresses

172.31.47.127

Public DNS

ec2-13-200-249-105.ap-south-1.compute.amazonaws.com | open address

Elastic IP addresses

-

AWS Compute Optimizer finding

Opt-in to AWS Compute Optimizer for recommendation s. | Learn more

Auto Scaling Group name

-

Managed

false

Connect

Instance state

Actions

sg-04932a722a461232a - launch-wizard-1

Actions

Details

Security group name

launch-wizard-1

Security group ID

sg-04932a722a461232a

Description

launch-wizard-1 created 2026-01-26T19:02:42.407Z

VPC ID

vpc-0421d1e9b2d53db74

Owner

177593955230

Inbound rules count

5 Permission entries

Outbound rules count

1 Permission entry

Inbound rules

Outbound rules

Sharing

VPC associations

Tags

Inbound rules (5)

Manage tags

Edit inbound rules

	Name	Security group rule ID	IP version	Type	Protocol	Port range
☐	-	sgr-0a517128325cae5f2	IPv4	HTTPS	TCP	443
☐	-	sgr-046b6524727c097fd	IPv4	Custom TCP	TCP	3000
☐	-	sgr-0a5db032ee63cce57	IPv4	HTTP	TCP	80
☐	-	sgr-07d9a9d1375db4f9f	IPv4	Custom TCP	TCP	2222
☐	-	sgr-07b68ca5bd2998b5b	IPv4	SSH	TCP	22

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

```
Setting up libxft2:amd64 (2.3.6-1build1) ...
Setting up libgd3:amd64 (2.3.3-9ubuntu5) ...
Setting up x11-utils (7.7+6build2) ...
Setting up libc-devtools (2.39-0ubuntu8.6) ...
Processing triggers for libc-bin (2.39-0ubuntu8.6) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-47-127:~$ node -v
v18.19.1
ubuntu@ip-172-31-47-127:~$ npm -v
9.2.0
ubuntu@ip-172-31-47-127:~$ git clone https://github.com/Vennilavan12/Brain-Tasks-App.git
Cloning into 'Brain-Tasks-App'...
remote: Enumerating objects: 8, done.
remote: Total 8 (delta 0), reused 0 (delta 0), pack-reused 8 (from 1)
Receiving objects: 100% (8/8), 100.04 KiB | 7.70 MiB/s, done.
ubuntu@ip-172-31-47-127:~$ cd Brain-Tasks-App
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$
```

i-04a442a6ce3284a0d (project1)

PublicIPs: 13.200.249.105 PrivateIPs: 172.31.47.127

Search

[Alt+S] Ask Amazon Q

Asia Pacific (Mumbai)

Lakshmi Srinath (1775-9395-5230)

Lakshmi Srinath

```
Compiled successfully!

You can now view brain-tasks-app in the browser.

Local:      http://localhost:3000
On Your Network: http://172.31.47.127:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
```

i-04a442a6ce3284a0d (project1)

PublicIPs: 13.200.249.105 PrivateIPs: 172.31.47.127

Search

[Alt+S] Ask Amazon Q

Asia Pacific (Mumbai)

Lakshmi Srinath (1775-9395-5230)

Lakshmi Srinath

```
Step 1/7 : FROM node:18-alpine
--> ee77c6cd7c18
Step 2/7 : WORKDIR /app
--> Using cache
--> f74dc92bhd7eb
Step 3/7 : COPY package*.json ./
--> Using cache
--> 6389fc965efb
Step 4/7 : RUN npm install
--> Using cache
--> f450f7d8ee84
Step 5/7 : COPY . .
--> Using cache
--> c2d0696d2e7c
Step 6/7 : EXPOSE 3000
--> Using cache
--> a57a60ee8372
Step 7/7 : CMD ["npm", "start"]
--> Using cache
--> c7c743b7ef0f
Successfully built c7c743b7ef0f
Successfully tagged brain-tasks-app:latest
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ docker run -d -p 3000:3000 brain-tasks-app
1007210d3141febacae5d3a3e9cc3df3f5b15f388f0559ae3716536463eef0b3
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                               NAMES
1007210d3141   brain-tasks-app  "docker-entrypoint.s..."  13 seconds ago Up 12 seconds  0.0.0.0:3000->3000/tcp, [::]:3000->3000/tcp  keen_lovelace
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$
```

i-04a442a6ce3284a0d (project1)

```
CONTAINER ID    IMAGE           COMMAND                  CREATED        STATUS        PORTS                               NAMES
1007210d3141   brain-tasks-app "docker-entrypoint.s..." 13 seconds ago Up 12 seconds 0.0.0.0:3000->3000/tcp, [::]:3000->3000/tcp keen_lovelace
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ aws sts get-caller-identity
{
  "UserId": "AIDASSWLMWOPELEFPSPN5",
  "Account": "177593955230",
  "Arn": "arn:aws:iam::177593955230:user/devops-user"
}
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ aws ecr create-repository \
--repository-name brain-tasks-app \
--region ap-south-1
{
  "repository": {
    "repositoryArn": "arn:aws:ecr:ap-south-1:177593955230:repository/brain-tasks-app",
    "registryId": "177593955230",
    "repositoryName": "brain-tasks-app",
    "repositoryUri": "177593955230.dkr.ecr.ap-south-1.amazonaws.com/brain-tasks-app",
    "createdAt": "2026-01-26T20:43:50.665000+00:00",
    "imageTagMutability": "MUTABLE",
    "imageScanningConfiguration": {
      "scanOnPush": false
    },
    "encryptionConfiguration": {
      "encryptionType": "AES256"
    }
  }
}
```

```
d988d46da6e6: Preparing
d51cdde2f42: Preparing
de96a4218b9e: Preparing
82140d9a70a7: Preparing
f3b40b0cdb1c: Preparing
0b1f26057bd0: Preparing
08000c18d16d: Preparing
no basic auth credentials
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ aws ecr get-login-password --region ap-south-1 | \
> docker login --username AWS --password-stdin 177593955230.dkr.ecr.ap-south-1.amazonaws.com

WARNING! Your credentials are stored unencrypted in '/home/ubuntu/.docker/config.json'.
Configure a credential helper to remove this warning. See
https://docs.docker.com/go/credential-store/

Login Succeeded
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ docker push 177593955230.dkr.ecr.ap-south-1.amazonaws.com/brain-tasks-app:latest
The push refers to repository [177593955230.dkr.ecr.ap-south-1.amazonaws.com/brain-tasks-app]
7bad7e60b863: Pushed
d988d46da6e6: Pushed
d51cdde2f42: Pushed
de96a4218b9e: Pushed
82140d9a70a7: Pushed
f3b40b0cdb1c: Pushed
0b1f26057bd0: Pushed
08000c18d16d: Pushed
latest: digest: sha256:4d82373e3006f2ee8c958d97bc1e9c1f596b172bc15df2dde26db40c4b1a8c8 size: 1998
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$
```

```
d96a4218b9e: Pushed
82140d9a70a7: Pushed
f3b40b0cdb1c: Pushed
0b1f26057bd0: Pushed
08000c18d16d: Pushed
latest: digest: sha256:4d82373e3006f2ee8c958d97bc1e9c1f596b172bc15df2dde26db40c4b1a8c8 size: 1998
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ curl -LO https://storage.googleapis.com/kubernetes-release/release/`curl -s \
https://storage.googleapis.com/kubernetes-release/release/stable.txt`/bin/linux/amd64/kubectl
% Total % Received % Xferd Average Speed Time Time Current
Dload Upload Total Spent Left Speed
100 53.7M 100 53.7M 0 0 9992k 0 0:00:05 0:00:05 --:--:-- 12.0M
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ chmod +x kubectl
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ sudo mv kubectl /usr/local/bin/
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ curl --silent --location \
"https://github.com/weaveworks/eksctl/releases/latest/download/eksctl_Linux_amd64.tar.gz" \
| tar xz -C /tmp
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ sudo mv /tmp/eksctl /usr/local/bin
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ eksctl create cluster \
--name brain-eks \
--region ap-south-1 \
--nodegroup-name linux-nodes \
--node-type t3.medium \
--nodes 2
2026-01-26 20:50:33 [i] eksctl version 0.221.0
2026-01-26 20:50:33 [i] using region ap-south-1
2026-01-26 20:50:33 [i] setting availability zones to [ap-south-1c ap-south-1a ap-south-1b]
2026-01-26 20:50:33 [i] subnets for ap-south-1c - public:192.168.0.0/19 private:192.168.96.0/19
2026-01-26 20:50:33 [i] subnets for ap-south-1a - public:192.168.32.0/19 private:192.168.128.0/19
```




[Alt+S]
 Ask Amazon Q
 



 Asia Pacific (Mumbai) ▼

Lakshmi Srinath (1775-9395-5230) ▼
 Lakshmi Srinath

```

2026-01-26 21:00:36 [I] building managed nodegroup stack "eksctl-brain-eks-nodegroup-linux-nodes"
2026-01-26 21:00:36 [I] deploying stack "eksctl-brain-eks-nodegroup-linux-nodes"
2026-01-26 21:00:36 [I] waiting for CloudFormation stack "eksctl-brain-eks-nodegroup-linux-nodes"
2026-01-26 21:01:06 [I] waiting for CloudFormation stack "eksctl-brain-eks-nodegroup-linux-nodes"
2026-01-26 21:01:56 [I] waiting for CloudFormation stack "eksctl-brain-eks-nodegroup-linux-nodes"
2026-01-26 21:02:57 [I] waiting for CloudFormation stack "eksctl-brain-eks-nodegroup-linux-nodes"
2026-01-26 21:04:35 [I] waiting for CloudFormation stack "eksctl-brain-eks-nodegroup-linux-nodes"
2026-01-26 21:04:35 [I] waiting for the control plane to become ready
2026-01-26 21:04:36 [✓] saved kubeconfig as "/home/ubuntu/.kube/config"
2026-01-26 21:04:36 [I] no tasks
2026-01-26 21:04:36 [✓] all eks cluster resources for "brain-eks" have been created
2026-01-26 21:04:36 [I] nodegroup "linux-nodes" has 2 node(s)
2026-01-26 21:04:36 [I] node "ip-192-168-63-109.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [I] node "ip-192-168-72-130.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [I] waiting for at least 2 node(s) to become ready in "linux-nodes"
2026-01-26 21:04:36 [I] nodegroup "linux-nodes" has 2 node(s)
2026-01-26 21:04:36 [I] node "ip-192-168-63-109.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [I] node "ip-192-168-72-130.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [✓] created 1 managed nodegroup(s) in cluster "brain-eks"
2026-01-26 21:04:37 [I] creating addon: metrics-server
2026-01-26 21:04:37 [I] successfully created addon: metrics-server
2026-01-26 21:04:38 [I] Kubectl command should work with "/home/ubuntu/.kube/config", try 'kubectl get nodes'
2026-01-26 21:04:38 [✓] EKS cluster "brain-eks" in "ap-south-1" region is ready
ubuntu@ip-192-31-47-127:/ - Brain-Tasks-App$ kubectl get nodes
NAME                                STATUS    ROLES    AGE     VERSION
ip-192-168-63-109.ap-south-1.compute.internal Ready    <none>   4m51s   v1.32.9-eks-e6aa3a6
ip-192-168-72-130.ap-south-1.compute.internal Ready    <none>   4m52s   v1.32.9-eks-e6aa3a6
ubuntu@ip-192-31-47-127:/ - Brain-Tasks-App$

```

9

```

2026-01-26 21:04:36 [✓] alibabaEKS cluster resources for "brain-eks" have been created
2026-01-26 21:04:36 [I] nodegroup "linux-nodes" has 2 node(s)
2026-01-26 21:04:36 [I] node "ip-192-168-63-109.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [I] node "ip-192-168-72-130.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [I] waiting for at least 2 node(s) to become ready in "linux-nodes"
2026-01-26 21:04:36 [I] nodegroup "linux-nodes" has 2 node(s)
2026-01-26 21:04:36 [I] node "ip-192-168-63-109.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [I] node "ip-192-168-72-130.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [✓] created 1 managed nodegroup(s) in cluster "brain-eks"
2026-01-26 21:04:37 [I] creating add-on: metrics-server
2026-01-26 21:04:37 [I] successfully created add-on: metrics-server
2026-01-26 21:04:38 [I] kubectl command should work with "/home/ubuntu/.kube/config", try "kubectl get nodes"
2026-01-26 21:04:38 [✓] EKS cluster "brain-eks" in "ap-south-1" region is ready
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl get nodes
NAME                                STATUS    ROLES    AGE   VERSION
ip-192-168-63-109.ap-south-1.compute.internal Ready       4m5s   v1.32.3-eks-ecaa3a6
ip-192-168-72-130.ap-south-1.compute.internal Ready       4m52s   v1.32.3-eks-ecaa3a6
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl apply -f deployment.yaml
error: the path "deployment.yaml" does not exist
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ nano deployment.yaml
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ nano service.yaml
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl apply -f deployment.yaml
deployment.apps/brain-eks-deployment created
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl apply -f service.yaml
service/brain-tasks-service created
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$

```

Downloaded from <https://www.cambridge.org/core>. University of Cambridge, on 02 Jun 2020 at 10:00:00, subject to the Cambridge Core terms of use, available at <https://www.cambridge.org/core/terms>. <https://doi.org/10.1017/S0022278X20000509>

```

2026-01-26 21:04:36 [I] Waiting for at least 2 node(s) to become ready in "linux-nodes"
2026-01-26 21:04:36 [I] Node "linux-nodes" has 2 node(s)
2026-01-26 21:04:36 [I] Node "ip-192-168-63-109.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [I] Node "ip-192-168-72-130.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [✓] created 1 managed nodegroup(s) in cluster "brain-eks"
2026-01-26 21:04:37 [I] creating add-on: metrics-server
2026-01-26 21:04:37 [I] successfully created add-on: metrics-server
2026-01-26 21:04:38 [I] kubectl command should work with "/home/ubuntu/.kube/config", try 'kubectl get nodes'
2026-01-26 21:04:38 [I] ✓
subunt01@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl get nodes
NAME                                STATUS    ROLES    AGE     VERSION
ip-192-168-63-109.ap-south-1.compute.internal Ready    <none>   4m51s   v1.32.9-eks-ecaa3a6
ip-192-168-72-130.ap-south-1.compute.internal Ready    <none>   4m52s   v1.32.9-eks-ecaa3a6
subunt01@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl apply -f deployment.yaml
error: the path "deployment.yaml" does not exist
subunt01@ip-172-31-47-127:~/Brain-Tasks-App$ nano deployment.yaml
subunt01@ip-172-31-47-127:~/Brain-Tasks-App$ nano service.yaml
subunt01@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl apply -f deployment.yaml
deployment.apps/brain-tasks-deployment created
subunt01@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl apply -f service.yaml
service/brain-tasks-service created
subunt01@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl get svc
NAME                                TYPE           CLUSTER-IP      EXTERNAL-IP
brain-tasks-service    LoadBalancer  10.100.31.120    afae573e02a3446699fd66008831211fd-1062371226.ap-south-1.elb.amazonaws.com
kubernetes              ClusterIP      10.100.0.1      <none>
subunt01@ip-172-31-47-127:~/Brain-Tasks-App$

```

```
2026-01-26 21:04:36 [I] waiting for at least 2 node(s) to become ready in "linux-nodes"
2026-01-26 21:04:36 [I] nodegroup "linux-nodes" has 2 node(s)
2026-01-26 21:04:36 [I] node "ip-192-168-63-109.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [I] node "ip-192-168-72-130.ap-south-1.compute.internal" is ready
2026-01-26 21:04:36 [✓] created 1 managed nodegroup(s) in cluster "brain-eks"
2026-01-26 21:04:37 [I] creating addon: metrics-server
2026-01-26 21:04:37 [I] successfully created addon: metrics-server
2026-01-26 21:04:38 [I] kubectl command should work with "/home/ubuntu/.kube/config", try 'kubectl get nodes'
2026-01-26 21:04:38 [✓] aws cluster "brain-eks" in "ap-south-1" region is ready
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl get nodes
NAME                                STATUS    ROLES    AGE     VERSION
ip-192-168-63-109.ap-south-1.compute.internal  Ready    <none>   4m51s   v1.32.9-eks-ecaa3a6
ip-192-168-72-130.ap-south-1.compute.internal  Ready    <none>   4m52s   v1.32.9-eks-ecaa3a6
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl apply -f deployment.yaml
error: the path "deployment.yaml" does not exist
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ nano deployment.yaml
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ nano service.yaml
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl apply -f deployment.yaml
deployment.apps/brain-tasks-deployment created
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl apply -f service.yaml
service/brain-tasks-service created
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ kubectl get svc
NAME                                TYPE           CLUSTER-IP      EXTERNAL-IP      PORT(S)          AGE
brain-tasks-service                LoadBalancer  10.100.31.120    afaea73e02a3446698fd6608831211fd-1062371226.ap-south-1.elb.amazonaws.com  80:30218/TCP     35s
kubernetes                         ClusterIP      10.100.0.1       <none>            443/TCP           15m
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ nano buildspec.yml
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ nano appspec.yml
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$
```

```
create mode 100644 node_modules/yargs/locales/it.json
create mode 100644 node_modules/yargs/locales/ja.json
create mode 100644 node_modules/yargs/locales/ko.json
create mode 100644 node_modules/yargs/locales/nb.json
create mode 100644 node_modules/yargs/locales/nl.json
create mode 100644 node_modules/yargs/locales/nn.json
create mode 100644 node_modules/yargs/locales/pirate.json
create mode 100644 node_modules/yargs/locales/pl.json
create mode 100644 node_modules/yargs/locales/pt.json
create mode 100644 node_modules/yargs/locales/pt_BR.json
create mode 100644 node_modules/yargs/locales/ru.json
create mode 100644 node_modules/yargs/locales/th.json
create mode 100644 node_modules/yargs/locales/tr.json
create mode 100644 node_modules/yargs/locales/zh_CN.json
create mode 100644 node_modules/yargs/locales/zh_TW.json
create mode 100644 node_modules/yargs/package.json
create mode 100644 node_modules/yargs/yargs
create mode 100644 node_modules/yocto-queue/index.d.ts
create mode 100644 node_modules/yocto-queue/index.js
create mode 100644 node_modules/yocto-queue/license
create mode 100644 node_modules/yocto-queue/package.json
create mode 100644 node_modules/yocto-queue/readme.md
create mode 100644 package-lock.json
create mode 100644 package.json
create mode 100644 public/index.html
create mode 100644 service.yaml
create mode 100644 src/index.js
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$
```



```
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ origin https://github.com/SubanalakshmiJS/Brain-Tasks-App.git
origin: command not found
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ git remote -v
origin https://github.com/Vennilavan12/Brain-Tasks-App.git (fetch)
origin https://github.com/Vennilavan12/Brain-Tasks-App.git (push)
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ git remote set-url origin https://github.com/SubanalakshmiJS/Brain-Tasks-App.git
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ git remote -v
origin https://github.com/SubanalakshmiJS/Brain-Tasks-App.git (fetch)
origin https://github.com/SubanalakshmiJS/Brain-Tasks-App.git (push)
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ git push -u origin main
Username for 'https://github.com': SubanalakshmiJS
Password for 'https://github.com': SubanalakshmiJS@github.com:
remote: Repository not found.
fatal: repository 'https://github.com/SubanalakshmiJS/Brain-Tasks-App.git/' not found
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$ git push -u origin main
Username for 'https://github.com': SubanalakshmiJS
Password for 'https://github.com': SubanalakshmiJS@github.com:
Enumerating objects: 31506, done.
Counting objects: 100% (31506/31506), done.
Delta compression using up to 2 threads
Compressing objects: 100% (24260/24260), done.
Writing objects: 100% (31506/31506), 43.40 MiB | 6.61 MiB/s, done.
Total 31506 (delta 6188), reused 31506 (delta 6188), pack-reused 0
remote: Resolving deltas: 100% (6188/6188), done.
To https://github.com/SubanalakshmiJS/Brain-Tasks-App.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
ubuntu@ip-172-31-47-127:~/Brain-Tasks-App$
```

Developer Tools

CodeBuild

Build projects

Project

Developer Tools

CodeCommit

Artifacts

Build

Getting started

Build projects

Build project

Settings

Build history

Report groups

Report history

Compute fleets

Account metrics

Related integrations

Jenkins

GitHub Actions

GitLab runners

Project

Actions

Create trigger

Edit

Clone

Debug build

Start build with overrides

Start build

Configuration

Source provider

Primary repository

Artifacts upload location

Service role

Public builds

Build history

Batch history

Project details

Build triggers

Metrics

Debug sessions

Build history

Stop build

View artifacts

View logs

Delete builds

Retry build

Debug build

Build run	Status	Build number	Source version	Submitter	Duration	Completed
No results						
There are no results to display.						

←

→

🔒 Not secure

13.200.249.105:3000

☆

🔍

⋮

Brain Tasks App

Application is running successfully 🚀

appspec.yml

version: 0.0

Resources:

- Type: Kubernetes

Properties:

TaskDefinition:

Location: deployment.yml

buildspec.yml

version: 0.2

phases:

pre_build:

commands:

- echo Logging in to Amazon ECR...
- aws ecr get-login-password --region ap-south-1 | docker login --username AWS --password-stdin 177593955230.dkr.ecr.ap-south-1.amazonaws.com

build:

commands:

- echo Build started
- docker build -t brain-tasks-app .
- docker tag brain-tasks-app:latest 177593955230.dkr.ecr.ap-south-1.amazonaws.com/brain-tasks-app:latest

post_build:

commands:

- echo Pushing Docker image...
- docker push 177593955230.dkr.ecr.ap-south-1.amazonaws.com/brain-tasks-app:latest
- echo Build completed

service.yml

apiVersion: v1kind: Servicemetadata:

name: brain-tasks-servicespec:

type: LoadBalancer

selector:

app: brain-tasks

ports:

- port: 80
- targetPort: 80

Deployment.yaml

```
apiVersion: apps/v1
kind: Deployment
metadata:
  name: brain-tasks-deployment
spec:
  replicas: 2
  selector:
    matchLabels:
      app: brain-tasks
  template:
    metadata:
      labels:
        app: brain-tasks
    spec:
      containers:
        - name: brain-tasks
          image: 177593955230.dkr.ecr.ap-south-1.amazonaws.com/brain-tasks-app:latest
          ports:
            - containerPort: 3000
```