

Task Description:

Create a simple script file and push it to repo. Create a project in Jenkins connected to your GitHub repository. When a commit is made to your repo, automatically build must get triggered from Jenkins and the output must be shared to me via email.

Output:

```
aws | Search | [Alt+S] | 1 | Asia Pacific (Mumbai) | Account ID: 6399-6664-7088 | Subanalakshmi R

buntu@ip-172-31-11-36:~$ mkdir jenkins_task2
buntu@ip-172-31-11-36:~$ nano script.sh
buntu@ip-172-31-11-36:~$ chmod +x script.sh
buntu@ip-172-31-11-36:~$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ubuntu/.git/
buntu@ip-172-31-11-36:~$ git add .
buntu@ip-172-31-11-36:~$ git commit -m "Initial script commit"
[master (root-commit) e8fc7b3] Initial script commit
Committer: Ubuntu <ubuntu@ip-172-31-11-36.ap-south-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

git config --global --edit
```

```
aws | Search | [Alt+S] | 1 | Asia Pacific (Mumbai) | Account ID: 6399-6664-7088 | Subanalakshmi R

hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ubuntu/.git/
ubuntu@ip-172-31-11-36:~$ git add .
ubuntu@ip-172-31-11-36:~$ git commit -m "Initial script commit"
[master (root-commit) e8fc7b3] Initial script commit
Committer: Ubuntu <ubuntu@ip-172-31-11-36.ap-south-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

6 files changed, 164 insertions(+)
create mode 100644 .bash_logout
create mode 100644 .bashrc
create mode 100644 .cache/motd.legal-displayed
create mode 100644 .profile
create mode 100644 .ssh/authorized_keys
create mode 100755 script.sh
ubuntu@ip-172-31-11-36:~$
```

```
Adding debian:XRamp_Global_CA_Root.pem
Adding debian:certSIGN_ROOT_CA.pem
Adding debian:certSIGN_Root_CA_G2.pem
Adding debian:e-Szigno_Root_CA_2017.pem
Adding debian:ePKI_Root_Certification_Authority.pem
Adding debian:emSign_ECC_Root_CA_-_C3.pem
Adding debian:emSign_ECC_Root_CA_-_G3.pem
Adding debian:emSign_Root_CA_-_C1.pem
Adding debian:emSign_Root_CA_-_G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
Setting up openjdk-21-jre:amd64 (21.0.9+10-1~24.04) ...
Processing triggers for libc-bin (2.39-0ubuntu8.6) ...
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-12-97:~$
```

```
No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-12-97:~$ curl -fsSL https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key | sudo tee \
/usr/share/keyrings/jenkins-keyring.asc > /dev/null
ubuntu@ip-172-31-12-97:~$ echo deb [signed-by=/usr/share/keyrings/jenkins-keyring.asc] \
https://pkg.jenkins.io/debian-stable binary/ | sudo tee \
/etc/apt/sources.list.d/jenkins.list > /dev/null
ubuntu@ip-172-31-12-97:~$ sudo apt update
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Ign:4 https://pkg.jenkins.io/debian-stable binary/ InRelease
Get:5 https://pkg.jenkins.io/debian-stable binary/ Release [2044 B]
Get:6 https://pkg.jenkins.io/debian-stable binary/ Release.gpg [833 B]
Hit:7 http://security.ubuntu.com/ubuntu noble-security InRelease
Get:8 https://pkg.jenkins.io/debian-stable binary/ Packages [30.3 kB]
Fetched 33.2 kB in 0s (86.8 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
80 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-12-97:~$
```

```
Scanning processes... [=====]
Scanning processes... [=====]
Scanning processes... [=====]
Scanning processes... [=====]
Scanning processes... [=====]
Scanning processes... [=====]

Scanning linux images... [=====]
Scanning linux images... [=====]
Scanning linux images... [=====]
Scanning linux images... [=====]

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-12-97:~$ sudo systemctl start jenkins
ubuntu@ip-172-31-12-97:~$ sudo systemctl enable jenkins
Synchronizing state of jenkins.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable jenkins
ubuntu@ip-172-31-12-97:~$
```

 **Jenkins**

sample-job 2 / #1

Status

Changes

Console Output

Edit Build Information

Delete build '#1'

Timings

✓ #1 (26 Dec 2025, 06:47:38)

Started by user [admin](#)

This run spent:

- 28 ms waiting;
- 58 ms build duration;
- 86 ms total from scheduled to completion.

</>

No changes.

Add description

Keep this build forever

Started 6.4 sec ago

Took 58 ms

REST API

Jenkins 2.528.3

 **Jenkins**

sample-job 2 / Configuration

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Execute shell ?

Command

See [the list of available environment variables](#)

```
echo "Hello Jenkins"
date
```

Advanced ▾

+ Add build step

Save

Apply